


|               |                               |                |          |
|---------------|-------------------------------|----------------|----------|
| Test_Mode     | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2441MHz  |
| Tset_Engineer | \                             | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18354.9742  | -26.76      | 63.05          | 36.29          | 74.00          | 37.71       | PASS   | Horizontal | PK     |
| 2              | 19824.513   | -25.16      | 60.07          | 34.91          | 74.00          | 39.09       | PASS   | Horizontal | PK     |
| 3              | 20878.8952  | -25.79      | 61.10          | 35.31          | 74.00          | 38.69       | PASS   | Horizontal | PK     |
| 4              | 22363.3945  | -25.15      | 58.50          | 33.35          | 74.00          | 40.65       | PASS   | Horizontal | PK     |
| 5              | 24007.0203  | -21.96      | 57.24          | 35.28          | 74.00          | 38.72       | PASS   | Horizontal | PK     |
| 6              | 25716.9487  | -20.78      | 56.93          | 36.15          | 74.00          | 37.85       | PASS   | Horizontal | PK     |

|               |                               |                |          |
|---------------|-------------------------------|----------------|----------|
| Test_Mode     | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2441MHz  |
| Tset_Engineer | \                             | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18371.2949  | -26.74      | 63.17          | 36.43          | 74.00          | 37.57       | PASS   | Vertical | PK     |
| 2              | 19627.3051  | -25.54      | 59.84          | 34.30          | 74.00          | 39.70       | PASS   | Vertical | PK     |
| 3              | 20923.0969  | -25.87      | 60.20          | 34.33          | 74.00          | 39.67       | PASS   | Vertical | PK     |
| 4              | 22427.3171  | -25.08      | 59.07          | 33.99          | 74.00          | 40.01       | PASS   | Vertical | PK     |
| 5              | 24019.6008  | -22.00      | 57.00          | 35.00          | 74.00          | 39.00       | PASS   | Vertical | PK     |
| 6              | 25681.5873  | -20.75      | 57.31          | 36.56          | 74.00          | 37.44       | PASS   | Vertical | PK     |

|               |                            |                |          |
|---------------|----------------------------|----------------|----------|
| Test_Mode     | $\pi$ /4DQPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                          | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2323.8216   | 15.84       | 37.51          | 53.35          | 74.00          | 20.65       | PASS   | Horizontal | PK     |
| 2              | 2987.8659   | 17.90       | 37.03          | 54.93          | 74.00          | 19.07       | PASS   | Horizontal | PK     |
| 3              | 3652.0435   | -12.86      | 70.03          | 57.17          | 74.00          | 16.83       | PASS   | Horizontal | PK     |
| 4              | 4316.0877   | -10.10      | 64.09          | 53.99          | 74.00          | 20.01       | PASS   | Horizontal | PK     |
| 5              | 12486.6324  | 3.90        | 51.86          | 55.76          | 74.00          | 18.24       | PASS   | Horizontal | PK     |
| 6              | 16589.906   | 10.76       | 48.09          | 58.85          | 74.00          | 15.15       | PASS   | Horizontal | PK     |
| 7              | 2987.9992   | 17.90       | 22.45          | 40.35          | 54.00          | 13.65       | PASS   | Horizontal | AV     |
| 8              | 3653.0435   | -12.85      | 62.86          | 50.01          | 54.00          | 3.99        | PASS   | Horizontal | AV     |
| 9              | 12508.6339  | 4.02        | 40.20          | 44.22          | 54.00          | 9.78        | PASS   | Horizontal | AV     |
| 10             | 16502.9002  | 11.93       | 35.85          | 47.78          | 54.00          | 6.22        | PASS   | Horizontal | AV     |

|               |                               |                |          |
|---------------|-------------------------------|----------------|----------|
| Test_Mode     | $\pi$ /4DQPSK<br>Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                             | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2323.9549   | 15.83       | 37.41          | 53.24          | 74.00          | 20.76       | PASS   | Vertical | PK     |
| 2              | 2988.1325   | 17.90       | 38.91          | 56.81          | 74.00          | 17.19       | PASS   | Vertical | PK     |
| 3              | 3652.0435   | -12.86      | 67.98          | 55.12          | 74.00          | 18.88       | PASS   | Vertical | PK     |
| 4              | 4316.0877   | -10.10      | 63.20          | 53.10          | 74.00          | 20.90       | PASS   | Vertical | PK     |
| 5              | 6308.2205   | -4.76       | 58.34          | 53.58          | 74.00          | 20.42       | PASS   | Vertical | PK     |
| 6              | 16358.8906  | 11.30       | 48.62          | 59.92          | 74.00          | 14.08       | PASS   | Vertical | PK     |
| 7              | 2987.9992   | 17.90       | 31.61          | 49.51          | 54.00          | 4.49        | PASS   | Vertical | AV     |
| 8              | 3653.0435   | -12.85      | 63.54          | 50.69          | 54.00          | 3.31        | PASS   | Vertical | AV     |
| 9              | 4317.0878   | -10.10      | 58.79          | 48.69          | 54.00          | 5.31        | PASS   | Vertical | AV     |
| 10             | 16439.896   | 10.79       | 36.83          | 47.62          | 54.00          | 6.38        | PASS   | Vertical | AV     |

|               |                            |                |          |
|---------------|----------------------------|----------------|----------|
| Test_Mode     | $\pi$ /4DQPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                          | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18306.0122  | -26.83      | 63.21          | 36.38          | 74.00          | 37.62       | PASS   | Horizontal | PK     |
| 2              | 19587.5235  | -25.59      | 59.95          | 34.36          | 74.00          | 39.64       | PASS   | Horizontal | PK     |
| 3              | 21057.7423  | -25.93      | 59.89          | 33.96          | 74.00          | 40.04       | PASS   | Horizontal | PK     |
| 4              | 22824.793   | -25.13      | 59.42          | 34.29          | 74.00          | 39.71       | PASS   | Horizontal | PK     |
| 5              | 24451.4181  | -21.73      | 56.46          | 34.73          | 74.00          | 39.27       | PASS   | Horizontal | PK     |
| 6              | 26096.4039  | -21.13      | 56.86          | 35.73          | 74.00          | 38.27       | PASS   | Horizontal | PK     |

|               |                            |                |          |
|---------------|----------------------------|----------------|----------|
| Test_Mode     | $\pi$ /4DQPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                          | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18288.6715  | -26.85      | 63.43          | 36.58          | 74.00          | 37.42       | PASS   | Vertical | PK     |
| 2              | 19646.6859  | -25.51      | 60.43          | 34.92          | 74.00          | 39.08       | PASS   | Vertical | PK     |
| 3              | 21124.385   | -25.85      | 61.07          | 35.22          | 74.00          | 38.78       | PASS   | Vertical | PK     |
| 4              | 23257.2903  | -24.07      | 57.44          | 33.37          | 74.00          | 40.63       | PASS   | Vertical | PK     |
| 5              | 25192.6477  | -21.08      | 56.30          | 35.22          | 74.00          | 38.78       | PASS   | Vertical | PK     |
| 6              | 26264.0306  | -21.30      | 56.27          | 34.97          | 74.00          | 39.03       | PASS   | Vertical | PK     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |

Test Graph




Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2323.8216   | 15.84       | 37.70          | 53.54          | 74.00          | 20.46       | PASS   | Horizontal | PK     |
| 2  | 2959.5973   | 17.75       | 36.47          | 54.22          | 74.00          | 19.78       | PASS   | Horizontal | PK     |
| 3  | 3652.0435   | -12.86      | 69.71          | 56.85          | 74.00          | 17.15       | PASS   | Horizontal | PK     |
| 4  | 4316.0877   | -10.10      | 64.75          | 54.65          | 74.00          | 19.35       | PASS   | Horizontal | PK     |
| 5  | 4804.1203   | -8.60       | 60.77          | 52.17          | 74.00          | 21.83       | PASS   | Horizontal | PK     |
| 6  | 13719.7146  | 7.22        | 50.61          | 57.83          | 74.00          | 16.17       | PASS   | Horizontal | PK     |
| 7  | 2971.1981   | 17.93       | 17.79          | 35.72          | 54.00          | 18.28       | PASS   | Horizontal | AV     |
| 8  | 3653.0435   | -12.85      | 62.56          | 49.71          | 54.00          | 4.29        | PASS   | Horizontal | AV     |
| 9  | 4317.0878   | -10.10      | 60.15          | 50.05          | 54.00          | 3.95        | PASS   | Horizontal | AV     |
| 10 | 13684.7123  | 7.31        | 38.60          | 45.91          | 54.00          | 8.09        | PASS   | Horizontal | AV     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2044.603    | 14.77       | 35.08          | 49.85          | 74.00          | 24.15       | PASS   | Vertical | PK     |
| 2              | 2987.8659   | 17.90       | 39.35          | 57.25          | 74.00          | 16.75       | PASS   | Vertical | PK     |
| 3              | 3652.0435   | -12.86      | 68.03          | 55.17          | 74.00          | 18.83       | PASS   | Vertical | PK     |
| 4              | 4316.0877   | -10.10      | 62.60          | 52.50          | 74.00          | 21.50       | PASS   | Vertical | PK     |
| 5              | 6308.2205   | -4.76       | 58.11          | 53.35          | 74.00          | 20.65       | PASS   | Vertical | PK     |
| 6              | 13750.7167  | 7.17        | 49.30          | 56.47          | 74.00          | 17.53       | PASS   | Vertical | PK     |
| 7              | 2988.1325   | 17.90       | 32.81          | 50.71          | 54.00          | 3.29        | PASS   | Vertical | AV     |
| 8              | 3653.0435   | -12.85      | 63.41          | 50.56          | 54.00          | 3.44        | PASS   | Vertical | AV     |
| 9              | 13768.7179  | 7.38        | 38.74          | 46.12          | 54.00          | 7.88        | PASS   | Vertical | AV     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18514.7806  | -26.69      | 63.27          | 36.58          | 74.00          | 37.42       | PASS   | Horizontal | PK     |
| 2              | 19723.869   | -25.37      | 60.28          | 34.91          | 74.00          | 39.09       | PASS   | Horizontal | PK     |
| 3              | 20903.0361  | -25.83      | 61.66          | 35.83          | 74.00          | 38.17       | PASS   | Horizontal | PK     |
| 4              | 22261.3905  | -25.30      | 60.19          | 34.89          | 74.00          | 39.11       | PASS   | Horizontal | PK     |
| 5              | 23851.6341  | -22.23      | 58.48          | 36.25          | 74.00          | 37.75       | PASS   | Horizontal | PK     |
| 6              | 25574.143   | -20.81      | 56.28          | 35.47          | 74.00          | 38.53       | PASS   | Horizontal | PK     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18544.3618  | -26.69      | 62.21          | 35.52          | 74.00          | 38.48       | PASS   | Vertical | PK     |
| 2              | 19674.567   | -25.46      | 60.81          | 35.35          | 74.00          | 38.65       | PASS   | Vertical | PK     |
| 3              | 20878.2151  | -25.79      | 61.07          | 35.28          | 74.00          | 38.72       | PASS   | Vertical | PK     |
| 4              | 22145.7858  | -25.51      | 59.92          | 34.41          | 74.00          | 39.59       | PASS   | Vertical | PK     |
| 5              | 23825.113   | -22.28      | 58.63          | 36.35          | 74.00          | 37.65       | PASS   | Vertical | PK     |
| 6              | 25621.7449  | -20.73      | 57.20          | 36.47          | 74.00          | 37.53       | PASS   | Vertical | PK     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2441MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2324.0883   | 15.83       | 37.53          | 53.36          | 74.00          | 20.64       | PASS   | Horizontal | PK     |
| 2              | 2983.4656   | 17.88       | 35.76          | 53.64          | 74.00          | 20.36       | PASS   | Horizontal | PK     |
| 3              | 3652.0435   | -12.86      | 70.25          | 57.39          | 74.00          | 16.61       | PASS   | Horizontal | PK     |
| 4              | 4316.0877   | -10.10      | 64.05          | 53.95          | 74.00          | 20.05       | PASS   | Horizontal | PK     |
| 5              | 4980.132    | -8.10       | 57.70          | 49.60          | 74.00          | 24.40       | PASS   | Horizontal | PK     |
| 6              | 13754.717   | 7.22        | 49.38          | 56.60          | 74.00          | 17.40       | PASS   | Horizontal | PK     |
| 7              | 3653.0435   | -12.85      | 63.27          | 50.42          | 54.00          | 3.58        | PASS   | Horizontal | AV     |
| 8              | 13824.7216  | 7.44        | 37.68          | 45.12          | 54.00          | 8.88        | PASS   | Horizontal | AV     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2441MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2019.668    | 14.57       | 35.34          | 49.91          | 74.00          | 24.09       | PASS   | Vertical | PK     |
| 2              | 2987.9992   | 17.90       | 38.80          | 56.70          | 74.00          | 17.30       | PASS   | Vertical | PK     |
| 3              | 3652.0435   | -12.86      | 66.57          | 53.71          | 74.00          | 20.29       | PASS   | Vertical | PK     |
| 4              | 4316.0877   | -10.10      | 63.59          | 53.49          | 74.00          | 20.51       | PASS   | Vertical | PK     |
| 5              | 6308.2205   | -4.76       | 58.36          | 53.60          | 74.00          | 20.40       | PASS   | Vertical | PK     |
| 6              | 13751.7168  | 7.18        | 49.66          | 56.84          | 74.00          | 17.16       | PASS   | Vertical | PK     |
| 7              | 2987.9992   | 17.90       | 32.04          | 49.94          | 54.00          | 4.06        | PASS   | Vertical | AV     |
| 8              | 13717.7145  | 7.22        | 38.61          | 45.83          | 54.00          | 8.17        | PASS   | Vertical | AV     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2441MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18429.0972  | -26.70      | 62.60          | 35.90          | 74.00          | 38.10       | PASS   | Horizontal | PK     |
| 2              | 19786.4315  | -25.25      | 60.45          | 35.20          | 74.00          | 38.80       | PASS   | Horizontal | PK     |
| 3              | 21129.8252  | -25.83      | 61.01          | 35.18          | 74.00          | 38.82       | PASS   | Horizontal | PK     |
| 4              | 22697.9679  | -25.02      | 58.39          | 33.37          | 74.00          | 40.63       | PASS   | Horizontal | PK     |
| 5              | 24335.1334  | -21.99      | 57.55          | 35.56          | 74.00          | 38.44       | PASS   | Horizontal | PK     |
| 6              | 26082.4633  | -21.09      | 57.65          | 36.56          | 74.00          | 37.44       | PASS   | Horizontal | PK     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2441MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18326.073   | -26.80      | 62.48          | 35.68          | 74.00          | 38.32       | PASS   | Vertical | PK     |
| 2              | 19720.1288  | -25.38      | 60.70          | 35.32          | 74.00          | 38.68       | PASS   | Vertical | PK     |
| 3              | 20994.1598  | -25.99      | 60.69          | 34.70          | 74.00          | 39.30       | PASS   | Vertical | PK     |
| 4              | 22404.8762  | -25.10      | 60.30          | 35.20          | 74.00          | 38.80       | PASS   | Vertical | PK     |
| 5              | 23846.8739  | -22.24      | 57.73          | 35.49          | 74.00          | 38.51       | PASS   | Vertical | PK     |
| 6              | 25494.9198  | -21.09      | 56.97          | 35.88          | 74.00          | 38.12       | PASS   | Vertical | PK     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2324.2216   | 15.83       | 36.80          | 52.63          | 74.00          | 21.37       | PASS   | Horizontal | PK     |
| 2              | 3652.0435   | -12.86      | 70.38          | 57.52          | 74.00          | 16.48       | PASS   | Horizontal | PK     |
| 3              | 4316.0877   | -10.10      | 64.91          | 54.81          | 74.00          | 19.19       | PASS   | Horizontal | PK     |
| 4              | 4980.132    | -8.10       | 58.01          | 49.91          | 74.00          | 24.09       | PASS   | Horizontal | PK     |
| 5              | 7636.3091   | -2.22       | 52.75          | 50.53          | 74.00          | 23.47       | PASS   | Horizontal | PK     |
| 6              | 13816.7211  | 7.54        | 49.65          | 57.19          | 74.00          | 16.81       | PASS   | Horizontal | PK     |
| 7              | 3653.0435   | -12.85      | 67.30          | 54.45          | 54.00          | 3.05        | PASS   | Horizontal | AV     |
| 8              | 4317.0878   | -10.10      | 59.85          | 49.75          | 54.00          | 4.25        | PASS   | Horizontal | AV     |
| 9              | 13824.7216  | 7.44        | 38.24          | 45.68          | 54.00          | 8.32        | PASS   | Horizontal | AV     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2323.9549   | 15.83       | 36.90          | 52.73          | 74.00          | 21.27       | PASS   | Vertical | PK     |
| 2              | 2987.8659   | 17.90       | 38.99          | 56.89          | 74.00          | 17.11       | PASS   | Vertical | PK     |
| 3              | 3652.0435   | -12.86      | 68.27          | 55.41          | 74.00          | 18.59       | PASS   | Vertical | PK     |
| 4              | 4316.0877   | -10.10      | 62.59          | 52.49          | 74.00          | 21.51       | PASS   | Vertical | PK     |
| 5              | 6308.2205   | -4.76       | 57.88          | 53.12          | 74.00          | 20.88       | PASS   | Vertical | PK     |
| 6              | 13703.7136  | 7.25        | 48.95          | 56.20          | 74.00          | 17.80       | PASS   | Vertical | PK     |
| 7              | 2987.9992   | 17.90       | 32.94          | 50.84          | 54.00          | 3.16        | PASS   | Vertical | AV     |
| 8              | 3653.0435   | -12.85      | 62.22          | 49.37          | 54.00          | 4.63        | PASS   | Vertical | AV     |
| 9              | 13757.7172  | 7.25        | 38.83          | 46.08          | 54.00          | 7.92        | PASS   | Vertical | AV     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18382.5153  | -26.72      | 62.84          | 36.12          | 74.00          | 37.88       | PASS   | Horizontal | PK     |
| 2              | 19770.1108  | -25.29      | 60.60          | 35.31          | 74.00          | 38.69       | PASS   | Horizontal | PK     |
| 3              | 20875.835   | -25.78      | 60.52          | 34.74          | 74.00          | 39.26       | PASS   | Horizontal | PK     |
| 4              | 22217.1887  | -25.37      | 60.60          | 35.23          | 74.00          | 38.77       | PASS   | Horizontal | PK     |
| 5              | 23823.7529  | -22.28      | 57.65          | 35.37          | 74.00          | 38.63       | PASS   | Horizontal | PK     |
| 6              | 25521.1008  | -21.00      | 56.89          | 35.89          | 74.00          | 38.11       | PASS   | Horizontal | PK     |

|               |                    |                |          |
|---------------|--------------------|----------------|----------|
| Test_Mode     | 8DPSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                  | Test_Date      | 2026/9/9 |

## Test Graph



## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 18339.6736  | -26.78      | 62.77          | 35.99          | 74.00          | 38.01       | PASS   | Vertical | PK     |
| 2  | 19551.8221  | -25.60      | 62.00          | 36.40          | 74.00          | 37.60       | PASS   | Vertical | PK     |
| 3  | 20874.135   | -25.78      | 60.60          | 34.82          | 74.00          | 39.18       | PASS   | Vertical | PK     |
| 4  | 22166.1866  | -25.47      | 59.68          | 34.21          | 74.00          | 39.79       | PASS   | Vertical | PK     |
| 5  | 23884.2754  | -22.17      | 58.13          | 35.96          | 74.00          | 38.04       | PASS   | Vertical | PK     |
| 6  | 25547.9619  | -20.90      | 56.75          | 35.85          | 74.00          | 38.15       | PASS   | Vertical | PK     |


## Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. The report records the lowest Peak value. If the Peak value is greater than 54dBμV/m, then the Average value at that time is recorded.

Restricted bands:

|               |                   |                |          |
|---------------|-------------------|----------------|----------|
| Test_Mode     | GFSK Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                 | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 15.96       | 35.36          | 51.32          | 74.00          | 22.68       | PASS   | Horizontal | PK     |
| 2              | 2390        | 15.96       | 27.36          | 43.32          | 54.00          | 10.68       | PASS   | Horizontal | AV     |

|               |                   |                |          |
|---------------|-------------------|----------------|----------|
| Test_Mode     | GFSK Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                 | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 15.96       | 36.33          | 52.29          | 74.00          | 21.71       | PASS   | Vertical | PK     |
| 2              | 2390        | 15.96       | 27.76          | 43.72          | 54.00          | 10.28       | PASS   | Vertical | AV     |

|               |                   |                |          |
|---------------|-------------------|----------------|----------|
| Test_Mode     | GFSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                 | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 16.29       | 32.22          | 48.51          | 74.00          | 25.49       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 16.29       | 25.02          | 41.31          | 54.00          | 12.69       | PASS   | Horizontal | AV     |

|               |                   |                |          |
|---------------|-------------------|----------------|----------|
| Test_Mode     | GFSK Transmitting | Test_Frequency | 2480MHz  |
| Tset_Engineer | \                 | Test_Date      | 2026/9/9 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2483.5      | 16.29       | 32.24          | 48.53          | 74.00          | 25.47       | PASS   | Vertical | PK     |
| 2              | 2483.5      | 16.29       | 25.11          | 41.40          | 54.00          | 12.60       | PASS   | Vertical | AV     |

|               |                               |                |          |
|---------------|-------------------------------|----------------|----------|
| Test_Mode     | $\pi/4$ DQPSK<br>Transmitting | Test_Frequency | 2402MHz  |
| Tset_Engineer | \                             | Test_Date      | 2026/9/9 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 15.96       | 35.94          | 51.90          | 74.00          | 22.10       | PASS   | Horizontal | PK     |
| 2              | 2390        | 15.96       | 27.36          | 43.32          | 54.00          | 10.68       | PASS   | Horizontal | AV     |