







Mode	1																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2382.31</td><td>57.07</td><td>74.00</td><td>-16.93</td><td>44.23</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>180</td><td>178</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2382.31	57.07	74.00	-16.93	44.23	26.90	7.49	31.83	10.28	180	178	Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>105.76</td><td>-----</td><td>-----</td><td>93.00</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>180</td><td>178</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	105.76	-----	-----	93.00	26.80	7.52	31.84	10.28	180	178	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2382.31	57.07	74.00	-16.93	44.23	26.90	7.49	31.83	10.28	180	178	Peak																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2402.00	105.76	-----	-----	93.00	26.80	7.52	31.84	10.28	180	178	Peak																																																																																										
Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2382.13</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>27.87</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>180</td><td>178</td><td>Average</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2382.13	40.71	54.00	-13.29	27.87	26.90	7.49	31.83	10.28	180	178	Average	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>105.09</td><td>-----</td><td>-----</td><td>92.33</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>180</td><td>178</td><td>Average</td></tr></table>													Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	105.09	-----	-----	92.33	26.80	7.52	31.84	10.28	180	178	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2382.13	40.71	54.00	-13.29	27.87	26.90	7.49	31.83	10.28	180	178	Average																																																																																										
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2402.00	105.09	-----	-----	92.33	26.80	7.52	31.84	10.28	180	178	Average																																																																																										



Mode	1																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>35.00</td><td>32.21</td><td>10.55</td><td>32.33</td><td>1.45</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4804.00	46.88	74.00	-27.12	35.00	32.21	10.55	32.33	1.45	--	--	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>34.65</td><td>32.21</td><td>10.55</td><td>32.33</td><td>1.45</td><td>--</td><td>--</td><td>Peak</td></tr></table>			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4804.00	46.53	74.00	-27.47	34.65	32.21	10.55	32.33	1.45	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																													
1	4804.00	46.88	74.00	-27.12	35.00	32.21	10.55	32.33	1.45	--	--	Peak																																																																																												
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																													
1	4804.00	46.53	74.00	-27.47	34.65	32.21	10.55	32.33	1.45	--	--	Peak																																																																																												



Mode	1	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	2																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2358.36</td><td>50.77</td><td>74.00</td><td>-23.23</td><td>37.85</td><td>27.02</td><td>7.45</td><td>31.82</td><td>10.27</td><td>342</td><td>312 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2358.36	50.77	74.00	-23.23	37.85	27.02	7.45	31.82	10.27	342	312 Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>91.83</td><td>-----</td><td>-----</td><td>79.23</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>342</td><td>312 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	91.83	-----	-----	79.23	26.60	7.58	31.86	10.28	342	312 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2358.36	50.77	74.00	-23.23	37.85	27.02	7.45	31.82	10.27	342	312 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	91.83	-----	-----	79.23	26.60	7.58	31.86	10.28	342	312 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2341.20</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>27.20</td><td>27.10</td><td>7.43</td><td>31.81</td><td>10.27</td><td>342</td><td>312 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2341.20	40.19	54.00	-13.81	27.20	27.10	7.43	31.81	10.27	342	312 Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>91.13</td><td>-----</td><td>-----</td><td>78.53</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>342</td><td>312 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	91.13	-----	-----	78.53	26.60	7.58	31.86	10.28	342	312 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2341.20	40.19	54.00	-13.81	27.20	27.10	7.43	31.81	10.27	342	312 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	91.13	-----	-----	78.53	26.60	7.58	31.86	10.28	342	312 Average																																																																																						



Mode	2											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak	</											



Mode	2																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2370.32</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>38.51</td><td>26.90</td><td>7.47</td><td>31.83</td><td>10.28</td><td>115</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2370.32	51.33	74.00	-22.67	38.51	26.90	7.47	31.83	10.28	115	183	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.53</td><td>-----</td><td>-----</td><td>89.93</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>115</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.53	-----	-----	89.93	26.60	7.58	31.86	10.28	115	183	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2370.32	51.33	74.00	-22.67	38.51	26.90	7.47	31.83	10.28	115	183	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	102.53	-----	-----	89.93	26.60	7.58	31.86	10.28	115	183	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.60</td><td>40.22</td><td>54.00</td><td>-13.78</td><td>27.25</td><td>27.08</td><td>7.44</td><td>31.82</td><td>10.27</td><td>115</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.60	40.22	54.00	-13.78	27.25	27.08	7.44	31.82	10.27	115	183	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.72</td><td>-----</td><td>-----</td><td>89.12</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>115</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.72	-----	-----	89.12	26.60	7.58	31.86	10.28	115	183	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2351.60	40.22	54.00	-13.78	27.25	27.08	7.44	31.82	10.27	115	183	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	101.72	-----	-----	89.12	26.60	7.58	31.86	10.28	115	183	Average																																																																																								



Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.88</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>38.08</td><td>26.74</td><td>7.67</td><td>31.89</td><td>10.29</td><td>115</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.88	50.89	74.00	-23.11	38.08	26.74	7.67	31.89	10.29	115	183	Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2493.88	50.89	74.00	-23.11	38.08	26.74	7.67	31.89	10.29	115	183	Peak																																												
Avg	Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2500.00</td><td>40.18</td><td>54.00</td><td>-13.82</td><td>27.30</td><td>26.80</td><td>7.68</td><td>31.89</td><td>10.29</td><td>115</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2500.00	40.18	54.00	-13.82	27.30	26.80	7.68	31.89	10.29	115	183	Average	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2500.00	40.18	54.00	-13.82	27.30	26.80	7.68	31.89	10.29	115	183	Average																																												







Mode	2																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>46.46</td><td>74.00</td><td>-27.54</td><td>34.26</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>37.87</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>279</td><td>26</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>44.76</td><td>54.00</td><td>-9.24</td><td>28.77</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>279</td><td>26</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	46.46	74.00	-27.54	34.26	32.42	10.64	32.29	1.43	--	--	--	Peak	2	7320.00	53.86	74.00	-20.14	37.87	37.00	13.27	35.68	1.40	279	26	Peak	3	7320.00	44.76	54.00	-9.24	28.77	37.00	13.27	35.68	1.40	279	26	Average	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>34.55</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>36.83</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>100</td><td>328</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>43.51</td><td>54.00</td><td>-10.49</td><td>27.52</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>100</td><td>328</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	46.75	74.00	-27.25	34.55	32.42	10.64	32.29	1.43	--	--	--	Peak	2	7320.00	52.82	74.00	-21.18	36.83	37.00	13.27	35.68	1.40	100	328	Peak	3	7320.00	43.51	54.00	-10.49	27.52	37.00	13.27	35.68	1.40	100	328	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4880.00	46.46	74.00	-27.54	34.26	32.42	10.64	32.29	1.43	--	--	--	Peak																																																																																																																													
2	7320.00	53.86	74.00	-20.14	37.87	37.00	13.27	35.68	1.40	279	26	Peak																																																																																																																														
3	7320.00	44.76	54.00	-9.24	28.77	37.00	13.27	35.68	1.40	279	26	Average																																																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4880.00	46.75	74.00	-27.25	34.55	32.42	10.64	32.29	1.43	--	--	--	Peak																																																																																																																													
2	7320.00	52.82	74.00	-21.18	36.83	37.00	13.27	35.68	1.40	100	328	Peak																																																																																																																														
3	7320.00	43.51	54.00	-10.49	27.52	37.00	13.27	35.68	1.40	100	328	Average																																																																																																																														



Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-12 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-12 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	3																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-11  PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.90</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>38.89</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>300</td><td>312 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.90	51.65	74.00	-22.35	38.89	26.70	7.66	31.89	10.29	300	312 Peak	Level (dBuV/m) Date: 2026-09-11  PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>88.70</td><td>-----</td><td>-----</td><td>75.94</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>300</td><td>312 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	88.70	-----	-----	75.94	26.70	7.65	31.88	10.29	300	312 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2489.90	51.65	74.00	-22.35	38.89	26.70	7.66	31.89	10.29	300	312 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	88.70	-----	-----	75.94	26.70	7.65	31.88	10.29	300	312 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-11  AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>40.40</td><td>54.00</td><td>-13.60</td><td>27.64</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>300</td><td>312 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.04	40.40	54.00	-13.60	27.64	26.70	7.65	31.88	10.29	300	312 Average	Level (dBuV/m) Date: 2026-09-11  AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>87.93</td><td>-----</td><td>-----</td><td>75.17</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>300</td><td>312 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	87.93	-----	-----	75.17	26.70	7.65	31.88	10.29	300	312 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.04	40.40	54.00	-13.60	27.64	26.70	7.65	31.88	10.29	300	312 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	87.93	-----	-----	75.17	26.70	7.65	31.88	10.29	300	312 Average																																																																																						



Mode	3																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-11 PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.22</td><td>58.88</td><td>74.00</td><td>-15.12</td><td>46.12</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>101</td><td>195</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.22	58.88	74.00	-15.12	46.12	26.70	7.66	31.89	10.29	101	195	Peak	Level (dBuV/m) Date: 2026-09-11 PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.31</td><td>-----</td><td>-----</td><td>86.55</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>101</td><td>195</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.31	-----	-----	86.55	26.70	7.65	31.88	10.29	101	195	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.22	58.88	74.00	-15.12	46.12	26.70	7.66	31.89	10.29	101	195	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	99.31	-----	-----	86.55	26.70	7.65	31.88	10.29	101	195	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-11 AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>43.02</td><td>54.00</td><td>-10.98</td><td>30.26</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>101</td><td>195</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.58	43.02	54.00	-10.98	30.26	26.70	7.65	31.88	10.29	101	195	Average	Level (dBuV/m) Date: 2026-09-11 AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.64</td><td>-----</td><td>-----</td><td>85.88</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>101</td><td>195</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.64	-----	-----	85.88	26.70	7.65	31.88	10.29	101	195	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.58	43.02	54.00	-10.98	30.26	26.70	7.65	31.88	10.29	101	195	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	98.64	-----	-----	85.88	26.70	7.65	31.88	10.29	101	195	Average																																																																																								



Mode	3																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>34.02</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>37.91</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>282</td><td>24</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>44.71</td><td>54.00</td><td>-9.29</td><td>28.64</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>282</td><td>24</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4960.00	46.65	74.00	-27.35	34.02	32.72	10.75	32.24	1.40	--	--	--	Peak	2	7440.00	53.98	74.00	-20.02	37.91	37.02	13.42	35.78	1.41	282	24	Peak	3	7440.00	44.71	54.00	-9.29	28.64	37.02	13.42	35.78	1.41	282	24	Average	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>34.83</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>36.98</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>100</td><td>325</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>27.61</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>100</td><td>325</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	4960.00	47.46	74.00	-26.54	34.83	32.72	10.75	32.24	1.40	--	--	--	Peak	2	7440.00	53.05	74.00	-20.95	36.98	37.02	13.42	35.78	1.41	100	325	Peak	3	7440.00	43.68	54.00	-10.32	27.61	37.02	13.42	35.78	1.41	100	325	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	4960.00	46.65	74.00	-27.35	34.02	32.72	10.75	32.24	1.40	--	--	--	Peak																																																																																																																													
2	7440.00	53.98	74.00	-20.02	37.91	37.02	13.42	35.78	1.41	282	24	Peak																																																																																																																														
3	7440.00	44.71	54.00	-9.29	28.64	37.02	13.42	35.78	1.41	282	24	Average																																																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	4960.00	47.46	74.00	-26.54	34.83	32.72	10.75	32.24	1.40	--	--	--	Peak																																																																																																																													
2	7440.00	53.05	74.00	-20.95	36.98	37.02	13.42	35.78	1.41	100	325	Peak																																																																																																																														
3	7440.00	43.68	54.00	-10.32	27.61	37.02	13.42	35.78	1.41	100	325	Average																																																																																																																														



Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



C4-1.Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	1	Bluetooth-LE_GFSK	00	2402	500kbps	-	-
Mode 5	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	500kbps	-	-
Mode 6	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	500kbps	-	-

**C4-2.Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
4	Bluetooth-LE_GFSK	00	2381.76	41.75	54.00	-12.25	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	00	4804.00	46.93	74.00	-27.07	V	Peak	Pass	-	Harmonic
5	Bluetooth-LE_GFSK	19	2364.08	40.74	54.00	-13.26	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	7320.00	47.67	54.00	-6.33	V	Avg.	Pass	-	Harmonic
6	Bluetooth-LE_GFSK	39	2483.60	43.54	54.00	-10.46	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	39	7440.00	47.60	54.00	-6.40	V	Avg.	Pass	-	Harmonic



Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2364.10</td><td>51.08</td><td>74.00</td><td>-22.92</td><td>38.21</td><td>26.96</td><td>7.46</td><td>31.82</td><td>10.27</td><td>100</td><td>300</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2364.10	51.08	74.00	-22.92	38.21	26.96	7.46	31.82	10.27	100	300	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>92.51</td><td>-----</td><td>-----</td><td>79.75</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>100</td><td>300</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	92.51	-----	-----	79.75	26.80	7.52	31.84	10.28	100	300	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2364.10	51.08	74.00	-22.92	38.21	26.96	7.46	31.82	10.27	100	300	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	92.51	-----	-----	79.75	26.80	7.52	31.84	10.28	100	300	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.52</td><td>40.72</td><td>54.00</td><td>-13.28</td><td>27.83</td><td>26.98</td><td>7.46</td><td>31.82</td><td>10.27</td><td>100</td><td>300</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.52	40.72	54.00	-13.28	27.83	26.98	7.46	31.82	10.27	100	300	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>91.96</td><td>-----</td><td>-----</td><td>79.20</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>100</td><td>300</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	91.96	-----	-----	79.20	26.80	7.52	31.84	10.28	100	300	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2361.52	40.72	54.00	-13.28	27.83	26.98	7.46	31.82	10.27	100	300	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	91.96	-----	-----	79.20	26.80	7.52	31.84	10.28	100	300	Average																																																																														



Mode	4																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.13</td><td>57.86</td><td>74.00</td><td>-16.14</td><td>45.02</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>237</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.13	57.86	74.00	-16.14	45.02	26.90	7.49	31.83	10.28	237	183	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.98</td><td>-----</td><td>-----</td><td>93.22</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>237</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.98	-----	-----	93.22	26.80	7.52	31.84	10.28	237	183	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2382.13	57.86	74.00	-16.14	45.02	26.90	7.49	31.83	10.28	237	183	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	105.98	-----	-----	93.22	26.80	7.52	31.84	10.28	237	183	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.76</td><td>41.75</td><td>54.00</td><td>-12.25</td><td>28.91</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>237</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.76	41.75	54.00	-12.25	28.91	26.90	7.49	31.83	10.28	237	183	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.46</td><td>-----</td><td>-----</td><td>92.70</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>237</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.46	-----	-----	92.70	26.80	7.52	31.84	10.28	237	183	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2381.76	41.75	54.00	-12.25	28.91	26.90	7.49	31.83	10.28	237	183	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	105.46	-----	-----	92.70	26.80	7.52	31.84	10.28	237	183	Average																																																																																								



Mode	4																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>34.89</td><td>32.21</td><td>10.55</td><td>32.33</td><td>1.45</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	46.77	74.00	-27.23	34.89	32.21	10.55	32.33	1.45	--	--	Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>35.05</td><td>32.21</td><td>10.55</td><td>32.33</td><td>1.45</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	46.93	74.00	-27.07	35.05	32.21	10.55	32.33	1.45	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	4804.00	46.77	74.00	-27.23	34.89	32.21	10.55	32.33	1.45	--	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	4804.00	46.93	74.00	-27.07	35.05	32.21	10.55	32.33	1.45	--	--	Peak																																																																																												



Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	5																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2365.12</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>38.35</td><td>26.95</td><td>7.46</td><td>31.83</td><td>10.27</td><td>106</td><td>300</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2365.12	51.20	74.00	-22.80	38.35	26.95	7.46	31.83	10.27	106	300	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>90.36</td><td>-----</td><td>-----</td><td>77.76</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>106</td><td>300</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	90.36	-----	-----	77.76	26.60	7.58	31.86	10.28	106	300	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2365.12	51.20	74.00	-22.80	38.35	26.95	7.46	31.83	10.27	106	300	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	90.36	-----	-----	77.76	26.60	7.58	31.86	10.28	106	300	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>40.69</td><td>54.00</td><td>-13.31</td><td>27.85</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>106</td><td>300</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.48	40.69	54.00	-13.31	27.85	26.90	7.50	31.84	10.28	106	300	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>89.78</td><td>-----</td><td>-----</td><td>77.18</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>106</td><td>300</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	89.78	-----	-----	77.18	26.60	7.58	31.86	10.28	106	300	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2387.48	40.69	54.00	-13.31	27.85	26.90	7.50	31.84	10.28	106	300	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	89.78	-----	-----	77.18	26.60	7.58	31.86	10.28	106	300	Average																																																																																								



Mode	5										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Horizontal							Fundamental			
Peak											



Mode	5																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>38.53</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>116</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	51.37	74.00	-22.63	38.53	26.90	7.50	31.84	10.28	116	183	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.59</td><td>-----</td><td>-----</td><td>89.99</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>116</td><td>183</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.59	-----	-----	89.99	26.60	7.58	31.86	10.28	116	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	51.37	74.00	-22.63	38.53	26.90	7.50	31.84	10.28	116	183	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	102.59	-----	-----	89.99	26.60	7.58	31.86	10.28	116	183	Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2364.00</td><td>40.74</td><td>54.00</td><td>-13.26</td><td>27.87</td><td>26.96</td><td>7.46</td><td>31.82</td><td>10.27</td><td>116</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2364.00	40.74	54.00	-13.26	27.87	26.96	7.46	31.82	10.27	116	183	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.97</td><td>-----</td><td>-----</td><td>89.37</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>116</td><td>183</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.97	-----	-----	89.37	26.60	7.58	31.86	10.28	116	183
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2364.00	40.74	54.00	-13.26	27.87	26.96	7.46	31.82	10.27	116	183	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	101.97	-----	-----	89.37	26.60	7.58	31.86	10.28	116	183	Average																																																																																							



Mode	5											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	1											
Pol.	Vertical						Fundamental					
Peak	<											



Mode	5																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>46.39</td><td>74.00</td><td>-27.61</td><td>34.19</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>56.77</td><td>74.00</td><td>-17.23</td><td>40.78</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>271</td><td>58</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>31.01</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>271</td><td>58</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4880.00	46.39	74.00	-27.61	34.19	32.42	10.64	32.29	1.43	--	--	--	Peak	2	7320.00	56.77	74.00	-17.23	40.78	37.00	13.27	35.68	1.40	271	58	Peak	3	7320.00	47.00	54.00	-7.00	31.01	37.00	13.27	35.68	1.40	271	58	Average	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>46.35</td><td>74.00</td><td>-27.65</td><td>34.15</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>56.45</td><td>74.00</td><td>-17.55</td><td>40.46</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>278</td><td>358</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>47.67</td><td>54.00</td><td>-6.33</td><td>31.68</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>278</td><td>358</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4880.00	46.35	74.00	-27.65	34.15	32.42	10.64	32.29	1.43	--	--	--	Peak	2	7320.00	56.45	74.00	-17.55	40.46	37.00	13.27	35.68	1.40	278	358	Peak	3	7320.00	47.67	54.00	-6.33	31.68	37.00	13.27	35.68	1.40	278	358	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	4880.00	46.39	74.00	-27.61	34.19	32.42	10.64	32.29	1.43	--	--	--	Peak																																																																																																																													
2	7320.00	56.77	74.00	-17.23	40.78	37.00	13.27	35.68	1.40	271	58	Peak																																																																																																																														
3	7320.00	47.00	54.00	-7.00	31.01	37.00	13.27	35.68	1.40	271	58	Average																																																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	4880.00	46.35	74.00	-27.65	34.15	32.42	10.64	32.29	1.43	--	--	--	Peak																																																																																																																													
2	7320.00	56.45	74.00	-17.55	40.46	37.00	13.27	35.68	1.40	278	358	Peak																																																																																																																														
3	7320.00	47.67	54.00	-6.33	31.68	37.00	13.27	35.68	1.40	278	358	Average																																																																																																																														



Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	6																																																																													
	Band Edge																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal						Fundamental																																																																							
Peak	Level (dBuV/m) Date: 2026-09-11 PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.64</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>38.34</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>304 Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2483.64	51.10	74.00	-22.90	38.34	26.70	7.65	31.88	10.29	100	304 Peak	Level (dBuV/m) Date: 2026-09-11 PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.00</td><td>88.09</td><td>-----</td><td>-----</td><td>75.33</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>304 Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2488.00	88.09	-----	-----	75.33	26.70	7.65	31.88	10.29	100	304 Peak
		Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	2483.64	51.10	74.00	-22.90	38.34	26.70	7.65	31.88	10.29	100	304 Peak																																																																			
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	2488.00	88.09	-----	-----	75.33	26.70	7.65	31.88	10.29	100	304 Peak																																																																			
Avg	Level (dBuV/m) Date: 2026-09-11 AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2496.78</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>28.15</td><td>26.77</td><td>7.67</td><td>31.89</td><td>10.29</td><td>100</td><td>304 Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2496.78	40.99	54.00	-13.01	28.15	26.77	7.67	31.89	10.29	100	304 Average	Level (dBuV/m) Date: 2026-09-11 AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Cable Preamp Loss Factor Factor</th><th>Aux APos TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.00</td><td>87.53</td><td>-----</td><td>-----</td><td>74.77</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>304 Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2488.00	87.53	-----	-----	74.77	26.70	7.65	31.88	10.29	100	304 Average
		Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	2496.78	40.99	54.00	-13.01	28.15	26.77	7.67	31.89	10.29	100	304 Average																																																																			
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Cable Preamp Loss Factor Factor	Aux APos TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	2488.00	87.53	-----	-----	74.77	26.70	7.65	31.88	10.29	100	304 Average																																																																			



Mode	6											
	Band Edge											
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz											
ANT	1											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2026-09-11 </											



Mode	6																																																																																																																																																	
	Harmonic																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																	
ANT	1																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>35.11</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>39.44</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>334</td><td>29 Peak</td></tr><tr><td>3</td><td>7440.00</td><td>47.08</td><td>54.00</td><td>-6.92</td><td>31.01</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>334</td><td>29 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	47.74	74.00	-26.26	35.11	32.72	10.75	32.24	1.40	--	Peak	2	7440.00	55.51	74.00	-18.49	39.44	37.02	13.42	35.78	1.41	334	29 Peak	3	7440.00	47.08	54.00	-6.92	31.01	37.02	13.42	35.78	1.41	334	29 Average	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>33.91</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7440.00</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>40.00</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>268</td><td>359 Peak</td></tr><tr><td>3</td><td>7440.00</td><td>47.60</td><td>54.00</td><td>-6.40</td><td>31.53</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>268</td><td>359 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	46.54	74.00	-27.46	33.91	32.72	10.75	32.24	1.40	--	Peak	2	7440.00	56.07	74.00	-17.93	40.00	37.02	13.42	35.78	1.41	268	359 Peak	3	7440.00	47.60	54.00	-6.40	31.53	37.02	13.42	35.78	1.41	268	359 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4960.00	47.74	74.00	-26.26	35.11	32.72	10.75	32.24	1.40	--	Peak																																																																																																																																							
2	7440.00	55.51	74.00	-18.49	39.44	37.02	13.42	35.78	1.41	334	29 Peak																																																																																																																																							
3	7440.00	47.08	54.00	-6.92	31.01	37.02	13.42	35.78	1.41	334	29 Average																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4960.00	46.54	74.00	-27.46	33.91	32.72	10.75	32.24	1.40	--	Peak																																																																																																																																							
2	7440.00	56.07	74.00	-17.93	40.00	37.02	13.42	35.78	1.41	268	359 Peak																																																																																																																																							
3	7440.00	47.60	54.00	-6.40	31.53	37.02	13.42	35.78	1.41	268	359 Average																																																																																																																																							



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



C5-1.Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	2400-2483.5	2	Bluetooth-LE_GFSK	00	2402	1Mbps	-	-
Mode 24	2400-2483.5	2	Bluetooth-LE_GFSK	19	2440	1Mbps	-	-
Mode 25	2400-2483.5	2	Bluetooth-LE_GFSK	39	2480	1Mbps	-	-
Mode 29	2400-2483.5	2	Bluetooth-LE_GFSK	39	2480	1Mbps	-	LF
Mode 30	2400-2483.5	2	Bluetooth-LE_GFSK	39	2480	1Mbps	-	SHF

**C5-2.Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	Bluetooth-LE_GFSK	00	2381.94	42.49	54.00	-11.51	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	00	4804.00	46.47	54.00	-7.53	H	Avg.	Pass	-	Harmonic
24	Bluetooth-LE_GFSK	19	2498.86	41.79	54.00	-12.21	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	4880.00	46.22	54.00	-7.78	V	Avg.	Pass	-	Harmonic
25	Bluetooth-LE_GFSK	39	2483.52	45.13	54.00	-8.87	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	39	4960.00	47.03	54.00	-6.97	V	Avg.	Pass	-	Harmonic
29	LF	39	266.68	39.77	46.00	-6.23	H	Peak	Pass	-	LF
30	SHF	39	24214.00	40.42	74.00	-33.58	V	Peak	Pass	-	SHF



Mode	23																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																															
ANT	2																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.94</td><td>54.76</td><td>74.00</td><td>-19.24</td><td>41.92</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>241</td><td>54 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.94	54.76	74.00	-19.24	41.92	26.90	7.49	31.83	10.28	241	54 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.47</td><td>-----</td><td>-----</td><td>90.71</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>241</td><td>54 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.47	-----	-----	90.71	26.80	7.52	31.84	10.28	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2381.94	54.76	74.00	-19.24	41.92	26.90	7.49	31.83	10.28	241	54 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2402.00	103.47	-----	-----	90.71	26.80	7.52	31.84	10.28	241	54 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.94</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>29.65</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>241</td><td>54 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.94	42.49	54.00	-11.51	29.65	26.90	7.49	31.83	10.28	241	54 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.98</td><td>-----</td><td>-----</td><td>90.22</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>241</td><td>54 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.98	-----	-----	90.22	26.80	7.52	31.84	10.28	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2381.94	42.49	54.00	-11.51	29.65	26.90	7.49	31.83	10.28	241	54 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2402.00	102.98	-----	-----	90.22	26.80	7.52	31.84	10.28	241	54 Average																																																																																					



Mode	23																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																
ANT	2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.40</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>41.98</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>301</td><td>98 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.40	54.82	74.00	-19.18	41.98	26.90	7.50	31.84	10.28	301	98 Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.24</td><td>-----</td><td>-----</td><td>89.48</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>301</td><td>98 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.24	-----	-----	89.48	26.80	7.52	31.84	10.28	301	98 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.40	54.82	74.00	-19.18	41.98	26.90	7.50	31.84	10.28	301	98 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	102.24	-----	-----	89.48	26.80	7.52	31.84	10.28	301	98 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.85</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>29.45</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>301</td><td>98 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.85	42.29	54.00	-11.71	29.45	26.90	7.49	31.83	10.28	301	98 Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.70</td><td>-----</td><td>-----</td><td>88.94</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>301</td><td>98 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.70	-----	-----	88.94	26.80	7.52	31.84	10.28	301	98 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2381.85	42.29	54.00	-11.71	29.45	26.90	7.49	31.83	10.28	301	98 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	101.70	-----	-----	88.94	26.80	7.52	31.84	10.28	301	98 Average																																																																																						







Mode	23										
	Harmonic										
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz										
ANT	2										
Pol.	Horizontal						Vertical				
Peak Avg	Level (dBuV/m)										





Mode	23	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	24																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-11 						Level (dBuV/m) Date: 2026-09-11 																																																																																										
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>51.45</td><td>74.00</td><td>-22.55</td><td>38.61</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>252</td><td>53 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.45	74.00	-22.55	38.61	26.90	7.50	31.84	10.28	252	53 Peak	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.17</td><td>-----</td><td>-----</td><td>89.57</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>252</td><td>53 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.17	-----	-----	89.57	26.60	7.58	31.86	10.28	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.95	51.45	74.00	-22.55	38.61	26.90	7.50	31.84	10.28	252	53 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	102.17	-----	-----	89.57	26.60	7.58	31.86	10.28	252	53 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-11 						Level (dBuV/m) Date: 2026-09-11 																																																																																										
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2361.35</td><td>41.53</td><td>54.00</td><td>-12.47</td><td>28.63</td><td>26.99</td><td>7.46</td><td>31.82</td><td>10.27</td><td>252</td><td>53 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2361.35	41.53	54.00	-12.47	28.63	26.99	7.46	31.82	10.27	252	53 Average	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.70</td><td>-----</td><td>-----</td><td>89.10</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>252</td><td>53 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.70	-----	-----	89.10	26.60	7.58	31.86	10.28	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2361.35	41.53	54.00	-12.47	28.63	26.99	7.46	31.82	10.27	252	53 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2440.00	101.70	-----	-----	89.10	26.60	7.58	31.86	10.28	252	53 Average																																																																																						



Mode	24																																												
	Band Edge - R																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																												
ANT	2																																												
Pol.	Horizontal	Fundamental																																											
Peak	Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.86</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>38.06</td><td>26.70</td><td>7.66</td><td>31.88</td><td>10.29</td><td>252</td><td>53 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.86	50.83	74.00	-23.17	38.06	26.70	7.66	31.88	10.29	252	53 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2486.86	50.83	74.00	-23.17	38.06	26.70	7.66	31.88	10.29	252	53 Peak																																		
Avg	Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.42</td><td>41.45</td><td>54.00</td><td>-12.55</td><td>28.67</td><td>26.71</td><td>7.67</td><td>31.89</td><td>10.29</td><td>252</td><td>53 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.42	41.45	54.00	-12.55	28.67	26.71	7.67	31.89	10.29	252	53 Average	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1	2491.42	41.45	54.00	-12.55	28.67	26.71	7.67	31.89	10.29	252	53 Average																																		





Mode	24																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																															
ANT	2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2348.22</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>38.19</td><td>27.10</td><td>7.44</td><td>31.82</td><td>10.27</td><td>289</td><td>94 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2348.22	51.18	74.00	-22.82	38.19	27.10	7.44	31.82	10.27	289	94 Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.35</td><td>-----</td><td>-----</td><td>88.75</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>289</td><td>94 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.35	-----	-----	88.75	26.60	7.58	31.86	10.28	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2348.22	51.18	74.00	-22.82	38.19	27.10	7.44	31.82	10.27	289	94 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2440.00	101.35	-----	-----	88.75	26.60	7.58	31.86	10.28	289	94 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2347.18</td><td>41.50</td><td>54.00</td><td>-12.50</td><td>28.51</td><td>27.10</td><td>7.44</td><td>31.82</td><td>10.27</td><td>289</td><td>94 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.18	41.50	54.00	-12.50	28.51	27.10	7.44	31.82	10.27	289	94 Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>100.89</td><td>-----</td><td>-----</td><td>88.29</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>289</td><td>94 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.89	-----	-----	88.29	26.60	7.58	31.86	10.28	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2347.18	41.50	54.00	-12.50	28.51	27.10	7.44	31.82	10.27	289	94 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2440.00	100.89	-----	-----	88.29	26.60	7.58	31.86	10.28	289	94 Average																																																																																					





Mode	24										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	2										
Pol.	Vertical						Fundamental				
Peak											



Mode	24												
	Harmonic												
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz												
ANT	2												
Pol.	Horizontal						Vertical						
Peak Avg													
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4880.00	53.44	74.00	-20.56	41.24	32.42	10.64	32.29	1.43	101	245	Peak	
2	4880.00	46.13	54.00	-7.87	33.93	32.42	10.64	32.29	1.43	101	245	Average	
3	7320.00	50.09	74.00	-23.91	34.10	37.00	13.27	35.68	1.40	--	--	Peak	
4	7320.00	39.53	54.00	-14.47	23.54	37.00	13.27	35.68	1.40	--	--	Average	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	4880.00	53.47	74.00	-20.53	41.27	32.42	10.64	32.29	1.43	102	191	Peak	
2	4880.00	46.22	54.00	-7.78	34.02	32.42	10.64	32.29	1.43	102	191	Average	
3	7320.00	49.77	74.00	-24.23	33.78	37.00	13.27	35.68	1.40	--	--	Peak	
4	7320.00	39.21	54.00	-14.79	23.22	37.00	13.27	35.68	1.40	--	--	Average	



Mode	24	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	25																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.16</td><td>57.74</td><td>74.00</td><td>-16.26</td><td>44.98</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>205</td><td>53 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.16	57.74	74.00	-16.26	44.98	26.70	7.66	31.89	10.29	205	53 Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.11</td><td>-----</td><td>-----</td><td>88.35</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>205</td><td>53 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.11	-----	-----	88.35	26.70	7.65	31.88	10.29	205	53 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2490.16	57.74	74.00	-16.26	44.98	26.70	7.66	31.89	10.29	205	53 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	101.11	-----	-----	88.35	26.70	7.65	31.88	10.29	205	53 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>45.13</td><td>54.00</td><td>-8.87</td><td>32.37</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>205</td><td>53 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	45.13	54.00	-8.87	32.37	26.70	7.65	31.88	10.29	205	53 Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.66</td><td>-----</td><td>-----</td><td>87.90</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>205</td><td>53 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.66	-----	-----	87.90	26.70	7.65	31.88	10.29	205	53 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.52	45.13	54.00	-8.87	32.37	26.70	7.65	31.88	10.29	205	53 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	100.66	-----	-----	87.90	26.70	7.65	31.88	10.29	205	53 Average																																																																																						



Mode	25																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.16</td><td>57.12</td><td>74.00</td><td>-16.88</td><td>44.36</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>100</td><td>268</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.16	57.12	74.00	-16.88	44.36	26.70	7.66	31.89	10.29	100	268	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.73</td><td>-----</td><td>-----</td><td>86.97</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>268</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.73	-----	-----	86.97	26.70	7.65	31.88	10.29	100	268	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2490.16	57.12	74.00	-16.88	44.36	26.70	7.66	31.89	10.29	100	268	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	99.73	-----	-----	86.97	26.70	7.65	31.88	10.29	100	268	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>31.70</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>268</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	44.46	54.00	-9.54	31.70	26.70	7.65	31.88	10.29	100	268	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.25</td><td>-----</td><td>-----</td><td>86.49</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>268</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.25	-----	-----	86.49	26.70	7.65	31.88	10.29	100	268	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.52	44.46	54.00	-9.54	31.70	26.70	7.65	31.88	10.29	100	268	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	99.25	-----	-----	86.49	26.70	7.65	31.88	10.29	100	268	Average																																																																																								



Mode	25																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																											
ANT	2																																																																																																																																																																																											
Pol.	Horizontal																																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>41.41</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>102</td><td>248</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>34.29</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>102</td><td>248</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>33.91</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>23.35</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	54.04	74.00	-19.96	41.41	32.72	10.75	32.24	1.40	102	248	Peak	2	4960.00	46.92	54.00	-7.08	34.29	32.72	10.75	32.24	1.40	102	248	Average	3	7440.00	49.98	74.00	-24.02	33.91	37.02	13.42	35.78	1.41	--	--	Peak	4	7440.00	39.42	54.00	-14.58	23.35	37.02	13.42	35.78	1.41	--	--	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>42.12</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>105</td><td>253</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>34.40</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>105</td><td>253</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>34.12</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>39.63</td><td>54.00</td><td>-14.37</td><td>23.56</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	54.75	74.00	-19.25	42.12	32.72	10.75	32.24	1.40	105	253	Peak	2	4960.00	47.03	54.00	-6.97	34.40	32.72	10.75	32.24	1.40	105	253	Average	3	7440.00	50.19	74.00	-23.81	34.12	37.02	13.42	35.78	1.41	--	--	Peak	4	7440.00	39.63	54.00	-14.37	23.56	37.02	13.42	35.78	1.41	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	4960.00	54.04	74.00	-19.96	41.41	32.72	10.75	32.24	1.40	102	248	Peak																																																																																																																																																																																
2	4960.00	46.92	54.00	-7.08	34.29	32.72	10.75	32.24	1.40	102	248	Average																																																																																																																																																																																
3	7440.00	49.98	74.00	-24.02	33.91	37.02	13.42	35.78	1.41	--	--	Peak																																																																																																																																																																																
4	7440.00	39.42	54.00	-14.58	23.35	37.02	13.42	35.78	1.41	--	--	Average																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																		
1	4960.00	54.75	74.00	-19.25	42.12	32.72	10.75	32.24	1.40	105	253	Peak																																																																																																																																																																																
2	4960.00	47.03	54.00	-6.97	34.40	32.72	10.75	32.24	1.40	105	253	Average																																																																																																																																																																																
3	7440.00	50.19	74.00	-23.81	34.12	37.02	13.42	35.78	1.41	--	--	Peak																																																																																																																																																																																
4	7440.00	39.63	54.00	-14.37	23.56	37.02	13.42	35.78	1.41	--	--	Average																																																																																																																																																																																



Mode	25	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	29																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																					
ANT	2																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QPI Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>47.46</td><td>24.29</td><td>40.00</td><td>-15.71</td><td>39.60</td><td>15.96</td><td>1.10</td><td>32.58</td><td>0.21 -- -- Peak</td></tr><tr><td>2</td><td>211.39</td><td>36.83</td><td>43.50</td><td>-6.67</td><td>51.82</td><td>15.04</td><td>2.31</td><td>32.48</td><td>0.14 -- -- Peak</td></tr><tr><td>3</td><td>266.68</td><td>39.77</td><td>46.00</td><td>-6.23</td><td>49.99</td><td>19.60</td><td>2.57</td><td>32.54</td><td>0.15 -- -- Peak</td></tr><tr><td>4</td><td>445.16</td><td>39.19</td><td>46.00</td><td>-6.81</td><td>45.48</td><td>22.91</td><td>3.36</td><td>32.72</td><td>0.16 -- -- Peak</td></tr><tr><td>5</td><td>721.61</td><td>39.51</td><td>46.00</td><td>-6.49</td><td>40.49</td><td>27.11</td><td>4.27</td><td>32.60</td><td>0.24 -- -- Peak</td></tr><tr><td>6</td><td>891.36</td><td>33.41</td><td>46.00</td><td>-12.59</td><td>31.02</td><td>29.07</td><td>4.82</td><td>31.74</td><td>0.24 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	47.46	24.29	40.00	-15.71	39.60	15.96	1.10	32.58	0.21 -- -- Peak	2	211.39	36.83	43.50	-6.67	51.82	15.04	2.31	32.48	0.14 -- -- Peak	3	266.68	39.77	46.00	-6.23	49.99	19.60	2.57	32.54	0.15 -- -- Peak	4	445.16	39.19	46.00	-6.81	45.48	22.91	3.36	32.72	0.16 -- -- Peak	5	721.61	39.51	46.00	-6.49	40.49	27.11	4.27	32.60	0.24 -- -- Peak	6	891.36	33.41	46.00	-12.59	31.02	29.07	4.82	31.74	0.24 -- -- Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>34.85</td><td>33.68</td><td>40.00</td><td>-6.32</td><td>42.97</td><td>22.00</td><td>0.96</td><td>32.43</td><td>0.18 -- -- Peak</td></tr><tr><td>2</td><td>211.39</td><td>36.99</td><td>43.50</td><td>-6.51</td><td>51.98</td><td>15.04</td><td>2.31</td><td>32.48</td><td>0.14 -- -- Peak</td></tr><tr><td>3</td><td>217.21</td><td>37.84</td><td>46.00</td><td>-8.16</td><td>52.90</td><td>14.94</td><td>2.34</td><td>32.48</td><td>0.14 -- -- Peak</td></tr><tr><td>4</td><td>445.16</td><td>39.66</td><td>46.00</td><td>-6.34</td><td>45.95</td><td>22.91</td><td>3.36</td><td>32.72</td><td>0.16 -- -- Peak</td></tr><tr><td>5</td><td>745.86</td><td>39.75</td><td>46.00</td><td>-6.25</td><td>39.67</td><td>28.06</td><td>4.30</td><td>32.54</td><td>0.26 -- -- Peak</td></tr><tr><td>6</td><td>948.59</td><td>33.31</td><td>46.00</td><td>-12.69</td><td>28.60</td><td>30.69</td><td>4.87</td><td>31.16</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	34.85	33.68	40.00	-6.32	42.97	22.00	0.96	32.43	0.18 -- -- Peak	2	211.39	36.99	43.50	-6.51	51.98	15.04	2.31	32.48	0.14 -- -- Peak	3	217.21	37.84	46.00	-8.16	52.90	14.94	2.34	32.48	0.14 -- -- Peak	4	445.16	39.66	46.00	-6.34	45.95	22.91	3.36	32.72	0.16 -- -- Peak	5	745.86	39.75	46.00	-6.25	39.67	28.06	4.30	32.54	0.26 -- -- Peak	6	948.59	33.31	46.00	-12.69	28.60	30.69	4.87	31.16	0.31 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	47.46	24.29	40.00	-15.71	39.60	15.96	1.10	32.58	0.21 -- -- Peak																																																																																																																																																																													
2	211.39	36.83	43.50	-6.67	51.82	15.04	2.31	32.48	0.14 -- -- Peak																																																																																																																																																																													
3	266.68	39.77	46.00	-6.23	49.99	19.60	2.57	32.54	0.15 -- -- Peak																																																																																																																																																																													
4	445.16	39.19	46.00	-6.81	45.48	22.91	3.36	32.72	0.16 -- -- Peak																																																																																																																																																																													
5	721.61	39.51	46.00	-6.49	40.49	27.11	4.27	32.60	0.24 -- -- Peak																																																																																																																																																																													
6	891.36	33.41	46.00	-12.59	31.02	29.07	4.82	31.74	0.24 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	34.85	33.68	40.00	-6.32	42.97	22.00	0.96	32.43	0.18 -- -- Peak																																																																																																																																																																													
2	211.39	36.99	43.50	-6.51	51.98	15.04	2.31	32.48	0.14 -- -- Peak																																																																																																																																																																													
3	217.21	37.84	46.00	-8.16	52.90	14.94	2.34	32.48	0.14 -- -- Peak																																																																																																																																																																													
4	445.16	39.66	46.00	-6.34	45.95	22.91	3.36	32.72	0.16 -- -- Peak																																																																																																																																																																													
5	745.86	39.75	46.00	-6.25	39.67	28.06	4.30	32.54	0.26 -- -- Peak																																																																																																																																																																													
6	948.59	33.31	46.00	-12.69	28.60	30.69	4.87	31.16	0.31 -- -- Peak																																																																																																																																																																													



Mode	30																																																																																																			
	SHF																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_260812 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>24804.37</td><td>40.06</td><td>74.00</td><td>-33.94</td><td>38.26</td><td>39.63</td><td>24.84</td><td>53.13</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24804.37	40.06	74.00	-33.94	38.26	39.63	24.84	53.13	-9.54	--	--	PEAK	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_260812 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>24214.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>39.04</td><td>39.32</td><td>24.56</td><td>52.96</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24214.00	40.42	74.00	-33.58	39.04	39.32	24.56	52.96	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	24804.37	40.06	74.00	-33.94	38.26	39.63	24.84	53.13	-9.54	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	24214.00	40.42	74.00	-33.58	39.04	39.32	24.56	52.96	-9.54	--	--	PEAK																																																																																								



C6-1.Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 26	2400-2483.5	2	Bluetooth-LE_GFSK	01	2404	2Mbps	-	-
Mode 27	2400-2483.5	2	Bluetooth-LE_GFSK	19	2440	2Mbps	-	-
Mode 28	2400-2483.5	2	Bluetooth-LE_GFSK	38	2478	2Mbps	-	-
Mode 31	2400-2483.5	2	Bluetooth-LE_GFSK	38	2478	2Mbps	-	LF
Mode 32	2400-2483.5	2	Bluetooth-LE_GFSK	38	2478	2Mbps	-	SHF





**C6-2.Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
26	Bluetooth-LE_GFSK	01	2383.79	43.70	54.00	-10.30	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	01	-	-	-	-	-	-	-	-	Harmonic
27	Bluetooth-LE_GFSK	19	2338.73	42.46	54.00	-11.54	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	-	-	-	-	-	-	-	-	Harmonic
28	Bluetooth-LE_GFSK	38	2487.86	47.57	54.00	-6.43	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	38	-	-	-	-	-	-	-	-	Harmonic
31	LF	38	34.85	33.90	40.00	-6.10	V	Peak	Pass	-	LF
32	SHF	38	24543.79	41.18	74.00	-32.82	H	Peak	Pass	-	SHF



Mode	26																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.88</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>41.56</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>304</td><td>48 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.88	54.40	74.00	-19.60	41.56	26.90	7.49	31.83	10.28	304	48 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>103.08</td><td>-----</td><td>-----</td><td>90.31</td><td>26.80</td><td>7.53</td><td>31.84</td><td>10.28</td><td>304</td><td>48 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	103.08	-----	-----	90.31	26.80	7.53	31.84	10.28	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2383.88	54.40	74.00	-19.60	41.56	26.90	7.49	31.83	10.28	304	48 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2404.00	103.08	-----	-----	90.31	26.80	7.53	31.84	10.28	304	48 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.79</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>30.86</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>304</td><td>48 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.79	43.70	54.00	-10.30	30.86	26.90	7.49	31.83	10.28	304	48 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>101.83</td><td>-----</td><td>-----</td><td>89.06</td><td>26.80</td><td>7.53</td><td>31.84</td><td>10.28</td><td>304</td><td>48 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	101.83	-----	-----	89.06	26.80	7.53	31.84	10.28	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2383.79	43.70	54.00	-10.30	30.86	26.90	7.49	31.83	10.28	304	48 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2404.00	101.83	-----	-----	89.06	26.80	7.53	31.84	10.28	304	48 Average																																																																																						



Mode	26																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.07</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>41.83</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>299</td><td>86</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2384.07	54.67	74.00	-19.33	41.83	26.90	7.49	31.83	10.28	299	86	Peak	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>102.04</td><td>-----</td><td>-----</td><td>89.27</td><td>26.80</td><td>7.53</td><td>31.84</td><td>10.28</td><td>299</td><td>86</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	102.04	-----	-----	89.27	26.80	7.53	31.84	10.28	299	86	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2384.07	54.67	74.00	-19.33	41.83	26.90	7.49	31.83	10.28	299	86	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2404.00	102.04	-----	-----	89.27	26.80	7.53	31.84	10.28	299	86	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.79</td><td>43.48</td><td>54.00</td><td>-10.52</td><td>30.64</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>299</td><td>86</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2383.79	43.48	54.00	-10.52	30.64	26.90	7.49	31.83	10.28	299	86	Average	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.77</td><td>-----</td><td>-----</td><td>88.00</td><td>26.80</td><td>7.53</td><td>31.84</td><td>10.28</td><td>299</td><td>86</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2404.00	100.77	-----	-----	88.00	26.80	7.53	31.84	10.28	299	86	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2383.79	43.48	54.00	-10.52	30.64	26.90	7.49	31.83	10.28	299	86	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2404.00	100.77	-----	-----	88.00	26.80	7.53	31.84	10.28	299	86	Average																																																																														







Mode	27																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.00</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>38.26</td><td>26.90</td><td>7.48</td><td>31.83</td><td>10.28</td><td>268</td><td>48 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.00	51.09	74.00	-22.91	38.26	26.90	7.48	31.83	10.28	268	48 Peak	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>102.19</td><td>-----</td><td>-----</td><td>89.59</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>268</td><td>48 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.19	-----	-----	89.59	26.60	7.58	31.86	10.28	268	48 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2375.00	51.09	74.00	-22.91	38.26	26.90	7.48	31.83	10.28	268	48 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	102.19	-----	-----	89.59	26.60	7.58	31.86	10.28	268	48 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2351.21</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>29.40</td><td>27.09</td><td>7.44</td><td>31.82</td><td>10.27</td><td>268</td><td>48 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2351.21	42.38	54.00	-11.62	29.40	27.09	7.44	31.82	10.27	268	48 Average	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.91</td><td>-----</td><td>-----</td><td>88.31</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>268</td><td>48 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.91	-----	-----	88.31	26.60	7.58	31.86	10.28	268	48 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2351.21	42.38	54.00	-11.62	29.40	27.09	7.44	31.82	10.27	268	48 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	100.91	-----	-----	88.31	26.60	7.58	31.86	10.28	268	48 Average																																																																																							



Mode	27											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	2											
Pol.	Horizontal						Fundamental					
Peak	<											



Mode	27																																																																																								
	Band Edge - L																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																								
ANT	2																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.07</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>38.47</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>257</td><td>85</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2388.07	51.31	74.00	-22.69	38.47	26.90	7.49	31.83	10.28	257	85	Peak	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>101.35</td><td>-----</td><td>-----</td><td>88.75</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>257</td><td>85</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	101.35	-----	-----	88.75	26.60	7.58	31.86	10.28	257	85	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2388.07	51.31	74.00	-22.69	38.47	26.90	7.49	31.83	10.28	257	85	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	101.35	-----	-----	88.75	26.60	7.58	31.86	10.28	257	85	Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.73</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>29.48</td><td>27.10</td><td>7.42</td><td>31.81</td><td>10.27</td><td>257</td><td>85</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2388.73	42.46	54.00	-11.54	29.48	27.10	7.42	31.81	10.27	257	85	Average	Level (dBuV/m) Date: 2026-09-10  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>100.07</td><td>-----</td><td>-----</td><td>87.47</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>257</td><td>85</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	100.07	-----	-----	87.47	26.60	7.58	31.86	10.28	257	85	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2388.73	42.46	54.00	-11.54	29.48	27.10	7.42	31.81	10.27	257	85	Average																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	100.07	-----	-----	87.47	26.60	7.58	31.86	10.28	257	85	Average																																																																													



Mode	27																																																		
	Band Edge - R																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																		
ANT	2																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2497.72</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>38.32</td><td>26.78</td><td>7.68</td><td>31.89</td><td>10.29</td><td>257</td><td>85</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2497.72	51.18	74.00	-22.82	38.32	26.78	7.68	31.89	10.29	257	85	Peak	Blank					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	2497.72	51.18	74.00	-22.82	38.32	26.78	7.68	31.89	10.29	257	85	Peak																																							
Avg	Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2493.58</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>29.32</td><td>26.74</td><td>7.67</td><td>31.89</td><td>10.29</td><td>257</td><td>85</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2493.58	42.13	54.00	-11.87	29.32	26.74	7.67	31.89	10.29	257	85	Average	Blank					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	2493.58	42.13	54.00	-11.87	29.32	26.74	7.67	31.89	10.29	257	85	Average																																							



Mode	28																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-10 PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>58.55</td><td>74.00</td><td>-15.45</td><td>45.78</td><td>26.70</td><td>7.66</td><td>31.88</td><td>10.29</td><td>318</td><td>60</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	58.55	74.00	-15.45	45.78	26.70	7.66	31.88	10.29	318	60	Peak	Level (dBuV/m) Date: 2026-09-10 PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.50</td><td>-----</td><td>-----</td><td>87.77</td><td>26.68</td><td>7.64</td><td>31.88</td><td>10.29</td><td>318</td><td>60</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.50	-----	-----	87.77	26.68	7.64	31.88	10.29	318	60	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	58.55	74.00	-15.45	45.78	26.70	7.66	31.88	10.29	318	60	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	100.50	-----	-----	87.77	26.68	7.64	31.88	10.29	318	60	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-10 AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>47.57</td><td>54.00</td><td>-6.43</td><td>34.00</td><td>26.70</td><td>7.66</td><td>31.88</td><td>10.29</td><td>318</td><td>60</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	47.57	54.00	-6.43	34.00	26.70	7.66	31.88	10.29	318	60	Average	Level (dBuV/m) Date: 2026-09-10 AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>99.22</td><td>-----</td><td>-----</td><td>86.49</td><td>26.68</td><td>7.64</td><td>31.88</td><td>10.29</td><td>318</td><td>60</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	99.22	-----	-----	86.49	26.68	7.64	31.88	10.29	318	60	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	47.57	54.00	-6.43	34.00	26.70	7.66	31.88	10.29	318	60	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	99.22	-----	-----	86.49	26.68	7.64	31.88	10.29	318	60	Average																																																																																								



Mode	28																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																
ANT	2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.97</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>45.04</td><td>26.70</td><td>7.66</td><td>31.88</td><td>10.29</td><td>259</td><td>84 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.97	57.81	74.00	-16.19	45.04	26.70	7.66	31.88	10.29	259	84 Peak	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>100.21</td><td>-----</td><td>-----</td><td>87.48</td><td>26.68</td><td>7.64</td><td>31.88</td><td>10.29</td><td>259</td><td>84 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	100.21	-----	-----	87.48	26.68	7.64	31.88	10.29	259	84 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2487.97	57.81	74.00	-16.19	45.04	26.70	7.66	31.88	10.29	259	84 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2478.00	100.21	-----	-----	87.48	26.68	7.64	31.88	10.29	259	84 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.81</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>33.88</td><td>26.70</td><td>7.66</td><td>31.88</td><td>10.29</td><td>259</td><td>84 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.81	46.65	54.00	-7.35	33.88	26.70	7.66	31.88	10.29	259	84 Average	Level (dBuV/m) Date: 2026-09-10 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:5.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>98.93</td><td>-----</td><td>-----</td><td>86.20</td><td>26.68</td><td>7.64</td><td>31.88</td><td>10.29</td><td>259</td><td>84 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.93	-----	-----	86.20	26.68	7.64	31.88	10.29	259	84 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2487.81	46.65	54.00	-7.35	33.88	26.70	7.66	31.88	10.29	259	84 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2478.00	98.93	-----	-----	86.20	26.68	7.64	31.88	10.29	259	84 Average																																																																																						



Mode	31																																																																																																																																																																																					
	LF																																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																																																																																																					
ANT	2																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																				
QP/ Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>64.92</td><td>27.59</td><td>40.00</td><td>-12.41</td><td>46.67</td><td>12.00</td><td>1.34</td><td>32.58</td><td>0.16 -- -- Peak</td></tr><tr><td>2</td><td>211.39</td><td>37.21</td><td>43.50</td><td>-6.29</td><td>52.20</td><td>15.04</td><td>2.31</td><td>32.48</td><td>0.14 -- -- Peak</td></tr><tr><td>3</td><td>267.65</td><td>39.87</td><td>46.00</td><td>-6.13</td><td>50.31</td><td>19.37</td><td>2.58</td><td>32.54</td><td>0.15 -- -- Peak</td></tr><tr><td>4</td><td>445.16</td><td>39.70</td><td>46.00</td><td>-6.30</td><td>45.99</td><td>22.91</td><td>3.36</td><td>32.72</td><td>0.16 -- -- Peak</td></tr><tr><td>5</td><td>641.10</td><td>38.39</td><td>46.00</td><td>-7.61</td><td>40.40</td><td>26.43</td><td>4.08</td><td>32.76</td><td>0.24 -- -- Peak</td></tr><tr><td>6</td><td>954.41</td><td>33.22</td><td>46.00</td><td>-12.78</td><td>28.19</td><td>30.94</td><td>4.87</td><td>31.10</td><td>0.32 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	64.92	27.59	40.00	-12.41	46.67	12.00	1.34	32.58	0.16 -- -- Peak	2	211.39	37.21	43.50	-6.29	52.20	15.04	2.31	32.48	0.14 -- -- Peak	3	267.65	39.87	46.00	-6.13	50.31	19.37	2.58	32.54	0.15 -- -- Peak	4	445.16	39.70	46.00	-6.30	45.99	22.91	3.36	32.72	0.16 -- -- Peak	5	641.10	38.39	46.00	-7.61	40.40	26.43	4.08	32.76	0.24 -- -- Peak	6	954.41	33.22	46.00	-12.78	28.19	30.94	4.87	31.10	0.32 -- -- Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_251126 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>34.85</td><td>33.90</td><td>40.00</td><td>-6.10</td><td>43.19</td><td>22.00</td><td>0.96</td><td>32.43</td><td>0.18 -- -- Peak</td></tr><tr><td>2</td><td>211.39</td><td>37.05</td><td>43.50</td><td>-6.45</td><td>52.04</td><td>15.04</td><td>2.31</td><td>32.48</td><td>0.14 -- -- Peak</td></tr><tr><td>3</td><td>218.18</td><td>38.11</td><td>46.00</td><td>-7.89</td><td>53.10</td><td>15.00</td><td>2.35</td><td>32.48</td><td>0.14 -- -- Peak</td></tr><tr><td>4</td><td>445.16</td><td>39.08</td><td>46.00</td><td>-6.92</td><td>45.37</td><td>22.91</td><td>3.36</td><td>32.72</td><td>0.16 -- -- Peak</td></tr><tr><td>5</td><td>532.46</td><td>37.55</td><td>46.00</td><td>-8.45</td><td>42.19</td><td>24.10</td><td>3.68</td><td>32.75</td><td>0.33 -- -- Peak</td></tr><tr><td>6</td><td>957.32</td><td>33.09</td><td>46.00</td><td>-12.91</td><td>27.92</td><td>31.04</td><td>4.87</td><td>31.07</td><td>0.33 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	34.85	33.90	40.00	-6.10	43.19	22.00	0.96	32.43	0.18 -- -- Peak	2	211.39	37.05	43.50	-6.45	52.04	15.04	2.31	32.48	0.14 -- -- Peak	3	218.18	38.11	46.00	-7.89	53.10	15.00	2.35	32.48	0.14 -- -- Peak	4	445.16	39.08	46.00	-6.92	45.37	22.91	3.36	32.72	0.16 -- -- Peak	5	532.46	37.55	46.00	-8.45	42.19	24.10	3.68	32.75	0.33 -- -- Peak	6	957.32	33.09	46.00	-12.91	27.92	31.04	4.87	31.07	0.33 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	64.92	27.59	40.00	-12.41	46.67	12.00	1.34	32.58	0.16 -- -- Peak																																																																																																																																																																													
2	211.39	37.21	43.50	-6.29	52.20	15.04	2.31	32.48	0.14 -- -- Peak																																																																																																																																																																													
3	267.65	39.87	46.00	-6.13	50.31	19.37	2.58	32.54	0.15 -- -- Peak																																																																																																																																																																													
4	445.16	39.70	46.00	-6.30	45.99	22.91	3.36	32.72	0.16 -- -- Peak																																																																																																																																																																													
5	641.10	38.39	46.00	-7.61	40.40	26.43	4.08	32.76	0.24 -- -- Peak																																																																																																																																																																													
6	954.41	33.22	46.00	-12.78	28.19	30.94	4.87	31.10	0.32 -- -- Peak																																																																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																													
1	34.85	33.90	40.00	-6.10	43.19	22.00	0.96	32.43	0.18 -- -- Peak																																																																																																																																																																													
2	211.39	37.05	43.50	-6.45	52.04	15.04	2.31	32.48	0.14 -- -- Peak																																																																																																																																																																													
3	218.18	38.11	46.00	-7.89	53.10	15.00	2.35	32.48	0.14 -- -- Peak																																																																																																																																																																													
4	445.16	39.08	46.00	-6.92	45.37	22.91	3.36	32.72	0.16 -- -- Peak																																																																																																																																																																													
5	532.46	37.55	46.00	-8.45	42.19	24.10	3.68	32.75	0.33 -- -- Peak																																																																																																																																																																													
6	957.32	33.09	46.00	-12.91	27.92	31.04	4.87	31.07	0.33 -- -- Peak																																																																																																																																																																													



Mode	32																																																																																																
	SHF																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-12 PEAK_74 AVG_54 180001940020800222002360025000 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_260812 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24543.79</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>39.39</td><td>39.56</td><td>24.70</td><td>52.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24543.79	41.18	74.00	-32.82	39.39	39.56	24.70	52.93	-9.54	--	PEAK	Level (dBuV/m) Date: 2026-09-12 PEAK_74 AVG_54 180001940020800222002360025000 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_74 1m BBHA9170_1225_260812 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24539.41</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>38.97</td><td>39.54</td><td>24.70</td><td>52.92</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24539.41	40.75	74.00	-33.25	38.97	39.54	24.70	52.92	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	24543.79	41.18	74.00	-32.82	39.39	39.56	24.70	52.93	-9.54	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	24539.41	40.75	74.00	-33.25	38.97	39.54	24.70	52.92	-9.54	--	PEAK																																																																																						







C7-1.Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 17	2400-2483.5	2	Bluetooth-LE_GFSK	00	2402	125kbps	-	-
Mode 18	2400-2483.5	2	Bluetooth-LE_GFSK	19	2440	125kbps	-	-
Mode 19	2400-2483.5	2	Bluetooth-LE_GFSK	39	2480	125kbps	-	-





**C7-2.Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	Bluetooth-LE_GFSK	00	2389.86	40.36	54.00	-13.64	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	00	4804.00	48.05	74.00	-25.95	V	Peak	Pass	-	Harmonic
18	Bluetooth-LE_GFSK	19	2354.46	40.27	54.00	-13.73	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	4880.00	43.99	54.00	-10.01	H	Avg.	Pass	-	Harmonic
19	Bluetooth-LE_GFSK	39	2483.52	43.74	54.00	-10.26	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	39	4960.00	42.73	54.00	-11.27	H	Avg.	Pass	-	Harmonic



Mode	17																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.85</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>39.68</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>59 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.85	52.52	74.00	-21.48	39.68	26.90	7.49	31.83	10.28	59 Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.69</td><td>-----</td><td>-----</td><td>87.93</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>59 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.69	-----	-----	87.93	26.80	7.52	31.84	10.28	59 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2381.85	52.52	74.00	-21.48	39.68	26.90	7.49	31.83	10.28	59 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2402.00	100.69	-----	-----	87.93	26.80	7.52	31.84	10.28	59 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.11</td><td>40.27</td><td>54.00</td><td>-13.73</td><td>27.43</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>59 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.11	40.27	54.00	-13.73	27.43	26.90	7.50	31.84	10.28	59 Average	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.96</td><td>-----</td><td>-----</td><td>87.20</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>59 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.96	-----	-----	87.20	26.80	7.52	31.84	10.28	59 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2388.11	40.27	54.00	-13.73	27.43	26.90	7.50	31.84	10.28	59 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2402.00	99.96	-----	-----	87.20	26.80	7.52	31.84	10.28	59 Average																																																																																					



Mode	17																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Loss Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.85</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>40.99</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>300</td><td>95</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2381.85	53.83	74.00	-20.17	40.99	26.90	7.49	31.83	10.28	300	95	Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Loss Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.43</td><td>-----</td><td>-----</td><td>89.67</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>300</td><td>95</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2402.00	102.43	-----	-----	89.67	26.80	7.52	31.84	10.28	300	95	Peak
		Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2381.85	53.83	74.00	-20.17	40.99	26.90	7.49	31.83	10.28	300	95	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2402.00	102.43	-----	-----	89.67	26.80	7.52	31.84	10.28	300	95	Peak																																																																														
Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Loss Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.86</td><td>40.36</td><td>54.00</td><td>-13.64</td><td>27.52</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>300</td><td>95</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2389.86	40.36	54.00	-13.64	27.52	26.90	7.50	31.84	10.28	300	95	Average	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Loss Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.72</td><td>-----</td><td>-----</td><td>88.96</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>300</td><td>95</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2402.00	101.72	-----	-----	88.96	26.80	7.52	31.84	10.28	300	95	Average
		Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2389.86	40.36	54.00	-13.64	27.52	26.90	7.50	31.84	10.28	300	95	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Loss Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2402.00	101.72	-----	-----	88.96	26.80	7.52	31.84	10.28	300	95	Average																																																																														



Mode	17																																																																																																							
	Harmonic																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																							
ANT	2																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>35.18</td><td>32.21</td><td>10.55</td><td>32.33</td><td>1.45</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	47.06	74.00	-26.94	35.18	32.21	10.55	32.33	1.45	--	--	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>36.17</td><td>32.21</td><td>10.55</td><td>32.33</td><td>1.45</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	48.05	74.00	-25.95	36.17	32.21	10.55	32.33	1.45	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	4804.00	47.06	74.00	-26.94	35.18	32.21	10.55	32.33	1.45	--	--	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	4804.00	48.05	74.00	-25.95	36.17	32.21	10.55	32.33	1.45	--	--	Peak																																																																																												



Mode	17	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	18																																																																																								
	Band Edge - L																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																								
ANT	2																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.48</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>37.94</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>100</td><td>56</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2387.48	50.78	74.00	-23.22	37.94	26.90	7.50	31.84	10.28	100	56	Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>100.69</td><td>-----</td><td>-----</td><td>88.09</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>100</td><td>56</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	100.69	-----	-----	88.09	26.60	7.58	31.86	10.28	100	56	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2387.48	50.78	74.00	-23.22	37.94	26.90	7.50	31.84	10.28	100	56	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	100.69	-----	-----	88.09	26.60	7.58	31.86	10.28	100	56	Peak																																																																													
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2343.41</td><td>40.19</td><td>54.00</td><td>-13.81</td><td>27.20</td><td>27.10</td><td>7.43</td><td>31.81</td><td>10.27</td><td>100</td><td>56</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2343.41	40.19	54.00	-13.81	27.20	27.10	7.43	31.81	10.27	100	56	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>100.01</td><td>-----</td><td>-----</td><td>87.41</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>100</td><td>56</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	100.01	-----	-----	87.41	26.60	7.58	31.86	10.28	100	56	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2343.41	40.19	54.00	-13.81	27.20	27.10	7.43	31.81	10.27	100	56	Average																																																																													
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	100.01	-----	-----	87.41	26.60	7.58	31.86	10.28	100	56	Average																																																																													



Mode	18											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	2											
Pol.	Horizontal						Fundamental					
Peak	<											



Mode	18																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																															
ANT	2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.52</td><td>51.12</td><td>74.00</td><td>-22.88</td><td>38.24</td><td>26.97</td><td>7.46</td><td>31.82</td><td>10.27</td><td>285</td><td>95 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.52	51.12	74.00	-22.88	38.24	26.97	7.46	31.82	10.27	285	95 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.99</td><td>-----</td><td>-----</td><td>88.39</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>285</td><td>95 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.99	-----	-----	88.39	26.60	7.58	31.86	10.28	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2362.52	51.12	74.00	-22.88	38.24	26.97	7.46	31.82	10.27	285	95 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2440.00	100.99	-----	-----	88.39	26.60	7.58	31.86	10.28	285	95 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto						Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.52</td><td>40.27</td><td>54.00</td><td>-13.73</td><td>27.31</td><td>27.06</td><td>7.45</td><td>31.82</td><td>10.27</td><td>285</td><td>95 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2362.52	40.27	54.00	-13.73	27.31	27.06	7.45	31.82	10.27	285	95 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.34</td><td>-----</td><td>-----</td><td>87.74</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>285</td><td>95 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.34	-----	-----	87.74	26.60	7.58	31.86	10.28	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2362.52	40.27	54.00	-13.73	27.31	27.06	7.45	31.82	10.27	285	95 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2440.00	100.34	-----	-----	87.74	26.60	7.58	31.86	10.28	285	95 Average																																																																																					



Mode	18										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	2										
Pol.	Vertical						Fundamental				
Peak											







Mode	18																																																																																																																																																											
	Harmonic																																																																																																																																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																											
ANT	2																																																																																																																																																											
Pol.	Horizontal								Vertical																																																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 4880.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>37.06</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>100 244 Peak</td></tr><tr><td>2 4880.00</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>31.79</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>100 244 Average</td></tr><tr><td>3 7320.00</td><td>49.50</td><td>74.00</td><td>-24.50</td><td>33.51</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>-- -- Peak</td></tr><tr><td>4 7320.00</td><td>39.07</td><td>54.00</td><td>-14.93</td><td>23.08</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>-- -- Average</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4880.00	49.26	74.00	-24.74	37.06	32.42	10.64	32.29	1.43	100 244 Peak	2 4880.00	43.99	54.00	-10.01	31.79	32.42	10.64	32.29	1.43	100 244 Average	3 7320.00	49.50	74.00	-24.50	33.51	37.00	13.27	35.68	1.40	-- -- Peak	4 7320.00	39.07	54.00	-14.93	23.08	37.00	13.27	35.68	1.40	-- -- Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 4880.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>36.89</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>100 188 Peak</td></tr><tr><td>2 4880.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>31.66</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43</td><td>100 188 Average</td></tr><tr><td>3 7320.00</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>33.96</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>-- -- Peak</td></tr><tr><td>4 7320.00</td><td>39.02</td><td>54.00</td><td>-14.98</td><td>23.03</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40</td><td>-- -- Average</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 4880.00	49.09	74.00	-24.91	36.89	32.42	10.64	32.29	1.43	100 188 Peak	2 4880.00	43.86	54.00	-10.14	31.66	32.42	10.64	32.29	1.43	100 188 Average	3 7320.00	49.95	74.00	-24.05	33.96	37.00	13.27	35.68	1.40	-- -- Peak	4 7320.00	39.02	54.00	-14.98	23.03	37.00	13.27	35.68	1.40	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																			
1 4880.00	49.26	74.00	-24.74	37.06	32.42	10.64	32.29	1.43	100 244 Peak																																																																																																																																																			
2 4880.00	43.99	54.00	-10.01	31.79	32.42	10.64	32.29	1.43	100 244 Average																																																																																																																																																			
3 7320.00	49.50	74.00	-24.50	33.51	37.00	13.27	35.68	1.40	-- -- Peak																																																																																																																																																			
4 7320.00	39.07	54.00	-14.93	23.08	37.00	13.27	35.68	1.40	-- -- Average																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																			
1 4880.00	49.09	74.00	-24.91	36.89	32.42	10.64	32.29	1.43	100 188 Peak																																																																																																																																																			
2 4880.00	43.86	54.00	-10.14	31.66	32.42	10.64	32.29	1.43	100 188 Average																																																																																																																																																			
3 7320.00	49.95	74.00	-24.05	33.96	37.00	13.27	35.68	1.40	-- -- Peak																																																																																																																																																			
4 7320.00	39.02	54.00	-14.98	23.03	37.00	13.27	35.68	1.40	-- -- Average																																																																																																																																																			



Mode	18	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	19																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-11  PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.06</td><td>56.94</td><td>74.00</td><td>-17.06</td><td>44.18</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>200</td><td>51 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.06	56.94	74.00	-17.06	44.18	26.70	7.66	31.89	10.29	200	51 Peak	Level (dBuV/m) Date: 2026-09-11  PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.35</td><td>-----</td><td>-----</td><td>87.59</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>200</td><td>51 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.35	-----	-----	87.59	26.70	7.65	31.88	10.29	200	51 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2490.06	56.94	74.00	-17.06	44.18	26.70	7.66	31.89	10.29	200	51 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	100.35	-----	-----	87.59	26.70	7.65	31.88	10.29	200	51 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-11  AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>30.98</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>200</td><td>51 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	43.74	54.00	-10.26	30.98	26.70	7.65	31.88	10.29	200	51 Average	Level (dBuV/m) Date: 2026-09-11  AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.66</td><td>-----</td><td>-----</td><td>86.90</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>200</td><td>51 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.66	-----	-----	86.90	26.70	7.65	31.88	10.29	200	51 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.52	43.74	54.00	-10.26	30.98	26.70	7.65	31.88	10.29	200	51 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	99.66	-----	-----	86.90	26.70	7.65	31.88	10.29	200	51 Average																																																																																							





Mode	19																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-11 PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>43.49</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>100</td><td>263</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	56.25	74.00	-17.75	43.49	26.70	7.66	31.89	10.29	100	263	Peak	Level (dBuV/m) Date: 2026-09-11 PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.66</td><td>-----</td><td>-----</td><td>86.90</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>263</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.66	-----	-----	86.90	26.70	7.65	31.88	10.29	100	263	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.52	56.25	74.00	-17.75	43.49	26.70	7.66	31.89	10.29	100	263	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	99.66	-----	-----	86.90	26.70	7.65	31.88	10.29	100	263	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-11 AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>30.87</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>263</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	43.63	54.00	-10.37	30.87	26.70	7.65	31.88	10.29	100	263	Average	Level (dBuV/m) Date: 2026-09-11 AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:0.330kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.95</td><td>-----</td><td>-----</td><td>86.19</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>100</td><td>263</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.95	-----	-----	86.19	26.70	7.65	31.88	10.29	100	263	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.52	43.63	54.00	-10.37	30.87	26.70	7.65	31.88	10.29	100	263	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	98.95	-----	-----	86.19	26.70	7.65	31.88	10.29	100	263	Average																																																																																								



Mode	19																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																							
ANT	2																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>49.16</td><td>74.00</td><td>-24.84</td><td>36.53</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>280</td><td>103</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>30.10</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>280</td><td>103</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>33.28</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>38.76</td><td>54.00</td><td>-15.24</td><td>22.69</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	49.16	74.00	-24.84	36.53	32.72	10.75	32.24	1.40	280	103	Peak	2	4960.00	42.73	54.00	-11.27	30.10	32.72	10.75	32.24	1.40	280	103	Average	3	7440.00	49.35	74.00	-24.65	33.28	37.02	13.42	35.78	1.41	--	--	Peak	4	7440.00	38.76	54.00	-15.24	22.69	37.02	13.42	35.78	1.41	--	--	Average	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>35.91</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>304</td><td>131</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>42.00</td><td>54.00</td><td>-12.00</td><td>29.37</td><td>32.72</td><td>10.75</td><td>32.24</td><td>1.40</td><td>304</td><td>131</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>33.46</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>38.87</td><td>54.00</td><td>-15.13</td><td>22.80</td><td>37.02</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	48.54	74.00	-25.46	35.91	32.72	10.75	32.24	1.40	304	131	Peak	2	4960.00	42.00	54.00	-12.00	29.37	32.72	10.75	32.24	1.40	304	131	Average	3	7440.00	49.53	74.00	-24.47	33.46	37.02	13.42	35.78	1.41	--	--	Peak	4	7440.00	38.87	54.00	-15.13	22.80	37.02	13.42	35.78	1.41	--	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	4960.00	49.16	74.00	-24.84	36.53	32.72	10.75	32.24	1.40	280	103	Peak																																																																																																																																																												
2	4960.00	42.73	54.00	-11.27	30.10	32.72	10.75	32.24	1.40	280	103	Average																																																																																																																																																												
3	7440.00	49.35	74.00	-24.65	33.28	37.02	13.42	35.78	1.41	--	--	Peak																																																																																																																																																												
4	7440.00	38.76	54.00	-15.24	22.69	37.02	13.42	35.78	1.41	--	--	Average																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	4960.00	48.54	74.00	-25.46	35.91	32.72	10.75	32.24	1.40	304	131	Peak																																																																																																																																																												
2	4960.00	42.00	54.00	-12.00	29.37	32.72	10.75	32.24	1.40	304	131	Average																																																																																																																																																												
3	7440.00	49.53	74.00	-24.47	33.46	37.02	13.42	35.78	1.41	--	--	Peak																																																																																																																																																												
4	7440.00	38.87	54.00	-15.13	22.80	37.02	13.42	35.78	1.41	--	--	Average																																																																																																																																																												



Mode	19	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



C8-1.Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 20	2400-2483.5	2	Bluetooth-LE_GFSK	00	2402	500kbps	-	-
Mode 21	2400-2483.5	2	Bluetooth-LE_GFSK	19	2440	500kbps	-	-
Mode 22	2400-2483.5	2	Bluetooth-LE_GFSK	39	2480	500kbps	-	-

**C8-2.Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
20	Bluetooth-LE_GFSK	00	2324.54	40.86	54.00	-13.14	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	00	4804.00	46.60	54.00	-7.40	H	Avg.	Pass	-	Harmonic
21	Bluetooth-LE_GFSK	19	2381.37	40.95	54.00	-13.05	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	4880.00	46.05	54.00	-7.95	H	Avg.	Pass	-	Harmonic
22	Bluetooth-LE_GFSK	39	2483.52	44.05	54.00	-9.95	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	39	4960.00	46.66	54.00	-7.34	H	Avg.	Pass	-	Harmonic







Mode	20																																																																																																													
	Band Edge - L																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal																																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.76</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>39.39</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>62 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.76	52.23	74.00	-21.77	39.39	26.90	7.49	31.83	10.28	62 Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.84</td><td>-----</td><td>-----</td><td>87.08</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>62 Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.84	-----	-----	87.08	26.80	7.52	31.84	10.28	62 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2381.76	52.23	74.00	-21.77	39.39	26.90	7.49	31.83	10.28	62 Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2402.00	99.84	-----	-----	87.08	26.80	7.52	31.84	10.28	62 Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2324.54</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>27.95</td><td>27.05</td><td>7.40</td><td>31.81</td><td>10.27</td><td>62 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2324.54	40.86	54.00	-13.14	27.95	27.05	7.40	31.81	10.27	62 Average	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.29</td><td>-----</td><td>-----</td><td>86.53</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>62 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.29	-----	-----	86.53	26.80	7.52	31.84	10.28	62 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2324.54	40.86	54.00	-13.14	27.95	27.05	7.40	31.81	10.27	62 Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2402.00	99.29	-----	-----	86.53	26.80	7.52	31.84	10.28	62 Average																																																																																																				



Mode	20											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz											
ANT	2											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m)											



Mode	20																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-12  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.13</td><td>53.85</td><td>74.00</td><td>-20.15</td><td>41.01</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>301</td><td>93 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.13	53.85	74.00	-20.15	41.01	26.90	7.49	31.83	10.28	301	93 Peak	Level (dBuV/m) Date: 2026-09-12  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.79</td><td>-----</td><td>-----</td><td>89.03</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>301</td><td>93 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.79	-----	-----	89.03	26.80	7.52	31.84	10.28	301	93 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2382.13	53.85	74.00	-20.15	41.01	26.90	7.49	31.83	10.28	301	93 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	101.79	-----	-----	89.03	26.80	7.52	31.84	10.28	301	93 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-12  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.94</td><td>40.84</td><td>54.00</td><td>-13.16</td><td>28.00</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>301</td><td>93 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.94	40.84	54.00	-13.16	28.00	26.90	7.49	31.83	10.28	301	93 Average	Level (dBuV/m) Date: 2026-09-12  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.23</td><td>-----</td><td>-----</td><td>88.47</td><td>26.80</td><td>7.52</td><td>31.84</td><td>10.28</td><td>301</td><td>93 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.23	-----	-----	88.47	26.80	7.52	31.84	10.28	301	93 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2381.94	40.84	54.00	-13.16	28.00	26.90	7.49	31.83	10.28	301	93 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	101.23	-----	-----	88.47	26.80	7.52	31.84	10.28	301	93 Average																																																																																							





Mode	20																																																						
	Band Edge - R																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																						
ANT	2																																																						
Pol.	Vertical						Fundamental																																																
Peak	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.88</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>41.66</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>301</td><td>93 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.88	54.50	74.00	-19.50	41.66	26.90	7.49	31.83	10.28	301	93 Peak	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2383.88	54.50	74.00	-19.50	41.66	26.90	7.49	31.83	10.28	301	93 Peak																																												
Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.70</td><td>41.10</td><td>54.00</td><td>-12.90</td><td>28.26</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>301</td><td>93 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.70	41.10	54.00	-12.90	28.26	26.90	7.49	31.83	10.28	301	93 Average	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2383.70	41.10	54.00	-12.90	28.26	26.90	7.49	31.83	10.28	301	93 Average																																												







Mode	20																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2026-09-11 PEAK_74 AVG_54 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>42.38</td><td>32.22</td><td>10.55</td><td>32.33</td><td>1.45</td><td>102</td><td>253</td><td>Peak</td></tr><tr><td>2</td><td>4808.00</td><td>46.60</td><td>54.00</td><td>-7.40</td><td>34.71</td><td>32.22</td><td>10.55</td><td>32.33</td><td>1.45</td><td>102</td><td>253</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	54.27	74.00	-19.73	42.38	32.22	10.55	32.33	1.45	102	253	Peak	2	4808.00	46.60	54.00	-7.40	34.71	32.22	10.55	32.33	1.45	102	253	Average	Level (dBuV/m) Date: 2026-09-11 PEAK_74 AVG_54 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>42.13</td><td>32.22</td><td>10.55</td><td>32.33</td><td>1.45</td><td>101</td><td>188</td><td>Peak</td></tr><tr><td>2</td><td>4808.00</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>33.68</td><td>32.22</td><td>10.55</td><td>32.33</td><td>1.45</td><td>101</td><td>188</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	54.02	74.00	-19.98	42.13	32.22	10.55	32.33	1.45	101	188	Peak	2	4808.00	45.57	54.00	-8.43	33.68	32.22	10.55	32.33	1.45	101	188	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4808.00	54.27	74.00	-19.73	42.38	32.22	10.55	32.33	1.45	102	253	Peak																																																																																																																		
2	4808.00	46.60	54.00	-7.40	34.71	32.22	10.55	32.33	1.45	102	253	Average																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4808.00	54.02	74.00	-19.98	42.13	32.22	10.55	32.33	1.45	101	188	Peak																																																																																																																		
2	4808.00	45.57	54.00	-8.43	33.68	32.22	10.55	32.33	1.45	101	188	Average																																																																																																																		



Mode	20	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL







Mode	21																																																																																								
	Band Edge - L																																																																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																								
ANT	2																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	 Level (dBuV/m) vs Frequency (MHz). Date: 2026-09-11. The plot shows a baseline around 50 dBuV/m with a sharp peak at 2440 MHz reaching approximately 100 dBuV/m.						 Level (dBuV/m) vs Frequency (MHz). Date: 2026-09-11. The plot shows a baseline around 50 dBuV/m with a sharp peak at 2440 MHz reaching approximately 100 dBuV/m.																																																																																		
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2328.33</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>38.30</td><td>27.08</td><td>7.41</td><td>31.81</td><td>10.27</td><td>101</td><td>59</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2328.33	51.25	74.00	-22.75	38.30	27.08	7.41	31.81	10.27	101	59	Peak	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.36</td><td>-----</td><td>-----</td><td>88.76</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>101</td><td>59</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	101.36	-----	-----	88.76	26.60	7.58	31.86	10.28	101	59
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2328.33	51.25	74.00	-22.75	38.30	27.08	7.41	31.81	10.27	101	59	Peak																																																																													
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	101.36	-----	-----	88.76	26.60	7.58	31.86	10.28	101	59	Peak																																																																													
Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2026-09-11. The plot shows a baseline around 50 dBuV/m with a sharp peak at 2440 MHz reaching approximately 100 dBuV/m.						 Level (dBuV/m) vs Frequency (MHz). Date: 2026-09-11. The plot shows a baseline around 50 dBuV/m with a sharp peak at 2440 MHz reaching approximately 100 dBuV/m.																																																																																		
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2380.33</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>28.03</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>101</td><td>59</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2380.33	40.87	54.00	-13.13	28.03	26.90	7.49	31.83	10.28	101	59	Average	Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level Factor</th><th>Ant Level Factor</th><th>Cable Loss Factor</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>100.74</td><td>-----</td><td>-----</td><td>88.14</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>101</td><td>59</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	100.74	-----	-----	88.14	26.60	7.58	31.86	10.28	101	59
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2380.33	40.87	54.00	-13.13	28.03	26.90	7.49	31.83	10.28	101	59	Average																																																																													
	Freq	Level	Limit	Line Margin	Read Level Factor	Ant Level Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2440.00	100.74	-----	-----	88.14	26.60	7.58	31.86	10.28	101	59	Average																																																																													



Mode	21										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	2										
Pol.	Horizontal						Fundamental				
Peak											





Mode	21																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>51.26</td><td>74.00</td><td>-22.74</td><td>38.42</td><td>26.90</td><td>7.50</td><td>31.84</td><td>10.28</td><td>328</td><td>93 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	51.26	74.00	-22.74	38.42	26.90	7.50	31.84	10.28	328	93 Peak	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>101.05</td><td>-----</td><td>-----</td><td>88.45</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>328</td><td>93 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.05	-----	-----	88.45	26.60	7.58	31.86	10.28	328	93 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2388.78	51.26	74.00	-22.74	38.42	26.90	7.50	31.84	10.28	328	93 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	101.05	-----	-----	88.45	26.60	7.58	31.86	10.28	328	93 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.37</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>28.11</td><td>26.90</td><td>7.49</td><td>31.83</td><td>10.28</td><td>328</td><td>93 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.37	40.95	54.00	-13.05	28.11	26.90	7.49	31.83	10.28	328	93 Average	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>100.50</td><td>-----</td><td>-----</td><td>87.90</td><td>26.60</td><td>7.58</td><td>31.86</td><td>10.28</td><td>328</td><td>93 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	100.50	-----	-----	87.90	26.60	7.58	31.86	10.28	328	93 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2381.37	40.95	54.00	-13.05	28.11	26.90	7.49	31.83	10.28	328	93 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	100.50	-----	-----	87.90	26.60	7.58	31.86	10.28	328	93 Average																																																																																							



Mode	21										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	2										
Pol.	Vertical						Fundamental				
Peak											



Mode	21																																																																																				
	Harmonic																																																																																				
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																				
ANT	2																																																																																				
Pol.	Horizontal								Vertical																																																																												
Peak Avg																																																																																					
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>41.04</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43 101 245 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>33.85</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43 101 245 Average</td></tr><tr><td>3</td><td>7320.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>34.49</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40 -- -- Peak</td></tr><tr><td>4</td><td>7320.00</td><td>39.92</td><td>54.00</td><td>-14.08</td><td>23.93</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40 -- -- Average</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4880.00	53.24	74.00	-20.76	41.04	32.42	10.64	32.29	1.43 101 245 Peak	2	4880.00	46.05	54.00	-7.95	33.85	32.42	10.64	32.29	1.43 101 245 Average	3	7320.00	50.48	74.00	-23.52	34.49	37.00	13.27	35.68	1.40 -- -- Peak	4	7320.00	39.92	54.00	-14.08	23.93	37.00	13.27	35.68
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1	4880.00	53.24	74.00	-20.76	41.04	32.42	10.64	32.29	1.43 101 245 Peak																																																																												
2	4880.00	46.05	54.00	-7.95	33.85	32.42	10.64	32.29	1.43 101 245 Average																																																																												
3	7320.00	50.48	74.00	-23.52	34.49	37.00	13.27	35.68	1.40 -- -- Peak																																																																												
4	7320.00	39.92	54.00	-14.08	23.93	37.00	13.27	35.68	1.40 -- -- Average																																																																												
Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL																																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>41.27</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43 399 182 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>46.00</td><td>54.00</td><td>-8.00</td><td>33.80</td><td>32.42</td><td>10.64</td><td>32.29</td><td>1.43 399 182 Average</td></tr><tr><td>3</td><td>7320.00</td><td>50.45</td><td>74.00</td><td>-23.55</td><td>34.46</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40 -- -- Peak</td></tr><tr><td>4</td><td>7320.00</td><td>39.89</td><td>54.00</td><td>-14.11</td><td>23.90</td><td>37.00</td><td>13.27</td><td>35.68</td><td>1.40 -- -- Average</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	4880.00	53.47	74.00	-20.53	41.27	32.42	10.64	32.29	1.43 399 182 Peak	2	4880.00	46.00	54.00	-8.00	33.80	32.42	10.64	32.29	1.43 399 182 Average	3	7320.00	50.45	74.00	-23.55	34.46	37.00	13.27	35.68	1.40 -- -- Peak	4	7320.00	39.89	54.00	-14.11	23.90	37.00	13.27	35.68	1.40 -- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1	4880.00	53.47	74.00	-20.53	41.27	32.42	10.64	32.29	1.43 399 182 Peak																																																																												
2	4880.00	46.00	54.00	-8.00	33.80	32.42	10.64	32.29	1.43 399 182 Average																																																																												
3	7320.00	50.45	74.00	-23.55	34.46	37.00	13.27	35.68	1.40 -- -- Peak																																																																												
4	7320.00	39.89	54.00	-14.11	23.90	37.00	13.27	35.68	1.40 -- -- Average																																																																												



Mode	21	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Mode	22																																																																																																
	Band Edge - L																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2026-09-12 PEAK_BE_74						Level (dBuV/m) Date: 2026-09-12 PEAK_74																																																																																										
	Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.86</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>44.25</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>201</td><td>53 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.86	57.01	74.00	-16.99	44.25	26.70	7.66	31.89	10.29	201	53 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.88</td><td>-----</td><td>-----</td><td>87.12</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>201</td><td>53 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.88	-----	-----	87.12	26.70	7.65	31.88	10.29	201
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2489.86	57.01	74.00	-16.99	44.25	26.70	7.66	31.89	10.29	201	53 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	99.88	-----	-----	87.12	26.70	7.65	31.88	10.29	201	53 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2026-09-12 AVG_BE_54						Level (dBuV/m) Date: 2026-09-12 AVG_54																																																																																										
	Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto						Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>31.23</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>201</td><td>53 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	43.99	54.00	-10.01	31.23	26.70	7.65	31.88	10.29	201	53 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.34</td><td>-----</td><td>-----</td><td>86.58</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>201</td><td>53 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.34	-----	-----	86.58	26.70	7.65	31.88	10.29	201
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.54	43.99	54.00	-10.01	31.23	26.70	7.65	31.88	10.29	201	53 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	99.34	-----	-----	86.58	26.70	7.65	31.88	10.29	201	53 Average																																																																																						



Mode	22										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz										
ANT	2										
Pol.	Horizontal						Fundamental				
Peak	<										



Mode	22																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.92</td><td>57.35</td><td>74.00</td><td>-16.65</td><td>44.59</td><td>26.70</td><td>7.66</td><td>31.89</td><td>10.29</td><td>219</td><td>103</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.92	57.35	74.00	-16.65	44.59	26.70	7.66	31.89	10.29	219	103	Peak	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.32</td><td>-----</td><td>-----</td><td>87.56</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>219</td><td>103</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.32	-----	-----	87.56	26.70	7.65	31.88	10.29	219	103	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2489.92	57.35	74.00	-16.65	44.59	26.70	7.66	31.89	10.29	219	103	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	100.32	-----	-----	87.56	26.70	7.65	31.88	10.29	219	103	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>31.29</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>219</td><td>103</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	44.05	54.00	-9.95	31.29	26.70	7.65	31.88	10.29	219	103	Average	Level (dBuV/m) Date: 2026-09-12 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.77</td><td>-----</td><td>-----</td><td>87.01</td><td>26.70</td><td>7.65</td><td>31.88</td><td>10.29</td><td>219</td><td>103</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.77	-----	-----	87.01	26.70	7.65	31.88	10.29	219	103	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.52	44.05	54.00	-9.95	31.29	26.70	7.65	31.88	10.29	219	103	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	99.77	-----	-----	87.01	26.70	7.65	31.88	10.29	219	103	Average																																																																																								





Mode	22											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz											
ANT	2											
Pol.	Vertical						Fundamental					
Peak												



		22																																																																																																																																																																																	
Mode	Harmonic																																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																		
ANT	2																																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																																												
Peak Avg	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>42.07</td><td>32.71</td><td>10.74</td><td>32.25</td><td>1.40</td><td>101</td><td>101</td><td>248</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>34.06</td><td>32.71</td><td>10.74</td><td>32.25</td><td>1.40</td><td>101</td><td>101</td><td>248</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>34.21</td><td>37.03</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>39.73</td><td>54.00</td><td>-14.27</td><td>23.65</td><td>37.03</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	54.67	74.00	-19.33	42.07	32.71	10.74	32.25	1.40	101	101	248	Peak	2	4956.00	46.66	54.00	-7.34	34.06	32.71	10.74	32.25	1.40	101	101	248	Average	3	7434.00	50.29	74.00	-23.71	34.21	37.03	13.42	35.78	1.41	--	--	--	Peak	4	7434.00	39.73	54.00	-14.27	23.65	37.03	13.42	35.78	1.41	--	--	--	Average	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_251105 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4956.00</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>41.39</td><td>32.71</td><td>10.74</td><td>32.25</td><td>1.40</td><td>161</td><td>161</td><td>250</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>33.78</td><td>32.71</td><td>10.74</td><td>32.25</td><td>1.40</td><td>161</td><td>161</td><td>250</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>34.51</td><td>37.03</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>40.03</td><td>54.00</td><td>-13.97</td><td>23.95</td><td>37.03</td><td>13.42</td><td>35.78</td><td>1.41</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4956.00	53.99	74.00	-20.01	41.39	32.71	10.74	32.25	1.40	161	161	250	Peak	2	4956.00	46.38	54.00	-7.62	33.78	32.71	10.74	32.25	1.40	161	161	250	Average	3	7434.00	50.59	74.00	-23.41	34.51	37.03	13.42	35.78	1.41	--	--	--	Peak	4	7434.00	40.03	54.00	-13.97	23.95	37.03	13.42	35.78	1.41	--	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	4956.00	54.67	74.00	-19.33	42.07	32.71	10.74	32.25	1.40	101	101	248	Peak																																																																																																																																																																						
2	4956.00	46.66	54.00	-7.34	34.06	32.71	10.74	32.25	1.40	101	101	248	Average																																																																																																																																																																						
3	7434.00	50.29	74.00	-23.71	34.21	37.03	13.42	35.78	1.41	--	--	--	Peak																																																																																																																																																																						
4	7434.00	39.73	54.00	-14.27	23.65	37.03	13.42	35.78	1.41	--	--	--	Average																																																																																																																																																																						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	4956.00	53.99	74.00	-20.01	41.39	32.71	10.74	32.25	1.40	161	161	250	Peak																																																																																																																																																																						
2	4956.00	46.38	54.00	-7.62	33.78	32.71	10.74	32.25	1.40	161	161	250	Average																																																																																																																																																																						
3	7434.00	50.59	74.00	-23.41	34.51	37.03	13.42	35.78	1.41	--	--	--	Peak																																																																																																																																																																						
4	7434.00	40.03	54.00	-13.97	23.95	37.03	13.42	35.78	1.41	--	--	--	Average																																																																																																																																																																						



Mode	22	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 HORIZONTAL	Level (dBuV/m) Date: 2026-09-11  Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_251105 VERTICAL



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LR for 125kbps	82.67	3100	0.32	330Hz
1	Bluetooth - LR for 500kbps	56.38	1060	0.94	1KHz
1	BLE for 1Mbps	61.60	385	2.60	2.7KHz
1	BLE for 2Mbps	32.80	205	4.88	5.1KHz
2	Bluetooth - LR for 125kbps	82.40	3090	0.32	330Hz
2	Bluetooth - LR for 500kbps	57.07	1070	0.93	1KHz
2	BLE for 1Mbps	61.98	388	2.58	2.7KHz
2	BLE for 2Mbps	32.91	206	4.85	5.1KHz

<ANT1>

