







Mode	22																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																																																																																	
ANT	2																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2026-09-17 Site : 03CH13-HY Condition: PEAK_74 3m DRH18-E_DU2F13A18ES HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>44.68</td><td>32.82</td><td>9.94</td><td>33.54</td><td>0.63</td><td>100</td><td>180</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>50.82</td><td>54.00</td><td>-3.18</td><td>40.97</td><td>32.82</td><td>9.94</td><td>33.54</td><td>0.63</td><td>100</td><td>180</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>38.66</td><td>37.12</td><td>11.79</td><td>36.13</td><td>0.65</td><td>283</td><td>142</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>31.66</td><td>37.12</td><td>11.79</td><td>36.13</td><td>0.65</td><td>283</td><td>142</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	54.53	74.00	-19.47	44.68	32.82	9.94	33.54	0.63	100	180	Peak	2	4960.00	50.82	54.00	-3.18	40.97	32.82	9.94	33.54	0.63	100	180	Average	3	7440.00	52.09	74.00	-21.91	38.66	37.12	11.79	36.13	0.65	283	142	Peak	4	7440.00	45.09	54.00	-8.91	31.66	37.12	11.79	36.13	0.65	283	142	Average	Level (dBuV/m) Date: 2026-09-17 Site : 03CH13-HY Condition: PEAK_74 3m DRH18-E_DU2F13A18ES VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>44.73</td><td>32.82</td><td>9.94</td><td>33.54</td><td>0.63</td><td>300</td><td>269</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>50.53</td><td>54.00</td><td>-3.47</td><td>40.68</td><td>32.82</td><td>9.94</td><td>33.54</td><td>0.63</td><td>300</td><td>269</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>39.83</td><td>37.12</td><td>11.79</td><td>36.13</td><td>0.65</td><td>221</td><td>85</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>46.29</td><td>54.00</td><td>-7.71</td><td>32.86</td><td>37.12</td><td>11.79</td><td>36.13</td><td>0.65</td><td>221</td><td>85</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	54.58	74.00	-19.42	44.73	32.82	9.94	33.54	0.63	300	269	Peak	2	4960.00	50.53	54.00	-3.47	40.68	32.82	9.94	33.54	0.63	300	269	Average	3	7440.00	53.26	74.00	-20.74	39.83	37.12	11.79	36.13	0.65	221	85	Peak	4	7440.00	46.29	54.00	-7.71	32.86	37.12	11.79	36.13	0.65	221	85	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	4960.00	54.53	74.00	-19.47	44.68	32.82	9.94	33.54	0.63	100	180	Peak																																																																																																																																																																						
2	4960.00	50.82	54.00	-3.18	40.97	32.82	9.94	33.54	0.63	100	180	Average																																																																																																																																																																						
3	7440.00	52.09	74.00	-21.91	38.66	37.12	11.79	36.13	0.65	283	142	Peak																																																																																																																																																																						
4	7440.00	45.09	54.00	-8.91	31.66	37.12	11.79	36.13	0.65	283	142	Average																																																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																								
1	4960.00	54.58	74.00	-19.42	44.73	32.82	9.94	33.54	0.63	300	269	Peak																																																																																																																																																																						
2	4960.00	50.53	54.00	-3.47	40.68	32.82	9.94	33.54	0.63	300	269	Average																																																																																																																																																																						
3	7440.00	53.26	74.00	-20.74	39.83	37.12	11.79	36.13	0.65	221	85	Peak																																																																																																																																																																						
4	7440.00	46.29	54.00	-7.71	32.86	37.12	11.79	36.13	0.65	221	85	Average																																																																																																																																																																						




Mode	22	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2026-09-17  Site : 03CH13-HY Condition: AVG_54 3m DRH18-E_DU2F13A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-09-17  Site : 03CH13-HY Condition: AVG_54 3m DRH18-E_DU2F13A18ES VERTICAL
	Level (dBuV/m) Date: 2026-09-17  Site : 03CH13-HY Condition: AVG_54 3m DRH18-E_DU2F13A18ES HORIZONTAL	Level (dBuV/m) Date: 2026-09-17  Site : 03CH13-HY Condition: AVG_54 3m DRH18-E_DU2F13A18ES VERTICAL



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LE for 125K	82.67	3100	0.32	330Hz
1	Bluetooth - LE for 500K	56.65	1065	0.94	1kHz
1	Bluetooth - LE for 1Mbps	61.98	388	2.58	2.7khz
1	Bluetooth - LE for 2Mbps	33.33	210	4.76	5.1Khz
2	Bluetooth - LE for 125K	82.40	3090	0.32	330Hz
2	Bluetooth - LE for 500K	56.80	1065	0.94	1kHz
2	Bluetooth - LE for 1Mbps	61.86	386	2.59	2.7kHz
2	Bluetooth - LE for 2Mbps	32.26	200	5.00	5.1kHz

<ANT1>






Bluetooth - LE for 1Mbps




Bluetooth - LE for 2Mbps




<ANT2>


Bluetooth - LE for 125kbps



Bluetooth - LE for 500kbps



Bluetooth - LE for 1Mbps



Bluetooth - LE for 2Mbps

