

WIRobotics
WE INNOVATE



Product : Wearable mobility robot

Made in Korea

Model : WIR-WIM-KRA | Manufactured : 24.04

| SN : US253B00001

| Applicant : WIRobotics Inc.

1600, Chungjeol-ro, Byeongcheon-myeon, Dongnam-gu, Cheonan-si, Chungcheongnam-do, Republic of Korea

Power input : Equipment: 20 V , 4.6 A

| Battery: 14.4 V , 3.35 Ah

| Weight : 1.6 kg

AC/DC adaptor(Optional) : Input: 100-240 V~, 1.5 A, 50/60 Hz, Output: 20 V , 4.6 A



FCC ID: 2BNNQ-WIRWIMKRA
IC: 33535-WIRWIMKRA
CMIIT ID: XXXXXXXX



Classified with respect to Electrical shock and
fire Hazards only according to AAMI ES 0601-1
E116024 CSA C22.2 No. 60601-1



Label on the rear of the product

WIRobotics
WE INNOVATE



┆ Product : Wearable mobility robot

Made in Korea

┆ Model : WIM1-DBE ┆ Manufactured : 24.04 ┆ SN : US253B00001 ┆ Applicant : WIRobotics Inc.

1600, Chungjeol-ro, Byeongcheon-myeon, Dongnam-gu, Cheonan-si, Chungcheongnam-do, Republic of Korea

┆ Power input : Equipment: 20 V , 4.6 A ┆ Battery: 14.4 V , 3.35 Ah ┆ Weight : 1.6 kg

┆ AC/DC adaptor(Optional) : Input: 100-240 V~, 1.5 A, 50/60 Hz, Output: 20 V , 4.6 A



FCC ID: 2BNNQ-WIRWIMKRA
IC: 33535-WIRWIMKRA
CMIIT ID: XXXXXXXX



Classified with respect to Electrical shock and
fire Hazards only according to AAMI ES 0601-1
E116024 CSA C22.2 No. 60601-1

WIRobotics
WE INNOVATE



┆ Product : Wearable mobility robot

Made in Korea

┆ Model : WIM1-DDG ┆ Manufactured : 24.04 ┆ SN : US253B00001 ┆ Applicant : WIRobotics Inc.

1600, Chungjeol-ro, Byeongcheon-myeon, Dongnam-gu, Cheonan-si, Chungcheongnam-do, Republic of Korea

┆ Power input : Equipment: 20 V , 4.6 A ┆ Battery: 14.4 V , 3.35 Ah ┆ Weight : 1.6 kg

┆ AC/DC adaptor(Optional) : Input: 100-240 V~, 1.5 A, 50/60 Hz, Output: 20 V , 4.6 A



FCC ID: 2BNNQ-WIRWIMKRA
IC: 33535-WIRWIMKRA
CMIIT ID: XXXXXXXX



Classified with respect to Electrical shock and
fire Hazards only according to AAMI ES 0601-1
E116024 CSA C22.2 No. 60601-1

WIRobotics
WE INNOVATE



┆ Product : Wearable mobility robot

Made in Korea

┆ Model : WIM1-CGN ┆ Manufactured : 24.04 ┆ SN : US253B00001 ┆ Applicant : WIRobotics Inc.

1600, Chungjeol-ro, Byeongcheon-myeon, Dongnam-gu, Cheonan-si, Chungcheongnam-do, Republic of Korea

┆ Power input : Equipment: 20 V , 4.6 A ┆ Battery: 14.4 V , 3.35 Ah ┆ Weight : 1.6 kg

┆ AC/DC adaptor(Optional) : Input: 100-240 V~, 1.5 A, 50/60 Hz, Output: 20 V , 4.6 A



FCC ID: 2BNNQ-WIRWIMKRA
IC: 33535-WIRWIMKRA
CMIIT ID: XXXXXXXX



Classified with respect to Electrical shock and
fire Hazards only according to AAMI ES 0601-1
E116024 CSA C22.2 No. 60601-1