


Appendix Test Data

Report No.:	1813C50043212501	Test Sample No.:	1-2-2
Start Test Date:	2025.2.11	Finish Test Date:	2025.2.21
Test Engineer:	<i>Qiangfei Yang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	21.5°C	Relative Humidity:	47%
Pressure:	101kPa		


Appendix A: -6dB Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	10.30	500	Pass
NVNT	ANT1	802.11b	2437.00	10.29	500	Pass
NVNT	ANT1	802.11b	2462.00	10.29	500	Pass
NVNT	ANT1	802.11g	2412.00	15.23	500	Pass
NVNT	ANT1	802.11g	2437.00	14.93	500	Pass
NVNT	ANT1	802.11g	2462.00	14.94	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	16.07	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	16.06	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	16.17	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	35.43	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	33.44	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	35.28	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412



-6dB_Bandwidth_NVNT_ANT1_802_11b_2437




-6dB_Bandwidth_NVNT_ANT1_802_11b_2462


Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com




-6dB_Bandwidth_NVNT_ANT1_802_11g_2412




-6dB_Bandwidth_NVNT_ANT1_802_11g_2437







-6dB_Bandwidth_NVNT_ANT1_802_11g_2462




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422




-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437





-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



Appendix B: 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99%BW(MHz)
NVNT	ANT1	802.11b	2412.00	13.972
NVNT	ANT1	802.11b	2437.00	13.941
NVNT	ANT1	802.11b	2462.00	13.943
NVNT	ANT1	802.11g	2412.00	16.203
NVNT	ANT1	802.11g	2437.00	16.196
NVNT	ANT1	802.11g	2462.00	16.194
NVNT	ANT1	802.11n(HT20)	2412.00	17.292
NVNT	ANT1	802.11n(HT20)	2437.00	17.280
NVNT	ANT1	802.11n(HT20)	2462.00	17.289
NVNT	ANT1	802.11n(HT40)	2422.00	35.850
NVNT	ANT1	802.11n(HT40)	2437.00	35.704
NVNT	ANT1	802.11n(HT40)	2452.00	35.762


Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412



99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462

Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
 Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
 400-003-0500
 www.anbotek.com




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437




99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462




99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412




99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462




99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



Appendix C: Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	100	0.00
NVNT	ANT1	802.11b	2437.00	100	0.00
NVNT	ANT1	802.11b	2462.00	100	0.00
NVNT	ANT1	802.11g	2412.00	100	0.00
NVNT	ANT1	802.11g	2437.00	100	0.00
NVNT	ANT1	802.11g	2462.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2412.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2437.00	100	0.00
NVNT	ANT1	802.11n(HT20)	2462.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2422.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2437.00	100	0.00
NVNT	ANT1	802.11n(HT40)	2452.00	100	0.00

Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com

 Hotline
400-003-0500
www.anbotek.com

Duty_Cycle_NVNT_ANT1_802_11b_2412



Duty_Cycle_NVNT_ANT1_802_11b_2437




Duty_Cycle_NVNT_ANT1_802_11b_2462


Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline
400-003-0500
www.anbotech.com




Duty_Cycle_NVNT_ANT1_802_11g_2412




Duty_Cycle_NVNT_ANT1_802_11g_2437




Duty_Cycle_NVNT_ANT1_802_11g_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437




Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462




Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com

Appendix D: MAX. Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power (dBm)	Duty factor (dB)	Total Power (dBm)	Limit (dBm)	Result
NVNT	ANT1	802.11b	2412.00	RMS	13.83	0.00	13.83	30	Pass
NVNT	ANT1	802.11b	2437.00	RMS	13.43	0.00	13.43	30	Pass
NVNT	ANT1	802.11b	2462.00	RMS	13.11	0.00	13.11	30	Pass
NVNT	ANT1	802.11g	2412.00	RMS	13.42	0.00	13.42	30	Pass
NVNT	ANT1	802.11g	2437.00	RMS	13.13	0.00	13.13	30	Pass
NVNT	ANT1	802.11g	2462.00	RMS	12.99	0.00	12.99	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	RMS	13.07	0.00	13.07	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	RMS	12.99	0.00	12.99	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	RMS	12.78	0.00	12.78	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	RMS	12.81	0.00	12.81	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	RMS	12.83	0.00	12.83	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	RMS	12.44	0.00	12.44	30	Pass

Note: The cable loss are compensated in the graph.

MAX_Output_Power_NVNT_ANT1_802_11b_2412



MAX_Output_Power_NVNT_ANT1_802_11b_2437




MAX_Output_Power_NVNT_ANT1_802_11b_2462


Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline 400-003-0500
www.anbotek.com




MAX__Output_Power_NVNT_ANT1_802_11g_2412




MAX__Output_Power_NVNT_ANT1_802_11g_2437




MAX__Output_Power_NVNT_ANT1_802_11g_2462




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2412




MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2462




MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2422



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452



Appendix E: Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD (dBm/30kHz)	Duty factor (dB)	RB factor (dB)	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	-0.40	0.00	-10.00	-10.40	8	Pass
NVNT	ANT1	802.11b	2437.00	-0.80	0.00	-10.00	-10.80	8	Pass
NVNT	ANT1	802.11b	2462.00	-1.17	0.00	-10.00	-11.16	8	Pass
NVNT	ANT1	802.11g	2412.00	-0.75	0.00	-10.00	-10.75	8	Pass
NVNT	ANT1	802.11g	2437.00	-1.24	0.00	-10.00	-11.24	8	Pass
NVNT	ANT1	802.11g	2462.00	-1.32	0.00	-10.00	-11.32	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-1.39	0.00	-10.00	-11.39	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-1.70	0.00	-10.00	-11.70	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-1.76	0.00	-10.00	-11.76	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-5.53	0.00	-10.00	-15.53	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-5.41	0.00	-10.00	-15.41	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-6.11	0.00	-10.00	-16.11	8	Pass

Note: 1.The cable loss are compensated in the graph.

2.PSD(dBm/3kHz)= PSD(dBm/30kHz)- (10*log(30/3)).

Power_Spectral_Density_NVNT_ANT1_802_11b_2412



Power_Spectral_Density_NVNT_ANT1_802_11b_2437



Power_Spectral_Density_NVNT_ANT1_802_11b_2462

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com




Power_Spectral_Density_NVNT_ANT1_802_11g_2412




Power_Spectral_Density_NVNT_ANT1_802_11g_2437




Power_Spectral_Density_NVNT_ANT1_802_11g_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437




Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462




Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

Appendix F: Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	2399.488	3.739	-41.527	-26.261	Pass
NVNT	ANT1	802.11b	2462.00	2483.680	3.210	-52.772	-26.790	Pass
NVNT	ANT1	802.11g	2412.00	2395.792	3.999	-47.484	-26.001	Pass
NVNT	ANT1	802.11g	2462.00	2483.824	3.592	-51.424	-26.408	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	2397.584	3.650	-47.606	-26.350	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	2490.784	3.585	-51.594	-26.415	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	2399.496	0.374	-43.927	-29.626	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2485.720	0.149	-46.124	-29.851	Pass

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com




Hotline
400-003-0500
www.anbotek.com

1_Reference_Level_NVNT_ANT1_802_11b_2412



2_Bandedge_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2462

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



2_Bandedge_NVNT_ANT1_802_11b_2462




1_Reference_Level_NVNT_ANT1_802_11g_2412




2_Bandedge_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2462



2_Bandedge_NVNT_ANT1_802_11g_2462



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412



2_Bandedge_NVNT_ANT1_802_11n(HT20)_2412

Agilent Spectrum Analyzer - Swept SA

RL

RF

50 Ω

AC

SENSE INT

AL33N AUTO

06:25:13 PM Feb 13, 2025

Center Freq 2.366000000 GHz

PN0: Fast

IF Gain: Low

Trig: Free Run

Atten: 30 dB

#Avg Type: Log-Pwr

Avg/Hold: 10/10

TRACE 1 2 3 4 5 6

TYPE M M M M M M M M

DET P N N N N N N

Ref Offset 4.87 dB

Ref 23.87 dBm

Mkr3 2.397 58 GHz

-47.606 dBm

Start 2.31000 GHz

#Res BW 100 kHz

#VBW 300 kHz

Sweep 10.73 ms (1001 pts)

Stop 2.42200 GHz

MR	MODE	TRG	SOL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.410 69 GHz	-3.792 dBm			
2	N	1	f	2.400 00 GHz	-48.918 dBm			
3	N	1	f	2.397 58 GHz	-47.606 dBm			
4								
5								
6								
7								
8								
9								
10								
11								

MSG

STATUS

Frequency

Auto Tune

Center Freq 2.366000000 GHz

Start Freq 2.310000000 GHz

Stop Freq 2.422000000 GHz

CF Step 11.200000 MHz

Auto Man

Freq Offset 0 Hz


1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462



2_Bandedge_NVNT_ANT1_802_11n(HT20)_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422




2_Bandedge_NVNT_ANT1_802_11n(HT40)_2422



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Bandedge_NVNT_ANT1_802_11n(HT40)_2452



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com

Appendix G: Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq (MHz)	Ref_level (dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	24830.204	3.739	-46.472	-26.261	Pass
NVNT	ANT1	802.11b	2437.00	24787.755	3.314	-44.912	-26.686	Pass
NVNT	ANT1	802.11b	2462.00	24315.822	3.210	-44.809	-26.790	Pass
NVNT	ANT1	802.11g	2412.00	24785.258	3.999	-44.357	-26.001	Pass
NVNT	ANT1	802.11g	2437.00	24777.767	3.764	-45.203	-26.236	Pass
NVNT	ANT1	802.11g	2462.00	24370.756	3.592	-45.356	-26.408	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	24845.186	3.650	-45.044	-26.350	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	24762.785	3.576	-44.734	-26.424	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	24865.162	3.585	-43.457	-26.415	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	24817.719	0.374	-51.246	-29.626	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	24835.198	0.456	-51.250	-29.544	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	24947.563	0.149	-47.616	-29.851	Pass

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com




Hotline
400-003-0500
www.anbotek.com

1_Reference_Level_NVNT_ANT1_802_11b_2412




2_Spurious_Emission_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2437



2_Spurious_Emission_NVNT_ANT1_802_11b_2437




1_Reference_Level_NVNT_ANT1_802_11b_2462




1_Reference_Level_NVNT_ANT1_802_11g_2412



2_Spurious_Emission_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2437






2_Spurious_Emission_NVNT_ANT1_802_11g_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412




2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2412



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2437




2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2437




1 Reference Level NVNT ANT1 802 11n(HT20) 2462




2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2462




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422




2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2422




1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2437



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2452



---END---