




Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.153	47.14	-18.68	65.82	36.60	0.12	10.42	QP
2	0.153	32.14	-23.68	55.82	21.60	0.12	10.42	Average
3 *	0.186	51.84	-12.36	64.20	41.30	0.13	10.41	QP
4	0.186	35.44	-18.76	54.20	24.90	0.13	10.41	Average
5	0.221	40.96	-21.83	62.79	30.51	0.06	10.39	QP
6	0.221	27.26	-25.53	52.79	16.81	0.06	10.39	Average
7	0.431	32.72	-24.52	57.24	22.60	-0.14	10.26	QP
8	0.431	28.72	-18.52	47.24	18.60	-0.14	10.26	Average
9	2.608	34.37	-21.63	56.00	24.50	-0.20	10.07	QP
10	2.608	27.37	-18.63	46.00	17.50	-0.20	10.07	Average
11	17.755	35.51	-24.49	60.00	24.50	-0.28	11.29	QP
12	17.755	29.81	-20.19	50.00	18.80	-0.28	11.29	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	21.2~22.5°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	0+1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	0+1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	0+1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	0+1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	0+1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	0+1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	0+1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	0+1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	0+1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	0+1	802.11ax HE20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	0+1	802.11ax HE20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	0+1	802.11ax HE20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	0+1	802.11ax HE40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	0+1	802.11ax HE40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	134	5670	MCS0	-	-
Mode 26	U-NII-1	5.15-5.25	0+1	802.11n HT20	36	5180	MCS0	-	-
Mode 27	U-NII-1	5.15-5.25	0+1	802.11n HT20	44	5220	MCS0	-	-
Mode 28	U-NII-1	5.15-5.25	0+1	802.11n HT20	48	5240	MCS0	-	-
Mode 29	U-NII-2A	5.25-5.35	0+1	802.11n HT20	52	5260	MCS0	-	-
Mode 30	U-NII-2A	5.25-5.35	0+1	802.11n HT20	60	5300	MCS0	-	-
Mode 31	U-NII-2A	5.25-5.35	0+1	802.11n HT20	64	5320	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	0+1	802.11n HT20	100	5500	MCS0	-	-
Mode 33	U-NII-2C	5.47-5.725	0+1	802.11n HT20	116	5580	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.725	0+1	802.11n HT20	140	5700	MCS0	-	-
Mode 35	U-NII-1	5.15-5.25	0+1	802.11n HT40	38	5190	MCS0	-	-
Mode 36	U-NII-1	5.15-5.25	0+1	802.11n HT40	46	5230	MCS0	-	-

Mode 37	U-NII-2A	5.25-5.35	0+1	802.11n HT40	54	5270	MCS0	-	-
Mode 38	U-NII-2A	5.25-5.35	0+1	802.11n HT40	62	5310	MCS0	-	-
Mode 39	U-NII-2C	5.47-5.725	0+1	802.11n HT40	102	5510	MCS0	-	-
Mode 40	U-NII-2C	5.47-5.725	0+1	802.11n HT40	110	5550	MCS0	-	-
Mode 41	U-NII-2C	5.47-5.725	0+1	802.11n HT40	134	5670	MCS0	-	-
Mode 42	U-NII-3	5.725-5.85	0+1	802.11a	149	5745	6Mbps	-	-
Mode 43	U-NII-3	5.725-5.85	0+1	802.11a	157	5785	6Mbps	-	-
Mode 44	U-NII-3	5.725-5.85	0+1	802.11a	165	5825	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	0+1	802.11ax HE20	149	5745	MCS0	-	-
Mode 46	U-NII-3	5.725-5.85	0+1	802.11ax HE20	157	5785	MCS0	-	-
Mode 47	U-NII-3	5.725-5.85	0+1	802.11ax HE20	165	5825	MCS0	-	-
Mode 48	U-NII-3	5.725-5.85	0+1	802.11ax HE40	151	5755	MCS0	-	-
Mode 49	U-NII-3	5.725-5.85	0+1	802.11ax HE40	159	5795	MCS0	-	-
Mode 50	U-NII-3	5.725-5.85	0+1	802.11n HT20	149	5745	MCS0	-	-
Mode 51	U-NII-3	5.725-5.85	0+1	802.11n HT20	157	5785	MCS0	-	-
Mode 52	U-NII-3	5.725-5.85	0+1	802.11n HT20	165	5825	MCS0	-	-
Mode 53	U-NII-3	5.725-5.85	0+1	802.11n HT40	151	5755	MCS0	-	-
Mode 54	U-NII-3	5.725-5.85	0+1	802.11n HT40	159	5795	MCS0	-	-
Mode 55	U-NII-2C	5.47-5.85	0+1	802.11a	144	5720	6Mbps	-	-
Mode 56	U-NII-2C	5.47-5.85	0+1	802.11ax HE20	144	5720	MCS0	-	-
Mode 57	U-NII-2C	5.47-5.85	0+1	802.11n HT20	144	5720	MCS0	-	-
Mode 58	U-NII-2C	5.47-5.85	0+1	802.11ax HE40	142	5710	MCS0	-	-
Mode 59	U-NII-2C	5.47-5.85	0+1	802.11n HT40	142	5710	MCS0	-	-





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5147.95	50.91	54.00	-3.09	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	48.31	54.00	-5.69	H	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	50.09	54.00	-3.91	H	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	49.83	54.00	-4.17	H	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	50.55	54.00	-3.45	H	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	47.75	54.00	-6.25	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	50.73	54.00	-3.27	V	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	50.52	54.00	-3.48	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5465.93	64.36	68.20	-3.84	V	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	64.67	68.20	-3.53	V	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	60.45	68.20	-7.75	V	PEAK	Pass	Harmonic
9	802.11a	140	5728.88	63.99	68.20	-4.21	V	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	43.41	54.00	-10.59	H	AVERAGE	Pass	Harmonic
10	802.11ax HE20	36	5147.25	50.39	54.00	-3.61	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	15540.00	44.35	54.00	-9.65	V	AVERAGE	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	15660.00	44.68	54.00	-9.32	V	AVERAGE	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	47.32	54.00	-6.68	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	48.83	54.00	-5.17	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	15900.00	46.92	54.00	-7.08	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.15	48.12	54.00	-5.88	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	49.72	54.00	-4.28	V	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5460.00	48.38	54.00	-5.62	V	AVERAGE	Pass	Band Edge
16	802.11ax HE20	100	16500.00	59.36	68.20	-8.84	V	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	59.14	68.20	-9.06	V	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.20	63.74	68.20	-4.46	V	PEAK	Pass	Band Edge
18	802.11ax HE20	140	11400.00	43.21	54.00	-10.79	V	AVERAGE	Pass	Harmonic
19	802.11ax HE40	38	5150.00	49.82	54.00	-4.18	V	AVERAGE	Pass	Band Edge
19	802.11ax HE40	38	10380.00	45.93	68.20	-22.27	H	PEAK	Pass	Harmonic
20	802.11ax HE40	46	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	46	15690.00	44.70	54.00	-9.30	V	AVERAGE	Pass	Harmonic
21	802.11ax HE40	54	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	54	15810.00	45.07	54.00	-8.93	V	AVERAGE	Pass	Harmonic
22	802.11ax HE40	62	5350.75	50.81	54.00	-3.19	V	AVERAGE	Pass	Band Edge





22	802.11ax HE40	62	15930.00	40.01	54.00	-13.99	V	AVERAGE	Pass	Harmonic
23	802.11ax HE40	102	5468.97	65.00	68.20	-3.20	V	PEAK	Pass	Band Edge
23	802.11ax HE40	102	16530.00	51.33	68.20	-16.87	V	PEAK	Pass	Harmonic
24	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE40	110	16650.00	56.97	68.20	-11.23	V	PEAK	Pass	Harmonic
25	802.11ax HE40	134	5726.80	63.67	68.20	-4.53	V	PEAK	Pass	Band Edge
25	802.11ax HE40	134	11340.00	40.69	54.00	-13.31	V	AVERAGE	Pass	Harmonic
26	802.11n HT20	36	5147.75	50.08	54.00	-3.92	V	AVERAGE	Pass	Band Edge
26	802.11n HT20	36	15540.00	44.14	54.00	-9.86	V	AVERAGE	Pass	Harmonic
27	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
27	802.11n HT20	44	15660.00	50.65	54.00	-3.35	H	AVERAGE	Pass	Harmonic
28	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
28	802.11n HT20	48	15720.00	50.66	54.00	-3.34	V	AVERAGE	Pass	Harmonic
29	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
29	802.11n HT20	52	15780.00	50.74	54.00	-3.26	V	AVERAGE	Pass	Harmonic
30	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
30	802.11n HT20	60	15900.00	50.97	54.00	-3.03	H	AVERAGE	Pass	Harmonic
31	802.11n HT20	64	5350.93	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
31	802.11n HT20	64	15960.00	50.56	54.00	-3.44	V	AVERAGE	Pass	Harmonic
32	802.11n HT20	100	5467.37	62.98	68.20	-5.22	V	PEAK	Pass	Band Edge
32	802.11n HT20	100	16500.00	63.01	68.20	-5.19	V	PEAK	Pass	Harmonic
33	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	116	16740.00	60.87	68.20	-7.33	V	PEAK	Pass	Harmonic
34	802.11n HT20	140	5726.96	63.54	68.20	-4.66	H	PEAK	Pass	Band Edge
34	802.11n HT20	140	17100.00	50.79	68.20	-17.41	V	PEAK	Pass	Harmonic
35	802.11n HT40	38	5149.21	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
35	802.11n HT40	38	10380.00	45.51	68.20	-22.69	V	PEAK	Pass	Harmonic
36	802.11n HT40	46	-	-	-	-	-	-	-	Band Edge
36	802.11n HT40	46	15690.00	49.24	54.00	-4.76	V	AVERAGE	Pass	Harmonic
37	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
37	802.11n HT40	54	15810.00	50.60	54.00	-3.40	V	AVERAGE	Pass	Harmonic
38	802.11n HT40	62	5350.25	50.76	54.00	-3.24	V	AVERAGE	Pass	Band Edge
38	802.11n HT40	62	10620.00	37.57	54.00	-16.43	H	AVERAGE	Pass	Harmonic
39	802.11n HT40	102	5469.45	64.84	68.20	-3.36	V	PEAK	Pass	Band Edge
39	802.11n HT40	102	11020.00	45.48	74.00	-28.52	H	PEAK	Pass	Harmonic
40	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
40	802.11n HT40	110	16650.00	57.15	68.20	-11.05	V	PEAK	Pass	Harmonic
41	802.11n HT40	134	5728.64	64.06	68.20	-4.14	H	PEAK	Pass	Band Edge
41	802.11n HT40	134	11340.00	42.44	54.00	-11.56	V	AVERAGE	Pass	Harmonic
42	802.11a	149	5614.80	56.99	68.20	-11.21	H	PEAK	Pass	Band Edge
42	802.11a	149	11490.00	44.64	54.00	-9.36	H	AVERAGE	Pass	Harmonic
43	802.11a	157	-	-	-	-	-	-	-	Band Edge
43	802.11a	157	11570.00	45.64	54.00	-8.36	V	AVERAGE	Pass	Harmonic
44	802.11a	165	5940.00	57.67	68.20	-10.53	H	PEAK	Pass	Band Edge
44	802.11a	165	11650.00	47.83	54.00	-6.17	V	AVERAGE	Pass	Harmonic
45	802.11ax HE20	149	5604.40	57.50	68.20	-10.70	H	PEAK	Pass	Band Edge

45	802.11ax HE20	149	11490.00	45.31	54.00	-8.69	V	AVERAGE	Pass	Harmonic
46	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE20	157	11570.00	45.94	54.00	-8.06	V	AVERAGE	Pass	Harmonic
47	802.11ax HE20	165	5927.60	57.76	68.20	-10.44	H	PEAK	Pass	Band Edge
47	802.11ax HE20	165	11650.00	47.07	54.00	-6.93	V	AVERAGE	Pass	Harmonic
48	802.11ax HE40	151	5648.44	57.59	68.20	-10.61	V	PEAK	Pass	Band Edge
48	802.11ax HE40	151	11510.00	42.39	54.00	-11.61	H	AVERAGE	Pass	Harmonic
49	802.11ax HE40	159	5964.80	57.52	68.20	-10.68	V	PEAK	Pass	Band Edge
49	802.11ax HE40	159	11590.00	44.87	54.00	-9.13	V	AVERAGE	Pass	Harmonic
50	802.11n HT20	149	5605.60	56.03	68.20	-12.17	V	PEAK	Pass	Band Edge
50	802.11n HT20	149	11490.00	45.66	54.00	-8.34	V	AVERAGE	Pass	Harmonic
51	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
51	802.11n HT20	157	11570.00	46.64	54.00	-7.36	V	AVERAGE	Pass	Harmonic
52	802.11n HT20	165	5925.20	57.11	68.20	-11.09	V	PEAK	Pass	Band Edge
52	802.11n HT20	165	11650.00	48.12	54.00	-5.88	V	AVERAGE	Pass	Harmonic
53	802.11n HT40	151	5926.80	57.49	68.20	-10.71	V	PEAK	Pass	Band Edge
53	802.11n HT40	151	11510.00	40.97	54.00	-13.03	V	AVERAGE	Pass	Harmonic
54	802.11n HT40	159	5984.40	57.25	68.20	-10.95	H	PEAK	Pass	Band Edge
54	802.11n HT40	159	11590.00	44.24	54.00	-9.76	V	AVERAGE	Pass	Harmonic
55	802.11a	144	-	-	-	-	-	-	-	Band Edge
55	802.11a	144	11440.00	43.55	54.00	-10.45	H	AVERAGE	Pass	Harmonic
56	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE20	144	11440.00	45.64	54.00	-8.36	H	AVERAGE	Pass	Harmonic
57	802.11n HT20	144	-	-	-	-	-	-	-	Band Edge
57	802.11n HT20	144	11440.00	44.44	54.00	-9.56	V	AVERAGE	Pass	Harmonic
58	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE40	142	11420.00	43.17	54.00	-10.83	V	AVERAGE	Pass	Harmonic
59	802.11n HT40	142	-	-	-	-	-	-	-	Band Edge
59	802.11n HT40	142	11420.00	43.04	54.00	-10.96	H	AVERAGE	Pass	Harmonic



Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.15</td><td>62.91</td><td>74.00</td><td>-11.09</td><td>46.65</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>111</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.15	62.91	74.00	-11.09	46.65	34.10	12.03	29.87	0.00	111	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.68</td><td>-----</td><td>-----</td><td>94.32</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>111</td><td>181</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.68	-----	-----	94.32	34.19	12.05	29.88	0.00	111	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.15	62.91	74.00	-11.09	46.65	34.10	12.03	29.87	0.00	111	181	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	110.68	-----	-----	94.32	34.19	12.05	29.88	0.00	111	181	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.95</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>34.64</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>111</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.95	50.91	54.00	-3.09	34.64	34.11	12.03	29.87	0.00	111	181	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.93</td><td>-----</td><td>-----</td><td>87.53</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>111</td><td>181</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.93	-----	-----	87.53	34.22	12.06	29.88	0.00	111	181
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.95	50.91	54.00	-3.09	34.64	34.11	12.03	29.87	0.00	111	181	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	103.93	-----	-----	87.53	34.22	12.06	29.88	0.00	111	181	AVERAGE																																																																																																			





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.65</td><td>60.05</td><td>74.00</td><td>-13.95</td><td>43.78</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>354</td><td>310</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.65	60.05	74.00	-13.95	43.78	34.11	12.03	29.87	0.00	354	310	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>107.39</td><td>-----</td><td>-----</td><td>90.99</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>354</td><td>310</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	107.39	-----	-----	90.99	34.22	12.06	29.88	0.00	354	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.65	60.05	74.00	-13.95	43.78	34.11	12.03	29.87	0.00	354	310	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	107.39	-----	-----	90.99	34.22	12.06	29.88	0.00	354	310	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>48.78</td><td>54.00</td><td>-5.22</td><td>32.52</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>354</td><td>310</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	48.78	54.00	-5.22	32.52	34.10	12.03	29.87	0.00	354	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.52</td><td>-----</td><td>-----</td><td>84.12</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>354</td><td>310</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.52	-----	-----	84.12	34.22	12.06	29.88	0.00	354	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5150.00	48.78	54.00	-5.22	32.52	34.10	12.03	29.87	0.00	354	310	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	100.52	-----	-----	84.12	34.22	12.06	29.88	0.00	354	310	AVERAGE																																																																																																			





		1																																																																																	
Mode		Harmonic																																																																																	
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																	
ANT		0+1																																																																																	
Pol.		Horizontal						Vertical																																																																											
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>52.28</td><td>68.20</td><td>-15.92</td><td>63.82</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>276</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>59.69</td><td>74.00</td><td>-14.31</td><td>64.74</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>315</td><td>37</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>48.31</td><td>54.00</td><td>-5.69</td><td>53.36</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>315</td><td>37</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	52.28	68.20	-15.92	63.82	37.46	17.54	66.54	0.00	276	0	PEAK	2	15540.00	59.69	74.00	-14.31	64.74	40.04	21.65	66.74	0.00	315	37	PEAK	3	15540.00	48.31	54.00	-5.69	53.36	40.04	21.65	66.74	0.00	315	37	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	10360.00	52.28	68.20	-15.92	63.82	37.46	17.54	66.54	0.00	276	0	PEAK																																																																							
2	15540.00	59.69	74.00	-14.31	64.74	40.04	21.65	66.74	0.00	315	37	PEAK																																																																							
3	15540.00	48.31	54.00	-5.69	53.36	40.04	21.65	66.74	0.00	315	37	AVERAGE																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10360.00</td><td>55.12</td><td>68.20</td><td>-13.08</td><td>66.66</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>300</td><td>324</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>56.94</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>40.57</td><td>54.00</td><td>-13.43</td><td>45.62</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>320</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10360.00	55.12	68.20	-13.08	66.66	37.46	17.54	66.54	0.00	300	324	PEAK	2	15540.00	51.89	74.00	-22.11	56.94	40.04	21.65	66.74	0.00	300	320	PEAK	3	15540.00	40.57	54.00	-13.43	45.62	40.04	21.65	66.74	0.00	300	320	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	10360.00	55.12	68.20	-13.08	66.66	37.46	17.54	66.54	0.00	300	324	PEAK																																																																							
2	15540.00	51.89	74.00	-22.11	56.94	40.04	21.65	66.74	0.00	300	320	PEAK																																																																							
3	15540.00	40.57	54.00	-13.43	45.62	40.04	21.65	66.74	0.00	300	320	AVERAGE																																																																							



Mode	2																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																													
ANT	0+1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. Two peaks are identified: Peak 1 at 10440.00 MHz and Peak 2 at 15660.00 MHz. The background shows a noisy baseline around 40-50 dBuV/m. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>56.68</td><td>68.20</td><td>-11.52</td><td></td><td>68.08</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>324</td><td>39</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>61.18</td><td>74.00</td><td>-12.82</td><td></td><td>65.69</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>324</td><td>39</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>50.09</td><td>54.00</td><td>-3.91</td><td></td><td>54.60</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>324</td><td>39</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	56.68	68.20	-11.52		68.08	37.54	17.61	66.55	0.00	324	39	PEAK	2	15660.00	61.18	74.00	-12.82		65.69	40.16	21.74	66.41	0.00	324	39	PEAK	3	15660.00	50.09	54.00	-3.91		54.60	40.16	21.74	66.41	0.00	324	39	AVERAGE	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the peak level and a blue line for the average level. Two peaks are identified: Peak 1 at 10440.00 MHz and Peak 2 at 15660.00 MHz. The background shows a noisy baseline around 40-50 dBuV/m. <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10440.00</td><td>57.53</td><td>68.20</td><td>-10.67</td><td></td><td>68.93</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>246</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>60.36</td><td>74.00</td><td>-13.64</td><td></td><td>64.87</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>225</td><td>274</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>49.57</td><td>54.00</td><td>-4.43</td><td></td><td>54.08</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>225</td><td>274</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	57.53	68.20	-10.67		68.93	37.54	17.61	66.55	0.00	246	345	PEAK	2	15660.00	60.36	74.00	-13.64		64.87	40.16	21.74	66.41	0.00	225	274	PEAK	3	15660.00	49.57	54.00	-4.43		54.08	40.16	21.74	66.41	0.00	225	274	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10440.00	56.68	68.20	-11.52		68.08	37.54	17.61	66.55	0.00	324	39	PEAK																																																																																																																																	
2	15660.00	61.18	74.00	-12.82		65.69	40.16	21.74	66.41	0.00	324	39	PEAK																																																																																																																																	
3	15660.00	50.09	54.00	-3.91		54.60	40.16	21.74	66.41	0.00	324	39	AVERAGE																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	10440.00	57.53	68.20	-10.67		68.93	37.54	17.61	66.55	0.00	246	345	PEAK																																																																																																																																	
2	15660.00	60.36	74.00	-13.64		64.87	40.16	21.74	66.41	0.00	225	274	PEAK																																																																																																																																	
3	15660.00	49.57	54.00	-4.43		54.08	40.16	21.74	66.41	0.00	225	274	AVERAGE																																																																																																																																	







Mode	3																																																																																																																																																																		
	Harmonic																																																																																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																		
ANT	0+1																																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																																												
Peak Avg																																																																																																																																																																			
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>66.76</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>61.39</td><td>74.00</td><td>-12.61</td><td>65.58</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>323</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>49.83</td><td>54.00</td><td>-4.17</td><td>54.03</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>323</td><td>38</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	10480.00	55.43	68.20	-12.77	66.76	37.58	17.65	66.56	0.00	--	--	PEAK	2	15720.00	61.39	74.00	-12.61	65.58	40.26	21.79	66.24	0.00	323	38	PEAK	3	15720.00	49.83	54.00	-4.17	54.03	40.26	21.79	66.25	0.00	323	38	AVERAGE	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>55.74</td><td>68.20</td><td>-12.46</td><td>67.07</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>271</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>59.43</td><td>74.00</td><td>-14.57</td><td>63.62</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100</td><td>255</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>51.75</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>100</td><td>255</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	10480.00	55.74	68.20	-12.46	67.07	37.58	17.65	66.56	0.00	271	345	PEAK	2	15720.00	59.43	74.00	-14.57	63.62	40.26	21.79	66.24	0.00	100	255	PEAK	3	15720.00	47.55	54.00	-6.45	51.75	40.26	21.79	66.25	0.00	100	255
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																								
1	10480.00	55.43	68.20	-12.77	66.76	37.58	17.65	66.56	0.00	--	--	PEAK																																																																																																																																																							
2	15720.00	61.39	74.00	-12.61	65.58	40.26	21.79	66.24	0.00	323	38	PEAK																																																																																																																																																							
3	15720.00	49.83	54.00	-4.17	54.03	40.26	21.79	66.25	0.00	323	38	AVERAGE																																																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																								
1	10480.00	55.74	68.20	-12.46	67.07	37.58	17.65	66.56	0.00	271	345	PEAK																																																																																																																																																							
2	15720.00	59.43	74.00	-14.57	63.62	40.26	21.79	66.24	0.00	100	255	PEAK																																																																																																																																																							
3	15720.00	47.55	54.00	-6.45	51.75	40.26	21.79	66.25	0.00	100	255	AVERAGE																																																																																																																																																							







		4																																																																																										
Mode		Harmonic																																																																																										
		U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																										
ANT		0+1																																																																																										
Pol.		Horizontal						Vertical																																																																																				
Peak Avg																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>66.70</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>61.52</td><td>74.00</td><td>-12.48</td><td>65.32</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>378</td><td>39</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>50.55</td><td>54.00</td><td>-3.45</td><td>54.33</td><td>40.45</td><td>21.84</td><td>66.07</td><td>0.00</td><td>378</td><td>39</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	55.45	68.20	-12.75	66.70	37.60	17.69	66.54	0.00	--	--	PEAK	2	15780.00	61.52	74.00	-12.48	65.32	40.44	21.84	66.08	0.00	378	39	PEAK	3	15780.00	50.55	54.00	-3.45	54.33	40.45	21.84	66.07	0.00	378	39	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																	
1	10520.00	55.45	68.20	-12.75	66.70	37.60	17.69	66.54	0.00	--	--	PEAK																																																																																
2	15780.00	61.52	74.00	-12.48	65.32	40.44	21.84	66.08	0.00	378	39	PEAK																																																																																
3	15780.00	50.55	54.00	-3.45	54.33	40.45	21.84	66.07	0.00	378	39	AVERAGE																																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>62.77</td><td>68.20</td><td>-5.43</td><td>74.02</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>335</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>57.92</td><td>74.00</td><td>-16.08</td><td>61.72</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>51.20</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>278</td><td>AVERAGE</td></tr></table>																Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	62.77	68.20	-5.43	74.02	37.60	17.69	66.54	0.00	335	321	PEAK	2	15780.00	57.92	74.00	-16.08	61.72	40.44	21.84	66.08	0.00	100	278	PEAK	3	15780.00	47.40	54.00	-6.60	51.20	40.44	21.84	66.08	0.00	100	278	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																	
1	10520.00	62.77	68.20	-5.43	74.02	37.60	17.69	66.54	0.00	335	321	PEAK																																																																																
2	15780.00	57.92	74.00	-16.08	61.72	40.44	21.84	66.08	0.00	100	278	PEAK																																																																																
3	15780.00	47.40	54.00	-6.60	51.20	40.44	21.84	66.08	0.00	100	278	AVERAGE																																																																																





Mode	5																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10600.00</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>65.14</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td></td><td>347</td><td>18</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>42.18</td><td>54.00</td><td>-11.82</td><td>53.26</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td></td><td>347</td><td>18</td><td>AVERAGE</td></tr><tr><td>3 15900.00</td><td>57.27</td><td>74.00</td><td>-16.73</td><td>60.68</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td></td><td>347</td><td>18</td><td>PEAK</td></tr><tr><td>4 15900.00</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>48.81</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td></td><td>347</td><td>18</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10600.00	54.06	74.00	-19.94	65.14	37.60	17.77	66.45	0.00		347	18	PEAK	2 10600.00	42.18	54.00	-11.82	53.26	37.60	17.77	66.45	0.00		347	18	AVERAGE	3 15900.00	57.27	74.00	-16.73	60.68	40.40	21.94	65.75	0.00		347	18	PEAK	4 15900.00	45.40	54.00	-8.60	48.81	40.40	21.94	65.75	0.00		347	18
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																										
1 10600.00	54.06	74.00	-19.94	65.14	37.60	17.77	66.45	0.00		347	18	PEAK																																																																																									
2 10600.00	42.18	54.00	-11.82	53.26	37.60	17.77	66.45	0.00		347	18	AVERAGE																																																																																									
3 15900.00	57.27	74.00	-16.73	60.68	40.40	21.94	65.75	0.00		347	18	PEAK																																																																																									
4 15900.00	45.40	54.00	-8.60	48.81	40.40	21.94	65.75	0.00		347	18	AVERAGE																																																																																									
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10600.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>68.55</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td></td><td>300</td><td>12</td><td>PEAK</td></tr><tr><td>2 10600.00</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>57.35</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td></td><td>300</td><td>12</td><td>AVERAGE</td></tr><tr><td>3 15900.00</td><td>59.82</td><td>74.00</td><td>-14.18</td><td>63.23</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td></td><td>268</td><td>40</td><td>PEAK</td></tr><tr><td>4 15900.00</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>51.16</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td></td><td>268</td><td>40</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 10600.00	57.47	74.00	-16.53	68.55	37.60	17.77	66.45	0.00		300	12	PEAK	2 10600.00	46.27	54.00	-7.73	57.35	37.60	17.77	66.45	0.00		300	12	AVERAGE	3 15900.00	59.82	74.00	-14.18	63.23	40.40	21.94	65.75	0.00		268	40	PEAK	4 15900.00	47.75	54.00	-6.25	51.16	40.40	21.94	65.75	0.00		268	40	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																										
1 10600.00	57.47	74.00	-16.53	68.55	37.60	17.77	66.45	0.00		300	12	PEAK																																																																																									
2 10600.00	46.27	54.00	-7.73	57.35	37.60	17.77	66.45	0.00		300	12	AVERAGE																																																																																									
3 15900.00	59.82	74.00	-14.18	63.23	40.40	21.94	65.75	0.00		268	40	PEAK																																																																																									
4 15900.00	47.75	54.00	-6.25	51.16	40.40	21.94	65.75	0.00		268	40	AVERAGE																																																																																									

Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.05</td><td>61.81</td><td>74.00</td><td>-12.19</td><td>45.03</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.05	61.81	74.00	-12.19	45.03	34.41	12.21	29.84	0.00	100	226 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5352.05	61.81	74.00	-12.19	45.03	34.41	12.21	29.84	0.00	100	226 PEAK																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>109.03</td><td>-----</td><td>-----</td><td>92.34</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	109.03	-----	-----	92.34	34.40	12.18	29.89	0.00	100	226 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5320.00	109.03	-----	-----	92.34	34.40	12.18	29.89	0.00	100	226 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.05</td><td>49.95</td><td>54.00</td><td>-4.05</td><td>33.18</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.05	49.95	54.00	-4.05	33.18	34.40	12.21	29.84	0.00	100	226 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5350.05	49.95	54.00	-4.05	33.18	34.40	12.21	29.84	0.00	100	226 AVERAGE																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>100.25</td><td>-----</td><td>-----</td><td>83.58</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	100.25	-----	-----	83.58	34.40	12.17	29.90	0.00	100	226 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5320.00	100.25	-----	-----	83.58	34.40	12.17	29.90	0.00	100	226 AVERAGE																																													







Mode	6																																																								
	Band Edge																																																								
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																								
ANT	0+1																																																								
Pol.	Vertical						Fundamental																																																		
Peak																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.45</td><td>63.03</td><td>74.00</td><td>-10.97</td><td>46.26</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>94</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.45	63.03	74.00	-10.97	46.26	34.40	12.21	29.84	0.00	300	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5350.45	63.03	74.00	-10.97	46.26	34.40	12.21	29.84	0.00	300	94	PEAK																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.49</td><td>-----</td><td>-----</td><td>93.82</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>94</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	110.49	-----	-----	93.82	34.40	12.17	29.90	0.00	300	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5320.00	110.49	-----	-----	93.82	34.40	12.17	29.90	0.00	300	94	PEAK																																													
Avg																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>50.73</td><td>54.00</td><td>-3.27</td><td>33.97</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>300</td><td>94</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	50.73	54.00	-3.27	33.97	34.40	12.20	29.84	0.00	300	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5350.00	50.73	54.00	-3.27	33.97	34.40	12.20	29.84	0.00	300	94	AVERAGE																																													
Fundamental																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>102.18</td><td>-----</td><td>-----</td><td>85.51</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>94</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.18	-----	-----	85.51	34.40	12.17	29.90	0.00	300	94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5320.00	102.18	-----	-----	85.51	34.40	12.17	29.90	0.00	300	94	AVERAGE																																													









Mode	6																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal																																																																																																			
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>48.79</td><td>74.00</td><td>-25.21</td><td>59.75</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>39.15</td><td>54.00</td><td>-14.85</td><td>50.11</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>61.16</td><td>74.00</td><td>-12.84</td><td>64.23</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>50.45</td><td>54.00</td><td>-3.55</td><td>53.53</td><td>40.52</td><td>21.99</td><td>65.59</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10640.00	48.79	74.00	-25.21	59.75	37.64	17.80	66.40	0.00	300	350	PEAK	2	10640.00	39.15	54.00	-14.85	50.11	37.64	17.80	66.40	0.00	300	350	AVERAGE	3	15960.00	61.16	74.00	-12.84	64.23	40.52	21.99	65.58	0.00	300	350	PEAK	4	15960.00	50.45	54.00	-3.55	53.53	40.52	21.99	65.59	0.00	300	350
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10640.00	48.79	74.00	-25.21	59.75	37.64	17.80	66.40	0.00	300	350	PEAK																																																																																								
2	10640.00	39.15	54.00	-14.85	50.11	37.64	17.80	66.40	0.00	300	350	AVERAGE																																																																																								
3	15960.00	61.16	74.00	-12.84	64.23	40.52	21.99	65.58	0.00	300	350	PEAK																																																																																								
4	15960.00	50.45	54.00	-3.55	53.53	40.52	21.99	65.59	0.00	300	350	AVERAGE																																																																																								
Peak Avg																																																																																																				
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>58.93</td><td>74.00</td><td>-15.07</td><td>69.89</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>59.41</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>61.15</td><td>74.00</td><td>-12.85</td><td>64.22</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>343</td><td>292</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>50.52</td><td>54.00</td><td>-3.48</td><td>53.60</td><td>40.52</td><td>21.99</td><td>65.59</td><td>0.00</td><td>343</td><td>292</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	10640.00	58.93	74.00	-15.07	69.89	37.64	17.80	66.40	0.00	300	335	PEAK	2	10640.00	48.45	54.00	-5.55	59.41	37.64	17.80	66.40	0.00	300	335	AVERAGE	3	15960.00	61.15	74.00	-12.85	64.22	40.52	21.99	65.58	0.00	343	292	PEAK	4	15960.00	50.52	54.00	-3.48	53.60	40.52	21.99	65.59	0.00	343	292
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	10640.00	58.93	74.00	-15.07	69.89	37.64	17.80	66.40	0.00	300	335	PEAK																																																																																								
2	10640.00	48.45	54.00	-5.55	59.41	37.64	17.80	66.40	0.00	300	335	AVERAGE																																																																																								
3	15960.00	61.15	74.00	-12.85	64.22	40.52	21.99	65.58	0.00	343	292	PEAK																																																																																								
4	15960.00	50.52	54.00	-3.48	53.60	40.52	21.99	65.59	0.00	343	292	AVERAGE																																																																																								




Mode	7																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.45</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>41.47</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>143</td><td>PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>57.81</td><td>68.20</td><td>-10.39</td><td>40.80</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>103</td><td>143</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.45	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	103	143	PEAK	2	5468.17	57.81	68.20	-10.39	40.80	34.56	12.34	29.89	0.00	103	143	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>107.07</td><td>-----</td><td>-----</td><td>90.12</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>143</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	107.07	-----	-----	90.12	34.51	12.38	29.94	0.00	103	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.45	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	103	143	PEAK																																																																																																																
2	5468.17	57.81	68.20	-10.39	40.80	34.56	12.34	29.89	0.00	103	143	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	107.07	-----	-----	90.12	34.51	12.38	29.94	0.00	103	143	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.77</td><td>46.51</td><td>54.00</td><td>-7.49</td><td>29.47</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>143</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	46.51	54.00	-7.49	29.47	34.58	12.33	29.87	0.00	103	143	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.70</td><td>-----</td><td>-----</td><td>82.75</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>143</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.70	-----	-----	82.75	34.51	12.38	29.94	0.00	103	143	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.77	46.51	54.00	-7.49	29.47	34.58	12.33	29.87	0.00	103	143	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	99.70	-----	-----	82.75	34.51	12.38	29.94	0.00	103	143	AVERAGE																																																																																																																






Mode	7																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Vertical						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.29</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>41.55</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5465.93</td><td>64.36</td><td>68.20</td><td>-3.84</td><td>47.34</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	58.60	74.00	-15.40	41.55	34.59	12.33	29.87	0.00	300	146	PEAK	2	5465.93	64.36	68.20	-3.84	47.34	34.57	12.34	29.89	0.00	300	146	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.67</td><td>-----</td><td>-----</td><td>95.71</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>146</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.67	-----	-----	95.71	34.52	12.37	29.93	0.00	300	146
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.29	58.60	74.00	-15.40	41.55	34.59	12.33	29.87	0.00	300	146	PEAK																																																																																																																
2	5465.93	64.36	68.20	-3.84	47.34	34.57	12.34	29.89	0.00	300	146	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	112.67	-----	-----	95.71	34.52	12.37	29.93	0.00	300	146	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.60</td><td>54.00</td><td>-5.40</td><td>31.57</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	48.60	54.00	-5.40	31.57	34.58	12.33	29.88	0.00	300	146	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.34</td><td>-----</td><td>-----</td><td>87.38</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>146</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.34	-----	-----	87.38	34.52	12.37	29.93	0.00	300	146	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5460.00	48.60	54.00	-5.40	31.57	34.58	12.33	29.88	0.00	300	146	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	104.34	-----	-----	87.38	34.52	12.37	29.93	0.00	300	146	AVERAGE																																																																																																																




Mode	7																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal					Vertical																																																																																																																																					
Peak Avg																																																																																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	50.83	74.00	-23.17	60.87	37.00	18.15	65.99	0.00	300	53	PEAK	2	11000.00	41.67	54.00	-12.33	51.71	37.00	18.15	65.99	0.00	300	53	AVERAGE	3	16500.00	62.42	68.20	-5.78	64.03	41.58	22.33	65.52	0.00	339	348	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	57.04	74.00	-16.96	67.08	37.00	18.15	65.99	0.00	300	338	PEAK	2	11000.00	46.13	54.00	-7.87	56.17	37.00	18.15	65.99	0.00	300	338	AVERAGE	3	16500.00	64.67	68.20	-3.53	66.25	41.60	22.34	65.52	0.00	300	318
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11000.00	50.83	74.00	-23.17	60.87	37.00	18.15	65.99	0.00	300	53	PEAK																																																																																																																															
2	11000.00	41.67	54.00	-12.33	51.71	37.00	18.15	65.99	0.00	300	53	AVERAGE																																																																																																																															
3	16500.00	62.42	68.20	-5.78	64.03	41.58	22.33	65.52	0.00	339	348	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	11000.00	57.04	74.00	-16.96	67.08	37.00	18.15	65.99	0.00	300	338	PEAK																																																																																																																															
2	11000.00	46.13	54.00	-7.87	56.17	37.00	18.15	65.99	0.00	300	338	AVERAGE																																																																																																																															
3	16500.00	64.67	68.20	-3.53	66.25	41.60	22.34	65.52	0.00	300	318	PEAK																																																																																																																															



Mode	8																																																																																					
	Harmonic																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																					
ANT	0+1																																																																																					
Pol.	Horizontal								Vertical																																																																													
Peak Avg																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>61.80</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>300</td><td>50</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>52.59</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>300</td><td>50</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>56.42</td><td>68.20</td><td>-11.78</td><td>57.41</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300</td><td>312</td><td>PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	52.68	74.00	-21.32	61.80	37.96	18.29	65.37	0.00	300	50	PEAK	2	11160.00	43.47	54.00	-10.53	52.59	37.96	18.29	65.37	0.00	300	50	AVERAGE	3	16740.00	56.42	68.20	-11.78	57.41	41.94	22.49	65.42	0.00	300	312	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	11160.00	52.68	74.00	-21.32	61.80	37.96	18.29	65.37	0.00	300	50	PEAK																																																																										
2	11160.00	43.47	54.00	-10.53	52.59	37.96	18.29	65.37	0.00	300	50	AVERAGE																																																																										
3	16740.00	56.42	68.20	-11.78	57.41	41.94	22.49	65.42	0.00	300	312	PEAK																																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>62.46</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>320</td><td>163</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>44.36</td><td>54.00</td><td>-9.64</td><td>53.49</td><td>37.96</td><td>18.29</td><td>65.38</td><td>0.00</td><td>320</td><td>163</td><td>AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>60.45</td><td>68.20</td><td>-7.75</td><td>61.43</td><td>41.95</td><td>22.49</td><td>65.42</td><td>0.00</td><td>299</td><td>320</td><td>PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	53.34	74.00	-20.66	62.46	37.96	18.29	65.37	0.00	320	163	PEAK	2	11160.00	44.36	54.00	-9.64	53.49	37.96	18.29	65.38	0.00	320	163	AVERAGE	3	16740.00	60.45	68.20	-7.75	61.43	41.95	22.49	65.42	0.00	299	320	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	11160.00	53.34	74.00	-20.66	62.46	37.96	18.29	65.37	0.00	320	163	PEAK																																																																										
2	11160.00	44.36	54.00	-9.64	53.49	37.96	18.29	65.38	0.00	320	163	AVERAGE																																																																										
3	16740.00	60.45	68.20	-7.75	61.43	41.95	22.49	65.42	0.00	299	320	PEAK																																																																										







Mode	9																																																																																														
	Band Edge																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																														
ANT	0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5727.12</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>40.60</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>100</td><td>150 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5727.12	58.00	68.20	-10.20	40.60	34.65	12.68	29.93	0.00	100	150 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>106.82</td><td>-----</td><td>-----</td><td>89.57</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>150 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	106.82	-----	-----	89.57	34.60	12.65	30.00	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5727.12	58.00	68.20	-10.20	40.60	34.65	12.68	29.93	0.00	100	150 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5700.00	106.82	-----	-----	89.57	34.60	12.65	30.00	0.00	100	150 PEAK																																																																																					
Avg	Blank																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>99.38</td><td>-----</td><td>-----</td><td>82.13</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>100</td><td>150 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	99.38	-----	-----	82.13	34.60	12.64	29.99	0.00	100	150 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5700.00	99.38	-----	-----	82.13	34.60	12.64	29.99	0.00	100	150 AVERAGE																																																																																					







Mode	9																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5728.88</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>46.58</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>334</td><td>34 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.88	63.99	68.20	-4.21	46.58	34.66	12.68	29.93	0.00	334	34 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.04</td><td>-----</td><td>-----</td><td>94.78</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>334</td><td>34 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.04	-----	-----	94.78	34.60	12.63	29.97	0.00	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5728.88	63.99	68.20	-4.21	46.58	34.66	12.68	29.93	0.00	334	34 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	112.04	-----	-----	94.78	34.60	12.63	29.97	0.00	334	34 PEAK																																																																																						
Avg	Blank																																																																																																
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.69</td><td>-----</td><td>-----</td><td>86.43</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>334</td><td>34 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.69	-----	-----	86.43	34.60	12.63	29.97	0.00	334	34 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	103.69	-----	-----	86.43	34.60	12.63	29.97	0.00	334	34 AVERAGE																																																																																						

Mode	9																																																																																																																																												
	Harmonic																																																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																												
ANT	0+1																																																																																																																																												
Pol.	Horizontal								Vertical																																																																																																																																				
Peak Avg																																																																																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	51.91	74.00	-22.09	59.86	38.00	18.50	64.45	0.00	384	66	PEAK	2 11400.00	43.41	54.00	-10.59	51.35	38.00	18.50	64.44	0.00	384	66	AVERAGE	3 17100.00	50.37	68.20	-17.83	51.49	41.41	22.74	65.27	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	52.16	74.00	-21.84	60.11	38.00	18.50	64.45	0.00	300	94	PEAK	2 11400.00	42.71	54.00	-11.29	50.66	38.00	18.50	64.45	0.00	300	94	AVERAGE	3 17100.00	50.56	68.20	-17.64	51.68	41.41	22.74	65.27	0.00	--	--	PEAK							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11400.00	51.91	74.00	-22.09	59.86	38.00	18.50	64.45	0.00	384	66	PEAK																																																																																																																																		
2 11400.00	43.41	54.00	-10.59	51.35	38.00	18.50	64.44	0.00	384	66	AVERAGE																																																																																																																																		
3 17100.00	50.37	68.20	-17.83	51.49	41.41	22.74	65.27	0.00	--	--	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1 11400.00	52.16	74.00	-21.84	60.11	38.00	18.50	64.45	0.00	300	94	PEAK																																																																																																																																		
2 11400.00	42.71	54.00	-11.29	50.66	38.00	18.50	64.45	0.00	300	94	AVERAGE																																																																																																																																		
3 17100.00	50.56	68.20	-17.64	51.68	41.41	22.74	65.27	0.00	--	--	PEAK																																																																																																																																		





Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.05</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>41.52</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.05	57.79	74.00	-16.21	41.52	34.11	12.03	29.87	0.00	100	148	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.36</td><td>-----</td><td>-----</td><td>88.96</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.36	-----	-----	88.96	34.22	12.06	29.88	0.00	100	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.05	57.79	74.00	-16.21	41.52	34.11	12.03	29.87	0.00	100	148	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.36	-----	-----	88.96	34.22	12.06	29.88	0.00	100	148	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.25</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>31.66</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.25	47.92	54.00	-6.08	31.66	34.10	12.03	29.87	0.00	100	148	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.88</td><td>-----</td><td>-----</td><td>80.48</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.88	-----	-----	80.48	34.22	12.06	29.88	0.00	100	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.25	47.92	54.00	-6.08	31.66	34.10	12.03	29.87	0.00	100	148	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	96.88	-----	-----	80.48	34.22	12.06	29.88	0.00	100	148	AVERAGE																																																																																																			





Mode	10																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.85</td><td>61.63</td><td>74.00</td><td>-12.37</td><td>45.36</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>339</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.85	61.63	74.00	-12.37	45.36	34.11	12.03	29.87	0.00	339	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.61</td><td>-----</td><td>-----</td><td>92.25</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>339</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.61	-----	-----	92.25	34.19	12.05	29.88	0.00	339	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.85	61.63	74.00	-12.37	45.36	34.11	12.03	29.87	0.00	339	147	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	108.61	-----	-----	92.25	34.19	12.05	29.88	0.00	339	147	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.25</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>34.12</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>339</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.25	50.39	54.00	-3.61	34.12	34.11	12.03	29.87	0.00	339	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.56</td><td>-----</td><td>-----</td><td>85.20</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>339</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.56	-----	-----	85.20	34.19	12.05	29.88	0.00	339	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.25	50.39	54.00	-3.61	34.12	34.11	12.03	29.87	0.00	339	147	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	101.56	-----	-----	85.20	34.19	12.05	29.88	0.00	339	147	AVERAGE																																																																																																			





Mode	10																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																																																																				
ANT	0+1																																																																																																																																																				
Pol.	Horizontal					Vertical																																																																																																																																															
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>46.31</td><td>68.20</td><td>-21.89</td><td>57.85</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>59.37</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>47.61</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>310</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	46.31	68.20	-21.89	57.85	37.46	17.54	66.54	0.00	--	--	PEAK	2	15540.00	54.32	74.00	-19.68	59.37	40.04	21.65	66.74	0.00	300	310	PEAK	3	15540.00	42.56	54.00	-11.44	47.61	40.04	21.65	66.74	0.00	300	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>55.89</td><td>68.20</td><td>-12.31</td><td>67.43</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>369</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.35</td><td>74.00</td><td>-19.65</td><td>59.40</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>117</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>44.35</td><td>54.00</td><td>-9.65</td><td>49.40</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>117</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	55.89	68.20	-12.31	67.43	37.46	17.54	66.54	0.00	369	291	PEAK	2	15540.00	54.35	74.00	-19.65	59.40	40.04	21.65	66.74	0.00	300	117	PEAK	3	15540.00	44.35	54.00	-9.65	49.40	40.04	21.65	66.74	0.00	300	117
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	10360.00	46.31	68.20	-21.89	57.85	37.46	17.54	66.54	0.00	--	--	PEAK																																																																																																																																									
2	15540.00	54.32	74.00	-19.68	59.37	40.04	21.65	66.74	0.00	300	310	PEAK																																																																																																																																									
3	15540.00	42.56	54.00	-11.44	47.61	40.04	21.65	66.74	0.00	300	310	AVERAGE																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	10360.00	55.89	68.20	-12.31	67.43	37.46	17.54	66.54	0.00	369	291	PEAK																																																																																																																																									
2	15540.00	54.35	74.00	-19.65	59.40	40.04	21.65	66.74	0.00	300	117	PEAK																																																																																																																																									
3	15540.00	44.35	54.00	-9.65	49.40	40.04	21.65	66.74	0.00	300	117	AVERAGE																																																																																																																																									





Mode	11																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																																																						
ANT	0+1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>55.10</td><td>68.20</td><td>-13.10</td><td>66.50</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>300</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.20</td><td>74.00</td><td>-17.80</td><td>60.71</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>347</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>49.06</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>347</td><td>310</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	55.10	68.20	-13.10	66.50	37.54	17.61	66.55	0.00	300	153	PEAK	2	15660.00	56.20	74.00	-17.80	60.71	40.16	21.74	66.41	0.00	347	310	PEAK	3	15660.00	44.55	54.00	-9.45	49.06	40.16	21.74	66.41	0.00	347	310	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>58.26</td><td>68.20</td><td>-9.94</td><td>69.66</td><td>37.54</td><td>17.61</td><td>66.55</td><td>0.00</td><td>330</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>56.25</td><td>74.00</td><td>-17.75</td><td>60.76</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>215</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>49.19</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>100</td><td>215</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	58.26	68.20	-9.94	69.66	37.54	17.61	66.55	0.00	330	287	PEAK	2	15660.00	56.25	74.00	-17.75	60.76	40.16	21.74	66.41	0.00	100	215	PEAK	3	15660.00	44.68	54.00	-9.32	49.19	40.16	21.74	66.41	0.00	100	215
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	10440.00	55.10	68.20	-13.10	66.50	37.54	17.61	66.55	0.00	300	153	PEAK																																																																																																																																											
2	15660.00	56.20	74.00	-17.80	60.71	40.16	21.74	66.41	0.00	347	310	PEAK																																																																																																																																											
3	15660.00	44.55	54.00	-9.45	49.06	40.16	21.74	66.41	0.00	347	310	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	10440.00	58.26	68.20	-9.94	69.66	37.54	17.61	66.55	0.00	330	287	PEAK																																																																																																																																											
2	15660.00	56.25	74.00	-17.75	60.76	40.16	21.74	66.41	0.00	100	215	PEAK																																																																																																																																											
3	15660.00	44.68	54.00	-9.32	49.19	40.16	21.74	66.41	0.00	100	215	AVERAGE																																																																																																																																											



Mode	12																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																																									
ANT	0+1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>66.71</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>302 150 PEAK</td></tr><tr><td>2 15720.00</td><td>55.61</td><td>74.00</td><td>-18.39</td><td>59.80</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>100 252 PEAK</td></tr><tr><td>3 15720.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>49.27</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>100 252 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	55.38	68.20	-12.82	66.71	37.58	17.65	66.56	0.00	302 150 PEAK	2 15720.00	55.61	74.00	-18.39	59.80	40.26	21.79	66.24	0.00	100 252 PEAK	3 15720.00	45.07	54.00	-8.93	49.27	40.26	21.79	66.25	0.00	100 252 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>68.76</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>274 290 PEAK</td></tr><tr><td>2 15720.00</td><td>59.88</td><td>74.00</td><td>-14.12</td><td>64.07</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>305 173 PEAK</td></tr><tr><td>3 15720.00</td><td>47.32</td><td>54.00</td><td>-6.68</td><td>51.52</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>305 173 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	57.43	68.20	-10.77	68.76	37.58	17.65	66.56	0.00	274 290 PEAK	2 15720.00	59.88	74.00	-14.12	64.07	40.26	21.79	66.24	0.00	305 173 PEAK	3 15720.00	47.32	54.00	-6.68	51.52	40.26	21.79	66.25	0.00	305 173 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10480.00	55.38	68.20	-12.82	66.71	37.58	17.65	66.56	0.00	302 150 PEAK																																																																																																																	
2 15720.00	55.61	74.00	-18.39	59.80	40.26	21.79	66.24	0.00	100 252 PEAK																																																																																																																	
3 15720.00	45.07	54.00	-8.93	49.27	40.26	21.79	66.25	0.00	100 252 AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 10480.00	57.43	68.20	-10.77	68.76	37.58	17.65	66.56	0.00	274 290 PEAK																																																																																																																	
2 15720.00	59.88	74.00	-14.12	64.07	40.26	21.79	66.24	0.00	305 173 PEAK																																																																																																																	
3 15720.00	47.32	54.00	-6.68	51.52	40.26	21.79	66.25	0.00	305 173 AVERAGE																																																																																																																	







Mode	13																																																																						
	Harmonic																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																						
ANT	0+1																																																																						
Pol.	Horizontal																																																																						
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 10520.00</td><td>46.63</td><td>68.20</td><td>-21.57</td><td>57.88</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15780.00</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>68.66</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100 252 PEAK</td></tr><tr><td>3 15780.00</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>49.39</td><td>40.45</td><td>21.84</td><td>66.07</td><td>0.00</td><td>100 252 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 10520.00	46.63	68.20	-21.57	57.88	37.60	17.69	66.54	0.00	-- -- PEAK	2 15780.00	56.86	74.00	-17.14	68.66	40.44	21.84	66.08	0.00	100 252 PEAK	3 15780.00	45.61	54.00	-8.39	49.39	40.45	21.84	66.07	0.00	100 252 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																														
1 10520.00	46.63	68.20	-21.57	57.88	37.60	17.69	66.54	0.00	-- -- PEAK																																																														
2 15780.00	56.86	74.00	-17.14	68.66	40.44	21.84	66.08	0.00	100 252 PEAK																																																														
3 15780.00	45.61	54.00	-8.39	49.39	40.45	21.84	66.07	0.00	100 252 AVERAGE																																																														
Peak Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 10520.00</td><td>58.72</td><td>68.20</td><td>-9.48</td><td>69.97</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>366 293 PEAK</td></tr><tr><td>2 15780.00</td><td>59.63</td><td>74.00</td><td>-14.37</td><td>63.43</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>306 175 PEAK</td></tr><tr><td>3 15780.00</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>52.63</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>306 175 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 10520.00	58.72	68.20	-9.48	69.97	37.60	17.69	66.54	0.00	366 293 PEAK	2 15780.00	59.63	74.00	-14.37	63.43	40.44	21.84	66.08	0.00	306 175 PEAK	3 15780.00	48.83	54.00	-5.17	52.63	40.44	21.84	66.08	0.00	306 175 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																														
1 10520.00	58.72	68.20	-9.48	69.97	37.60	17.69	66.54	0.00	366 293 PEAK																																																														
2 15780.00	59.63	74.00	-14.37	63.43	40.44	21.84	66.08	0.00	306 175 PEAK																																																														
3 15780.00	48.83	54.00	-5.17	52.63	40.44	21.84	66.08	0.00	306 175 AVERAGE																																																														







Mode	14																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																												
ANT	0+1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>55.37</td><td>74.00</td><td>-18.63</td><td>66.45</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>300</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>55.17</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>300</td><td>148</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>62.75</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>300</td><td>350</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>46.92</td><td>54.00</td><td>-7.08</td><td>50.31</td><td>40.41</td><td>21.94</td><td>65.74</td><td>0.00</td><td>300</td><td>350</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	55.37	74.00	-18.63	66.45	37.60	17.77	66.45	0.00	300	148	PEAK	2	10600.00	44.09	54.00	-9.91	55.17	37.60	17.77	66.45	0.00	300	148	AVERAGE	3	15900.00	59.34	74.00	-14.66	62.75	40.40	21.94	65.75	0.00	300	350	PEAK	4	15900.00	46.92	54.00	-7.08	50.31	40.41	21.94	65.74	0.00	300	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10600.00	55.37	74.00	-18.63	66.45	37.60	17.77	66.45	0.00	300	148	PEAK																																																																																	
2	10600.00	44.09	54.00	-9.91	55.17	37.60	17.77	66.45	0.00	300	148	AVERAGE																																																																																	
3	15900.00	59.34	74.00	-14.66	62.75	40.40	21.94	65.75	0.00	300	350	PEAK																																																																																	
4	15900.00	46.92	54.00	-7.08	50.31	40.41	21.94	65.74	0.00	300	350	AVERAGE																																																																																	

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	10600.00	55.59	74.00	-18.41	66.67	37.60	17.77	66.45	0.00	292	335	PEAK
2	10600.00	46.16	54.00	-7.84	57.24	37.60	17.77	66.45	0.00	292	335	AVERAGE
3	15900.00	57.43	74.00	-16.57	60.84	40.40	21.94	65.75	0.00	300	305	PEAK
4	15900.00	46.82	54.00	-7.18	50.23	40.40	21.94	65.75	0.00	300	305	AVERAGE



Mode	15																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.45</td><td>54.96</td><td>74.00</td><td>-19.04</td><td>37.98</td><td>34.54</td><td>12.24</td><td>29.80</td><td>0.00</td><td>316</td><td>34</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.45	54.96	74.00	-19.04	37.98	34.54	12.24	29.80	0.00	316	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5385.45	54.96	74.00	-19.04	37.98	34.54	12.24	29.80	0.00	316	34	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>105.29</td><td>-----</td><td>-----</td><td>88.60</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>316</td><td>34</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	105.29	-----	-----	88.60	34.40	12.18	29.89	0.00	316	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	105.29	-----	-----	88.60	34.40	12.18	29.89	0.00	316	34	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.95</td><td>45.92</td><td>54.00</td><td>-8.08</td><td>29.14</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>316</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.95	45.92	54.00	-8.08	29.14	34.41	12.21	29.84	0.00	316	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.95	45.92	54.00	-8.08	29.14	34.41	12.21	29.84	0.00	316	34	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.99</td><td>-----</td><td>-----</td><td>80.30</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>316</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.99	-----	-----	80.30	34.40	12.18	29.89	0.00	316	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	96.99	-----	-----	80.30	34.40	12.18	29.89	0.00	316	34	AVERAGE																																											







Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>60.39</td><td>74.00</td><td>-13.61</td><td>43.62</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>264</td><td>177</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	60.39	74.00	-13.61	43.62	34.40	12.21	29.84	0.00	264	177	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>110.00</td><td>-----</td><td>-----</td><td>93.31</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>264</td><td>177</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	110.00	-----	-----	93.31	34.40	12.18	29.89	0.00	264	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.05	60.39	74.00	-13.61	43.62	34.40	12.21	29.84	0.00	264	177	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	110.00	-----	-----	93.31	34.40	12.18	29.89	0.00	264	177	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.15</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>31.35</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>264</td><td>177</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.15	48.12	54.00	-5.88	31.35	34.40	12.21	29.84	0.00	264	177	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.84</td><td>-----</td><td>-----</td><td>85.17</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>264</td><td>177</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.84	-----	-----	85.17	34.40	12.17	29.90	0.00	264	177
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.15	48.12	54.00	-5.88	31.35	34.40	12.21	29.84	0.00	264	177	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.84	-----	-----	85.17	34.40	12.17	29.90	0.00	264	177	AVERAGE																																																																																							







Mode	15																																																																																								
	Harmonic																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																								
ANT	0+1																																																																																								
Pol.	Horizontal																																																																																								
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>66.29</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>314</td><td>152 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>56.50</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>314</td><td>152 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>60.49</td><td>74.00</td><td>-13.51</td><td>63.56</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>256 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>48.35</td><td>54.00</td><td>-5.65</td><td>51.42</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>100</td><td>256 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.33	74.00	-18.67	66.29	37.64	17.80	66.40	0.00	314	152 PEAK	2	10640.00	45.54	54.00	-8.46	56.50	37.64	17.80	66.40	0.00	314	152 AVERAGE	3	15960.00	60.49	74.00	-13.51	63.56	40.52	21.99	65.58	0.00	100	256 PEAK	4	15960.00	48.35	54.00	-5.65	51.42	40.52	21.99	65.58	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10640.00	55.33	74.00	-18.67	66.29	37.64	17.80	66.40	0.00	314	152 PEAK																																																																														
2	10640.00	45.54	54.00	-8.46	56.50	37.64	17.80	66.40	0.00	314	152 AVERAGE																																																																														
3	15960.00	60.49	74.00	-13.51	63.56	40.52	21.99	65.58	0.00	100	256 PEAK																																																																														
4	15960.00	48.35	54.00	-5.65	51.42	40.52	21.99	65.58	0.00	100	256 AVERAGE																																																																														
Peak Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>66.47</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335 PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>57.30</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>335 AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>60.83</td><td>74.00</td><td>-13.17</td><td>63.90</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>304</td><td>296 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>49.72</td><td>54.00</td><td>-4.28</td><td>52.79</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>304</td><td>296 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.51	74.00	-18.49	66.47	37.64	17.80	66.40	0.00	300	335 PEAK	2	10640.00	46.34	54.00	-7.66	57.30	37.64	17.80	66.40	0.00	300	335 AVERAGE	3	15960.00	60.83	74.00	-13.17	63.90	40.52	21.99	65.58	0.00	304	296 PEAK	4	15960.00	49.72	54.00	-4.28	52.79	40.52	21.99	65.58	0.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	10640.00	55.51	74.00	-18.49	66.47	37.64	17.80	66.40	0.00	300	335 PEAK																																																																														
2	10640.00	46.34	54.00	-7.66	57.30	37.64	17.80	66.40	0.00	300	335 AVERAGE																																																																														
3	15960.00	60.83	74.00	-13.17	63.90	40.52	21.99	65.58	0.00	304	296 PEAK																																																																														
4	15960.00	49.72	54.00	-4.28	52.79	40.52	21.99	65.58	0.00	304	296 AVERAGE																																																																														





Mode	16																																																																																																															
	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.57</td><td>56.62</td><td>74.00</td><td>-17.38</td><td>39.58</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>157</td><td>PEAK</td></tr><tr><td>2</td><td>5462.41</td><td>58.53</td><td>68.20</td><td>-9.67</td><td>41.50</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>103</td><td>157</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	56.62	74.00	-17.38	39.58	34.58	12.33	29.87	0.00	103	157	PEAK	2	5462.41	58.53	68.20	-9.67	41.50	34.58	12.33	29.88	0.00	103	157	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.50</td><td>-----</td><td>-----</td><td>92.55</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>157</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.50	-----	-----	92.55	34.51	12.38	29.94	0.00	103	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	56.62	74.00	-17.38	39.58	34.58	12.33	29.87	0.00	103	157	PEAK																																																																																																				
2	5462.41	58.53	68.20	-9.67	41.50	34.58	12.33	29.88	0.00	103	157	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	109.50	-----	-----	92.55	34.51	12.38	29.94	0.00	103	157	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.57</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>29.49</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>103</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	46.53	54.00	-7.47	29.49	34.58	12.33	29.87	0.00	103	157	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.24</td><td>-----</td><td>-----</td><td>82.29</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>103</td><td>157</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.24	-----	-----	82.29	34.51	12.38	29.94	0.00	103	157	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	46.53	54.00	-7.47	29.49	34.58	12.33	29.87	0.00	103	157	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	99.24	-----	-----	82.29	34.51	12.38	29.94	0.00	103	157	AVERAGE																																																																																																				





Mode	16																																																																	
	Band Edge																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																	
ANT	0+1																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>57.49</td><td>74.00</td><td>-16.51</td><td>40.46</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>270</td><td>92 PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>60.77</td><td>68.20</td><td>-7.43</td><td>43.76</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>270</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5460.00	57.49	74.00	-16.51	40.46	34.58	12.33	29.88	0.00	270	92 PEAK	2	5470.00	60.77	68.20	-7.43	43.76	34.56	12.34	29.89	0.00	270	92 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5460.00	57.49	74.00	-16.51	40.46	34.58	12.33	29.88	0.00	270	92 PEAK																																																							
2	5470.00	60.77	68.20	-7.43	43.76	34.56	12.34	29.89	0.00	270	92 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.51</td><td>-----</td><td>-----</td><td>94.55</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>270</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	111.51	-----	-----	94.55	34.52	12.37	29.93	0.00	270	92 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5500.00	111.51	-----	-----	94.55	34.52	12.37	29.93	0.00	270	92 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.38</td><td>54.00</td><td>-5.62</td><td>31.35</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>270</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5460.00	48.38	54.00	-5.62	31.35	34.58	12.33	29.88	0.00	270	92 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5460.00	48.38	54.00	-5.62	31.35	34.58	12.33	29.88	0.00	270	92 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.94</td><td>-----</td><td>-----</td><td>85.98</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>270</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	102.94	-----	-----	85.98	34.52	12.37	29.93	0.00	270	92 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5500.00	102.94	-----	-----	85.98	34.52	12.37	29.93	0.00	270	92 AVERAGE																																																							






Mode	16																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																						
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>61.75</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>52 PEAK</td></tr><tr><td>2 11000.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>51.39</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>52 AVERAGE</td></tr><tr><td>3 16500.00</td><td>57.18</td><td>68.20</td><td>-11.02</td><td>58.76</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>282</td><td>352 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	51.71	74.00	-22.29	61.75	37.00	18.15	65.99	0.00	300	52 PEAK	2 11000.00	41.35	54.00	-12.65	51.39	37.00	18.15	65.99	0.00	300	52 AVERAGE	3 16500.00	57.18	68.20	-11.02	58.76	41.60	22.34	65.52	0.00	282	352 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>61.60</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>111 PEAK</td></tr><tr><td>2 11000.00</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>52.89</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300</td><td>111 AVERAGE</td></tr><tr><td>3 16500.00</td><td>59.36</td><td>68.20</td><td>-8.84</td><td>60.94</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>300</td><td>321 PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	51.56	74.00	-22.44	61.60	37.00	18.15	65.99	0.00	300	111 PEAK	2 11000.00	42.85	54.00	-11.15	52.89	37.00	18.15	65.99	0.00	300	111 AVERAGE	3 16500.00	59.36	68.20	-8.84	60.94	41.60	22.34	65.52	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11000.00	51.71	74.00	-22.29	61.75	37.00	18.15	65.99	0.00	300	52 PEAK																																																																																																																																					
2 11000.00	41.35	54.00	-12.65	51.39	37.00	18.15	65.99	0.00	300	52 AVERAGE																																																																																																																																					
3 16500.00	57.18	68.20	-11.02	58.76	41.60	22.34	65.52	0.00	282	352 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11000.00	51.56	74.00	-22.44	61.60	37.00	18.15	65.99	0.00	300	111 PEAK																																																																																																																																					
2 11000.00	42.85	54.00	-11.15	52.89	37.00	18.15	65.99	0.00	300	111 AVERAGE																																																																																																																																					
3 16500.00	59.36	68.20	-8.84	60.94	41.60	22.34	65.52	0.00	300	321 PEAK																																																																																																																																					






Mode	17																																																																			
	Harmonic																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																			
ANT	0+1																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>55.94</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>54.57</td><td>68.20</td><td>-13.63</td><td>55.57</td><td>41.94</td><td>22.48</td><td>65.42</td><td>0.00</td><td>300</td><td>311</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.82	74.00	-27.18	55.94	37.96	18.29	65.37	0.00	--	--	PEAK	2	16740.00	54.57	68.20	-13.63	55.57	41.94	22.48	65.42	0.00	300	311
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11160.00	46.82	74.00	-27.18	55.94	37.96	18.29	65.37	0.00	--	--	PEAK																																																								
2	16740.00	54.57	68.20	-13.63	55.57	41.94	22.48	65.42	0.00	300	311	PEAK																																																								



Mode	18																																																							
	Band Edge																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.84</td><td>62.13</td><td>68.20</td><td>-6.07</td><td>44.74</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.84	62.13	68.20	-6.07	44.74	34.65	12.68	29.94	0.00	100	147	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.84	62.13	68.20	-6.07	44.74	34.65	12.68	29.94	0.00	100	147	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.53</td><td>-----</td><td>-----</td><td>87.25</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	104.53	-----	-----	87.25	34.61	12.65	29.98	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	104.53	-----	-----	87.25	34.61	12.65	29.98	0.00	100	147	PEAK																																												
Blank																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.81</td><td>-----</td><td>-----</td><td>78.56</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	95.81	-----	-----	78.56	34.60	12.65	30.00	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	95.81	-----	-----	78.56	34.60	12.65	30.00	0.00	100	147	AVERAGE																																												





Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.20</td><td>63.74</td><td>68.20</td><td>-4.46</td><td>46.35</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>268</td><td>22</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	63.74	68.20	-4.46	46.35	34.65	12.68	29.94	0.00	268	22	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.94</td><td>-----</td><td>-----</td><td>93.69</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>268</td><td>22</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.94	-----	-----	93.69	34.60	12.65	30.00	0.00	268	22
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.20	63.74	68.20	-4.46	46.35	34.65	12.68	29.94	0.00	268	22	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	110.94	-----	-----	93.69	34.60	12.65	30.00	0.00	268	22	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.47</td><td>-----</td><td>-----</td><td>85.22</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>268</td><td>22</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.47	-----	-----	85.22	34.60	12.65	30.00	0.00	268	22	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	102.47	-----	-----	85.22	34.60	12.65	30.00	0.00	268	22	AVERAGE																																																																																							









Mode	18																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																															
ANT	0+1																																																																																																																																															
Pol.	Horizontal								Vertical																																																																																																																																							
Peak Avg																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11400.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>60.32</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>398</td><td>67 PEAK</td></tr><tr><td>2 11400.00</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>50.99</td><td>38.00</td><td>18.50</td><td>64.44</td><td>0.00</td><td>398</td><td>67 AVERAGE</td></tr><tr><td>3 17100.00</td><td>50.78</td><td>68.20</td><td>-17.42</td><td>51.92</td><td>41.41</td><td>22.73</td><td>65.28</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	52.37	74.00	-21.63	60.32	38.00	18.50	64.45	0.00	398	67 PEAK	2 11400.00	43.05	54.00	-10.95	50.99	38.00	18.50	64.44	0.00	398	67 AVERAGE	3 17100.00	50.78	68.20	-17.42	51.92	41.41	22.73	65.28	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11400.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>59.47</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>236</td><td>107 PEAK</td></tr><tr><td>2 11400.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>51.16</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>236</td><td>107 AVERAGE</td></tr><tr><td>3 17100.00</td><td>50.04</td><td>68.20</td><td>-18.16</td><td>51.17</td><td>41.42</td><td>22.73</td><td>65.28</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11400.00	51.52	74.00	-22.48	59.47	38.00	18.50	64.45	0.00	236	107 PEAK	2 11400.00	43.21	54.00	-10.79	51.16	38.00	18.50	64.45	0.00	236	107 AVERAGE	3 17100.00	50.04	68.20	-18.16	51.17	41.42	22.73	65.28	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11400.00	52.37	74.00	-21.63	60.32	38.00	18.50	64.45	0.00	398	67 PEAK																																																																																																																																						
2 11400.00	43.05	54.00	-10.95	50.99	38.00	18.50	64.44	0.00	398	67 AVERAGE																																																																																																																																						
3 17100.00	50.78	68.20	-17.42	51.92	41.41	22.73	65.28	0.00	--	-- PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11400.00	51.52	74.00	-22.48	59.47	38.00	18.50	64.45	0.00	236	107 PEAK																																																																																																																																						
2 11400.00	43.21	54.00	-10.79	51.16	38.00	18.50	64.45	0.00	236	107 AVERAGE																																																																																																																																						
3 17100.00	50.04	68.20	-18.16	51.17	41.42	22.73	65.28	0.00	--	-- PEAK																																																																																																																																						



Mode	19																																																									
	Band Edge - R																																																									
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																									
ANT	0+1																																																									
Pol.	Horizontal					Fundamental																																																				
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5457.17</td><td>55.63</td><td>74.00</td><td>-18.37</td><td>38.58</td><td>34.59</td><td>12.33</td><td>29.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>147 PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5457.17	55.63	74.00	-18.37	38.58	34.59	12.33	29.87							0.00	100								147 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5457.17	55.63	74.00	-18.37	38.58	34.59	12.33	29.87																																																			
						0.00	100																																																			
							147 PEAK																																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5444.47</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>28.84</td><td>34.60</td><td>12.31</td><td>29.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>147 AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5444.47	45.90	54.00	-8.10	28.84	34.60	12.31	29.85							0.00	100								147 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5444.47	45.90	54.00	-8.10	28.84	34.60	12.31	29.85																																																			
						0.00	100																																																			
							147 AVERAGE																																																			





Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.85</td><td>58.26</td><td>74.00</td><td>-15.74</td><td>41.98</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>300</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.85	58.26	74.00	-15.74	41.98	34.12	12.03	29.87	0.00	300	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.89</td><td>-----</td><td>-----</td><td>86.47</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>300</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.89	-----	-----	86.47	34.24	12.06	29.88	0.00	300	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.85	58.26	74.00	-15.74	41.98	34.12	12.03	29.87	0.00	300	144	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	102.89	-----	-----	86.47	34.24	12.06	29.88	0.00	300	144	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>49.82</td><td>54.00</td><td>-4.18</td><td>33.56</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>300</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	49.82	54.00	-4.18	33.56	34.10	12.03	29.87	0.00	300	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.91</td><td>-----</td><td>-----</td><td>77.49</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>300</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.91	-----	-----	77.49	34.24	12.06	29.88	0.00	300	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	49.82	54.00	-4.18	33.56	34.10	12.03	29.87	0.00	300	144	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	93.91	-----	-----	77.49	34.24	12.06	29.88	0.00	300	144	AVERAGE																																																																																							



Mode	19																																																															
	Band Edge - R																																																															
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																															
ANT	0+1																																																															
Pol.	Vertical					Fundamental																																																										
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5456.90</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>38.31</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>144 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5456.90	55.36	74.00	-18.64	38.31	34.59	12.33	29.87	0.00									300									144 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																								
1 5456.90	55.36	74.00	-18.64	38.31	34.59	12.33	29.87	0.00																																																								
								300																																																								
								144 PEAK																																																								
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5443.13</td><td>45.88</td><td>54.00</td><td>-8.12</td><td>28.82</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>144 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5443.13	45.88	54.00	-8.12	28.82	34.60	12.31	29.85	0.00									300									144 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																								
1 5443.13	45.88	54.00	-8.12	28.82	34.60	12.31	29.85	0.00																																																								
								300																																																								
								144 AVERAGE																																																								











Mode	20																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10460.00</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>56.97</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2 15690.00</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>57.50</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>3 15690.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>46.86</td><td>40.19</td><td>21.77</td><td>66.31</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10460.00	45.60	68.20	-22.60	56.97	37.56	17.63	66.56	0.00	--	PEAK	2 15690.00	53.13	74.00	-20.87	57.50	40.19	21.77	66.33	0.00	100	251 PEAK	3 15690.00	42.51	54.00	-11.49	46.86	40.19	21.77	66.31	0.00	100	251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10460.00</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>63.66</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2 15690.00</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>59.37</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>100</td><td>217 PEAK</td></tr><tr><td>3 15690.00</td><td>44.70</td><td>54.00</td><td>-9.30</td><td>49.05</td><td>40.19</td><td>21.77</td><td>66.31</td><td>0.00</td><td>100</td><td>217 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10460.00	52.29	68.20	-15.91	63.66	37.56	17.63	66.56	0.00	--	PEAK	2 15690.00	55.00	74.00	-19.00	59.37	40.19	21.77	66.33	0.00	100	217 PEAK	3 15690.00	44.70	54.00	-9.30	49.05	40.19	21.77	66.31	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10460.00	45.60	68.20	-22.60	56.97	37.56	17.63	66.56	0.00	--	PEAK																																																																																																																															
2 15690.00	53.13	74.00	-20.87	57.50	40.19	21.77	66.33	0.00	100	251 PEAK																																																																																																																															
3 15690.00	42.51	54.00	-11.49	46.86	40.19	21.77	66.31	0.00	100	251 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10460.00	52.29	68.20	-15.91	63.66	37.56	17.63	66.56	0.00	--	PEAK																																																																																																																															
2 15690.00	55.00	74.00	-19.00	59.37	40.19	21.77	66.33	0.00	100	217 PEAK																																																																																																																															
3 15690.00	44.70	54.00	-9.30	49.05	40.19	21.77	66.31	0.00	100	217 AVERAGE																																																																																																																															







Mode	21																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																
Peak Avg	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the limit (U-NII-1-U-NII-2A-U-NII-2C) and a blue line for the average (U-NII-1-U-NII-2A-U-NII-2C(AVG)). The frequency range is from 7000 to 18000 MHz. The level range is from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10540.00</td><td>50.05</td><td>68.20</td><td>-18.15</td><td>61.25</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 15810.00</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>57.35</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>100</td><td>251 PEAK</td></tr><tr><td>3 15810.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>46.77</td><td>40.49</td><td>21.87</td><td>65.98</td><td>0.00</td><td>100</td><td>251 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	50.05	68.20	-18.15	61.25	37.60	17.71	66.51	0.00	--	-- PEAK	2 15810.00	53.72	74.00	-20.28	57.35	40.49	21.87	65.99	0.00	100	251 PEAK	3 15810.00	43.15	54.00	-10.85	46.77	40.49	21.87	65.98	0.00	100	251 AVERAGE	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a red line for the limit (U-NII-1-U-NII-2A-U-NII-2C) and a blue line for the average (U-NII-1-U-NII-2A-U-NII-2C(AVG)). The frequency range is from 7000 to 18000 MHz. The level range is from 0 to 130 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10540.00</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>67.83</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>332</td><td>290 PEAK</td></tr><tr><td>2 15810.00</td><td>55.39</td><td>74.00</td><td>-18.61</td><td>59.02</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>176 PEAK</td></tr><tr><td>3 15810.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>48.71</td><td>40.49</td><td>21.87</td><td>66.00</td><td>0.00</td><td>300</td><td>176 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	56.63	68.20	-11.57	67.83	37.60	17.71	66.51	0.00	332	290 PEAK	2 15810.00	55.39	74.00	-18.61	59.02	40.49	21.87	65.99	0.00	300	176 PEAK	3 15810.00	45.07	54.00	-8.93	48.71	40.49	21.87	66.00	0.00	300	176 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 10540.00	50.05	68.20	-18.15	61.25	37.60	17.71	66.51	0.00	--	-- PEAK																																																																																																																								
2 15810.00	53.72	74.00	-20.28	57.35	40.49	21.87	65.99	0.00	100	251 PEAK																																																																																																																								
3 15810.00	43.15	54.00	-10.85	46.77	40.49	21.87	65.98	0.00	100	251 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 10540.00	56.63	68.20	-11.57	67.83	37.60	17.71	66.51	0.00	332	290 PEAK																																																																																																																								
2 15810.00	55.39	74.00	-18.61	59.02	40.49	21.87	65.99	0.00	300	176 PEAK																																																																																																																								
3 15810.00	45.07	54.00	-8.93	48.71	40.49	21.87	66.00	0.00	300	176 AVERAGE																																																																																																																								





Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5110.81</td><td>57.08</td><td>74.00</td><td>-16.92</td><td>40.66</td><td>34.26</td><td>12.01</td><td>29.85</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5110.81	57.08	74.00	-16.92	40.66	34.26	12.01	29.85	0.00	100	147	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>97.62</td><td>-----</td><td>-----</td><td>80.98</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>100</td><td>147</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.62	-----	-----	80.98	34.40	12.15	29.91	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5110.81	57.08	74.00	-16.92	40.66	34.26	12.01	29.85	0.00	100	147	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	97.62	-----	-----	80.98	34.40	12.15	29.91	0.00	100	147	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.73</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>30.20</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.73	46.65	54.00	-7.35	30.20	34.30	12.00	29.85	0.00	100	147	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>89.14</td><td>-----</td><td>-----</td><td>72.49</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>100</td><td>147</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	89.14	-----	-----	72.49	34.40	12.16	29.91	0.00	100	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5100.73	46.65	54.00	-7.35	30.20	34.30	12.00	29.85	0.00	100	147	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	89.14	-----	-----	72.49	34.40	12.16	29.91	0.00	100	147	AVERAGE																																																																																							



Mode	22																																																									
	Band Edge - R																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																									
ANT	0+1																																																									
Pol.	Horizontal					Fundamental																																																				
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5353.05</td><td>61.34</td><td>74.00</td><td>-12.66</td><td>44.56</td><td>34.41</td><td>12.21</td><td>29.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>147 PEAK</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5353.05	61.34	74.00	-12.66	44.56	34.41	12.21	29.84							0.00	100								147 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5353.05	61.34	74.00	-12.66	44.56	34.41	12.21	29.84																																																			
						0.00	100																																																			
							147 PEAK																																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5352.85</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>29.41</td><td>34.41</td><td>12.21</td><td>29.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>147 AVERAGE</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5352.85	46.19	54.00	-7.81	29.41	34.41	12.21	29.84							0.00	100								147 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5352.85	46.19	54.00	-7.81	29.41	34.41	12.21	29.84																																																			
						0.00	100																																																			
							147 AVERAGE																																																			







Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5123.29</td><td>56.34</td><td>74.00</td><td>-17.66</td><td>39.97</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>281</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5123.29	56.34	74.00	-17.66	39.97	34.21	12.02	29.86	0.00	281	178	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>104.31</td><td>-----</td><td>-----</td><td>87.65</td><td>34.40</td><td>12.16</td><td>29.90</td><td>0.00</td><td>281</td><td>178</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.31	-----	-----	87.65	34.40	12.16	29.90	0.00	281	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5123.29	56.34	74.00	-17.66	39.97	34.21	12.02	29.86	0.00	281	178	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	104.31	-----	-----	87.65	34.40	12.16	29.90	0.00	281	178	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5101.05</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>30.38</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>281</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.05	46.83	54.00	-7.17	30.38	34.30	12.00	29.85	0.00	281	178	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>96.26</td><td>-----</td><td>-----</td><td>79.61</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>281</td><td>178</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.26	-----	-----	79.61	34.40	12.16	29.91	0.00	281	178
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5101.05	46.83	54.00	-7.17	30.38	34.30	12.00	29.85	0.00	281	178	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	96.26	-----	-----	79.61	34.40	12.16	29.91	0.00	281	178	AVERAGE																																																																																							

Mode	22																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																									
ANT	0+1																																									
Pol.	Vertical					Fundamental																																				
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5351.65</td><td>64.40</td><td>74.00</td><td>-9.60</td><td>47.62</td><td>34.41</td><td>12.21</td><td>29.84</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5351.65	64.40	74.00	-9.60	47.62	34.41	12.21	29.84	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5351.65	64.40	74.00	-9.60	47.62	34.41	12.21	29.84																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5350.75</td><td>50.81</td><td>54.00</td><td>-3.19</td><td>34.04</td><td>34.40</td><td>12.21</td><td>29.84</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5350.75	50.81	54.00	-3.19	34.04	34.40	12.21	29.84	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5350.75	50.81	54.00	-3.19	34.04	34.40	12.21	29.84																																			




Mode	22																																																																																																																																																
	Harmonic																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																																																																
ANT	0+1																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>56.53</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>50.29</td><td>40.46</td><td>21.96</td><td>65.66</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>38.15</td><td>54.00</td><td>-15.85</td><td>41.28</td><td>40.50</td><td>21.90</td><td>65.61</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.52	74.00	-28.48	56.53	37.62	17.79	66.42	0.00	--	PEAK	2	15930.00	47.05	74.00	-26.95	50.29	40.46	21.96	65.66	0.00	100	0 PEAK	3	15930.00	38.15	54.00	-15.85	41.28	40.50	21.90	65.61	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>57.74</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>53.70</td><td>40.46</td><td>21.96</td><td>65.66</td><td>0.00</td><td>363</td><td>291 PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>40.01</td><td>54.00</td><td>-13.99</td><td>43.26</td><td>40.46</td><td>21.96</td><td>65.67</td><td>0.00</td><td>363</td><td>291 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	46.73	74.00	-27.27	57.74	37.62	17.79	66.42	0.00	--	PEAK	2	15930.00	50.46	74.00	-23.54	53.70	40.46	21.96	65.66	0.00	363	291 PEAK	3	15930.00	40.01	54.00	-13.99	43.26	40.46	21.96	65.67	0.00	363
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10620.00	45.52	74.00	-28.48	56.53	37.62	17.79	66.42	0.00	--	PEAK																																																																																																																																						
2	15930.00	47.05	74.00	-26.95	50.29	40.46	21.96	65.66	0.00	100	0 PEAK																																																																																																																																						
3	15930.00	38.15	54.00	-15.85	41.28	40.50	21.90	65.61	0.00	100	0 AVERAGE																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	10620.00	46.73	74.00	-27.27	57.74	37.62	17.79	66.42	0.00	--	PEAK																																																																																																																																						
2	15930.00	50.46	74.00	-23.54	53.70	40.46	21.96	65.66	0.00	363	291 PEAK																																																																																																																																						
3	15930.00	40.01	54.00	-13.99	43.26	40.46	21.96	65.67	0.00	363	291 AVERAGE																																																																																																																																						







Mode	23																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.17</td><td>56.44</td><td>74.00</td><td>-17.56</td><td>39.38</td><td>34.60</td><td>12.30</td><td>29.84</td><td>0.00</td><td>107</td><td>155</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>64.25</td><td>68.20</td><td>-3.95</td><td>47.23</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>107</td><td>155</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.17	56.44	74.00	-17.56	39.38	34.60	12.30	29.84	0.00	107	155	PEAK	2	5467.21	64.25	68.20	-3.95	47.23	34.57	12.34	29.89	0.00	107	155	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.26</td><td>-----</td><td>-----</td><td>87.31</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>107</td><td>155</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.26	-----	-----	87.31	34.51	12.38	29.94	0.00	107	155
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5440.17	56.44	74.00	-17.56	39.38	34.60	12.30	29.84	0.00	107	155	PEAK																																																																																																																
2	5467.21	64.25	68.20	-3.95	47.23	34.57	12.34	29.89	0.00	107	155	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5510.00	104.26	-----	-----	87.31	34.51	12.38	29.94	0.00	107	155	PEAK																																																																																																																
Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.13</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>29.98</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>107</td><td>155</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.13	47.03	54.00	-6.97	29.98	34.59	12.33	29.87	0.00	107	155	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>94.19</td><td>-----</td><td>-----</td><td>77.19</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>107</td><td>155</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.19	-----	-----	77.19	34.50	12.41	29.91	0.00	107	155	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5457.13	47.03	54.00	-6.97	29.98	34.59	12.33	29.87	0.00	107	155	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5510.00	94.19	-----	-----	77.19	34.50	12.41	29.91	0.00	107	155	AVERAGE																																																																																																																




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.64</td><td>55.90</td><td>68.20</td><td>-12.30</td><td>38.45</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>107</td><td>155</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.64	55.90	68.20	-12.30	38.45	34.67	12.69	29.91	0.00	107	155	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.64	55.90	68.20	-12.30	38.45	34.67	12.69	29.91	0.00	107	155	PEAK																																												





Mode	23																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																	
ANT	0+1																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>60.94</td><td>74.00</td><td>-13.06</td><td>43.91</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>243</td><td>15 PEAK</td></tr><tr><td>2</td><td>5468.97</td><td>65.00</td><td>68.20</td><td>-3.20</td><td>47.99</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>243</td><td>15 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	60.94	74.00	-13.06	43.91	34.58	12.33	29.88	0.00	243	15 PEAK	2	5468.97	65.00	68.20	-3.20	47.99	34.56	12.34	29.89	0.00	243	15 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.85	60.94	74.00	-13.06	43.91	34.58	12.33	29.88	0.00	243	15 PEAK																																																							
2	5468.97	65.00	68.20	-3.20	47.99	34.56	12.34	29.89	0.00	243	15 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.15</td><td>-----</td><td>-----</td><td>92.17</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>243</td><td>15 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.15	-----	-----	92.17	34.50	12.40	29.92	0.00	243	15 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	109.15	-----	-----	92.17	34.50	12.40	29.92	0.00	243	15 PEAK																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>32.20</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>243</td><td>15 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	49.24	54.00	-4.76	32.20	34.58	12.33	29.87	0.00	243	15 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.05	49.24	54.00	-4.76	32.20	34.58	12.33	29.87	0.00	243	15 AVERAGE																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.02</td><td>-----</td><td>-----</td><td>82.02</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>243</td><td>15 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.02	-----	-----	82.02	34.50	12.41	29.91	0.00	243	15 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	99.02	-----	-----	82.02	34.50	12.41	29.91	0.00	243	15 AVERAGE																																																							





Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.24</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.34</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>243</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.24	56.81	68.20	-11.39	39.34	34.68	12.69	29.90	0.00	243	15	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5738.24	56.81	68.20	-11.39	39.34	34.68	12.69	29.90	0.00	243	15	PEAK																																												







		23																																																																	
Mode		Harmonic																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_5510MHz																																																																	
ANT		0+1																																																																	
Pol.		Horizontal																																																																	
Peak Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>54.63</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>48.35</td><td>68.20</td><td>-19.85</td><td>49.92</td><td>41.61</td><td>22.34</td><td>65.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.71	74.00	-29.29	54.63	37.82	18.17	65.91	0.00	--	PEAK	2	16530.00	48.35	68.20	-19.85	49.92	41.61	22.34	65.52	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	11020.00	44.71	74.00	-29.29	54.63	37.82	18.17	65.91	0.00	--	PEAK																																																								
2	16530.00	48.35	68.20	-19.85	49.92	41.61	22.34	65.52	0.00	--	PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>54.63</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>48.35</td><td>68.20</td><td>-19.85</td><td>49.92</td><td>41.61</td><td>22.34</td><td>65.52</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.71	74.00	-29.29	54.63	37.82	18.17	65.91	0.00	--	PEAK	2	16530.00	48.35	68.20	-19.85	49.92	41.61	22.34	65.52	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	11020.00	44.71	74.00	-29.29	54.63	37.82	18.17	65.91	0.00	--	PEAK																																																								
2	16530.00	48.35	68.20	-19.85	49.92	41.61	22.34	65.52	0.00	--	PEAK																																																								

		Vertical																																																																	
Peak Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>55.55</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>52.85</td><td>41.63</td><td>22.36</td><td>65.51</td><td>0.00</td><td>300</td><td>110 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.63	74.00	-28.37	55.55	37.82	18.17	65.91	0.00	--	PEAK	2	16530.00	51.33	68.20	-16.87	52.85	41.63	22.36	65.51	0.00	300	110 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	11020.00	45.63	74.00	-28.37	55.55	37.82	18.17	65.91	0.00	--	PEAK																																																								
2	16530.00	51.33	68.20	-16.87	52.85	41.63	22.36	65.51	0.00	300	110 PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>55.55</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>51.33</td><td>68.20</td><td>-16.87</td><td>52.85</td><td>41.63</td><td>22.36</td><td>65.51</td><td>0.00</td><td>300</td><td>110 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.63	74.00	-28.37	55.55	37.82	18.17	65.91	0.00	--	PEAK	2	16530.00	51.33	68.20	-16.87	52.85	41.63	22.36	65.51	0.00	300	110 PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	11020.00	45.63	74.00	-28.37	55.55	37.82	18.17	65.91	0.00	--	PEAK																																																								
2	16530.00	51.33	68.20	-16.87	52.85	41.63	22.36	65.51	0.00	300	110 PEAK																																																								




Mode	24																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_5550MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal																																																							
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11100.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>56.14</td><td>37.90</td><td>18.24</td><td>65.60</td></tr><tr><td>2</td><td>16650.00</td><td>51.16</td><td>68.20</td><td>-17.04</td><td>52.39</td><td>41.80</td><td>22.43</td><td>65.46</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11100.00	46.68	74.00	-27.32	56.14	37.90	18.24	65.60	2	16650.00	51.16	68.20	-17.04	52.39	41.80	22.43	65.46
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	11100.00	46.68	74.00	-27.32	56.14	37.90	18.24	65.60																																																
2	16650.00	51.16	68.20	-17.04	52.39	41.80	22.43	65.46																																																
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11100.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>56.37</td><td>37.90</td><td>18.24</td><td>65.60</td></tr><tr><td>2</td><td>16650.00</td><td>56.97</td><td>68.20</td><td>-11.23</td><td>58.23</td><td>41.78</td><td>22.42</td><td>65.46</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11100.00	46.91	74.00	-27.09	56.37	37.90	18.24	65.60	2	16650.00	56.97	68.20	-11.23	58.23	41.78	22.42	65.46
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	11100.00	46.91	74.00	-27.09	56.37	37.90	18.24	65.60																																																
2	16650.00	56.97	68.20	-11.23	58.23	41.78	22.42	65.46																																																







Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.77</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>38.30</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>55.35</td><td>68.20</td><td>-12.85</td><td>38.33</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	55.34	74.00	-18.66	38.30	34.58	12.33	29.87	0.00	100	149	PEAK	2	5462.57	55.35	68.20	-12.85	38.33	34.57	12.33	29.88	0.00	100	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.78</td><td>-----</td><td>-----</td><td>86.46</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.78	-----	-----	86.46	34.60	12.59	29.87	0.00	100	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.77	55.34	74.00	-18.66	38.30	34.58	12.33	29.87	0.00	100	149	PEAK																																																																																																				
2	5462.57	55.35	68.20	-12.85	38.33	34.57	12.33	29.88	0.00	100	149	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	103.78	-----	-----	86.46	34.60	12.59	29.87	0.00	100	149	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.77</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>28.70</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.77	45.76	54.00	-8.24	28.70	34.60	12.32	29.86	0.00	100	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>95.85</td><td>-----</td><td>-----</td><td>78.55</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.85	-----	-----	78.55	34.60	12.59	29.89	0.00	100	149	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.77	45.76	54.00	-8.24	28.70	34.60	12.32	29.86	0.00	100	149	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	95.85	-----	-----	78.55	34.60	12.59	29.89	0.00	100	149	AVERAGE																																																																																																				




Mode	25																																																																									
	Band Edge - R																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																									
ANT	0+1																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5729.28</td><td>61.66</td><td>68.20</td><td>-6.54</td><td>44.25</td><td>34.66</td><td>12.68</td><td>29.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>149</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5729.28	61.66	68.20	-6.54	44.25	34.66	12.68	29.93								0.00	100									149									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5729.28	61.66	68.20	-6.54	44.25	34.66	12.68	29.93																																																																		
							0.00	100																																																																		
								149																																																																		
								PEAK																																																																		





Mode	25																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.21</td><td>56.46</td><td>74.00</td><td>-17.54</td><td>39.42</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>317</td><td>32</td><td>PEAK</td></tr><tr><td>2</td><td>5465.61</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>38.19</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>317</td><td>32</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	56.46	74.00	-17.54	39.42	34.58	12.33	29.87	0.00	317	32	PEAK	2	5465.61	55.22	68.20	-12.98	38.19	34.57	12.34	29.88	0.00	317	32	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>109.18</td><td>-----</td><td>-----</td><td>91.91</td><td>34.60</td><td>12.62</td><td>29.95</td><td>0.00</td><td>317</td><td>32</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.18	-----	-----	91.91	34.60	12.62	29.95	0.00	317	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.21	56.46	74.00	-17.54	39.42	34.58	12.33	29.87	0.00	317	32	PEAK																																																																																																				
2	5465.61	55.22	68.20	-12.98	38.19	34.57	12.34	29.88	0.00	317	32	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	109.18	-----	-----	91.91	34.60	12.62	29.95	0.00	317	32	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.57</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.77</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>317</td><td>32</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.57	45.81	54.00	-8.19	28.77	34.59	12.32	29.87	0.00	317	32	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.30</td><td>-----</td><td>-----</td><td>82.98</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>317</td><td>32</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.30	-----	-----	82.98	34.60	12.59	29.87	0.00	317	32	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5454.57	45.81	54.00	-8.19	28.77	34.59	12.32	29.87	0.00	317	32	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	100.30	-----	-----	82.98	34.60	12.59	29.87	0.00	317	32	AVERAGE																																																																																																				







Mode	25																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																					
ANT	0+1																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.00</td><td>63.67</td><td>68.20</td><td>-4.53</td><td>46.27</td><td>34.65</td><td>12.68</td><td>29.93</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.00	63.67	68.20	-4.53	46.27	34.65	12.68	29.93	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5726.00	63.67	68.20	-4.53	46.27	34.65	12.68	29.93																														







		25																																																																																																																																													
Mode		Harmonic																																																																																																																																													
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_5670MHz																																																																																																																																													
ANT		0+1																																																																																																																																													
Pol.		Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																															
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11340.00	46.56	74.00	-27.44	54.85	37.94	18.45	64.68	0.00	--	--	--	PEAK	2 17010.00	49.27	68.20	-18.93	50.35	41.55	22.67	65.30	0.00	--	--	--	PEAK			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11340.00	50.25	74.00	-23.75	58.54	37.94	18.45	64.68	0.00	334	164	PEAK	2 11340.00	40.69	54.00	-13.31	49.02	37.93	18.44	64.70	0.00	334	164	AVERAGE	3 17010.00	49.53	68.20	-18.67	50.60	41.57	22.66	65.30	0.00	--	--	PEAK					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1 11340.00	46.56	74.00	-27.44	54.85	37.94	18.45	64.68	0.00	--	--	--	PEAK																																																																																																																																			
2 17010.00	49.27	68.20	-18.93	50.35	41.55	22.67	65.30	0.00	--	--	--	PEAK																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																				
1 11340.00	50.25	74.00	-23.75	58.54	37.94	18.45	64.68	0.00	334	164	PEAK																																																																																																																																				
2 11340.00	40.69	54.00	-13.31	49.02	37.93	18.44	64.70	0.00	334	164	AVERAGE																																																																																																																																				
3 17010.00	49.53	68.20	-18.67	50.60	41.57	22.66	65.30	0.00	--	--	PEAK																																																																																																																																				





Mode	26																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.45</td><td>58.19</td><td>74.00</td><td>-15.81</td><td>41.93</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.45	58.19	74.00	-15.81	41.93	34.10	12.03	29.87	0.00	100	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.52</td><td>-----</td><td>-----</td><td>89.12</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.52	-----	-----	89.12	34.22	12.06	29.88	0.00	100	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.45	58.19	74.00	-15.81	41.93	34.10	12.03	29.87	0.00	100	149	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.52	-----	-----	89.12	34.22	12.06	29.88	0.00	100	149	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.55</td><td>48.73</td><td>54.00</td><td>-5.27</td><td>32.47</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.55	48.73	54.00	-5.27	32.47	34.10	12.03	29.87	0.00	100	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.63</td><td>-----</td><td>-----</td><td>82.23</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.63	-----	-----	82.23	34.22	12.06	29.88	0.00	100	149
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.55	48.73	54.00	-5.27	32.47	34.10	12.03	29.87	0.00	100	149	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	98.63	-----	-----	82.23	34.22	12.06	29.88	0.00	100	149	AVERAGE																																																																																																			





Mode	26																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																														
ANT	0+1																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.75</td><td>61.49</td><td>74.00</td><td>-12.51</td><td>45.22</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>336</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.75	61.49	74.00	-12.51	45.22	34.11	12.03	29.87	0.00	336	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.71</td><td>-----</td><td>-----</td><td>93.29</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>336</td><td>147</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.71	-----	-----	93.29	34.24	12.06	29.88	0.00	336	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.75	61.49	74.00	-12.51	45.22	34.11	12.03	29.87	0.00	336	147	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	109.71	-----	-----	93.29	34.24	12.06	29.88	0.00	336	147	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.75</td><td>50.08</td><td>54.00</td><td>-3.92</td><td>33.81</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>336</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.75	50.08	54.00	-3.92	33.81	34.11	12.03	29.87	0.00	336	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.13</td><td>-----</td><td>-----</td><td>85.77</td><td>34.19</td><td>12.05</td><td>29.88</td><td>0.00</td><td>336</td><td>147</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.13	-----	-----	85.77	34.19	12.05	29.88	0.00	336	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.75	50.08	54.00	-3.92	33.81	34.11	12.03	29.87	0.00	336	147	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	102.13	-----	-----	85.77	34.19	12.05	29.88	0.00	336	147	AVERAGE																																																																																																			





Mode	26																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10360.00</td><td>54.77</td><td>68.20</td><td>-13.43</td><td>66.31</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>371</td><td>295 PEAK</td></tr><tr><td>2 15540.00</td><td>54.23</td><td>74.00</td><td>-19.77</td><td>59.28</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>314 PEAK</td></tr><tr><td>3 15540.00</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>48.79</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>300</td><td>314 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	54.77	68.20	-13.43	66.31	37.46	17.54	66.54	0.00	371	295 PEAK	2 15540.00	54.23	74.00	-19.77	59.28	40.04	21.65	66.74	0.00	300	314 PEAK	3 15540.00	43.74	54.00	-10.26	48.79	40.04	21.65	66.74	0.00	300	314 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10360.00</td><td>57.01</td><td>68.20</td><td>-11.19</td><td>68.55</td><td>37.46</td><td>17.54</td><td>66.54</td><td>0.00</td><td>325</td><td>287 PEAK</td></tr><tr><td>2 15540.00</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>60.60</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>218 PEAK</td></tr><tr><td>3 15540.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>49.19</td><td>40.04</td><td>21.65</td><td>66.74</td><td>0.00</td><td>100</td><td>218 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	57.01	68.20	-11.19	68.55	37.46	17.54	66.54	0.00	325	287 PEAK	2 15540.00	55.55	74.00	-18.45	60.60	40.04	21.65	66.74	0.00	100	218 PEAK	3 15540.00	44.14	54.00	-9.86	49.19	40.04	21.65	66.74	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10360.00	54.77	68.20	-13.43	66.31	37.46	17.54	66.54	0.00	371	295 PEAK																																																																																																																															
2 15540.00	54.23	74.00	-19.77	59.28	40.04	21.65	66.74	0.00	300	314 PEAK																																																																																																																															
3 15540.00	43.74	54.00	-10.26	48.79	40.04	21.65	66.74	0.00	300	314 AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 10360.00	57.01	68.20	-11.19	68.55	37.46	17.54	66.54	0.00	325	287 PEAK																																																																																																																															
2 15540.00	55.55	74.00	-18.45	60.60	40.04	21.65	66.74	0.00	100	218 PEAK																																																																																																																															
3 15540.00	44.14	54.00	-9.86	49.19	40.04	21.65	66.74	0.00	100	218 AVERAGE																																																																																																																															





Mode	27																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																																											
ANT	0+1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>15660.00</td><td>61.43</td><td>74.00</td><td>-12.57</td><td>65.94</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>313</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>55.16</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>313</td><td>309</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	15660.00	61.43	74.00	-12.57	65.94	40.16	21.74	66.41	0.00	313	309	PEAK	2	15660.00	50.65	54.00	-3.35	55.16	40.16	21.74	66.41	0.00	313	309	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>15660.00</td><td>60.35</td><td>74.00</td><td>-13.65</td><td>64.86</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>300</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>50.63</td><td>54.00</td><td>-3.37</td><td>55.14</td><td>40.16</td><td>21.74</td><td>66.41</td><td>0.00</td><td>300</td><td>171</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	15660.00	60.35	74.00	-13.65	64.86	40.16	21.74	66.41	0.00	300	171	PEAK	2	15660.00	50.63	54.00	-3.37	55.14	40.16	21.74	66.41	0.00	300	171	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																	
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	15660.00	61.43	74.00	-12.57	65.94	40.16	21.74	66.41	0.00	313	309	PEAK																																																																																																																																
2	15660.00	50.65	54.00	-3.35	55.16	40.16	21.74	66.41	0.00	313	309	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq		Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																	
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	15660.00	60.35	74.00	-13.65	64.86	40.16	21.74	66.41	0.00	300	171	PEAK																																																																																																																																
2	15660.00	50.63	54.00	-3.37	55.14	40.16	21.74	66.41	0.00	300	171	AVERAGE																																																																																																																																



Mode	28																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																																							
ANT	0+1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>57.66</td><td>68.20</td><td>-10.54</td><td>68.99</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>360</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>57.90</td><td>74.00</td><td>-16.10</td><td>62.09</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>300</td><td>300</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>51.09</td><td>40.26</td><td>21.79</td><td>66.25</td><td>0.00</td><td>300</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	57.66	68.20	-10.54	68.99	37.58	17.65	66.56	0.00	360	149	PEAK	2	15720.00	57.90	74.00	-16.10	62.09	40.26	21.79	66.24	0.00	300	300	PEAK	3	15720.00	46.89	54.00	-7.11	51.09	40.26	21.79	66.25	0.00	300	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>58.51</td><td>68.20</td><td>-9.69</td><td>69.84</td><td>37.58</td><td>17.65</td><td>66.56</td><td>0.00</td><td>398</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>61.91</td><td>74.00</td><td>-12.09</td><td>66.10</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>290</td><td>168</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>54.85</td><td>40.26</td><td>21.79</td><td>66.24</td><td>0.00</td><td>290</td><td>168</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	58.51	68.20	-9.69	69.84	37.58	17.65	66.56	0.00	398	291	PEAK	2	15720.00	61.91	74.00	-12.09	66.10	40.26	21.79	66.24	0.00	290	168	PEAK	3	15720.00	50.66	54.00	-3.34	54.85	40.26	21.79	66.24	0.00	290	168	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	10480.00	57.66	68.20	-10.54	68.99	37.58	17.65	66.56	0.00	360	149	PEAK																																																																																																																																												
2	15720.00	57.90	74.00	-16.10	62.09	40.26	21.79	66.24	0.00	300	300	PEAK																																																																																																																																												
3	15720.00	46.89	54.00	-7.11	51.09	40.26	21.79	66.25	0.00	300	300	AVERAGE																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																														
1	10480.00	58.51	68.20	-9.69	69.84	37.58	17.65	66.56	0.00	398	291	PEAK																																																																																																																																												
2	15720.00	61.91	74.00	-12.09	66.10	40.26	21.79	66.24	0.00	290	168	PEAK																																																																																																																																												
3	15720.00	50.66	54.00	-3.34	54.85	40.26	21.79	66.24	0.00	290	168	AVERAGE																																																																																																																																												




Mode	29																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																																						
ANT	0+1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>58.73</td><td>68.20</td><td>-9.47</td><td>69.98</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>331</td><td>156</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>58.99</td><td>74.00</td><td>-15.01</td><td>62.79</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>52.42</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>100</td><td>258</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	58.73	68.20	-9.47	69.98	37.60	17.69	66.54	0.00	331	156	PEAK	2	15780.00	58.99	74.00	-15.01	62.79	40.44	21.84	66.08	0.00	100	258	PEAK	3	15780.00	48.62	54.00	-5.38	52.42	40.44	21.84	66.08	0.00	100	258	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>61.17</td><td>68.20</td><td>-7.03</td><td>72.42</td><td>37.60</td><td>17.69</td><td>66.54</td><td>0.00</td><td>300</td><td>291</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>61.48</td><td>74.00</td><td>-12.52</td><td>65.28</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>300</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>54.54</td><td>40.44</td><td>21.84</td><td>66.08</td><td>0.00</td><td>300</td><td>172</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	61.17	68.20	-7.03	72.42	37.60	17.69	66.54	0.00	300	291	PEAK	2	15780.00	61.48	74.00	-12.52	65.28	40.44	21.84	66.08	0.00	300	172	PEAK	3	15780.00	50.74	54.00	-3.26	54.54	40.44	21.84	66.08	0.00	300	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	10520.00	58.73	68.20	-9.47	69.98	37.60	17.69	66.54	0.00	331	156	PEAK																																																																																																																																											
2	15780.00	58.99	74.00	-15.01	62.79	40.44	21.84	66.08	0.00	100	258	PEAK																																																																																																																																											
3	15780.00	48.62	54.00	-5.38	52.42	40.44	21.84	66.08	0.00	100	258	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	10520.00	61.17	68.20	-7.03	72.42	37.60	17.69	66.54	0.00	300	291	PEAK																																																																																																																																											
2	15780.00	61.48	74.00	-12.52	65.28	40.44	21.84	66.08	0.00	300	172	PEAK																																																																																																																																											
3	15780.00	50.74	54.00	-3.26	54.54	40.44	21.84	66.08	0.00	300	172	AVERAGE																																																																																																																																											







Mode	30																																																																																												
	Harmonic																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																												
ANT	0+1																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>68.53</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>325</td><td>153</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>47.51</td><td>54.00</td><td>-6.49</td><td>58.59</td><td>37.60</td><td>17.77</td><td>66.45</td><td>0.00</td><td>325</td><td>153</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>62.79</td><td>74.00</td><td>-11.21</td><td>66.20</td><td>40.40</td><td>21.94</td><td>65.75</td><td>0.00</td><td>316</td><td>347</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>50.97</td><td>54.00</td><td>-3.03</td><td>54.36</td><td>40.41</td><td>21.94</td><td>65.74</td><td>0.00</td><td>316</td><td>347</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	57.45	74.00	-16.55	68.53	37.60	17.77	66.45	0.00	325	153	PEAK	2	10600.00	47.51	54.00	-6.49	58.59	37.60	17.77	66.45	0.00	325	153	AVERAGE	3	15900.00	62.79	74.00	-11.21	66.20	40.40	21.94	65.75	0.00	316	347	PEAK	4	15900.00	50.97	54.00	-3.03	54.36	40.41	21.94	65.74	0.00	316	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10600.00	57.45	74.00	-16.55	68.53	37.60	17.77	66.45	0.00	325	153	PEAK																																																																																	
2	10600.00	47.51	54.00	-6.49	58.59	37.60	17.77	66.45	0.00	325	153	AVERAGE																																																																																	
3	15900.00	62.79	74.00	-11.21	66.20	40.40	21.94	65.75	0.00	316	347	PEAK																																																																																	
4	15900.00	50.97	54.00	-3.03	54.36	40.41	21.94	65.74	0.00	316	347	AVERAGE																																																																																	





	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
1	10600.00	59.28	74.00	-14.72	70.36	37.60	17.77	66.45	0.00	240	290	PEAK
2	10600.00	48.63	54.00	-5.37	59.71	37.60	17.77	66.45	0.00	240	290	AVERAGE
3	15900.00	60.38	74.00	-13.62	63.79	40.40	21.94	65.75	0.00	300	263	PEAK
4	15900.00	50.11	54.00	-3.89	53.52	40.40	21.94	65.75	0.00	300	263	AVERAGE







Mode	31																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.15</td><td>62.00</td><td>74.00</td><td>-11.92</td><td>45.30</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>361</td><td>267 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.15	62.00	74.00	-11.92	45.30	34.41	12.21	29.84	0.00	361	267 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5352.15	62.00	74.00	-11.92	45.30	34.41	12.21	29.84	0.00	361	267 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5352.15</td><td>49.30</td><td>54.00</td><td>-4.70</td><td>32.52</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>361</td><td>267 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5352.15	49.30	54.00	-4.70	32.52	34.41	12.21	29.84	0.00	361	267 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5352.15	49.30	54.00	-4.70	32.52	34.41	12.21	29.84	0.00	361	267 AVERAGE																																													
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>111.59</td><td>-----</td><td>-----</td><td>94.90</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>361</td><td>267 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	111.59	-----	-----	94.90	34.40	12.18	29.89	0.00	361	267 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5320.00	111.59	-----	-----	94.90	34.40	12.18	29.89	0.00	361	267 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>103.84</td><td>-----</td><td>-----</td><td>87.15</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>361</td><td>267 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	103.84	-----	-----	87.15	34.40	12.18	29.89	0.00	361	267 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5320.00	103.84	-----	-----	87.15	34.40	12.18	29.89	0.00	361	267 AVERAGE																																													







Mode	31																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.65</td><td>61.92</td><td>74.00</td><td>-12.08</td><td>45.15</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>231</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.65	61.92	74.00	-12.08	45.15	34.40	12.21	29.84	0.00	300	231	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>113.03</td><td>-----</td><td>-----</td><td>96.36</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>231</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.03	-----	-----	96.36	34.40	12.17	29.90	0.00	300	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.65	61.92	74.00	-12.08	45.15	34.40	12.21	29.84	0.00	300	231	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	113.03	-----	-----	96.36	34.40	12.17	29.90	0.00	300	231	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.93</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>34.17</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>231</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.93	50.94	54.00	-3.06	34.17	34.40	12.21	29.84	0.00	300	231	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>104.97</td><td>-----</td><td>-----</td><td>88.30</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>300</td><td>231</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.97	-----	-----	88.30	34.40	12.17	29.90	0.00	300	231
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.93	50.94	54.00	-3.06	34.17	34.40	12.21	29.84	0.00	300	231	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	104.97	-----	-----	88.30	34.40	12.17	29.90	0.00	300	231	AVERAGE																																																																																							







Mode	31																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																																																																
ANT	0+1																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>58.00</td><td>74.00</td><td>-16.00</td><td>68.96</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>148</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>57.83</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>148</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>60.92</td><td>74.00</td><td>-13.08</td><td>63.99</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>300</td><td>346</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>50.37</td><td>54.00</td><td>-3.63</td><td>53.46</td><td>40.51</td><td>21.99</td><td>65.59</td><td>0.00</td><td>300</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	58.00	74.00	-16.00	68.96	37.64	17.80	66.40	0.00	300	148	PEAK	2	10640.00	46.87	54.00	-7.13	57.83	37.64	17.80	66.40	0.00	300	148	AVERAGE	3	15960.00	60.92	74.00	-13.08	63.99	40.52	21.99	65.58	0.00	300	346	PEAK	4	15960.00	50.37	54.00	-3.63	53.46	40.51	21.99	65.59	0.00	300	346	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>66.01</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>55.88</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>300</td><td>332</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>62.78</td><td>74.00</td><td>-11.22</td><td>65.85</td><td>40.52</td><td>21.99</td><td>65.58</td><td>0.00</td><td>377</td><td>289</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>50.56</td><td>54.00</td><td>-3.44</td><td>53.64</td><td>40.52</td><td>21.99</td><td>65.59</td><td>0.00</td><td>377</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	55.05	74.00	-18.95	66.01	37.64	17.80	66.40	0.00	300	332	PEAK	2	10640.00	44.92	54.00	-9.08	55.88	37.64	17.80	66.40	0.00	300	332	AVERAGE	3	15960.00	62.78	74.00	-11.22	65.85	40.52	21.99	65.58	0.00	377	289	PEAK	4	15960.00	50.56	54.00	-3.44	53.64	40.52	21.99	65.59	0.00	377	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	58.00	74.00	-16.00	68.96	37.64	17.80	66.40	0.00	300	148	PEAK																																																																																																																																																																					
2	10640.00	46.87	54.00	-7.13	57.83	37.64	17.80	66.40	0.00	300	148	AVERAGE																																																																																																																																																																					
3	15960.00	60.92	74.00	-13.08	63.99	40.52	21.99	65.58	0.00	300	346	PEAK																																																																																																																																																																					
4	15960.00	50.37	54.00	-3.63	53.46	40.51	21.99	65.59	0.00	300	346	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																							
1	10640.00	55.05	74.00	-18.95	66.01	37.64	17.80	66.40	0.00	300	332	PEAK																																																																																																																																																																					
2	10640.00	44.92	54.00	-9.08	55.88	37.64	17.80	66.40	0.00	300	332	AVERAGE																																																																																																																																																																					
3	15960.00	62.78	74.00	-11.22	65.85	40.52	21.99	65.58	0.00	377	289	PEAK																																																																																																																																																																					
4	15960.00	50.56	54.00	-3.44	53.64	40.52	21.99	65.59	0.00	377	289	AVERAGE																																																																																																																																																																					





Mode	32																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																											
ANT	0+1																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.17</td><td>58.04</td><td>74.00</td><td>-15.96</td><td>40.99</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>370</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>62.29</td><td>68.20</td><td>-5.91</td><td>45.28</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>370</td><td>264</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	58.04	74.00	-15.96	40.99	34.59	12.33	29.87	0.00	370	264	PEAK	2	5467.53	62.29	68.20	-5.91	45.28	34.56	12.34	29.89	0.00	370	264	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.62</td><td>-----</td><td>-----</td><td>95.67</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>370</td><td>264</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.62	-----	-----	95.67	34.51	12.38	29.94	0.00	370	264
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5456.17	58.04	74.00	-15.96	40.99	34.59	12.33	29.87	0.00	370	264	PEAK																																																																																																																
2	5467.53	62.29	68.20	-5.91	45.28	34.56	12.34	29.89	0.00	370	264	PEAK																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	112.62	-----	-----	95.67	34.51	12.38	29.94	0.00	370	264	PEAK																																																																																																																
Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.25</td><td>48.45</td><td>54.00</td><td>-5.55</td><td>31.41</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>370</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.25	48.45	54.00	-5.55	31.41	34.58	12.33	29.87	0.00	370	264	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.73</td><td>-----</td><td>-----</td><td>87.78</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>370</td><td>264</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.73	-----	-----	87.78	34.51	12.38	29.94	0.00	370	264	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5458.25	48.45	54.00	-5.55	31.41	34.58	12.33	29.87	0.00	370	264	AVERAGE																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	5500.00	104.73	-----	-----	87.78	34.51	12.38	29.94	0.00	370	264	AVERAGE																																																																																																																






Mode	32																																																																						
	Band Edge																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																						
ANT	0+1																																																																						
Pol.	Vertical						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.81</td><td>58.03</td><td>74.00</td><td>-15.97</td><td>40.98</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>5467.37</td><td>62.98</td><td>68.20</td><td>-5.22</td><td>45.96</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>211</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5456.81	58.03	74.00	-15.97	40.98	34.59	12.33	29.87	0.00	300	211	PEAK	2	5467.37	62.98	68.20	-5.22	45.96	34.57	12.34	29.89	0.00	300	211	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5456.81	58.03	74.00	-15.97	40.98	34.59	12.33	29.87	0.00	300	211	PEAK																																																											
2	5467.37	62.98	68.20	-5.22	45.96	34.57	12.34	29.89	0.00	300	211	PEAK																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.77</td><td>-----</td><td>-----</td><td>94.81</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>300</td><td>211</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	111.77	-----	-----	94.81	34.50	12.39	29.93	0.00	300	211	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5500.00	111.77	-----	-----	94.81	34.50	12.39	29.93	0.00	300	211	PEAK																																																											
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5460.00</td><td>48.36</td><td>54.00</td><td>-5.64</td><td>31.33</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>211</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5460.00	48.36	54.00	-5.64	31.33	34.58	12.33	29.88	0.00	300	211	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5460.00	48.36	54.00	-5.64	31.33	34.58	12.33	29.88	0.00	300	211	AVERAGE																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.28</td><td>-----</td><td>-----</td><td>87.32</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>211</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	104.28	-----	-----	87.32	34.52	12.37	29.93	0.00	300	211	AVERAGE														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5500.00	104.28	-----	-----	87.32	34.52	12.37	29.93	0.00	300	211	AVERAGE																																																											

Mode	32																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																																						
ANT	0+1																																																																																																																																						
Pol.	Horizontal								Vertical																																																																																																																														
Peak Avg																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>61.63</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300 49 PEAK</td></tr><tr><td>2 11000.00</td><td>42.92</td><td>54.00</td><td>-11.08</td><td>52.96</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300 49 AVERAGE</td></tr><tr><td>3 16500.00</td><td>59.45</td><td>68.20</td><td>-8.75</td><td>61.03</td><td>41.60</td><td>22.34</td><td>65.52</td><td>0.00</td><td>323 345 PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	51.59	74.00	-22.41	61.63	37.00	18.15	65.99	0.00	300 49 PEAK	2 11000.00	42.92	54.00	-11.08	52.96	37.00	18.15	65.99	0.00	300 49 AVERAGE	3 16500.00	59.45	68.20	-8.75	61.03	41.60	22.34	65.52	0.00	323 345 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11000.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>63.40</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300 347 PEAK</td></tr><tr><td>2 11000.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>54.13</td><td>37.00</td><td>18.15</td><td>65.99</td><td>0.00</td><td>300 347 AVERAGE</td></tr><tr><td>3 16500.00</td><td>63.01</td><td>68.20</td><td>-5.19</td><td>64.61</td><td>41.59</td><td>22.33</td><td>65.52</td><td>0.00</td><td>300 319 PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	53.36	74.00	-20.64	63.40	37.00	18.15	65.99	0.00	300 347 PEAK	2 11000.00	44.09	54.00	-9.91	54.13	37.00	18.15	65.99	0.00	300 347 AVERAGE	3 16500.00	63.01	68.20	-5.19	64.61	41.59	22.33	65.52	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11000.00	51.59	74.00	-22.41	61.63	37.00	18.15	65.99	0.00	300 49 PEAK																																																																																																																														
2 11000.00	42.92	54.00	-11.08	52.96	37.00	18.15	65.99	0.00	300 49 AVERAGE																																																																																																																														
3 16500.00	59.45	68.20	-8.75	61.03	41.60	22.34	65.52	0.00	323 345 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11000.00	53.36	74.00	-20.64	63.40	37.00	18.15	65.99	0.00	300 347 PEAK																																																																																																																														
2 11000.00	44.09	54.00	-9.91	54.13	37.00	18.15	65.99	0.00	300 347 AVERAGE																																																																																																																														
3 16500.00	63.01	68.20	-5.19	64.61	41.59	22.33	65.52	0.00	300 319 PEAK																																																																																																																														








Mode	33																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																																															
Peak Avg																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>62.06</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>283 49 PEAK</td></tr><tr><td>2 11160.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>52.20</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>283 49 AVERAGE</td></tr><tr><td>3 16740.00</td><td>52.88</td><td>68.20</td><td>-15.32</td><td>53.87</td><td>41.94</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300 84 PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	52.94	74.00	-21.06	62.06	37.96	18.29	65.37	0.00	283 49 PEAK	2 11160.00	43.08	54.00	-10.92	52.20	37.96	18.29	65.37	0.00	283 49 AVERAGE	3 16740.00	52.88	68.20	-15.32	53.87	41.94	22.49	65.42	0.00	300 84 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>62.23</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>320 165 PEAK</td></tr><tr><td>2 11160.00</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>53.14</td><td>37.96</td><td>18.29</td><td>65.38</td><td>0.00</td><td>320 165 AVERAGE</td></tr><tr><td>3 16740.00</td><td>60.87</td><td>68.20</td><td>-7.33</td><td>61.85</td><td>41.95</td><td>22.49</td><td>65.42</td><td>0.00</td><td>300 322 PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	53.11	74.00	-20.89	62.23	37.96	18.29	65.37	0.00	320 165 PEAK	2 11160.00	44.01	54.00	-9.99	53.14	37.96	18.29	65.38	0.00	320 165 AVERAGE	3 16740.00	60.87	68.20	-7.33	61.85	41.95	22.49	65.42	0.00	300 322 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1 11160.00	52.94	74.00	-21.06	62.06	37.96	18.29	65.37	0.00	283 49 PEAK																																																																																																																															
2 11160.00	43.08	54.00	-10.92	52.20	37.96	18.29	65.37	0.00	283 49 AVERAGE																																																																																																																															
3 16740.00	52.88	68.20	-15.32	53.87	41.94	22.49	65.42	0.00	300 84 PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1 11160.00	53.11	74.00	-20.89	62.23	37.96	18.29	65.37	0.00	320 165 PEAK																																																																																																																															
2 11160.00	44.01	54.00	-9.99	53.14	37.96	18.29	65.38	0.00	320 165 AVERAGE																																																																																																																															
3 16740.00	60.87	68.20	-7.33	61.85	41.95	22.49	65.42	0.00	300 322 PEAK																																																																																																																															







Mode	34																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.96</td><td>63.54</td><td>68.20</td><td>-4.66</td><td>46.14</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>342</td><td>265</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.96	63.54	68.20	-4.66	46.14	34.65	12.68	29.93	0.00	342	265	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.08</td><td>-----</td><td>-----</td><td>91.83</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>342</td><td>265</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.08	-----	-----	91.83	34.60	12.65	30.00	0.00	342	265
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5726.96	63.54	68.20	-4.66	46.14	34.65	12.68	29.93	0.00	342	265	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	109.08	-----	-----	91.83	34.60	12.65	30.00	0.00	342	265	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.45</td><td>-----</td><td>-----</td><td>86.20</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>342</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.45	-----	-----	86.20	34.60	12.64	29.99	0.00	342	265	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	103.45	-----	-----	86.20	34.60	12.64	29.99	0.00	342	265	AVERAGE																																																																																							





Mode	34																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.12</td><td>62.96</td><td>68.20</td><td>-5.24</td><td>45.57</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>300</td><td>214 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.12	62.96	68.20	-5.24	45.57	34.65	12.68	29.94	0.00	300	214 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>109.81</td><td>-----</td><td>-----</td><td>92.56</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>214 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5725.12	62.96	68.20	-5.24	45.57	34.65	12.68	29.94	0.00	300	214 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5700.00	109.81	-----	-----	92.56	34.60	12.65	30.00	0.00	300	214 PEAK																																																																																					
Avg	Blank																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.16</td><td>-----</td><td>-----</td><td>84.91</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>300</td><td>214 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.16	-----	-----	84.91	34.60	12.64	29.99	0.00	300	214 AVERAGE																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5700.00	102.16	-----	-----	84.91	34.60	12.64	29.99	0.00	300	214 AVERAGE																																																																																					





	34																																																																																																							
Mode	Harmonic																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																							
ANT	0+1																																																																																																							
Pol.	Horizontal							Vertical																																																																																																
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11400.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>54.79</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td></tr><tr><td>2 17100.00</td><td>50.58</td><td>68.20</td><td>-17.62</td><td>51.73</td><td>41.40</td><td>22.73</td><td>65.28</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	46.84	74.00	-27.16	54.79	38.00	18.50	64.45	0.00	2 17100.00	50.58	68.20	-17.62	51.73	41.40	22.73	65.28	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11400.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.84</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td></tr><tr><td>2 17100.00</td><td>50.79</td><td>68.20</td><td>-17.41</td><td>51.91</td><td>41.41</td><td>22.74</td><td>65.27</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11400.00	46.89	74.00	-27.11	54.84	38.00	18.50	64.45	0.00	2 17100.00	50.79	68.20	-17.41	51.91	41.41	22.74	65.27	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11400.00	46.84	74.00	-27.16	54.79	38.00	18.50	64.45	0.00																																																																																																
2 17100.00	50.58	68.20	-17.62	51.73	41.40	22.73	65.28	0.00																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11400.00	46.89	74.00	-27.11	54.84	38.00	18.50	64.45	0.00																																																																																																
2 17100.00	50.79	68.20	-17.41	51.91	41.41	22.74	65.27	0.00																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 11400.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>54.79</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td></tr><tr><td>2 17100.00</td><td>50.58</td><td>68.20</td><td>-17.62</td><td>51.73</td><td>41.40</td><td>22.73</td><td>65.28</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11400.00	46.84	74.00	-27.16	54.79	38.00	18.50	64.45	0.00	2 17100.00	50.58	68.20	-17.62	51.73	41.40	22.73	65.28	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 11400.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.84</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td></tr><tr><td>2 17100.00</td><td>50.79</td><td>68.20</td><td>-17.41</td><td>51.91</td><td>41.41</td><td>22.74</td><td>65.27</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11400.00	46.89	74.00	-27.11	54.84	38.00	18.50	64.45	0.00	2 17100.00	50.79	68.20	-17.41	51.91	41.41	22.74	65.27	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																
1 11400.00	46.84	74.00	-27.16	54.79	38.00	18.50	64.45	0.00																																																																																																
2 17100.00	50.58	68.20	-17.62	51.73	41.40	22.73	65.28	0.00																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																
1 11400.00	46.89	74.00	-27.11	54.84	38.00	18.50	64.45	0.00																																																																																																
2 17100.00	50.79	68.20	-17.41	51.91	41.41	22.74	65.27	0.00																																																																																																





Mode	35																																																																																													
	Band Edge - L																																																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>62.54</td><td>74.00</td><td>-11.46</td><td>46.28</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>124 192 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	62.54	74.00	-11.46	46.28	34.10	12.03	29.87	0.00	124 192 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>101.25</td><td>-----</td><td>-----</td><td>84.85</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>124 192 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	101.25	-----	-----	84.85	34.22	12.06	29.88	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5190.00	62.54	74.00	-11.46	46.28	34.10	12.03	29.87	0.00	124 192 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5190.00	101.25	-----	-----	84.85	34.22	12.06	29.88	0.00	124 192 PEAK																																																																																				
Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.57</td><td>49.13</td><td>54.00</td><td>-4.87</td><td>32.86</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>124 192 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.57	49.13	54.00	-4.87	32.86	34.11	12.03	29.87	0.00	124 192 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>93.45</td><td>-----</td><td>-----</td><td>77.05</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>124 192 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	93.45	-----	-----	77.05	34.22	12.06	29.88	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5148.57	49.13	54.00	-4.87	32.86	34.11	12.03	29.87	0.00	124 192 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5190.00	93.45	-----	-----	77.05	34.22	12.06	29.88	0.00	124 192 AVERAGE																																																																																				

Mode	35																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																									
ANT	0+1																																									
Pol.	Horizontal					Fundamental																																				
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5459.60</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>38.85</td><td>34.58</td><td>12.33</td><td>29.88</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5459.60	55.88	74.00	-18.12	38.85	34.58	12.33	29.88	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5459.60	55.88	74.00	-18.12	38.85	34.58	12.33	29.88																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5453.39</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>28.56</td><td>34.59</td><td>12.32</td><td>29.87</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5453.39	45.60	54.00	-8.40	28.56	34.59	12.32	29.87	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5453.39	45.60	54.00	-8.40	28.56	34.59	12.32	29.87																																			





Mode	35																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>46.06</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>303</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.89	62.32	74.00	-11.68	46.06	34.10	12.03	29.87	0.00	303	0	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>102.52</td><td>-----</td><td>-----</td><td>86.09</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>303</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	102.52	-----	-----	86.09	34.26	12.06	29.89	0.00	303	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.89	62.32	74.00	-11.68	46.06	34.10	12.03	29.87	0.00	303	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	102.52	-----	-----	86.09	34.26	12.06	29.89	0.00	303	0	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.21</td><td>50.94</td><td>54.00</td><td>-3.06</td><td>34.68</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>303</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.21	50.94	54.00	-3.06	34.68	34.10	12.03	29.87	0.00	303	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>94.70</td><td>-----</td><td>-----</td><td>78.30</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>303</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.70	-----	-----	78.30	34.22	12.06	29.88	0.00	303	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.21	50.94	54.00	-3.06	34.68	34.10	12.03	29.87	0.00	303	0	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	94.70	-----	-----	78.30	34.22	12.06	29.88	0.00	303	0	AVERAGE																																																																																							

Mode	35																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																									
ANT	0+1																																									
Pol.	Vertical					Fundamental																																				
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5443.13</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>38.87</td><td>34.60</td><td>12.31</td><td>29.85</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5443.13	55.93	74.00	-18.07	38.87	34.60	12.31	29.85	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5443.13	55.93	74.00	-18.07	38.87	34.60	12.31	29.85																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5459.33</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>28.60</td><td>34.58</td><td>12.33</td><td>29.87</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5459.33	45.64	54.00	-8.36	28.60	34.58	12.33	29.87	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5459.33	45.64	54.00	-8.36	28.60	34.58	12.33	29.87																																			



Mode	35																																																																					
	Harmonic																																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																					
ANT	0+1																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>57.02</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>51.34</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10380.00	45.50	68.20	-22.70	57.02	37.48	17.55	66.55	0.00	--	-- PEAK	2	15570.00	46.42	74.00	-27.58	51.34	40.07	21.67	66.66	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	10380.00	45.50	68.20	-22.70	57.02	37.48	17.55	66.55	0.00	--	-- PEAK																																																											
2	15570.00	46.42	74.00	-27.58	51.34	40.07	21.67	66.66	0.00	--	-- PEAK																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>45.50</td><td>68.20</td><td>-22.70</td><td>57.02</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>51.34</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10380.00	45.50	68.20	-22.70	57.02	37.48	17.55	66.55	0.00	--	-- PEAK	2	15570.00	46.42	74.00	-27.58	51.34	40.07	21.67	66.66	0.00	--	-- PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	10380.00	45.50	68.20	-22.70	57.02	37.48	17.55	66.55	0.00	--	-- PEAK																																																											
2	15570.00	46.42	74.00	-27.58	51.34	40.07	21.67	66.66	0.00	--	-- PEAK																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10380.00</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>57.03</td><td>37.48</td><td>17.55</td><td>66.55</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.56</td><td>74.00</td><td>-27.44</td><td>51.48</td><td>40.07</td><td>21.67</td><td>66.66</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10380.00	45.51	68.20	-22.69	57.03	37.48	17.55	66.55	0.00	--	-- PEAK	2	15570.00	46.56	74.00	-27.44	51.48	40.07	21.67	66.66	0.00	--	-- PEAK	
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	10380.00	45.51	68.20	-22.69	57.03	37.48	17.55	66.55	0.00	--	-- PEAK																																																											
2	15570.00	46.56	74.00	-27.44	51.48	40.07	21.67	66.66	0.00	--	-- PEAK																																																											







Mode	36																																																																																																													
	Harmonic																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																													
ANT	0+1																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10460.00</td><td>48.81</td><td>68.20</td><td>-19.39</td><td>60.18</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>2 15690.00</td><td>55.25</td><td>74.00</td><td>-18.75</td><td>59.62</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>300 307 PEAK</td></tr><tr><td>3 15690.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>50.69</td><td>40.19</td><td>21.77</td><td>66.32</td><td>0.00</td><td>300 307 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg		1 10460.00	48.81	68.20	-19.39	60.18	37.56	17.63	66.56	0.00	-- -- PEAK	2 15690.00	55.25	74.00	-18.75	59.62	40.19	21.77	66.33	0.00	300 307 PEAK	3 15690.00	46.33	54.00	-7.67	50.69	40.19	21.77	66.32	0.00	300 307 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 10460.00</td><td>59.80</td><td>68.20</td><td>-8.40</td><td>71.17</td><td>37.56</td><td>17.63</td><td>66.56</td><td>0.00</td><td>331 289 PEAK</td></tr><tr><td>2 15690.00</td><td>60.17</td><td>74.00</td><td>-13.83</td><td>64.54</td><td>40.19</td><td>21.77</td><td>66.33</td><td>0.00</td><td>300 171 PEAK</td></tr><tr><td>3 15690.00</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>53.60</td><td>40.19</td><td>21.77</td><td>66.32</td><td>0.00</td><td>300 171 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg		1 10460.00	59.80	68.20	-8.40	71.17	37.56	17.63	66.56	0.00	331 289 PEAK	2 15690.00	60.17	74.00	-13.83	64.54	40.19	21.77	66.33	0.00	300 171 PEAK	3 15690.00	49.24	54.00	-4.76	53.60	40.19	21.77	66.32	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																						
1 10460.00	48.81	68.20	-19.39	60.18	37.56	17.63	66.56	0.00	-- -- PEAK																																																																																																					
2 15690.00	55.25	74.00	-18.75	59.62	40.19	21.77	66.33	0.00	300 307 PEAK																																																																																																					
3 15690.00	46.33	54.00	-7.67	50.69	40.19	21.77	66.32	0.00	300 307 AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	cm	deg																																																																																																						
1 10460.00	59.80	68.20	-8.40	71.17	37.56	17.63	66.56	0.00	331 289 PEAK																																																																																																					
2 15690.00	60.17	74.00	-13.83	64.54	40.19	21.77	66.33	0.00	300 171 PEAK																																																																																																					
3 15690.00	49.24	54.00	-4.76	53.60	40.19	21.77	66.32	0.00	300 171 AVERAGE																																																																																																					





Mode	37																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																																																																																						
ANT	0+1																																																																																																																																																																						
Pol.	Horizontal							Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																							
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>57.43</td><td>68.20</td><td>-10.77</td><td>68.63</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>296</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>57.88</td><td>74.00</td><td>-16.12</td><td>61.51</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>346</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>52.18</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>346</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10540.00	57.43	68.20	-10.77	68.63	37.60	17.71	66.51	0.00	296	150	PEAK	2	15810.00	57.88	74.00	-16.12	61.51	40.49	21.87	65.99	0.00	300	346	PEAK	3	15810.00	48.55	54.00	-5.45	52.18	40.49	21.87	65.99	0.00	300	346	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10540.00</td><td>58.95</td><td>68.20</td><td>-9.25</td><td>70.15</td><td>37.60</td><td>17.71</td><td>66.51</td><td>0.00</td><td>252</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>61.32</td><td>74.00</td><td>-12.68</td><td>64.95</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>265</td><td>PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>50.60</td><td>54.00</td><td>-3.40</td><td>54.23</td><td>40.49</td><td>21.87</td><td>65.99</td><td>0.00</td><td>300</td><td>265</td><td>AVERAGE</td></tr></table>									Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10540.00	58.95	68.20	-9.25	70.15	37.60	17.71	66.51	0.00	252	347	PEAK	2	15810.00	61.32	74.00	-12.68	64.95	40.49	21.87	65.99	0.00	300	265	PEAK	3	15810.00	50.60	54.00	-3.40	54.23	40.49	21.87	65.99	0.00	300	265
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																												
1	10540.00	57.43	68.20	-10.77	68.63	37.60	17.71	66.51	0.00	296	150	PEAK																																																																																																																																																											
2	15810.00	57.88	74.00	-16.12	61.51	40.49	21.87	65.99	0.00	300	346	PEAK																																																																																																																																																											
3	15810.00	48.55	54.00	-5.45	52.18	40.49	21.87	65.99	0.00	300	346	AVERAGE																																																																																																																																																											
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																												
1	10540.00	58.95	68.20	-9.25	70.15	37.60	17.71	66.51	0.00	252	347	PEAK																																																																																																																																																											
2	15810.00	61.32	74.00	-12.68	64.95	40.49	21.87	65.99	0.00	300	265	PEAK																																																																																																																																																											
3	15810.00	50.60	54.00	-3.40	54.23	40.49	21.87	65.99	0.00	300	265	AVERAGE																																																																																																																																																											









Mode	38																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5134.17</td><td>57.09</td><td>74.00</td><td>-16.91</td><td>40.77</td><td>34.16</td><td>12.02</td><td>29.86</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.17	57.09	74.00	-16.91	40.77	34.16	12.02	29.86	0.00	100	321	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>100.32</td><td>-----</td><td>-----</td><td>83.62</td><td>34.40</td><td>12.18</td><td>29.88</td><td>0.00</td><td>100</td><td>321</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	100.32	-----	-----	83.62	34.40	12.18	29.88	0.00	100	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5134.17	57.09	74.00	-16.91	40.77	34.16	12.02	29.86	0.00	100	321	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	100.32	-----	-----	83.62	34.40	12.18	29.88	0.00	100	321	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5103.77</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>30.23</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.77	46.66	54.00	-7.34	30.23	34.28	12.00	29.85	0.00	100	321	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>93.48</td><td>-----</td><td>-----</td><td>76.83</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>100</td><td>321</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	93.48	-----	-----	76.83	34.40	12.16	29.91	0.00	100	321
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5103.77	46.66	54.00	-7.34	30.23	34.28	12.00	29.85	0.00	100	321	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	93.48	-----	-----	76.83	34.40	12.16	29.91	0.00	100	321	AVERAGE																																																																																							





Mode	38																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																											
ANT	0+1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.35</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>42.33</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.35	59.11	74.00	-14.89	42.33	34.41	12.21	29.84	0.00	100	321 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5352.35	59.11	74.00	-14.89	42.33	34.41	12.21	29.84	0.00	100	321 PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.55</td><td>48.59</td><td>54.00</td><td>-5.41</td><td>31.81</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.55	48.59	54.00	-5.41	31.81	34.41	12.21	29.84	0.00	100	321 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5352.55	48.59	54.00	-5.41	31.81	34.41	12.21	29.84	0.00	100	321 AVERAGE																																	








Mode	38																																																																																																
	Band Edge - L																																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.89</td><td>57.00</td><td>74.00</td><td>-17.00</td><td>40.63</td><td>34.22</td><td>12.01</td><td>29.86</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5120.89	57.00	74.00	-17.00	40.63	34.22	12.01	29.86	0.00	300	316 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>101.75</td><td>-----</td><td>-----</td><td>85.11</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.75	-----	-----	85.11	34.40	12.15	29.91	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5120.89	57.00	74.00	-17.00	40.63	34.22	12.01	29.86	0.00	300	316 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	101.75	-----	-----	85.11	34.40	12.15	29.91	0.00	300	316 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5109.85</td><td>46.74</td><td>54.00</td><td>-7.26</td><td>30.32</td><td>34.26</td><td>12.01</td><td>29.85</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5109.85	46.74	54.00	-7.26	30.32	34.26	12.01	29.85	0.00	300	316 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>94.41</td><td>-----</td><td>-----</td><td>77.76</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.41	-----	-----	77.76	34.40	12.16	29.91	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5109.85	46.74	54.00	-7.26	30.32	34.26	12.01	29.85	0.00	300	316 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5310.00	94.41	-----	-----	77.76	34.40	12.16	29.91	0.00	300	316 AVERAGE																																																																																						

Mode	38																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																					
ANT	0+1																																																					
Pol.	Vertical						Fundamental																																															
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.45</td><td>61.48</td><td>74.00</td><td>-12.52</td><td>44.71</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>316 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.45	61.48	74.00	-12.52	44.71	34.40	12.21	29.84	0.00	300	316 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.45	61.48	74.00	-12.52	44.71	34.40	12.21	29.84	0.00	300	316 PEAK																																											
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.25</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>33.99</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>300</td><td>316 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	50.76	54.00	-3.24	33.99	34.40	12.21	29.84	0.00	300	316 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.25	50.76	54.00	-3.24	33.99	34.40	12.21	29.84	0.00	300	316 AVERAGE																																											





	38																																																																																																			
Mode	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10620.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>58.04</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td></tr><tr><td>2 10620.00</td><td>37.57</td><td>54.00</td><td>-16.43</td><td>48.55</td><td>37.63</td><td>17.80</td><td>66.41</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	47.03	74.00	-26.97	58.04	37.62	17.79	66.42	0.00	2 10620.00	37.57	54.00	-16.43	48.55	37.63	17.80	66.41	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10620.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>57.22</td><td>37.62</td><td>17.79</td><td>66.42</td><td>0.00</td></tr><tr><td>2 10620.00</td><td>37.57</td><td>54.00</td><td>-16.43</td><td>48.55</td><td>37.63</td><td>17.80</td><td>66.41</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00	2 10620.00	37.57	54.00	-16.43	48.55	37.63	17.80	66.41
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 10620.00	47.03	74.00	-26.97	58.04	37.62	17.79	66.42	0.00																																																																																												
2 10620.00	37.57	54.00	-16.43	48.55	37.63	17.80	66.41	0.00																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																												
1 10620.00	46.21	74.00	-27.79	57.22	37.62	17.79	66.42	0.00																																																																																												
2 10620.00	37.57	54.00	-16.43	48.55	37.63	17.80	66.41	0.00																																																																																												




Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.81</td><td>56.93</td><td>74.00</td><td>-17.07</td><td>39.88</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5467.69</td><td>63.06</td><td>68.20</td><td>-5.14</td><td>46.05</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.81	56.93	74.00	-17.07	39.88	34.59	12.33	29.87	0.00	106	233	PEAK	2	5467.69	63.06	68.20	-5.14	46.05	34.56	12.34	29.89	0.00	106	233	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>102.41</td><td>-----</td><td>-----</td><td>85.40</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	102.41	-----	-----	85.40	34.50	12.41	29.90	0.00	106	233
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.81	56.93	74.00	-17.07	39.88	34.59	12.33	29.87	0.00	106	233	PEAK																																																																																																				
2	5467.69	63.06	68.20	-5.14	46.05	34.56	12.34	29.89	0.00	106	233	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	102.41	-----	-----	85.40	34.50	12.41	29.90	0.00	106	233	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>47.55</td><td>54.00</td><td>-6.45</td><td>30.51</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>106</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	47.55	54.00	-6.45	30.51	34.58	12.33	29.87	0.00	106	233	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.59</td><td>-----</td><td>-----</td><td>77.59</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>106</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.59	-----	-----	77.59	34.50	12.41	29.91	0.00	106	233	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.05	47.55	54.00	-6.45	30.51	34.58	12.33	29.87	0.00	106	233	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	94.59	-----	-----	77.59	34.50	12.41	29.91	0.00	106	233	AVERAGE																																																																																																				

Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C 1 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.12</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>38.99</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>106</td><td>233</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.12	56.58	68.20	-11.62	38.99	34.72	12.72	29.85	0.00	106	233	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5761.12	56.58	68.20	-11.62	38.99	34.72	12.72	29.85	0.00	106	233	PEAK																																												



Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.17</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>41.47</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>64.84</td><td>68.20</td><td>-3.36</td><td>47.83</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.17	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	300	330	PEAK	2	5469.45	64.84	68.20	-3.36	47.83	34.56	12.34	29.89	0.00	300	330	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>104.43</td><td>-----</td><td>-----</td><td>87.47</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.43	-----	-----	87.47	34.50	12.39	29.93	0.00	300	330
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.17	58.52	74.00	-15.48	41.47	34.59	12.33	29.87	0.00	300	330	PEAK																																																																																																				
2	5469.45	64.84	68.20	-3.36	47.83	34.56	12.34	29.89	0.00	300	330	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	104.43	-----	-----	87.47	34.50	12.39	29.93	0.00	300	330	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>49.36</td><td>54.00</td><td>-4.64</td><td>32.33</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>330</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	49.36	54.00	-4.64	32.33	34.58	12.33	29.88	0.00	300	330	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.88</td><td>-----</td><td>-----</td><td>79.90</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>300</td><td>330</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.88	-----	-----	79.90	34.50	12.40	29.92	0.00	300	330	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.85	49.36	54.00	-4.64	32.33	34.58	12.33	29.88	0.00	300	330	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	96.88	-----	-----	79.90	34.50	12.40	29.92	0.00	300	330	AVERAGE																																																																																																				



Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.16</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>39.13</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>300</td><td>330</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.16	56.63	68.20	-11.57	39.13	34.69	12.70	29.89	0.00	300	330	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.16	56.63	68.20	-11.57	39.13	34.69	12.70	29.89	0.00	300	330	PEAK																																												








Mode	39																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>55.40</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.48	74.00	-28.52	55.40	37.82	18.17	65.91	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>55.09</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.17	74.00	-28.83	55.09	37.82	18.17	65.91	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11020.00	45.48	74.00	-28.52	55.40	37.82	18.17	65.91	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11020.00	45.17	74.00	-28.83	55.09	37.82	18.17	65.91	0.00	--	PEAK																																																																																						



Mode	40																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																																																																																			
ANT	0+1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>55.34</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 16650.00</td><td>53.48</td><td>68.20</td><td>-14.72</td><td>54.74</td><td>41.78</td><td>22.42</td><td>65.46</td><td>0.00</td><td>300</td><td>354</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11100.00	45.88	74.00	-28.12	55.34	37.90	18.24	65.60	0.00	--	--	PEAK	2 16650.00	53.48	68.20	-14.72	54.74	41.78	22.42	65.46	0.00	300	354	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>49.86</td><td>74.00</td><td>-24.14</td><td>59.32</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>303</td><td>110</td><td>PEAK</td></tr><tr><td>2 11100.00</td><td>41.34</td><td>54.00</td><td>-12.66</td><td>50.86</td><td>37.89</td><td>18.23</td><td>65.64</td><td>0.00</td><td>303</td><td>110</td><td>AVERAGE</td></tr><tr><td>3 16650.00</td><td>57.15</td><td>68.20</td><td>-11.05</td><td>58.39</td><td>41.79</td><td>22.43</td><td>65.46</td><td>0.00</td><td>305</td><td>316</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11100.00	49.86	74.00	-24.14	59.32	37.90	18.24	65.60	0.00	303	110	PEAK	2 11100.00	41.34	54.00	-12.66	50.86	37.89	18.23	65.64	0.00	303	110	AVERAGE	3 16650.00	57.15	68.20	-11.05	58.39	41.79	22.43	65.46	0.00	305	316
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 11100.00	45.88	74.00	-28.12	55.34	37.90	18.24	65.60	0.00	--	--	PEAK																																																																																																																									
2 16650.00	53.48	68.20	-14.72	54.74	41.78	22.42	65.46	0.00	300	354	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 11100.00	49.86	74.00	-24.14	59.32	37.90	18.24	65.60	0.00	303	110	PEAK																																																																																																																									
2 11100.00	41.34	54.00	-12.66	50.86	37.89	18.23	65.64	0.00	303	110	AVERAGE																																																																																																																									
3 16650.00	57.15	68.20	-11.05	58.39	41.79	22.43	65.46	0.00	305	316	PEAK																																																																																																																									




Mode	41																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																												
ANT	0+1																																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.73</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>38.11</td><td>34.60</td><td>12.29</td><td>29.82</td><td>0.00</td><td>118</td><td>234</td><td>PEAK</td></tr><tr><td>2</td><td>5466.09</td><td>55.13</td><td>68.20</td><td>-13.07</td><td>38.11</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>118</td><td>234</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.73	55.18	74.00	-18.82	38.11	34.60	12.29	29.82	0.00	118	234	PEAK	2	5466.09	55.13	68.20	-13.07	38.11	34.57	12.34	29.89	0.00	118	234	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>105.91</td><td>-----</td><td>-----</td><td>88.61</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>118</td><td>234</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.91	-----	-----	88.61	34.60	12.59	29.89	0.00	118	234	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5426.73	55.18	74.00	-18.82	38.11	34.60	12.29	29.82	0.00	118	234	PEAK																																																																																																																	
2	5466.09	55.13	68.20	-13.07	38.11	34.57	12.34	29.89	0.00	118	234	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5670.00	105.91	-----	-----	88.61	34.60	12.59	29.89	0.00	118	234	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.41</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>28.63</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>118</td><td>234</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	45.67	54.00	-8.33	28.63	34.58	12.33	29.87	0.00	118	234	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>97.69</td><td>-----</td><td>-----</td><td>80.39</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>118</td><td>234</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.69	-----	-----	80.39	34.60	12.59	29.89	0.00	118	234	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5458.41	45.67	54.00	-8.33	28.63	34.58	12.33	29.87	0.00	118	234	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5670.00	97.69	-----	-----	80.39	34.60	12.59	29.89	0.00	118	234	AVERAGE																																																																																																																	

Mode	41																																																																										
	Band Edge - R																																																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																										
ANT	0+1																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5728.64</td><td>64.06</td><td>68.20</td><td>-4.14</td><td>46.65</td><td>34.66</td><td>12.68</td><td>29.93</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>118</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>234</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5728.64	64.06	68.20	-4.14	46.65	34.66	12.68	29.93								0.00	118									234									PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5728.64	64.06	68.20	-4.14	46.65	34.66	12.68	29.93																																																																			
							0.00	118																																																																			
								234																																																																			
								PEAK																																																																			






Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.69</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>39.68</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>55.90</td><td>68.20</td><td>-12.30</td><td>38.88</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.69	56.74	74.00	-17.26	39.68	34.60	12.32	29.86	0.00	285	311	PEAK	2	5462.57	55.90	68.20	-12.30	38.88	34.57	12.33	29.88	0.00	285	311	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.71</td><td>-----</td><td>-----</td><td>90.42</td><td>34.60</td><td>12.60</td><td>29.91</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.71	-----	-----	90.42	34.60	12.60	29.91	0.00	285	311	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5451.69	56.74	74.00	-17.26	39.68	34.60	12.32	29.86	0.00	285	311	PEAK																																																																																																					
2	5462.57	55.90	68.20	-12.30	38.88	34.57	12.33	29.88	0.00	285	311	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	107.71	-----	-----	90.42	34.60	12.60	29.91	0.00	285	311	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.25</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>28.75</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>285</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.25	45.81	54.00	-8.19	28.75	34.60	12.32	29.86	0.00	285	311	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.04</td><td>-----</td><td>-----</td><td>82.74</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>285</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.04	-----	-----	82.74	34.60	12.59	29.89	0.00	285	311	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5450.25	45.81	54.00	-8.19	28.75	34.60	12.32	29.86	0.00	285	311	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	100.04	-----	-----	82.74	34.60	12.59	29.89	0.00	285	311	AVERAGE																																																																																																					

Mode	41																																																											
	Band Edge - R																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																											
ANT	0+1																																																											
Pol.	Vertical						Fundamental																																																					
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5725.36</td><td>62.48</td><td>68.20</td><td>-5.72</td><td>45.09</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>285</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5725.36	62.48	68.20	-5.72	45.09	34.65	12.68	29.94	0.00	285	311	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																		
1 5725.36	62.48	68.20	-5.72	45.09	34.65	12.68	29.94	0.00	285	311	PEAK																																																	








Mode	41																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																																				
ANT	0+1																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>54.44</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>17010.00</td><td>50.45</td><td>68.20</td><td>-17.75</td><td>51.54</td><td>41.54</td><td>22.67</td><td>65.30</td><td>0.00</td><td>300</td><td>315 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.15	74.00	-27.85	54.44	37.94	18.45	64.68	0.00	--	PEAK	2	17010.00	50.45	68.20	-17.75	51.54	41.54	22.67	65.30	0.00	300	315 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>59.97</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>343</td><td>163 PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>50.77</td><td>37.93</td><td>18.44</td><td>64.70</td><td>0.00</td><td>343</td><td>163 AVERAGE</td></tr><tr><td>3</td><td>17010.00</td><td>52.57</td><td>68.20</td><td>-15.63</td><td>53.65</td><td>41.57</td><td>22.66</td><td>65.31</td><td>0.00</td><td>296</td><td>317 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	51.68	74.00	-22.32	59.97	37.94	18.45	64.68	0.00	343	163 PEAK	2	11340.00	42.44	54.00	-11.56	50.77	37.93	18.44	64.70	0.00	343	163 AVERAGE	3	17010.00	52.57	68.20	-15.63	53.65	41.57	22.66	65.31	0.00	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11340.00	46.15	74.00	-27.85	54.44	37.94	18.45	64.68	0.00	--	PEAK																																																																																																																										
2	17010.00	50.45	68.20	-17.75	51.54	41.54	22.67	65.30	0.00	300	315 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	11340.00	51.68	74.00	-22.32	59.97	37.94	18.45	64.68	0.00	343	163 PEAK																																																																																																																										
2	11340.00	42.44	54.00	-11.56	50.77	37.93	18.44	64.70	0.00	343	163 AVERAGE																																																																																																																										
3	17010.00	52.57	68.20	-15.63	53.65	41.57	22.66	65.31	0.00	296	317 PEAK																																																																																																																										





Mode	42																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5614.00</td><td>56.99</td><td>68.20</td><td>-11.21</td><td>39.69</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>103</td><td>234 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>53.96</td><td>69.39</td><td>-15.43</td><td>36.65</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>103</td><td>234 PEAK</td></tr><tr><td>3</td><td>5707.60</td><td>58.04</td><td>107.43</td><td>-49.39</td><td>40.75</td><td>34.62</td><td>12.65</td><td>29.98</td><td>0.00</td><td>103</td><td>234 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.07</td><td>110.90</td><td>-51.83</td><td>41.71</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>103</td><td>234 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5614.00	56.99	68.20	-11.21	39.69	34.53	12.54	29.77	0.00	103	234 PEAK	2	5651.60	53.96	69.39	-15.43	36.65	34.60	12.58	29.87	0.00	103	234 PEAK	3	5707.60	58.04	107.43	-49.39	40.75	34.62	12.65	29.98	0.00	103	234 PEAK	4	5720.00	59.07	110.90	-51.83	41.71	34.64	12.67	29.95	0.00	103	234 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.44</td><td>-----</td><td>-----</td><td>87.97</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>103</td><td>234 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	105.44	-----	-----	87.97	34.68	12.69	29.90	0.00	103
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5614.00	56.99	68.20	-11.21	39.69	34.53	12.54	29.77	0.00	103	234 PEAK																																																																																																																																				
2	5651.60	53.96	69.39	-15.43	36.65	34.60	12.58	29.87	0.00	103	234 PEAK																																																																																																																																				
3	5707.60	58.04	107.43	-49.39	40.75	34.62	12.65	29.98	0.00	103	234 PEAK																																																																																																																																				
4	5720.00	59.07	110.90	-51.83	41.71	34.64	12.67	29.95	0.00	103	234 PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	105.44	-----	-----	87.97	34.68	12.69	29.90	0.00	103	234 PEAK																																																																																																																																				
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.95</td><td>-----</td><td>-----</td><td>80.48</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>103</td><td>234 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5745.00	97.95	-----	-----	80.48	34.68	12.69	29.90	0.00	103	234 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5745.00	97.95	-----	-----	80.48	34.68	12.69	29.90	0.00	103	234 AVERAGE																																																																																																																																				



Mode	42																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.00</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>38.80</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.78</td><td>68.50</td><td>-13.72</td><td>37.47</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr><tr><td>3</td><td>5716.40</td><td>61.60</td><td>109.89</td><td>-48.29</td><td>44.26</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>64.31</td><td>112.72</td><td>-48.41</td><td>46.95</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.00	56.12	68.20	-12.08	38.80	34.59	12.58	29.85	0.00	277	310	PEAK	2	5650.40	54.78	68.50	-13.72	37.47	34.60	12.58	29.87	0.00	277	310	PEAK	3	5716.40	61.60	109.89	-48.29	44.26	34.63	12.67	29.96	0.00	277	310	PEAK	4	5720.80	64.31	112.72	-48.41	46.95	34.64	12.67	29.95	0.00	277	310	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.75</td><td>-----</td><td>-----</td><td>91.25</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>277</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.75	-----	-----	91.25	34.69	12.70	29.89	0.00	277	310	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5646.00	56.12	68.20	-12.08	38.80	34.59	12.58	29.85	0.00	277	310	PEAK																																																																																																																															
2	5650.40	54.78	68.50	-13.72	37.47	34.60	12.58	29.87	0.00	277	310	PEAK																																																																																																																															
3	5716.40	61.60	109.89	-48.29	44.26	34.63	12.67	29.96	0.00	277	310	PEAK																																																																																																																															
4	5720.80	64.31	112.72	-48.41	46.95	34.64	12.67	29.95	0.00	277	310	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	108.75	-----	-----	91.25	34.69	12.70	29.89	0.00	277	310	PEAK																																																																																																																															
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.67</td><td>-----</td><td>-----</td><td>82.20</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>277</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.67	-----	-----	82.20	34.68	12.69	29.90	0.00	277	310	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	99.67	-----	-----	82.20	34.68	12.69	29.90	0.00	277	310	AVERAGE																																																																																																																															

Mode	42																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																					
ANT	0+1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11490.00</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>62.47</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr><tr><td>2 11490.00</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>52.16</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	54.95	74.00	-19.05	62.47	38.00	18.58	64.10	0.00	2 11490.00	44.64	54.00	-9.36	52.16	38.00	18.58	64.10	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11490.00</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>61.50</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr><tr><td>2 11490.00</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>51.90</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	53.98	74.00	-20.02	61.50	38.00	18.58	64.10	0.00	2 11490.00	44.38	54.00	-9.62	51.90	38.00	18.58	64.10	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1 11490.00	54.95	74.00	-19.05	62.47	38.00	18.58	64.10	0.00																																																																																														
2 11490.00	44.64	54.00	-9.36	52.16	38.00	18.58	64.10	0.00																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1 11490.00	53.98	74.00	-20.02	61.50	38.00	18.58	64.10	0.00																																																																																														
2 11490.00	44.38	54.00	-9.62	51.90	38.00	18.58	64.10	0.00																																																																																														
<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>66 PEAK</td></tr><tr><td>2</td><td>66 AVERAGE</td></tr></tbody></table>							Remark	1	66 PEAK	2	66 AVERAGE	<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>273 PEAK</td></tr><tr><td>2</td><td>273 AVERAGE</td></tr></tbody></table>							Remark	1	273 PEAK	2	273 AVERAGE																																																																															
	Remark																																																																																																					
1	66 PEAK																																																																																																					
2	66 AVERAGE																																																																																																					
	Remark																																																																																																					
1	273 PEAK																																																																																																					
2	273 AVERAGE																																																																																																					

Mode	43																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																	
ANT	0+1																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>55.21</td><td>74.00</td><td>-18.79</td><td>62.59</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>305</td><td>68 PEAK</td></tr><tr><td>2 11570.00</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>51.92</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>305</td><td>68 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	55.21	74.00	-18.79	62.59	38.07	18.65	64.10	0.00	305	68 PEAK	2 11570.00	44.54	54.00	-9.46	51.92	38.07	18.65	64.10	0.00	305	68 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11570.00	55.21	74.00	-18.79	62.59	38.07	18.65	64.10	0.00	305	68 PEAK																																																								
2 11570.00	44.54	54.00	-9.46	51.92	38.07	18.65	64.10	0.00	305	68 AVERAGE																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>64.69</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>375</td><td>267 PEAK</td></tr><tr><td>2 11570.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>53.02</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>375</td><td>267 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	57.31	74.00	-16.69	64.69	38.07	18.65	64.10	0.00	375	267 PEAK	2 11570.00	45.64	54.00	-8.36	53.02	38.07	18.65	64.10	0.00	375	267 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11570.00	57.31	74.00	-16.69	64.69	38.07	18.65	64.10	0.00	375	267 PEAK																																																								
2 11570.00	45.64	54.00	-8.36	53.02	38.07	18.65	64.10	0.00	375	267 AVERAGE																																																								