












Mode	44																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																			
ANT	0+1																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>61.45</td><td>113.18</td><td>-51.73</td><td>43.58</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>103</td><td>313 PEAK</td></tr><tr><td>2 5872.40</td><td>58.48</td><td>106.03</td><td>-47.55</td><td>40.50</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>103</td><td>313 PEAK</td></tr><tr><td>3 5922.00</td><td>56.30</td><td>70.42</td><td>-14.12</td><td>38.07</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>103</td><td>313 PEAK</td></tr><tr><td>4 5940.00</td><td>57.67</td><td>68.20</td><td>-10.53</td><td>39.40</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>103</td><td>313 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	61.45	113.18	-51.73	43.58	34.82	12.86	29.81	0.00	103	313 PEAK	2 5872.40	58.48	106.03	-47.55	40.50	34.93	12.89	29.84	0.00	103	313 PEAK	3 5922.00	56.30	70.42	-14.12	38.07	35.10	12.98	29.85	0.00	103	313 PEAK	4 5940.00	57.67	68.20	-10.53	39.40	35.10	13.01	29.84	0.00	103	313 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.41</td><td>-----</td><td>-----</td><td>90.58</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>103</td><td>313 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.41	-----	-----	90.58	34.80	12.82	29.79	0.00	103	313 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.00	61.45	113.18	-51.73	43.58	34.82	12.86	29.81	0.00	103	313 PEAK																																																																																																																										
2 5872.40	58.48	106.03	-47.55	40.50	34.93	12.89	29.84	0.00	103	313 PEAK																																																																																																																										
3 5922.00	56.30	70.42	-14.12	38.07	35.10	12.98	29.85	0.00	103	313 PEAK																																																																																																																										
4 5940.00	57.67	68.20	-10.53	39.40	35.10	13.01	29.84	0.00	103	313 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	108.41	-----	-----	90.58	34.80	12.82	29.79	0.00	103	313 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.17</td><td>-----</td><td>-----</td><td>82.34</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>103</td><td>313 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.17	-----	-----	82.34	34.80	12.82	29.79	0.00	103	313 AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	100.17	-----	-----	82.34	34.80	12.82	29.79	0.00	103	313 AVERAGE																																																																																																																										






Mode	44																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>63.58</td><td>114.09</td><td>-50.51</td><td>45.71</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5862.80</td><td>65.32</td><td>108.71</td><td>-43.39</td><td>47.39</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>56.10</td><td>69.23</td><td>-13.13</td><td>37.87</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr><tr><td>4</td><td>5946.80</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>38.76</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	63.58	114.09	-50.51	45.71	34.82	12.86	29.81	0.00	231	333	PEAK	2	5862.80	65.32	108.71	-43.39	47.39	34.88	12.88	29.83	0.00	231	333	PEAK	3	5923.60	56.10	69.23	-13.13	37.87	35.10	12.98	29.85	0.00	231	333	PEAK	4	5946.80	57.05	68.20	-11.15	38.76	35.10	13.02	29.83	0.00	231	333	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.70</td><td>-----</td><td>-----</td><td>91.87</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>231</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.70	-----	-----	91.87	34.80	12.82	29.79	0.00	231	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5853.60	63.58	114.09	-50.51	45.71	34.82	12.86	29.81	0.00	231	333	PEAK																																																																																																																														
2	5862.80	65.32	108.71	-43.39	47.39	34.88	12.88	29.83	0.00	231	333	PEAK																																																																																																																														
3	5923.60	56.10	69.23	-13.13	37.87	35.10	12.98	29.85	0.00	231	333	PEAK																																																																																																																														
4	5946.80	57.05	68.20	-11.15	38.76	35.10	13.02	29.83	0.00	231	333	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.70	-----	-----	91.87	34.80	12.82	29.79	0.00	231	333	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.87</td><td>-----</td><td>-----</td><td>84.04</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>231</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.87	-----	-----	84.04	34.80	12.82	29.79	0.00	231	333	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.87	-----	-----	84.04	34.80	12.82	29.79	0.00	231	333	AVERAGE																																																																																																																														



Mode	44																																																																
	Harmonic																																																																
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																
ANT	0+1																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>63.74</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>311</td><td>67 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.24</td><td>54.00</td><td>-8.76</td><td>52.46</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>311</td><td>67 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	56.52	74.00	-17.48	63.74	38.20	18.72	64.14	0.00	311	67 PEAK	2	11650.00	45.24	54.00	-8.76	52.46	38.20	18.72	64.14	0.00	311	67 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11650.00	56.52	74.00	-17.48	63.74	38.20	18.72	64.14	0.00	311	67 PEAK																																																						
2	11650.00	45.24	54.00	-8.76	52.46	38.20	18.72	64.14	0.00	311	67 AVERAGE																																																						
																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>58.87</td><td>74.00</td><td>-15.13</td><td>66.09</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>259</td><td>272 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.83</td><td>54.00</td><td>-6.17</td><td>55.05</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>259</td><td>272 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	58.87	74.00	-15.13	66.09	38.20	18.72	64.14	0.00	259	272 PEAK	2	11650.00	47.83	54.00	-6.17	55.05	38.20	18.72	64.14	0.00	259	272 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	11650.00	58.87	74.00	-15.13	66.09	38.20	18.72	64.14	0.00	259	272 PEAK																																																						
2	11650.00	47.83	54.00	-6.17	55.05	38.20	18.72	64.14	0.00	259	272 AVERAGE																																																						





Mode	45																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Three peaks are marked with vertical lines and numbered 1, 2, and 3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5604.40</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>40.20</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.25</td><td>69.09</td><td>-14.84</td><td>36.94</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>57.18</td><td>105.97</td><td>-48.79</td><td>39.92</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.93</td><td>110.90</td><td>-49.97</td><td>43.57</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5604.40	57.50	68.20	-10.70	40.20	34.51	12.53	29.74	0.00	100	237	PEAK	2	5651.20	54.25	69.09	-14.84	36.94	34.60	12.58	29.87	0.00	100	237	PEAK	3	5702.40	57.18	105.97	-48.79	39.92	34.60	12.65	29.99	0.00	100	237	PEAK	4	5720.00	60.93	110.90	-49.97	43.57	34.64	12.67	29.95	0.00	100	237	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.43</td><td>-----</td><td>-----</td><td>88.93</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.43	-----	-----	88.93	34.69	12.70	29.89	0.00	100	237	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5604.40	57.50	68.20	-10.70	40.20	34.51	12.53	29.74	0.00	100	237	PEAK																																																																																																																															
2	5651.20	54.25	69.09	-14.84	36.94	34.60	12.58	29.87	0.00	100	237	PEAK																																																																																																																															
3	5702.40	57.18	105.97	-48.79	39.92	34.60	12.65	29.99	0.00	100	237	PEAK																																																																																																																															
4	5720.00	60.93	110.90	-49.97	43.57	34.64	12.67	29.95	0.00	100	237	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.43	-----	-----	88.93	34.69	12.70	29.89	0.00	100	237	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is visible at 5745 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.43</td><td>-----</td><td>-----</td><td>88.93</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.43	-----	-----	88.93	34.69	12.70	29.89	0.00	100	237	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	98.43	-----	-----	88.93	34.69	12.70	29.89	0.00	100	237	AVERAGE																																																																																																																															






Mode	45																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																							
ANT	0+1																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>56.57</td><td>68.20</td><td>-11.63</td><td>39.26</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>278</td><td>254</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.37</td><td>68.80</td><td>-14.43</td><td>37.06</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>278</td><td>254</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>66.58</td><td>110.68</td><td>-44.10</td><td>49.22</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>278</td><td>254</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>71.44</td><td>112.72</td><td>-41.28</td><td>54.08</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>278</td><td>254</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5630.00	56.57	68.20	-11.63	39.26	34.56	12.56	29.81	0.00	278	254	PEAK	2	5650.00	54.37	68.80	-14.43	37.06	34.60	12.58	29.87	0.00	278	254	PEAK	3	5719.20	66.58	110.68	-44.10	49.22	34.64	12.67	29.95	0.00	278	254	PEAK	4	5720.00	71.44	112.72	-41.28	54.08	34.64	12.67	29.95	0.00	278	254	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.20</td><td>-----</td><td>-----</td><td>92.73</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>278</td><td>254</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	110.20	-----	-----	92.73	34.68	12.69	29.90	0.00	278	254
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5630.00	56.57	68.20	-11.63	39.26	34.56	12.56	29.81	0.00	278	254	PEAK																																																																																																												
2	5650.00	54.37	68.80	-14.43	37.06	34.60	12.58	29.87	0.00	278	254	PEAK																																																																																																												
3	5719.20	66.58	110.68	-44.10	49.22	34.64	12.67	29.95	0.00	278	254	PEAK																																																																																																												
4	5720.00	71.44	112.72	-41.28	54.08	34.64	12.67	29.95	0.00	278	254	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5745.00	110.20	-----	-----	92.73	34.68	12.69	29.90	0.00	278	254	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.14</td><td>-----</td><td>-----</td><td>83.67</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>278</td><td>254</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	101.14	-----	-----	83.67	34.68	12.69	29.90	0.00	278	254	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5745.00	101.14	-----	-----	83.67	34.68	12.69	29.90	0.00	278	254	AVERAGE																																																																																																												




Mode	45																																																																																																																																														
	Harmonic																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Horizontal								Vertical																																																																																																																																						
Peak Avg																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>60.97</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>376</td><td>65 PEAK</td></tr><tr><td>2 11490.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>52.35</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>376</td><td>65 AVERAGE</td></tr><tr><td>3 17235.00</td><td>51.60</td><td>68.20</td><td>-16.60</td><td>52.59</td><td>41.39</td><td>22.85</td><td>65.23</td><td>0.00</td><td>300</td><td>200 PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	53.45	74.00	-20.55	60.97	38.00	18.58	64.10	0.00	376	65 PEAK	2 11490.00	44.83	54.00	-9.17	52.35	38.00	18.58	64.10	0.00	376	65 AVERAGE	3 17235.00	51.60	68.20	-16.60	52.59	41.39	22.85	65.23	0.00	300	200 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>61.22</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>372</td><td>265 PEAK</td></tr><tr><td>2 11490.00</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>52.83</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>372</td><td>265 AVERAGE</td></tr><tr><td>3 17235.00</td><td>53.41</td><td>68.20</td><td>-14.79</td><td>54.40</td><td>41.39</td><td>22.85</td><td>65.23</td><td>0.00</td><td>300</td><td>329 PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	53.70	74.00	-20.30	61.22	38.00	18.58	64.10	0.00	372	265 PEAK	2 11490.00	45.31	54.00	-8.69	52.83	38.00	18.58	64.10	0.00	372	265 AVERAGE	3 17235.00	53.41	68.20	-14.79	54.40	41.39	22.85	65.23	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11490.00	53.45	74.00	-20.55	60.97	38.00	18.58	64.10	0.00	376	65 PEAK																																																																																																																																					
2 11490.00	44.83	54.00	-9.17	52.35	38.00	18.58	64.10	0.00	376	65 AVERAGE																																																																																																																																					
3 17235.00	51.60	68.20	-16.60	52.59	41.39	22.85	65.23	0.00	300	200 PEAK																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1 11490.00	53.70	74.00	-20.30	61.22	38.00	18.58	64.10	0.00	372	265 PEAK																																																																																																																																					
2 11490.00	45.31	54.00	-8.69	52.83	38.00	18.58	64.10	0.00	372	265 AVERAGE																																																																																																																																					
3 17235.00	53.41	68.20	-14.79	54.40	41.39	22.85	65.23	0.00	300	329 PEAK																																																																																																																																					


Mode	46																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_5785MHz																																																																																																							
ANT	0+1																																																																																																							
Pol.	Horizontal							Vertical																																																																																																
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11570.00</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>60.97</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr><tr><td>2 11570.00</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>52.26</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	53.59	74.00	-20.41	60.97	38.07	18.65	64.10	0.00	2 11570.00	44.88	54.00	-9.12	52.26	38.07	18.65	64.10	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11570.00</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>63.56</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr><tr><td>2 11570.00</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>53.32</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11570.00	56.18	74.00	-17.82	63.56	38.07	18.65	64.10	0.00	2 11570.00	45.94	54.00	-8.06	53.32	38.07	18.65	64.10	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11570.00	53.59	74.00	-20.41	60.97	38.07	18.65	64.10	0.00																																																																																																
2 11570.00	44.88	54.00	-9.12	52.26	38.07	18.65	64.10	0.00																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																
1 11570.00	56.18	74.00	-17.82	63.56	38.07	18.65	64.10	0.00																																																																																																
2 11570.00	45.94	54.00	-8.06	53.32	38.07	18.65	64.10	0.00																																																																																																
<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>67 PEAK</td></tr><tr><td>2</td><td>67 AVERAGE</td></tr></tbody></table>								Remark	1	67 PEAK	2	67 AVERAGE	<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>277 PEAK</td></tr><tr><td>2</td><td>277 AVERAGE</td></tr></tbody></table>								Remark	1	277 PEAK	2	277 AVERAGE																																																																															
	Remark																																																																																																							
1	67 PEAK																																																																																																							
2	67 AVERAGE																																																																																																							
	Remark																																																																																																							
1	277 PEAK																																																																																																							
2	277 AVERAGE																																																																																																							






Mode	47																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue test signal. Peaks are labeled 1, 2, 3, and 4. The test signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>64.85</td><td>114.09</td><td>-49.24</td><td>46.98</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>104</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>61.42</td><td>108.60</td><td>-47.18</td><td>43.49</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>104</td><td>313</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.74</td><td>69.53</td><td>-13.79</td><td>37.51</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>104</td><td>313</td><td>PEAK</td></tr><tr><td>4</td><td>5927.60</td><td>57.76</td><td>68.20</td><td>-10.44</td><td>39.52</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>104</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	64.85	114.09	-49.24	46.98	34.82	12.86	29.81	0.00	104	313	PEAK	2	5863.20	61.42	108.60	-47.18	43.49	34.88	12.88	29.83	0.00	104	313	PEAK	3	5923.20	55.74	69.53	-13.79	37.51	35.10	12.98	29.85	0.00	104	313	PEAK	4	5927.60	57.76	68.20	-10.44	39.52	35.10	12.99	29.85	0.00	104	313	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A peak is labeled 1. The test signal is labeled U-NII-3. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.27</td><td>-----</td><td>-----</td><td>89.44</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>104</td><td>313</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.27	-----	-----	89.44	34.80	12.81	29.78	0.00	104	313	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.60	64.85	114.09	-49.24	46.98	34.82	12.86	29.81	0.00	104	313	PEAK																																																																																																																															
2	5863.20	61.42	108.60	-47.18	43.49	34.88	12.88	29.83	0.00	104	313	PEAK																																																																																																																															
3	5923.20	55.74	69.53	-13.79	37.51	35.10	12.98	29.85	0.00	104	313	PEAK																																																																																																																															
4	5927.60	57.76	68.20	-10.44	39.52	35.10	12.99	29.85	0.00	104	313	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	107.27	-----	-----	89.44	34.80	12.81	29.78	0.00	104	313	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue test signal. A peak is labeled 1. The test signal is labeled U-NII-3(AVG). <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.21</td><td>-----</td><td>-----</td><td>82.38</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>104</td><td>313</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.21	-----	-----	82.38	34.80	12.82	29.79	0.00	104	313	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	100.21	-----	-----	82.38	34.80	12.82	29.79	0.00	104	313	AVERAGE																																																																																																																															




Mode	47																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>67.44</td><td>115.00</td><td>-47.56</td><td>49.57</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>63.23</td><td>110.28</td><td>-47.05</td><td>45.34</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.16</td><td>69.23</td><td>-14.07</td><td>36.93</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr><tr><td>4</td><td>5944.80</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>38.84</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	67.44	115.00	-47.56	49.57	34.82	12.86	29.81	0.00	244	335	PEAK	2	5857.20	63.23	110.28	-47.05	45.34	34.84	12.87	29.82	0.00	244	335	PEAK	3	5923.60	55.16	69.23	-14.07	36.93	35.10	12.98	29.85	0.00	244	335	PEAK	4	5944.80	57.13	68.20	-11.07	38.84	35.10	13.02	29.83	0.00	244	335	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.54</td><td>-----</td><td>-----</td><td>91.71</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>244</td><td>335</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.54	-----	-----	91.71	34.80	12.81	29.78	0.00	244	335	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.20	67.44	115.00	-47.56	49.57	34.82	12.86	29.81	0.00	244	335	PEAK																																																																																																																															
2	5857.20	63.23	110.28	-47.05	45.34	34.84	12.87	29.82	0.00	244	335	PEAK																																																																																																																															
3	5923.60	55.16	69.23	-14.07	36.93	35.10	12.98	29.85	0.00	244	335	PEAK																																																																																																																															
4	5944.80	57.13	68.20	-11.07	38.84	35.10	13.02	29.83	0.00	244	335	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	109.54	-----	-----	91.71	34.80	12.81	29.78	0.00	244	335	PEAK																																																																																																																															
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.44</td><td>-----</td><td>-----</td><td>83.61</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>244</td><td>335</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.44	-----	-----	83.61	34.80	12.81	29.78	0.00	244	335	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.44	-----	-----	83.61	34.80	12.81	29.78	0.00	244	335	AVERAGE																																																																																																																															




		47																																																																						
Mode		Harmonic																																																																						
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz																																																																						
ANT		0+1																																																																						
Pol.		Horizontal																																																																						
Peak Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11650.00</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>61.86</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>312</td><td>68</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>52.25</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>312</td><td>68</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	54.64	74.00	-19.36	61.86	38.20	18.72	64.14	0.00	312	68	PEAK	2 11650.00	45.03	54.00	-8.97	52.25	38.20	18.72	64.14	0.00	312	68	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1 11650.00	54.64	74.00	-19.36	61.86	38.20	18.72	64.14	0.00	312	68	PEAK																																																													
2 11650.00	45.03	54.00	-8.97	52.25	38.20	18.72	64.14	0.00	312	68	AVERAGE																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11650.00</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>64.50</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>397</td><td>279</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>54.29</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>397</td><td>279</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	57.28	74.00	-16.72	64.50	38.20	18.72	64.14	0.00	397	279	PEAK	2 11650.00	47.07	54.00	-6.93	54.29	38.20	18.72	64.14	0.00	397	279	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1 11650.00	57.28	74.00	-16.72	64.50	38.20	18.72	64.14	0.00	397	279	PEAK																																																													
2 11650.00	47.07	54.00	-6.93	54.29	38.20	18.72	64.14	0.00	397	279	AVERAGE																																																													
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11650.00</td><td>57.28</td><td>74.00</td><td>-16.72</td><td>64.50</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>397</td><td>279</td><td>PEAK</td></tr><tr><td>2 11650.00</td><td>47.07</td><td>54.00</td><td>-6.93</td><td>54.29</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>397</td><td>279</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	57.28	74.00	-16.72	64.50	38.20	18.72	64.14	0.00	397	279	PEAK	2 11650.00	47.07	54.00	-6.93	54.29	38.20	18.72	64.14	0.00	397	279	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1 11650.00	57.28	74.00	-16.72	64.50	38.20	18.72	64.14	0.00	397	279	PEAK																																																													
2 11650.00	47.07	54.00	-6.93	54.29	38.20	18.72	64.14	0.00	397	279	AVERAGE																																																													






Mode	48																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5601.17</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>38.89</td><td>34.50</td><td>12.52</td><td>29.73</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5650.15</td><td>56.12</td><td>68.31</td><td>-12.19</td><td>38.81</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5712.46</td><td>69.65</td><td>108.79</td><td>-39.14</td><td>52.34</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5720.67</td><td>63.62</td><td>112.43</td><td>-48.81</td><td>46.26</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5601.17	56.18	68.20	-12.02	38.89	34.50	12.52	29.73	0.00	100	243	PEAK	2	5650.15	56.12	68.31	-12.19	38.81	34.60	12.58	29.87	0.00	100	243	PEAK	3	5712.46	69.65	108.79	-39.14	52.34	34.62	12.66	29.97	0.00	100	243	PEAK	4	5720.67	63.62	112.43	-48.81	46.26	34.64	12.67	29.95	0.00	100	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.85</td><td>-----</td><td>-----</td><td>84.32</td><td>34.70</td><td>12.71</td><td>29.88</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.85	-----	-----	84.32	34.70	12.71	29.88	0.00	100	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5601.17	56.18	68.20	-12.02	38.89	34.50	12.52	29.73	0.00	100	243	PEAK																																																																																																																														
2	5650.15	56.12	68.31	-12.19	38.81	34.60	12.58	29.87	0.00	100	243	PEAK																																																																																																																														
3	5712.46	69.65	108.79	-39.14	52.34	34.62	12.66	29.97	0.00	100	243	PEAK																																																																																																																														
4	5720.67	63.62	112.43	-48.81	46.26	34.64	12.67	29.95	0.00	100	243	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	101.85	-----	-----	84.32	34.70	12.71	29.88	0.00	100	243	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.29</td><td>-----</td><td>-----</td><td>76.70</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.29	-----	-----	76.70	34.72	12.72	29.85	0.00	100	243	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	94.29	-----	-----	76.70	34.72	12.72	29.85	0.00	100	243	AVERAGE																																																																																																																														

Mode	48																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.27</td><td>110.91</td><td>-57.64</td><td>35.40</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>57.01</td><td>105.56</td><td>-48.55</td><td>39.01</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5923.97</td><td>55.43</td><td>68.96</td><td>-13.53</td><td>37.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5949.13</td><td>56.92</td><td>68.20</td><td>-11.28</td><td>38.63</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	53.27	110.91	-57.64	35.40	34.83	12.86	29.82	0.00	100	243	PEAK	2	5874.05	57.01	105.56	-48.55	39.01	34.94	12.90	29.84	0.00	100	243	PEAK	3	5923.97	55.43	68.96	-13.53	37.20	35.10	12.98	29.85	0.00	100	243	PEAK	4	5949.13	56.92	68.20	-11.28	38.63	35.10	13.02	29.83	0.00	100	243	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5855.00	53.27	110.91	-57.64	35.40	34.83	12.86	29.82	0.00	100	243	PEAK																																																																																				
2	5874.05	57.01	105.56	-48.55	39.01	34.94	12.90	29.84	0.00	100	243	PEAK																																																																																				
3	5923.97	55.43	68.96	-13.53	37.20	35.10	12.98	29.85	0.00	100	243	PEAK																																																																																				
4	5949.13	56.92	68.20	-11.28	38.63	35.10	13.02	29.83	0.00	100	243	PEAK																																																																																				







Mode	48																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.44</td><td>57.59</td><td>68.20</td><td>-10.61</td><td>40.27</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5650.15</td><td>54.27</td><td>68.31</td><td>-14.04</td><td>36.96</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5719.90</td><td>75.15</td><td>110.87</td><td>-35.72</td><td>57.79</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.64</td><td>110.90</td><td>-40.26</td><td>53.28</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.44	57.59	68.20	-10.61	40.27	34.60	12.58	29.86	0.00	272	242	PEAK	2	5650.15	54.27	68.31	-14.04	36.96	34.60	12.58	29.87	0.00	272	242	PEAK	3	5719.90	75.15	110.87	-35.72	57.79	34.64	12.67	29.95	0.00	272	242	PEAK	4	5720.00	70.64	110.90	-40.26	53.28	34.64	12.67	29.95	0.00	272	242	PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.01</td><td>-----</td><td>-----</td><td>89.45</td><td>34.71</td><td>12.71</td><td>29.86</td><td>0.00</td><td>272</td><td>242</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.01	-----	-----	89.45	34.71	12.71	29.86	0.00	272	242	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5648.44	57.59	68.20	-10.61	40.27	34.60	12.58	29.86	0.00	272	242	PEAK																																																																																																																															
2	5650.15	54.27	68.31	-14.04	36.96	34.60	12.58	29.87	0.00	272	242	PEAK																																																																																																																															
3	5719.90	75.15	110.87	-35.72	57.79	34.64	12.67	29.95	0.00	272	242	PEAK																																																																																																																															
4	5720.00	70.64	110.90	-40.26	53.28	34.64	12.67	29.95	0.00	272	242	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	107.01	-----	-----	89.45	34.71	12.71	29.86	0.00	272	242	PEAK																																																																																																																															
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.06</td><td>-----</td><td>-----</td><td>81.53</td><td>34.70</td><td>12.71</td><td>29.88</td><td>0.00</td><td>272</td><td>242</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.06	-----	-----	81.53	34.70	12.71	29.88	0.00	272	242	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	99.06	-----	-----	81.53	34.70	12.71	29.88	0.00	272	242	AVERAGE																																																																																																																															

Mode	48																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																							
ANT	0+1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.55</td><td>55.22</td><td>111.92</td><td>-56.70</td><td>37.35</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>272 242 PEAK</td></tr><tr><td>2 5872.49</td><td>55.86</td><td>106.00</td><td>-50.14</td><td>37.88</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>272 242 PEAK</td></tr><tr><td>3 5924.36</td><td>54.39</td><td>68.67</td><td>-14.28</td><td>36.16</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>272 242 PEAK</td></tr><tr><td>4 5927.29</td><td>57.06</td><td>68.20</td><td>-11.14</td><td>38.82</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>272 242 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.55	55.22	111.92	-56.70	37.35	34.83	12.86	29.82	0.00	272 242 PEAK	2 5872.49	55.86	106.00	-50.14	37.88	34.93	12.89	29.84	0.00	272 242 PEAK	3 5924.36	54.39	68.67	-14.28	36.16	35.10	12.98	29.85	0.00	272 242 PEAK	4 5927.29	57.06	68.20	-11.14	38.82	35.10	12.99	29.85	0.00	272 242 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.55	55.22	111.92	-56.70	37.35	34.83	12.86	29.82	0.00	272 242 PEAK																																																															
2 5872.49	55.86	106.00	-50.14	37.88	34.93	12.89	29.84	0.00	272 242 PEAK																																																															
3 5924.36	54.39	68.67	-14.28	36.16	35.10	12.98	29.85	0.00	272 242 PEAK																																																															
4 5927.29	57.06	68.20	-11.14	38.82	35.10	12.99	29.85	0.00	272 242 PEAK																																																															




Mode	48																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_5755MHz																																																																																																																				
ANT	0+1																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>58.55</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>371</td><td>65</td><td>PEAK</td></tr><tr><td>2 11510.00</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>49.86</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>371</td><td>65</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11510.00	51.09	74.00	-22.91	58.55	38.01	18.60	64.07	0.00	371	65	PEAK	2 11510.00	42.39	54.00	-11.61	49.86	38.00	18.59	64.06	0.00	371	65	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11510.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>54.73</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2 11510.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>45.70</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	47.27	74.00	-26.73	54.73	38.01	18.60	64.07	0.00	100	0	PEAK	2 11510.00	38.22	54.00	-15.78	45.70	38.00	18.59	64.07	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1 11510.00	51.09	74.00	-22.91	58.55	38.01	18.60	64.07	0.00	371	65	PEAK																																																																																																										
2 11510.00	42.39	54.00	-11.61	49.86	38.00	18.59	64.06	0.00	371	65	AVERAGE																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1 11510.00	47.27	74.00	-26.73	54.73	38.01	18.60	64.07	0.00	100	0	PEAK																																																																																																										
2 11510.00	38.22	54.00	-15.78	45.70	38.00	18.59	64.07	0.00	100	0	AVERAGE																																																																																																										






Mode	49																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																				
ANT	0+1																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5624.00</td><td>56.47</td><td>68.20</td><td>-11.73</td><td>39.16</td><td>34.55</td><td>12.55</td><td>29.79</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2 5650.40</td><td>53.23</td><td>68.50</td><td>-15.27</td><td>35.92</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3 5700.80</td><td>54.64</td><td>105.52</td><td>-50.88</td><td>37.39</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>53.26</td><td>110.90</td><td>-57.64</td><td>35.90</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5624.00	56.47	68.20	-11.73	39.16	34.55	12.55	29.79	0.00	100	235	PEAK	2 5650.40	53.23	68.50	-15.27	35.92	34.60	12.58	29.87	0.00	100	235	PEAK	3 5700.80	54.64	105.52	-50.88	37.39	34.60	12.65	30.00	0.00	100	235	PEAK	4 5720.00	53.26	110.90	-57.64	35.90	34.64	12.67	29.95	0.00	100	235	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5795.00</td><td>104.21</td><td>-----</td><td>-----</td><td>86.50</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	104.21	-----	-----	86.50	34.76	12.75	29.80	0.00	100	235	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5624.00	56.47	68.20	-11.73	39.16	34.55	12.55	29.79	0.00	100	235	PEAK																																																																																																																										
2 5650.40	53.23	68.50	-15.27	35.92	34.60	12.58	29.87	0.00	100	235	PEAK																																																																																																																										
3 5700.80	54.64	105.52	-50.88	37.39	34.60	12.65	30.00	0.00	100	235	PEAK																																																																																																																										
4 5720.00	53.26	110.90	-57.64	35.90	34.64	12.67	29.95	0.00	100	235	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	104.21	-----	-----	86.50	34.76	12.75	29.80	0.00	100	235	PEAK																																																																																																																										
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5795.00</td><td>94.38</td><td>-----</td><td>-----</td><td>76.62</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	94.38	-----	-----	76.62	34.78	12.76	29.78	0.00	100	235	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5795.00	94.38	-----	-----	76.62	34.78	12.76	29.78	0.00	100	235	AVERAGE																																																																																																																										

Mode	49																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																							
ANT	0+1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>56.46</td><td>112.27</td><td>-55.81</td><td>38.59</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100 235 PEAK</td></tr><tr><td>2 5874.80</td><td>54.47</td><td>105.36</td><td>-50.89</td><td>36.46</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100 235 PEAK</td></tr><tr><td>3 5924.40</td><td>54.28</td><td>68.64</td><td>-14.36</td><td>36.05</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100 235 PEAK</td></tr><tr><td>4 5939.20</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>38.31</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100 235 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.40	56.46	112.27	-55.81	38.59	34.83	12.86	29.82	0.00	100 235 PEAK	2 5874.80	54.47	105.36	-50.89	36.46	34.95	12.90	29.84	0.00	100 235 PEAK	3 5924.40	54.28	68.64	-14.36	36.05	35.10	12.98	29.85	0.00	100 235 PEAK	4 5939.20	56.58	68.20	-11.62	38.31	35.10	13.01	29.84	0.00	100 235 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.40	56.46	112.27	-55.81	38.59	34.83	12.86	29.82	0.00	100 235 PEAK																																																															
2 5874.80	54.47	105.36	-50.89	36.46	34.95	12.90	29.84	0.00	100 235 PEAK																																																															
3 5924.40	54.28	68.64	-14.36	36.05	35.10	12.98	29.85	0.00	100 235 PEAK																																																															
4 5939.20	56.58	68.20	-11.62	38.31	35.10	13.01	29.84	0.00	100 235 PEAK																																																															





Mode	49																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue signal line with peaks at 5649.60, 5650.00, 5701.60, and 5720.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.60</td><td>55.94</td><td>68.20</td><td>-12.26</td><td>38.62</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.47</td><td>68.20</td><td>-12.73</td><td>38.15</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>55.16</td><td>105.75</td><td>-50.59</td><td>37.91</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.62</td><td>112.72</td><td>-58.10</td><td>37.26</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5649.60	55.94	68.20	-12.26	38.62	34.60	12.58	29.86	0.00	245	311	PEAK	2	5650.00	55.47	68.20	-12.73	38.15	34.60	12.58	29.86	0.00	245	311	PEAK	3	5701.60	55.16	105.75	-50.59	37.91	34.60	12.65	30.00	0.00	245	311	PEAK	4	5720.00	54.62	112.72	-58.10	37.26	34.64	12.67	29.95	0.00	245	311	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5795.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.99</td><td>-----</td><td>-----</td><td>89.23</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>245</td><td>311</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.99	-----	-----	89.23	34.78	12.76	29.78	0.00	245	311	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5649.60	55.94	68.20	-12.26	38.62	34.60	12.58	29.86	0.00	245	311	PEAK																																																																																																																															
2	5650.00	55.47	68.20	-12.73	38.15	34.60	12.58	29.86	0.00	245	311	PEAK																																																																																																																															
3	5701.60	55.16	105.75	-50.59	37.91	34.60	12.65	30.00	0.00	245	311	PEAK																																																																																																																															
4	5720.00	54.62	112.72	-58.10	37.26	34.64	12.67	29.95	0.00	245	311	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	106.99	-----	-----	89.23	34.78	12.76	29.78	0.00	245	311	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line with a peak at 5795.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.71</td><td>-----</td><td>-----</td><td>80.95</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>245</td><td>311</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	98.71	-----	-----	80.95	34.78	12.76	29.78	0.00	245	311	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	98.71	-----	-----	80.95	34.78	12.76	29.78	0.00	245	311	AVERAGE																																																																																																																															





Mode	49																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																							
ANT	0+1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5854.40</td><td>61.16</td><td>112.27</td><td>-51.11</td><td>43.29</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>245 311 PEAK</td></tr><tr><td>2 5874.00</td><td>61.95</td><td>105.58</td><td>-43.63</td><td>43.95</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>245 311 PEAK</td></tr><tr><td>3 5923.60</td><td>56.38</td><td>69.23</td><td>-12.85</td><td>38.15</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>245 311 PEAK</td></tr><tr><td>4 5964.00</td><td>57.52</td><td>68.20</td><td>-10.68</td><td>39.19</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>245 311 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5854.40	61.16	112.27	-51.11	43.29	34.83	12.86	29.82	0.00	245 311 PEAK	2 5874.00	61.95	105.58	-43.63	43.95	34.94	12.90	29.84	0.00	245 311 PEAK	3 5923.60	56.38	69.23	-12.85	38.15	35.10	12.98	29.85	0.00	245 311 PEAK	4 5964.00	57.52	68.20	-10.68	39.19	35.10	13.05	29.82	0.00	245 311 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1 5854.40	61.16	112.27	-51.11	43.29	34.83	12.86	29.82	0.00	245 311 PEAK																																																															
2 5874.00	61.95	105.58	-43.63	43.95	34.94	12.90	29.84	0.00	245 311 PEAK																																																															
3 5923.60	56.38	69.23	-12.85	38.15	35.10	12.98	29.85	0.00	245 311 PEAK																																																															
4 5964.00	57.52	68.20	-10.68	39.19	35.10	13.05	29.82	0.00	245 311 PEAK																																																															



Mode	49																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_5795MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 11590.00</td><td>52.73</td><td>74.00</td><td>-21.27</td><td>60.08</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>314</td><td>68</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>50.60</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>314</td><td>68</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	1 11590.00	52.73	74.00	-21.27	60.08	38.09	18.67	64.11	0.00	314	68	PEAK	2 11590.00	43.24	54.00	-10.76	50.60	38.08	18.66	64.10	0.00	314	68	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 11590.00</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>61.30</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>382</td><td>282</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>52.22</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>382</td><td>282</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	1 11590.00	53.95	74.00	-20.05	61.30	38.09	18.67	64.11	0.00	382	282	PEAK	2 11590.00	44.87	54.00	-9.13	52.22	38.09	18.67	64.11	0.00	382	282	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																								
1 11590.00	52.73	74.00	-21.27	60.08	38.09	18.67	64.11	0.00	314	68	PEAK																																																																																					
2 11590.00	43.24	54.00	-10.76	50.60	38.08	18.66	64.10	0.00	314	68	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																								
1 11590.00	53.95	74.00	-20.05	61.30	38.09	18.67	64.11	0.00	382	282	PEAK																																																																																					
2 11590.00	44.87	54.00	-9.13	52.22	38.09	18.67	64.11	0.00	382	282	AVERAGE																																																																																					



Mode	50																																																																																																				
	Band Edge																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5638.00</td><td>55.87</td><td>68.20</td><td>-12.33</td><td>38.55</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>36.15</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.80</td><td>105.52</td><td>-49.72</td><td>38.55</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>63.07</td><td>116.37</td><td>-53.30</td><td>45.70</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5638.00	55.87	68.20	-12.33	38.55	34.58	12.57	29.83	0.00	105	242	PEAK	2	5650.00	53.47	68.20	-14.73	36.15	34.60	12.58	29.86	0.00	105	242	PEAK	3	5700.00	55.80	105.52	-49.72	38.55	34.60	12.65	30.00	0.00	105	242	PEAK	4	5722.40	63.07	116.37	-53.30	45.70	34.64	12.67	29.94	0.00	105	242
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5638.00	55.87	68.20	-12.33	38.55	34.58	12.57	29.83	0.00	105	242	PEAK																																																																																									
2	5650.00	53.47	68.20	-14.73	36.15	34.60	12.58	29.86	0.00	105	242	PEAK																																																																																									
3	5700.00	55.80	105.52	-49.72	38.55	34.60	12.65	30.00	0.00	105	242	PEAK																																																																																									
4	5722.40	63.07	116.37	-53.30	45.70	34.64	12.67	29.94	0.00	105	242	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.51</td><td>-----</td><td>-----</td><td>87.01</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>105</td><td>242</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5745.00	104.51	-----	-----	87.01	34.69	12.70	29.89	0.00	105	242	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5745.00	104.51	-----	-----	87.01	34.69	12.70	29.89	0.00	105	242	PEAK																																																																																									






Mode	50																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.60</td><td>56.03</td><td>68.20</td><td>-12.17</td><td>38.74</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>245</td><td>217 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.90</td><td>68.20</td><td>-15.30</td><td>35.58</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>245</td><td>217 PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>63.95</td><td>109.56</td><td>-45.61</td><td>46.62</td><td>34.63</td><td>12.66</td><td>29.96</td><td>0.00</td><td>245</td><td>217 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.84</td><td>110.90</td><td>-48.06</td><td>45.48</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>245</td><td>217 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.60	56.03	68.20	-12.17	38.74	34.51	12.53	29.75	0.00	245	217 PEAK	2	5650.00	52.90	68.20	-15.30	35.58	34.60	12.58	29.86	0.00	245	217 PEAK	3	5715.20	63.95	109.56	-45.61	46.62	34.63	12.66	29.96	0.00	245	217 PEAK	4	5720.00	62.84	110.90	-48.06	45.48	34.64	12.67	29.95	0.00	245	217 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.56</td><td>-----</td><td>-----</td><td>92.06</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>245</td><td>217 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	109.56	-----	-----	92.06	34.69	12.70	29.89	0.00	245	217 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5605.60	56.03	68.20	-12.17	38.74	34.51	12.53	29.75	0.00	245	217 PEAK																																																																																																																														
2	5650.00	52.90	68.20	-15.30	35.58	34.60	12.58	29.86	0.00	245	217 PEAK																																																																																																																														
3	5715.20	63.95	109.56	-45.61	46.62	34.63	12.66	29.96	0.00	245	217 PEAK																																																																																																																														
4	5720.00	62.84	110.90	-48.06	45.48	34.64	12.67	29.95	0.00	245	217 PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	109.56	-----	-----	92.06	34.69	12.70	29.89	0.00	245	217 PEAK																																																																																																																														
Avg																																																																																																																																									
	Blank																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.10</td><td>-----</td><td>-----</td><td>84.63</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>245</td><td>217 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.10	-----	-----	84.63	34.68	12.69	29.90	0.00	245	217 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	102.10	-----	-----	84.63	34.68	12.69	29.90	0.00	245	217 AVERAGE																																																																																																																														




Mode	50																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																					
ANT	0+1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11490.00</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>62.94</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr><tr><td>2 11490.00</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>52.96</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	55.42	74.00	-18.58	62.94	38.00	18.58	64.10	0.00	2 11490.00	45.44	54.00	-8.56	52.96	38.00	18.58	64.10	0.00	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 11490.00</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>63.49</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr><tr><td>2 11490.00</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>53.18</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 11490.00	55.97	74.00	-18.03	63.49	38.00	18.58	64.10	0.00	2 11490.00	45.66	54.00	-8.34	53.18	38.00	18.58	64.10	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1 11490.00	55.42	74.00	-18.58	62.94	38.00	18.58	64.10	0.00																																																																																														
2 11490.00	45.44	54.00	-8.56	52.96	38.00	18.58	64.10	0.00																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																														
1 11490.00	55.97	74.00	-18.03	63.49	38.00	18.58	64.10	0.00																																																																																														
2 11490.00	45.66	54.00	-8.34	53.18	38.00	18.58	64.10	0.00																																																																																														
	<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>65 PEAK</td></tr><tr><td>2</td><td>65 AVERAGE</td></tr></tbody></table>							Remark	1	65 PEAK	2	65 AVERAGE	<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>273 PEAK</td></tr><tr><td>2</td><td>273 AVERAGE</td></tr></tbody></table>							Remark	1	273 PEAK	2	273 AVERAGE																																																																														
	Remark																																																																																																					
1	65 PEAK																																																																																																					
2	65 AVERAGE																																																																																																					
	Remark																																																																																																					
1	273 PEAK																																																																																																					
2	273 AVERAGE																																																																																																					



		51																																														
Mode		Harmonic																																														
		U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																														
ANT		0+1																																														
Pol.		Horizontal																																														
Peak Avg																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 11570.00</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>63.35</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>67</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>45.90</td><td>54.00</td><td>-8.10</td><td>53.28</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>67</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1 11570.00	55.97	74.00	-18.03	63.35	38.07	18.65	64.10	0.00	300	67	PEAK	2 11570.00	45.90	54.00	-8.10	53.28	38.07	18.65	64.10	0.00	300	67
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																					
1 11570.00	55.97	74.00	-18.03	63.35	38.07	18.65	64.10	0.00	300	67	PEAK																																					
2 11570.00	45.90	54.00	-8.10	53.28	38.07	18.65	64.10	0.00	300	67	AVERAGE																																					
		Vertical																																														
Peak Avg																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 11570.00</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>63.46</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>393</td><td>277</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>54.02</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>393</td><td>277</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1 11570.00	56.08	74.00	-17.92	63.46	38.07	18.65	64.10	0.00	393	277	PEAK	2 11570.00	46.64	54.00	-7.36	54.02	38.07	18.65	64.10	0.00	393	277
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																					
1 11570.00	56.08	74.00	-17.92	63.46	38.07	18.65	64.10	0.00	393	277	PEAK																																					
2 11570.00	46.64	54.00	-7.36	54.02	38.07	18.65	64.10	0.00	393	277	AVERAGE																																					




Mode	52																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>62.90</td><td>114.09</td><td>-51.19</td><td>45.03</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>64.39</td><td>110.62</td><td>-46.23</td><td>46.50</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.62</td><td>68.35</td><td>-13.73</td><td>36.39</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr><tr><td>4</td><td>5983.60</td><td>56.07</td><td>68.20</td><td>-12.13</td><td>37.69</td><td>35.10</td><td>13.00</td><td>29.80</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	62.90	114.09	-51.19	45.03	34.82	12.86	29.81	0.00	100	290	PEAK	2	5856.00	64.39	110.62	-46.23	46.50	34.84	12.87	29.82	0.00	100	290	PEAK	3	5924.80	54.62	68.35	-13.73	36.39	35.10	12.98	29.85	0.00	100	290	PEAK	4	5983.60	56.07	68.20	-12.13	37.69	35.10	13.00	29.80	0.00	100	290	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.27</td><td>-----</td><td>-----</td><td>87.44</td><td>34.80</td><td>12.80</td><td>29.77</td><td>0.00</td><td>100</td><td>290</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.27	-----	-----	87.44	34.80	12.80	29.77	0.00	100	290	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5853.60	62.90	114.09	-51.19	45.03	34.82	12.86	29.81	0.00	100	290	PEAK																																																																																																																															
2	5856.00	64.39	110.62	-46.23	46.50	34.84	12.87	29.82	0.00	100	290	PEAK																																																																																																																															
3	5924.80	54.62	68.35	-13.73	36.39	35.10	12.98	29.85	0.00	100	290	PEAK																																																																																																																															
4	5983.60	56.07	68.20	-12.13	37.69	35.10	13.00	29.80	0.00	100	290	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	105.27	-----	-----	87.44	34.80	12.80	29.77	0.00	100	290	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.24</td><td>-----</td><td>-----</td><td>79.41</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>100</td><td>290</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.24	-----	-----	79.41	34.80	12.82	29.79	0.00	100	290	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	97.24	-----	-----	79.41	34.80	12.82	29.79	0.00	100	290	AVERAGE																																																																																																																															







Mode	52																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>68.28</td><td>111.36</td><td>-43.08</td><td>50.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>65.76</td><td>107.82</td><td>-42.06</td><td>47.81</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.34</td><td>69.23</td><td>-13.89</td><td>37.11</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>38.88</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	68.28	111.36	-43.08	50.41	34.83	12.86	29.82	0.00	258	339	PEAK	2	5866.00	65.76	107.82	-42.06	47.81	34.90	12.88	29.83	0.00	258	339	PEAK	3	5923.60	55.34	69.23	-13.89	37.11	35.10	12.98	29.85	0.00	258	339	PEAK	4	5925.20	57.11	68.20	-11.09	38.88	35.10	12.98	29.85	0.00	258	339	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.38</td><td>-----</td><td>-----</td><td>92.55</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>258</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.38	-----	-----	92.55	34.80	12.82	29.79	0.00	258	339	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5854.00	68.28	111.36	-43.08	50.41	34.83	12.86	29.82	0.00	258	339	PEAK																																																																																																																																			
2	5866.00	65.76	107.82	-42.06	47.81	34.90	12.88	29.83	0.00	258	339	PEAK																																																																																																																																			
3	5923.60	55.34	69.23	-13.89	37.11	35.10	12.98	29.85	0.00	258	339	PEAK																																																																																																																																			
4	5925.20	57.11	68.20	-11.09	38.88	35.10	12.98	29.85	0.00	258	339	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5825.00	110.38	-----	-----	92.55	34.80	12.82	29.79	0.00	258	339	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.08</td><td>-----</td><td>-----</td><td>84.25</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>258</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.08	-----	-----	84.25	34.80	12.82	29.79	0.00	258	339	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5825.00	102.08	-----	-----	84.25	34.80	12.82	29.79	0.00	258	339	AVERAGE																																																																																																																																			

		52																																																																																														
Mode		Harmonic																																																																																														
		U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																														
ANT		0+1																																																																																														
Pol.		Horizontal										Vertical																																																																																				
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="7"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="7">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>11650.00</td><td>58.46</td><td>74.00</td><td>-15.54</td><td>65.68</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>283</td><td>243</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>46.33</td><td>54.00</td><td>-7.67</td><td>53.55</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>283</td><td>243</td><td colspan="4">AVERAGE</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos								Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg						1	11650.00	58.46	74.00	-15.54	65.68	38.20	18.72	64.14	0.00	283	243	PEAK				2	11650.00	46.33	54.00	-7.67	53.55	38.20	18.72	64.14	0.00	283	243	AVERAGE			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	11650.00	58.46	74.00	-15.54	65.68	38.20	18.72	64.14	0.00	283	243	PEAK																																																																																				
2	11650.00	46.33	54.00	-7.67	53.55	38.20	18.72	64.14	0.00	283	243	AVERAGE																																																																																				
																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="7"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="7">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="5"></th></tr><tr><td>1</td><td>11650.00</td><td>57.83</td><td>74.00</td><td>-16.17</td><td>65.05</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>399</td><td>279</td><td colspan="4">PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>48.12</td><td>54.00</td><td>-5.88</td><td>55.34</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>399</td><td>279</td><td colspan="4">AVERAGE</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos								Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg						1	11650.00	57.83	74.00	-16.17	65.05	38.20	18.72	64.14	0.00	399	279	PEAK				2	11650.00	48.12	54.00	-5.88	55.34	38.20	18.72	64.14	0.00	399	279	AVERAGE				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	11650.00	57.83	74.00	-16.17	65.05	38.20	18.72	64.14	0.00	399	279	PEAK																																																																																				
2	11650.00	48.12	54.00	-5.88	55.34	38.20	18.72	64.14	0.00	399	279	AVERAGE																																																																																				








Mode	53																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5605.27</td><td>56.48</td><td>68.20</td><td>-11.72</td><td>39.18</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>55.31</td><td>68.94</td><td>-13.63</td><td>38.00</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5716.72</td><td>70.34</td><td>109.98</td><td>-39.64</td><td>53.00</td><td>34.63</td><td>12.67</td><td>29.96</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5721.83</td><td>73.59</td><td>115.07</td><td>-41.48</td><td>56.23</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5605.27	56.48	68.20	-11.72	39.18	34.51	12.53	29.74	0.00	100	243	PEAK	2	5651.00	55.31	68.94	-13.63	38.00	34.60	12.58	29.87	0.00	100	243	PEAK	3	5716.72	70.34	109.98	-39.64	53.00	34.63	12.67	29.96	0.00	100	243	PEAK	4	5721.83	73.59	115.07	-41.48	56.23	34.64	12.67	29.95	0.00	100	243	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>101.81</td><td>-----</td><td>-----</td><td>84.27</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.81	-----	-----	84.27	34.70	12.71	29.87	0.00	100	243	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5605.27	56.48	68.20	-11.72	39.18	34.51	12.53	29.74	0.00	100	243	PEAK																																																																																																																																			
2	5651.00	55.31	68.94	-13.63	38.00	34.60	12.58	29.87	0.00	100	243	PEAK																																																																																																																																			
3	5716.72	70.34	109.98	-39.64	53.00	34.63	12.67	29.96	0.00	100	243	PEAK																																																																																																																																			
4	5721.83	73.59	115.07	-41.48	56.23	34.64	12.67	29.95	0.00	100	243	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	101.81	-----	-----	84.27	34.70	12.71	29.87	0.00	100	243	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>94.15</td><td>-----</td><td>-----</td><td>76.53</td><td>34.73</td><td>12.73</td><td>29.84</td><td>0.00</td><td>100</td><td>243</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	94.15	-----	-----	76.53	34.73	12.73	29.84	0.00	100	243	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5755.00	94.15	-----	-----	76.53	34.73	12.73	29.84	0.00	100	243	AVERAGE																																																																																																																																			

Mode	53																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																
ANT	0+1																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.84</td><td>54.68</td><td>111.26</td><td>-56.58</td><td>36.81</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>2 5872.20</td><td>55.53</td><td>106.08</td><td>-50.55</td><td>37.55</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>3 5922.70</td><td>56.58</td><td>69.90</td><td>-13.32</td><td>38.35</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr><tr><td>4 5942.59</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>38.32</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100</td><td>243</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.84	54.68	111.26	-56.58	36.81	34.83	12.86	29.82	0.00	100	243	PEAK	2 5872.20	55.53	106.08	-50.55	37.55	34.93	12.89	29.84	0.00	100	243	PEAK	3 5922.70	56.58	69.90	-13.32	38.35	35.10	12.98	29.85	0.00	100	243	PEAK	4 5942.59	56.59	68.20	-11.61	38.32	35.10	13.01	29.84	0.00	100	243	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1 5854.84	54.68	111.26	-56.58	36.81	34.83	12.86	29.82	0.00	100	243	PEAK																																																																						
2 5872.20	55.53	106.08	-50.55	37.55	34.93	12.89	29.84	0.00	100	243	PEAK																																																																						
3 5922.70	56.58	69.90	-13.32	38.35	35.10	12.98	29.85	0.00	100	243	PEAK																																																																						
4 5942.59	56.59	68.20	-11.61	38.32	35.10	13.01	29.84	0.00	100	243	PEAK																																																																						







Mode	53																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5624.65</td><td>56.70</td><td>68.20</td><td>-11.50</td><td>39.40</td><td>34.55</td><td>12.55</td><td>29.00</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>54.10</td><td>68.36</td><td>-14.26</td><td>36.79</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>3</td><td>5718.58</td><td>75.21</td><td>110.50</td><td>-35.29</td><td>57.85</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>77.91</td><td>113.66</td><td>-35.75</td><td>60.55</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5624.65	56.70	68.20	-11.50	39.40	34.55	12.55	29.00	0.00	300	243	PEAK	2	5650.22	54.10	68.36	-14.26	36.79	34.60	12.58	29.87	0.00	300	243	PEAK	3	5718.58	75.21	110.50	-35.29	57.85	34.64	12.67	29.95	0.00	300	243	PEAK	4	5721.21	77.91	113.66	-35.75	60.55	34.64	12.67	29.95	0.00	300	243	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>106.14</td><td>-----</td><td>-----</td><td>88.55</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.14	-----	-----	88.55	34.72	12.72	29.85	0.00	300	243	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5624.65	56.70	68.20	-11.50	39.40	34.55	12.55	29.00	0.00	300	243	PEAK																																																																																																																															
2	5650.22	54.10	68.36	-14.26	36.79	34.60	12.58	29.87	0.00	300	243	PEAK																																																																																																																															
3	5718.58	75.21	110.50	-35.29	57.85	34.64	12.67	29.95	0.00	300	243	PEAK																																																																																																																															
4	5721.21	77.91	113.66	-35.75	60.55	34.64	12.67	29.95	0.00	300	243	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	106.14	-----	-----	88.55	34.72	12.72	29.85	0.00	300	243	PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>98.63</td><td>-----</td><td>-----</td><td>81.04</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>243</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.63	-----	-----	81.04	34.72	12.72	29.85	0.00	300	243	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	98.63	-----	-----	81.04	34.72	12.72	29.85	0.00	300	243	AVERAGE																																																																																																																															

Mode	53																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.45</td><td>54.52</td><td>112.15</td><td>-57.63</td><td>36.65</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>243 PEAK</td></tr><tr><td>2 5868.69</td><td>56.96</td><td>107.07</td><td>-50.11</td><td>38.99</td><td>34.91</td><td>12.89</td><td>29.83</td><td>0.00</td><td>300</td><td>243 PEAK</td></tr><tr><td>3 5922.70</td><td>57.01</td><td>69.90</td><td>-12.89</td><td>38.78</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>243 PEAK</td></tr><tr><td>4 5926.80</td><td>57.49</td><td>68.20</td><td>-10.71</td><td>39.25</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>300</td><td>243 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.45	54.52	112.15	-57.63	36.65	34.83	12.86	29.82	0.00	300	243 PEAK	2 5868.69	56.96	107.07	-50.11	38.99	34.91	12.89	29.83	0.00	300	243 PEAK	3 5922.70	57.01	69.90	-12.89	38.78	35.10	12.98	29.85	0.00	300	243 PEAK	4 5926.80	57.49	68.20	-10.71	39.25	35.10	12.99	29.85	0.00	300	243 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.45	54.52	112.15	-57.63	36.65	34.83	12.86	29.82	0.00	300	243 PEAK																																																																														
2 5868.69	56.96	107.07	-50.11	38.99	34.91	12.89	29.83	0.00	300	243 PEAK																																																																														
3 5922.70	57.01	69.90	-12.89	38.78	35.10	12.98	29.85	0.00	300	243 PEAK																																																																														
4 5926.80	57.49	68.20	-10.71	39.25	35.10	12.99	29.85	0.00	300	243 PEAK																																																																														




		53																																																																			
Mode		Harmonic																																																																			
		U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																			
ANT		0+1																																																																			
Pol.		Horizontal																																																																			
Peak Avg																																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>56.58</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>39.18</td><td>54.00</td><td>-14.82</td><td>46.65</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	49.12	74.00	-24.88	56.58	38.01	18.60	64.07	0.00	300	0 PEAK	2	11510.00	39.18	54.00	-14.82	46.65	38.00	18.59	64.06	0.00	300	0 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	11510.00	49.12	74.00	-24.88	56.58	38.01	18.60	64.07	0.00	300	0 PEAK																																																										
2	11510.00	39.18	54.00	-14.82	46.65	38.00	18.59	64.06	0.00	300	0 AVERAGE																																																										
		Vertical																																																																			
Peak Avg																																																																					
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>49.27</td><td>74.00</td><td>-24.73</td><td>56.73</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>89 PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>40.97</td><td>54.00</td><td>-13.03</td><td>48.44</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>100</td><td>89 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	49.27	74.00	-24.73	56.73	38.01	18.60	64.07	0.00	100	89 PEAK	2	11510.00	40.97	54.00	-13.03	48.44	38.00	18.59	64.06	0.00	100	89 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			cm	deg																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	11510.00	49.27	74.00	-24.73	56.73	38.01	18.60	64.07	0.00	100	89 PEAK																																																										
2	11510.00	40.97	54.00	-13.03	48.44	38.00	18.59	64.06	0.00	100	89 AVERAGE																																																										






Mode	54																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are marked with vertical lines and numbered 1 to 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.20</td><td>56.86</td><td>68.20</td><td>-11.34</td><td>39.55</td><td>34.57</td><td>12.57</td><td>29.83</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5658.00</td><td>53.12</td><td>68.20</td><td>-15.08</td><td>35.80</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5782.80</td><td>55.01</td><td>106.09</td><td>-51.08</td><td>37.74</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>56.03</td><td>113.64</td><td>-57.61</td><td>38.67</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.20	56.86	68.20	-11.34	39.55	34.57	12.57	29.83	0.00	100	239	PEAK	2	5658.00	53.12	68.20	-15.08	35.80	34.60	12.58	29.86	0.00	100	239	PEAK	3	5782.80	55.01	106.09	-51.08	37.74	34.61	12.65	29.99	0.00	100	239	PEAK	4	5721.20	56.03	113.64	-57.61	38.67	34.64	12.67	29.95	0.00	100	239	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>102.30</td><td>-----</td><td>-----</td><td>84.54</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	102.30	-----	-----	84.54	34.78	12.76	29.78	0.00	100	239	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5637.20	56.86	68.20	-11.34	39.55	34.57	12.57	29.83	0.00	100	239	PEAK																																																																																																																															
2	5658.00	53.12	68.20	-15.08	35.80	34.60	12.58	29.86	0.00	100	239	PEAK																																																																																																																															
3	5782.80	55.01	106.09	-51.08	37.74	34.61	12.65	29.99	0.00	100	239	PEAK																																																																																																																															
4	5721.20	56.03	113.64	-57.61	38.67	34.64	12.67	29.95	0.00	100	239	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	102.30	-----	-----	84.54	34.78	12.76	29.78	0.00	100	239	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single sharp peak is marked with a vertical line and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>94.40</td><td>-----</td><td>-----</td><td>76.58</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.40	-----	-----	76.58	34.80	12.77	29.75	0.00	100	239	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	94.40	-----	-----	76.58	34.80	12.77	29.75	0.00	100	239	AVERAGE																																																																																																																															

Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.60</td><td>61.72</td><td>114.09</td><td>-52.37</td><td>43.85</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5857.20</td><td>62.24</td><td>110.28</td><td>-48.04</td><td>44.35</td><td>34.84</td><td>12.87</td><td>29.82</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.19</td><td>69.53</td><td>-15.34</td><td>35.96</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5984.40</td><td>57.25</td><td>68.20</td><td>-10.95</td><td>38.87</td><td>35.10</td><td>13.00</td><td>29.80</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	61.72	114.09	-52.37	43.85	34.82	12.86	29.81	0.00	100	239	PEAK	2	5857.20	62.24	110.28	-48.04	44.35	34.84	12.87	29.82	0.00	100	239	PEAK	3	5923.20	54.19	69.53	-15.34	35.96	35.10	12.98	29.85	0.00	100	239	PEAK	4	5984.40	57.25	68.20	-10.95	38.87	35.10	13.00	29.80	0.00	100	239	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5853.60	61.72	114.09	-52.37	43.85	34.82	12.86	29.81	0.00	100	239	PEAK																																																																																		
2	5857.20	62.24	110.28	-48.04	44.35	34.84	12.87	29.82	0.00	100	239	PEAK																																																																																		
3	5923.20	54.19	69.53	-15.34	35.96	35.10	12.98	29.85	0.00	100	239	PEAK																																																																																		
4	5984.40	57.25	68.20	-10.95	38.87	35.10	13.00	29.80	0.00	100	239	PEAK																																																																																		





Mode	54																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5618.40</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>38.15</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>55.69</td><td>69.99</td><td>-14.30</td><td>38.37</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>54.39</td><td>105.52</td><td>-51.13</td><td>37.14</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>55.76</td><td>112.72</td><td>-56.96</td><td>38.40</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5618.40	55.45	68.20	-12.75	38.15	34.54	12.54	29.78	0.00	300	224	PEAK	2	5652.40	55.69	69.99	-14.30	38.37	34.60	12.59	29.87	0.00	300	224	PEAK	3	5700.80	54.39	105.52	-51.13	37.14	34.60	12.65	30.00	0.00	300	224	PEAK	4	5720.80	55.76	112.72	-56.96	38.40	34.64	12.67	29.95	0.00	300	224	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.36</td><td>-----</td><td>-----</td><td>88.60</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>300</td><td>224</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	106.36	-----	-----	88.60	34.78	12.76	29.78	0.00	300	224	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5618.40	55.45	68.20	-12.75	38.15	34.54	12.54	29.78	0.00	300	224	PEAK																																																																																																																															
2	5652.40	55.69	69.99	-14.30	38.37	34.60	12.59	29.87	0.00	300	224	PEAK																																																																																																																															
3	5700.80	54.39	105.52	-51.13	37.14	34.60	12.65	30.00	0.00	300	224	PEAK																																																																																																																															
4	5720.80	55.76	112.72	-56.96	38.40	34.64	12.67	29.95	0.00	300	224	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	106.36	-----	-----	88.60	34.78	12.76	29.78	0.00	300	224	PEAK																																																																																																																															
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.09</td><td>-----</td><td>-----</td><td>81.30</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>224</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.09	-----	-----	81.30	34.79	12.76	29.76	0.00	300	224	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	99.09	-----	-----	81.30	34.79	12.76	29.76	0.00	300	224	AVERAGE																																																																																																																															



Mode	54																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																							
ANT	0+1																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.00</td><td>64.83</td><td>117.74</td><td>-52.91</td><td>46.97</td><td>34.81</td><td>12.86</td><td>29.81</td><td>0.00</td><td>300 224 PEAK</td></tr><tr><td>2 5871.60</td><td>57.72</td><td>106.25</td><td>-48.53</td><td>39.74</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300 224 PEAK</td></tr><tr><td>3 5924.80</td><td>54.17</td><td>68.35</td><td>-14.18</td><td>35.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300 224 PEAK</td></tr><tr><td>4 5932.00</td><td>56.43</td><td>68.20</td><td>-11.77</td><td>38.18</td><td>35.10</td><td>12.99</td><td>29.84</td><td>0.00</td><td>300 224 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5852.00	64.83	117.74	-52.91	46.97	34.81	12.86	29.81	0.00	300 224 PEAK	2 5871.60	57.72	106.25	-48.53	39.74	34.93	12.89	29.84	0.00	300 224 PEAK	3 5924.80	54.17	68.35	-14.18	35.94	35.10	12.98	29.85	0.00	300 224 PEAK	4 5932.00	56.43	68.20	-11.77	38.18	35.10	12.99	29.84	0.00	300 224 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																															
1 5852.00	64.83	117.74	-52.91	46.97	34.81	12.86	29.81	0.00	300 224 PEAK																																																															
2 5871.60	57.72	106.25	-48.53	39.74	34.93	12.89	29.84	0.00	300 224 PEAK																																																															
3 5924.80	54.17	68.35	-14.18	35.94	35.10	12.98	29.85	0.00	300 224 PEAK																																																															
4 5932.00	56.43	68.20	-11.77	38.18	35.10	12.99	29.84	0.00	300 224 PEAK																																																															

Mode	54																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																	
ANT	0+1																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>60.21</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>309</td><td>67</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>43.84</td><td>54.00</td><td>-10.16</td><td>51.21</td><td>38.08</td><td>18.66</td><td>64.11</td><td>0.00</td><td>309</td><td>67</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	52.86	74.00	-21.14	60.21	38.09	18.67	64.11	0.00	309	67	PEAK	2 11590.00	43.84	54.00	-10.16	51.21	38.08	18.66	64.11	0.00	309	67	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11590.00	52.86	74.00	-21.14	60.21	38.09	18.67	64.11	0.00	309	67	PEAK																																																							
2 11590.00	43.84	54.00	-10.16	51.21	38.08	18.66	64.11	0.00	309	67	AVERAGE																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>52.69</td><td>74.00</td><td>-21.31</td><td>60.04</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>300</td><td>267</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>51.58</td><td>38.10</td><td>18.67</td><td>64.11</td><td>0.00</td><td>300</td><td>267</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11590.00	52.69	74.00	-21.31	60.04	38.09	18.67	64.11	0.00	300	267	PEAK	2 11590.00	44.24	54.00	-9.76	51.58	38.10	18.67	64.11	0.00	300	267	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 11590.00	52.69	74.00	-21.31	60.04	38.09	18.67	64.11	0.00	300	267	PEAK																																																							
2 11590.00	44.24	54.00	-9.76	51.58	38.10	18.67	64.11	0.00	300	267	AVERAGE																																																							





		55																																																																		
Mode		Harmonic																																																																		
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																		
ANT		0+1																																																																		
Pol.		Horizontal						Vertical																																																												
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>60.89</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>285</td><td>49</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>51.30</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>285</td><td>49</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	53.14	74.00	-20.86	60.89	38.00	18.54	64.29	0.00	285	49	PEAK	2	11440.00	43.55	54.00	-10.45	51.30	38.00	18.54	64.29	0.00	285	49	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11440.00	53.14	74.00	-20.86	60.89	38.00	18.54	64.29	0.00	285	49	PEAK																																																								
2	11440.00	43.55	54.00	-10.45	51.30	38.00	18.54	64.29	0.00	285	49	AVERAGE																																																								
																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>60.56</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>50.88</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	52.81	74.00	-21.19	60.56	38.00	18.54	64.29	0.00	100	105	PEAK	2	11440.00	43.13	54.00	-10.87	50.88	38.00	18.54	64.29	0.00	100	105	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11440.00	52.81	74.00	-21.19	60.56	38.00	18.54	64.29	0.00	100	105	PEAK																																																								
2	11440.00	43.13	54.00	-10.87	50.88	38.00	18.54	64.29	0.00	100	105	AVERAGE																																																								



Mode	56																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Vertical																																																																																																																																			
Peak Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>55.07</td><td>74.00</td><td>-18.93</td><td>62.82</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>305</td><td>68 PEAK</td></tr><tr><td>2 11440.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>53.39</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>305</td><td>68 AVERAGE</td></tr><tr><td>3 17160.00</td><td>52.11</td><td>68.20</td><td>-16.09</td><td>53.13</td><td>41.46</td><td>22.78</td><td>65.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	55.07	74.00	-18.93	62.82	38.00	18.54	64.29	0.00	305	68 PEAK	2 11440.00	45.64	54.00	-8.36	53.39	38.00	18.54	64.29	0.00	305	68 AVERAGE	3 17160.00	52.11	68.20	-16.09	53.13	41.46	22.78	65.26	0.00	--	-- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11440.00</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>62.78</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>368</td><td>271 PEAK</td></tr><tr><td>2 11440.00</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>52.68</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>368</td><td>271 AVERAGE</td></tr><tr><td>3 17160.00</td><td>52.55</td><td>68.20</td><td>-15.65</td><td>53.55</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	55.03	74.00	-18.97	62.78	38.00	18.54	64.29	0.00	368	271 PEAK	2 11440.00	44.93	54.00	-9.07	52.68	38.00	18.54	64.29	0.00	368	271 AVERAGE	3 17160.00	52.55	68.20	-15.65	53.55	41.46	22.79	65.25	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 11440.00	55.07	74.00	-18.93	62.82	38.00	18.54	64.29	0.00	305	68 PEAK																																																																																																																															
2 11440.00	45.64	54.00	-8.36	53.39	38.00	18.54	64.29	0.00	305	68 AVERAGE																																																																																																																															
3 17160.00	52.11	68.20	-16.09	53.13	41.46	22.78	65.26	0.00	--	-- PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1 11440.00	55.03	74.00	-18.97	62.78	38.00	18.54	64.29	0.00	368	271 PEAK																																																																																																																															
2 11440.00	44.93	54.00	-9.07	52.68	38.00	18.54	64.29	0.00	368	271 AVERAGE																																																																																																																															
3 17160.00	52.55	68.20	-15.65	53.55	41.46	22.79	65.25	0.00	--	-- PEAK																																																																																																																															

Mode	57																																																																																																																																									
	Harmonic																																																																																																																																									
	U-NII-2C_5.47-5.85_802.11n HT20_CH144_5720MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Horizontal								Vertical																																																																																																																																	
Peak Avg																																																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	53.78	74.00	-20.22	61.53	38.00	18.54	64.29	0.00	300	70	PEAK	2	11440.00	44.12	54.00	-9.88	51.87	38.00	18.54	64.29	0.00	300	70	AVERAGE	3	17160.00	55.61	68.20	-12.59	56.64	41.45	22.78	65.26	0.00	100	266	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.27</td><td>74.00</td><td>-20.73</td><td>61.02</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>127</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>52.19</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>127</td><td>105</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>57.14</td><td>68.20</td><td>-11.06</td><td>58.14</td><td>41.46</td><td>22.79</td><td>65.25</td><td>0.00</td><td>312</td><td>327</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	53.27	74.00	-20.73	61.02	38.00	18.54	64.29	0.00	127	105	PEAK	2	11440.00	44.44	54.00	-9.56	52.19	38.00	18.54	64.29	0.00	127	105	AVERAGE	3	17160.00	57.14	68.20	-11.06	58.14	41.46	22.79	65.25	0.00	312	327
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11440.00	53.78	74.00	-20.22	61.53	38.00	18.54	64.29	0.00	300	70	PEAK																																																																																																																														
2	11440.00	44.12	54.00	-9.88	51.87	38.00	18.54	64.29	0.00	300	70	AVERAGE																																																																																																																														
3	17160.00	55.61	68.20	-12.59	56.64	41.45	22.78	65.26	0.00	100	266	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11440.00	53.27	74.00	-20.73	61.02	38.00	18.54	64.29	0.00	127	105	PEAK																																																																																																																														
2	11440.00	44.44	54.00	-9.56	52.19	38.00	18.54	64.29	0.00	127	105	AVERAGE																																																																																																																														
3	17160.00	57.14	68.20	-11.06	58.14	41.46	22.79	65.25	0.00	312	327	PEAK																																																																																																																														

Mode	58																																																																																																																																						
	Harmonic																																																																																																																																						
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																																																						
ANT	0+1																																																																																																																																						
Pol.	Horizontal								Vertical																																																																																																																														
Peak Avg																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11420.00</td><td>51.21</td><td>74.00</td><td>-22.79</td><td>59.06</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>309 70 PEAK</td></tr><tr><td>2 11420.00</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>50.88</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>309 70 AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.28</td><td>68.20</td><td>-17.92</td><td>51.32</td><td>41.45</td><td>22.77</td><td>65.26</td><td>0.00</td><td>-- -- PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	51.21	74.00	-22.79	59.06	38.00	18.52	64.37	0.00	309 70 PEAK	2 11420.00	43.03	54.00	-10.97	50.88	38.00	18.52	64.37	0.00	309 70 AVERAGE	3 17130.00	50.28	68.20	-17.92	51.32	41.45	22.77	65.26	0.00	-- -- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11420.00</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>60.08</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>379 280 PEAK</td></tr><tr><td>2 11420.00</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>51.02</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>379 280 AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.60</td><td>68.20</td><td>-17.60</td><td>51.70</td><td>41.42</td><td>22.75</td><td>65.27</td><td>0.00</td><td>-- -- PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	52.23	74.00	-21.77	60.08	38.00	18.52	64.37	0.00	379 280 PEAK	2 11420.00	43.17	54.00	-10.83	51.02	38.00	18.52	64.37	0.00	379 280 AVERAGE	3 17130.00	50.60	68.20	-17.60	51.70	41.42	22.75	65.27	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11420.00	51.21	74.00	-22.79	59.06	38.00	18.52	64.37	0.00	309 70 PEAK																																																																																																																														
2 11420.00	43.03	54.00	-10.97	50.88	38.00	18.52	64.37	0.00	309 70 AVERAGE																																																																																																																														
3 17130.00	50.28	68.20	-17.92	51.32	41.45	22.77	65.26	0.00	-- -- PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1 11420.00	52.23	74.00	-21.77	60.08	38.00	18.52	64.37	0.00	379 280 PEAK																																																																																																																														
2 11420.00	43.17	54.00	-10.83	51.02	38.00	18.52	64.37	0.00	379 280 AVERAGE																																																																																																																														
3 17130.00	50.60	68.20	-17.60	51.70	41.42	22.75	65.27	0.00	-- -- PEAK																																																																																																																														




Mode	59																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.85_802.11n HT40_CH142_5710MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																																															
Peak Avg																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>59.07</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300 69 PEAK</td></tr><tr><td>2 11420.00</td><td>43.04</td><td>54.00</td><td>-10.96</td><td>50.89</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>300 69 AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>51.22</td><td>41.41</td><td>22.75</td><td>65.27</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	51.22	74.00	-22.78	59.07	38.00	18.52	64.37	0.00	300 69 PEAK	2 11420.00	43.04	54.00	-10.96	50.89	38.00	18.52	64.37	0.00	300 69 AVERAGE	3 17130.00	50.11	68.20	-18.09	51.22	41.41	22.75	65.27	0.00	-- -- PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11420.00</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>59.06</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>391 283 PEAK</td></tr><tr><td>2 11420.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>50.34</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>391 283 AVERAGE</td></tr><tr><td>3 17130.00</td><td>50.53</td><td>68.20</td><td>-17.67</td><td>51.65</td><td>41.41</td><td>22.74</td><td>65.27</td><td>0.00</td><td>-- -- PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11420.00	52.01	74.00	-21.99	59.06	38.00	18.52	64.37	0.00	391 283 PEAK	2 11420.00	42.49	54.00	-11.51	50.34	38.00	18.52	64.37	0.00	391 283 AVERAGE	3 17130.00	50.53	68.20	-17.67	51.65	41.41	22.74	65.27	0.00	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1 11420.00	51.22	74.00	-22.78	59.07	38.00	18.52	64.37	0.00	300 69 PEAK																																																																																																																															
2 11420.00	43.04	54.00	-10.96	50.89	38.00	18.52	64.37	0.00	300 69 AVERAGE																																																																																																																															
3 17130.00	50.11	68.20	-18.09	51.22	41.41	22.75	65.27	0.00	-- -- PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1 11420.00	52.01	74.00	-21.99	59.06	38.00	18.52	64.37	0.00	391 283 PEAK																																																																																																																															
2 11420.00	42.49	54.00	-11.51	50.34	38.00	18.52	64.37	0.00	391 283 AVERAGE																																																																																																																															
3 17130.00	50.53	68.20	-17.67	51.65	41.41	22.74	65.27	0.00	-- -- PEAK																																																																																																																															

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	95.14	2.055	0.487	0.51Khz
802.11n HT20	94.35	1.92	0.521	0.56Khz
802.11n HT40	89.24	0.945	1.058	1.1Khz
802.11ax HE20	93.82	1.745	0.573	0.62Khz
802.11ax HE40	88.73	0.905	1.105	1.2Khz

802.11a






802.11n HT20




802.11n HT40





802.11ax HE20



802.11ax HE40

