




GFSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




GFSK HIGH CHANNEL, CARRIER LEVEL




GFSK HIGH CHANNEL, BAND EDGE








GFSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




$\pi/4$ -DQPSK LOW CHANNEL, CARRIER LEVEL $\pi/4$ -DQPSK LOW CHANNEL, BAND EDGE $\pi/4$ -DQPSK LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz $\pi/4$ -DQPSK LOW CHANNEL, SPURIOUS
3 GHz ~ 25 GHz $\pi/4$ -DQPSK MIDDLE CHANNEL, CARRIER LEVEL


$\pi/4$ -DQPSK MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




$\pi/4$ -DQPSK MIDDLE CHANNEL, SPURIOUS 3 GHz ~ 25 GHz




$\pi/4$ -DQPSK HIGH CHANNEL, CARRIER LEVEL




$\pi/4$ -DQPSK HIGH CHANNEL, BAND EDGE




$\pi/4$ -DQPSK HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




$\pi/4$ -DQPSK HIGH CHANNEL, SPURIOUS 3 GHz ~ 25 GHz






GFSK HOPPING, CARRIER LEVEL








GFSK HOPPING BAND EDGE (LOW)



GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

$\pi/4$ -DQPSK HOPPING, CARRIER LEVEL $\pi/4$ -DQPSK Hopping BAND EDGE (LOW) $\pi/4$ -DQPSK Hopping BAND EDGE (HIGH) $\pi/4$ -DQPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz $\pi/4$ -DQPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.


Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

Left Earphone

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.180	37.00	9.85	64.49	27.49	Peak	L	Pass
1**	0.180	25.94	9.85	54.49	28.55	AV	L	Pass
2	0.656	37.05	10.32	56.00	18.95	Peak	L	Pass
2**	0.656	28.67	10.32	46.00	17.33	AV	L	Pass
3	1.854	36.41	10.22	56.00	19.59	Peak	L	Pass
3**	1.854	25.63	10.22	46.00	20.37	AV	L	Pass
4	4.680	37.21	10.21	56.00	18.79	Peak	L	Pass
4**	4.680	25.00	10.21	46.00	21.00	AV	L	Pass
5	7.948	38.46	10.33	60.00	21.54	Peak	L	Pass
5**	7.948	26.86	10.33	50.00	23.14	AV	L	Pass
6	16.538	41.13	11.05	60.00	18.87	Peak	L	Pass
6**	16.538	29.66	11.05	50.00	20.34	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C




No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.330	35.86	10.42	59.45	23.59	Peak	N	Pass
1**	0.330	25.51	10.42	49.45	23.94	AV	N	Pass
2	0.662	37.85	10.38	56.00	18.15	Peak	N	Pass
2**	0.662	27.11	10.38	46.00	18.89	AV	N	Pass
3	1.960	35.80	10.23	56.00	20.20	Peak	N	Pass
3**	1.960	25.66	10.23	46.00	20.34	AV	N	Pass
4	5.054	36.93	10.38	60.00	23.07	Peak	N	Pass
4**	5.054	25.01	10.38	50.00	24.99	AV	N	Pass
5	11.270	39.80	10.59	60.00	20.20	Peak	N	Pass
5**	11.270	26.86	10.59	50.00	23.14	AV	N	Pass
6	18.370	39.94	11.13	60.00	20.06	Peak	N	Pass
6**	18.370	27.35	11.13	50.00	22.65	AV	N	Pass

Right Earphone

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.218	36.18	9.83	62.89	26.71	Peak	L	Pass
1**	0.218	25.27	9.83	52.89	27.62	AV	L	Pass
2	0.654	37.43	10.30	56.00	18.57	Peak	L	Pass
2**	0.654	28.39	10.30	46.00	17.61	AV	L	Pass
3	1.606	36.08	9.93	56.00	19.92	Peak	L	Pass
3**	1.606	23.99	9.93	46.00	22.01	AV	L	Pass
4	4.024	37.26	10.21	56.00	18.74	Peak	L	Pass
4**	4.024	24.35	10.21	46.00	21.65	AV	L	Pass
5	6.464	37.58	10.35	60.00	22.42	Peak	L	Pass
5**	6.464	26.24	10.35	50.00	23.76	AV	L	Pass
6	17.642	40.93	11.07	60.00	19.07	Peak	L	Pass
6**	17.642	28.59	11.07	50.00	21.41	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.208	37.13	9.83	63.28	26.15	Peak	N	Pass
1**	0.208	26.91	9.83	53.28	26.37	AV	N	Pass
2	0.658	38.06	10.34	56.00	17.94	Peak	N	Pass
2**	0.658	28.34	10.34	46.00	17.66	AV	N	Pass
3	1.586	36.61	9.99	56.00	19.39	Peak	N	Pass
3**	1.586	24.79	9.99	46.00	21.21	AV	N	Pass
4	3.074	36.49	10.01	56.00	19.51	Peak	N	Pass
4**	3.074	25.09	10.01	46.00	20.91	AV	N	Pass
5	7.466	37.35	10.56	60.00	22.65	Peak	N	Pass
5**	7.466	26.69	10.56	50.00	23.31	AV	N	Pass
6	15.540	40.43	10.57	60.00	19.57	Peak	N	Pass
6**	15.540	27.43	10.57	50.00	22.57	AV	N	Pass

A.8 Radiated Spurious Emission

Note¹: The symbol of "--" in the table which means not application.

Note²: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.

Note⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)


The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots

Left Earphone

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	124.041	8.79	-36.66	43.5	34.71	Peak	0.00	100	Horizontal	Pass
2	160.126	14.21	-36.19	43.5	29.29	Peak	289.80	100	Horizontal	Pass
3	206.588	16.35	-35.59	43.5	27.15	Peak	289.80	100	Horizontal	Pass
4	239.908	24.60	-35.35	46.0	21.40	Peak	298.80	100	Horizontal	Pass
5	320.030	17.34	-34.54	46.0	28.66	Peak	295.00	100	Horizontal	Pass
6	950.675	19.77	-27.52	46.0	26.23	Peak	331.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	32.279	14.21	-38.70	40.0	25.79	Peak	313.00	100	Vertical	Pass
2	41.010	17.45	-38.38	40.0	22.55	Peak	173.20	100	Vertical	Pass
3	47.120	15.64	-38.10	40.0	24.36	Peak	333.50	100	Vertical	Pass
4	159.980	23.68	-36.19	43.5	19.82	Peak	39.20	100	Vertical	Pass
5	240.150	23.17	-35.35	46.0	22.83	Peak	324.60	100	Vertical	Pass
6	850.183	18.63	-29.01	46.0	27.37	Peak	31.50	100	Vertical	Pass

Right Earphone

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	129.328	9.87	-36.59	43.5	33.63	Peak	360.00	100	Horizontal	Pass
2	159.980	11.37	-36.19	43.5	32.13	Peak	307.20	100	Horizontal	Pass
3	204.552	16.11	-35.60	43.5	27.39	Peak	283.40	100	Horizontal	Pass
4	239.908	24.44	-35.35	46.0	21.56	Peak	297.50	100	Horizontal	Pass
5	320.030	19.27	-34.54	46.0	26.73	Peak	238.90	100	Horizontal	Pass
6	943.546	19.14	-27.65	46.0	26.86	Peak	108.80	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	31.988	13.67	-38.71	40.0	26.33	Peak	249.90	100	Vertical	Pass
2	41.495	17.72	-38.35	40.0	22.28	Peak	13.40	100	Vertical	Pass
3	46.587	15.32	-38.13	40.0	24.68	Peak	229.20	100	Vertical	Pass
4	159.980	22.84	-36.19	43.5	20.66	Peak	129.40	100	Vertical	Pass
5	239.956	22.83	-35.35	46.0	23.17	Peak	311.00	100	Vertical	Pass
6	913.670	19.23	-28.25	46.0	26.77	Peak	82.30	100	Vertical	Pass


Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

Left Earphone

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.660	42.90	74.0	31.10	Peak	228.00	400	Horizontal	Pass
1**	1335.660	34.44	54.0	19.56	AV	228.00	400	Horizontal	Pass
2	2663.992	51.59	74.0	22.41	Peak	294.00	100	Horizontal	Pass
2**	2663.992	43.81	54.0	10.20	AV	294.00	100	Horizontal	Pass
3	5165.252	50.64	74.0	23.36	Peak	132.00	200	Horizontal	Pass
3**	5165.252	40.69	54.0	13.31	AV	132.00	200	Horizontal	Pass
4	7973.335	53.38	74.0	20.63	Peak	350.00	300	Horizontal	Pass
4**	7973.335	44.81	54.0	9.19	AV	350.00	300	Horizontal	Pass
5	13750.152	54.83	74.0	19.17	Peak	141.00	300	Horizontal	Pass
5**	13750.152	45.05	54.0	8.95	AV	141.00	300	Horizontal	Pass
6	17435.778	55.69	74.0	18.31	Peak	146.00	100	Horizontal	Pass
6**	17435.778	45.74	54.0	8.26	AV	146.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.441	42.39	74.0	31.61	Peak	209.00	200	Vertical	Pass
1**	1466.441	34.76	54.0	19.24	AV	209.00	200	Vertical	Pass
2	2994.985	48.14	74.0	25.86	Peak	79.00	100	Vertical	Pass
2**	2994.985	40.27	54.0	13.73	AV	79.00	100	Vertical	Pass
3	6804.389	52.35	74.0	21.65	Peak	267.00	200	Vertical	Pass
3**	6804.389	43.38	54.0	10.62	AV	267.00	200	Vertical	Pass
4	7967.142	58.29	74.0	15.71	Peak	346.00	400	Vertical	Pass
4**	7967.142	41.77	54.0	12.23	AV	346.00	400	Vertical	Pass
5	12490.863	52.16	74.0	21.84	Peak	141.00	200	Vertical	Pass
5**	12490.863	39.20	54.0	14.80	AV	141.00	200	Vertical	Pass
6	17099.900	51.98	74.0	22.02	Peak	42.00	100	Vertical	Pass
6**	17099.900	44.46	54.0	9.54	AV	42.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.806	42.27	74.0	31.73	Peak	1.00	200	Horizontal	Pass
1**	1333.806	33.57	54.0	20.43	AV	1.00	200	Horizontal	Pass
2	2661.924	51.30	74.0	22.70	Peak	182.00	200	Horizontal	Pass
2**	2661.924	43.18	54.0	10.83	AV	182.00	200	Horizontal	Pass
3	5165.305	50.31	74.0	23.69	Peak	192.00	200	Horizontal	Pass
3**	5165.305	40.10	54.0	13.90	AV	192.00	200	Horizontal	Pass
4	7968.191	53.19	74.0	20.82	Peak	167.00	200	Horizontal	Pass
4**	7968.191	44.59	54.0	9.41	AV	167.00	200	Horizontal	Pass
5	13746.384	54.16	74.0	19.84	Peak	270.00	100	Horizontal	Pass
5**	13746.384	45.03	54.0	8.97	AV	270.00	100	Horizontal	Pass
6	17435.473	55.23	74.0	18.77	Peak	262.00	300	Horizontal	Pass
6**	17435.473	45.52	54.0	8.48	AV	262.00	300	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.665	41.39	74.0	32.61	Peak	278.00	400	Vertical	Pass
1**	1459.665	34.49	54.0	19.51	AV	278.00	400	Vertical	Pass
2	2993.512	48.09	74.0	25.91	Peak	321.00	400	Vertical	Pass
2**	2993.512	40.13	54.0	13.87	AV	321.00	400	Vertical	Pass
3	6804.051	51.88	74.0	22.12	Peak	310.00	200	Vertical	Pass
3**	6804.051	42.67	54.0	11.33	AV	310.00	200	Vertical	Pass
4	7963.078	58.12	74.0	15.88	Peak	328.00	200	Vertical	Pass
4**	7963.078	41.07	54.0	12.93	AV	328.00	200	Vertical	Pass
5	12491.400	51.38	74.0	22.62	Peak	13.00	100	Vertical	Pass
5**	12491.400	39.04	54.0	14.96	AV	13.00	100	Vertical	Pass
6	17099.130	51.41	74.0	22.59	Peak	84.00	300	Vertical	Pass
6**	17099.130	44.09	54.0	9.91	AV	84.00	300	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1338.560	42.31	74.0	31.69	Peak	26.00	200	Horizontal	Pass
1**	1338.560	34.02	54.0	19.98	AV	26.00	200	Horizontal	Pass
2	2664.423	50.85	74.0	23.15	Peak	160.00	200	Horizontal	Pass
2**	2664.423	43.25	54.0	10.76	AV	160.00	200	Horizontal	Pass
3	5165.646	50.39	74.0	23.61	Peak	66.00	200	Horizontal	Pass
3**	5165.646	40.17	54.0	13.83	AV	66.00	200	Horizontal	Pass
4	7974.577	52.85	74.0	21.16	Peak	308.00	200	Horizontal	Pass
4**	7974.577	44.48	54.0	9.52	AV	308.00	200	Horizontal	Pass
5	13748.231	54.57	74.0	19.43	Peak	49.00	200	Horizontal	Pass
5**	13748.231	44.12	54.0	9.88	AV	49.00	200	Horizontal	Pass
6	17435.989	55.04	74.0	18.96	Peak	64.00	100	Horizontal	Pass
6**	17435.989	45.23	54.0	8.77	AV	64.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.247	41.79	74.0	32.21	Peak	169.00	100	Vertical	Pass
1**	1462.247	34.65	54.0	19.35	AV	169.00	100	Vertical	Pass
2	2987.805	47.42	74.0	26.58	Peak	131.00	100	Vertical	Pass
2**	2987.805	40.13	54.0	13.87	AV	131.00	100	Vertical	Pass
3	6805.855	51.56	74.0	22.44	Peak	177.00	200	Vertical	Pass
3**	6805.855	43.17	54.0	10.83	AV	177.00	200	Vertical	Pass
4	7971.040	57.31	74.0	16.69	Peak	314.00	400	Vertical	Pass
4**	7971.040	41.06	54.0	12.94	AV	314.00	400	Vertical	Pass
5	12490.975	51.90	74.0	22.10	Peak	218.00	200	Vertical	Pass
5**	12490.975	38.84	54.0	15.16	AV	218.00	200	Vertical	Pass
6	17096.322	51.60	74.0	22.40	Peak	252.00	100	Vertical	Pass
6**	17096.322	43.76	54.0	10.24	AV	252.00	100	Vertical	Pass

 $\pi/4$ -DQPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.871	42.03	74.0	31.97	Peak	118.00	300	Horizontal	Pass
1**	1286.871	33.65	54.0	20.35	AV	118.00	300	Horizontal	Pass
2	2772.107	50.79	74.0	23.21	Peak	173.00	100	Horizontal	Pass
2**	2772.107	43.35	54.0	10.66	AV	173.00	100	Horizontal	Pass
3	5166.303	49.77	74.0	24.23	Peak	48.00	200	Horizontal	Pass
3**	5166.303	40.20	54.0	13.80	AV	48.00	200	Horizontal	Pass
4	6810.294	52.91	74.0	21.10	Peak	181.00	300	Horizontal	Pass
4**	6810.294	44.70	54.0	9.30	AV	181.00	300	Horizontal	Pass
5	13470.072	54.39	74.0	19.61	Peak	290.00	300	Horizontal	Pass
5**	13470.072	44.69	54.0	9.31	AV	290.00	300	Horizontal	Pass
6	17465.364	55.27	74.0	18.73	Peak	154.00	300	Horizontal	Pass
6**	17465.364	45.31	54.0	8.69	AV	154.00	300	Horizontal	Pass

$\pi/4$ -DQPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1284.589	41.58	74.0	32.42	Peak	343.00	400	Vertical	Pass
1**	1284.589	33.79	54.0	20.21	AV	343.00	400	Vertical	Pass
2	2775.007	48.05	74.0	25.95	Peak	199.00	200	Vertical	Pass
2**	2775.007	39.75	54.0	14.25	AV	199.00	200	Vertical	Pass
3	5167.481	51.69	74.0	22.31	Peak	165.00	200	Vertical	Pass
3**	5167.481	42.80	54.0	11.20	AV	165.00	200	Vertical	Pass
4	6805.920	58.27	74.0	15.73	Peak	294.00	200	Vertical	Pass
4**	6805.920	41.00	54.0	13.00	AV	294.00	200	Vertical	Pass
5	13468.869	51.43	74.0	22.57	Peak	340.00	400	Vertical	Pass
5**	13468.869	38.65	54.0	15.35	AV	340.00	400	Vertical	Pass
6	17459.996	51.43	74.0	22.57	Peak	101.00	400	Vertical	Pass
6**	17459.996	43.99	54.0	10.01	AV	101.00	400	Vertical	Pass

 $\pi/4$ -DQPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.807	41.74	74.0	32.26	Peak	184.00	100	Horizontal	Pass
1**	1282.807	32.71	54.0	21.29	AV	184.00	100	Horizontal	Pass
2	2770.775	51.07	74.0	22.93	Peak	237.00	200	Horizontal	Pass
2**	2770.775	42.44	54.0	11.57	AV	237.00	200	Horizontal	Pass
3	5164.733	49.81	74.0	24.19	Peak	32.00	200	Horizontal	Pass
3**	5164.733	39.28	54.0	14.72	AV	32.00	200	Horizontal	Pass
4	6810.181	52.40	74.0	21.61	Peak	134.00	200	Horizontal	Pass
4**	6810.181	44.17	54.0	9.83	AV	134.00	200	Horizontal	Pass
5	13468.236	53.45	74.0	20.55	Peak	172.00	300	Horizontal	Pass
5**	13468.236	44.03	54.0	9.97	AV	172.00	300	Horizontal	Pass
6	17468.274	54.96	74.0	19.04	Peak	357.00	100	Horizontal	Pass
6**	17468.274	44.71	54.0	9.29	AV	357.00	100	Horizontal	Pass

$\pi/4$ -DQPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1280.435	40.84	74.0	33.16	Peak	271.00	300	Vertical	Pass
1**	1280.435	34.41	54.0	19.59	AV	271.00	300	Vertical	Pass
2	2767.570	47.62	74.0	26.38	Peak	218.00	300	Vertical	Pass
2**	2767.570	39.97	54.0	14.03	AV	218.00	300	Vertical	Pass
3	5167.001	51.83	74.0	22.17	Peak	152.00	200	Vertical	Pass
3**	5167.001	41.77	54.0	12.23	AV	152.00	200	Vertical	Pass
4	6807.768	57.51	74.0	16.49	Peak	244.00	200	Vertical	Pass
4**	6807.768	41.06	54.0	12.94	AV	244.00	200	Vertical	Pass
5	13469.146	50.82	74.0	23.18	Peak	174.00	400	Vertical	Pass
5**	13469.146	38.42	54.0	15.58	AV	174.00	400	Vertical	Pass
6	17467.027	51.36	74.0	22.64	Peak	188.00	400	Vertical	Pass
6**	17467.027	44.03	54.0	9.97	AV	188.00	400	Vertical	Pass

 $\pi/4$ -DQPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1281.748	41.73	74.0	32.27	Peak	164.00	300	Horizontal	Pass
1**	1281.748	33.16	54.0	20.84	AV	164.00	300	Horizontal	Pass
2	2769.982	50.51	74.0	23.49	Peak	223.00	400	Horizontal	Pass
2**	2769.982	42.88	54.0	11.13	AV	223.00	400	Horizontal	Pass
3	5163.885	49.86	74.0	24.14	Peak	258.00	200	Horizontal	Pass
3**	5163.885	40.04	54.0	13.96	AV	258.00	200	Horizontal	Pass
4	6807.926	52.77	74.0	21.24	Peak	86.00	100	Horizontal	Pass
4**	6807.926	44.22	54.0	9.78	AV	86.00	100	Horizontal	Pass
5	13467.685	53.83	74.0	20.17	Peak	12.00	200	Horizontal	Pass
5**	13467.685	43.38	54.0	10.62	AV	12.00	200	Horizontal	Pass
6	17469.205	54.71	74.0	19.29	Peak	337.00	400	Horizontal	Pass
6**	17469.205	44.51	54.0	9.49	AV	337.00	400	Horizontal	Pass


$\pi/4$ -DQPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1285.889	41.35	74.0	32.65	Peak	198.00	100	Vertical	Pass
1**	1285.889	34.29	54.0	19.71	AV	198.00	100	Vertical	Pass
2	2770.641	46.91	74.0	27.09	Peak	275.00	100	Vertical	Pass
2**	2770.641	40.06	54.0	13.94	AV	275.00	100	Vertical	Pass
3	5165.988	50.58	74.0	23.42	Peak	114.00	200	Vertical	Pass
3**	5165.988	42.86	54.0	11.14	AV	114.00	200	Vertical	Pass
4	6804.525	56.41	74.0	17.59	Peak	206.00	200	Vertical	Pass
4**	6804.525	40.64	54.0	13.36	AV	206.00	200	Vertical	Pass
5	13463.709	51.03	74.0	22.97	Peak	238.00	400	Vertical	Pass
5**	13463.709	38.04	54.0	15.96	AV	238.00	400	Vertical	Pass
6	17460.626	50.69	74.0	23.31	Peak	13.00	100	Vertical	Pass
6**	17460.626	43.38	54.0	10.62	AV	13.00	100	Vertical	Pass

Right Earphone

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.300	45.16	74.0	28.84	Peak	225.00	400	Horizontal	Pass
1**	1332.300	37.20	54.0	16.80	AV	225.00	400	Horizontal	Pass
2	2989.700	50.21	74.0	23.79	Peak	231.00	400	Horizontal	Pass
2**	2989.700	41.30	54.0	12.70	AV	231.00	400	Horizontal	Pass
3	5577.250	51.91	74.0	22.09	Peak	136.00	200	Horizontal	Pass
3**	5577.250	40.87	54.0	13.13	AV	136.00	200	Horizontal	Pass
4	6886.250	53.88	74.0	20.12	Peak	229.00	200	Horizontal	Pass
4**	6886.250	44.82	54.0	9.18	AV	229.00	200	Horizontal	Pass
5	13196.775	54.00	74.0	20.00	Peak	172.00	200	Horizontal	Pass
5**	13196.775	45.10	54.0	8.90	AV	172.00	200	Horizontal	Pass
6	17023.761	55.57	74.0	18.43	Peak	115.00	400	Horizontal	Pass
6**	17023.761	45.63	54.0	8.37	AV	115.00	400	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.080	42.51	74.0	31.49	Peak	188.00	100	Vertical	Pass
1**	1463.080	31.84	54.0	22.16	AV	188.00	100	Vertical	Pass
2	2993.264	50.58	74.0	23.42	Peak	64.00	300	Vertical	Pass
2**	2993.264	42.47	54.0	11.53	AV	64.00	300	Vertical	Pass
3	6801.885	50.77	74.0	23.23	Peak	151.00	200	Vertical	Pass
3**	6801.885	41.40	54.0	12.60	AV	151.00	200	Vertical	Pass
4	7970.486	58.78	74.0	15.22	Peak	122.00	200	Vertical	Pass
4**	7970.486	43.06	54.0	10.94	AV	122.00	200	Vertical	Pass
5	12492.826	49.23	74.0	24.77	Peak	80.00	400	Vertical	Pass
5**	12492.826	42.70	54.0	11.30	AV	80.00	400	Vertical	Pass
6	17095.064	52.11	74.0	21.89	Peak	19.00	300	Vertical	Pass
6**	17095.064	44.15	54.0	9.85	AV	19.00	300	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1334.842	42.36	74.0	31.64	Peak	226.00	300	Horizontal	Pass
1**	1334.842	34.28	54.0	19.72	AV	226.00	300	Horizontal	Pass
2	2667.722	50.93	74.0	23.07	Peak	48.00	400	Horizontal	Pass
2**	2667.722	43.51	54.0	10.49	AV	48.00	400	Horizontal	Pass
3	5166.405	50.77	74.0	23.23	Peak	194.00	200	Horizontal	Pass
3**	5166.405	39.84	54.0	14.16	AV	194.00	200	Horizontal	Pass
4	7974.805	53.00	74.0	21.00	Peak	282.00	400	Horizontal	Pass
4**	7974.805	44.50	54.0	9.50	AV	282.00	400	Horizontal	Pass
5	13748.906	54.17	74.0	19.83	Peak	113.00	100	Horizontal	Pass
5**	13748.906	44.13	54.0	9.87	AV	113.00	100	Horizontal	Pass
6	17437.749	54.87	74.0	19.14	Peak	97.00	400	Horizontal	Pass
6**	17437.749	45.43	54.0	8.57	AV	97.00	400	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.441	41.94	74.0	32.06	Peak	74.00	200	Vertical	Pass
1**	1461.441	31.11	54.0	22.89	AV	74.00	200	Vertical	Pass
2	2989.753	50.34	74.0	23.66	Peak	356.00	100	Vertical	Pass
2**	2989.753	41.73	54.0	12.27	AV	356.00	100	Vertical	Pass
3	6800.897	50.64	74.0	23.36	Peak	149.00	200	Vertical	Pass
3**	6800.897	40.85	54.0	13.15	AV	149.00	200	Vertical	Pass
4	7968.362	58.50	74.0	15.50	Peak	179.00	300	Vertical	Pass
4**	7968.362	42.82	54.0	11.18	AV	179.00	300	Vertical	Pass
5	12496.006	48.73	74.0	25.27	Peak	53.00	400	Vertical	Pass
5**	12496.006	42.07	54.0	11.93	AV	53.00	400	Vertical	Pass
6	17097.053	51.22	74.0	22.78	Peak	145.00	100	Vertical	Pass
6**	17097.053	43.24	54.0	10.76	AV	145.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1339.477	42.52	74.0	31.48	Peak	64.00	200	Horizontal	Pass
1**	1339.477	33.84	54.0	20.16	AV	64.00	200	Horizontal	Pass
2	2665.814	51.20	74.0	22.80	Peak	357.00	400	Horizontal	Pass
2**	2665.814	42.99	54.0	11.01	AV	357.00	400	Horizontal	Pass
3	5169.150	49.98	74.0	24.02	Peak	134.00	200	Horizontal	Pass
3**	5169.150	40.07	54.0	13.93	AV	134.00	200	Horizontal	Pass
4	7971.989	53.39	74.0	20.61	Peak	197.00	400	Horizontal	Pass
4**	7971.989	44.44	54.0	9.56	AV	197.00	400	Horizontal	Pass
5	13745.968	53.85	74.0	20.15	Peak	222.00	400	Horizontal	Pass
5**	13745.968	43.96	54.0	10.04	AV	222.00	400	Horizontal	Pass
6	17434.793	54.76	74.0	19.25	Peak	278.00	100	Horizontal	Pass
6**	17434.793	44.74	54.0	9.26	AV	278.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.501	42.21	74.0	31.79	Peak	264.00	400	Vertical	Pass
1**	1461.501	31.21	54.0	22.79	AV	264.00	400	Vertical	Pass
2	2988.058	50.05	74.0	23.95	Peak	134.00	400	Vertical	Pass
2**	2988.058	42.32	54.0	11.68	AV	134.00	400	Vertical	Pass
3	6803.045	50.65	74.0	23.35	Peak	147.00	200	Vertical	Pass
3**	6803.045	41.18	54.0	12.82	AV	147.00	200	Vertical	Pass
4	7969.252	58.60	74.0	15.40	Peak	52.00	400	Vertical	Pass
4**	7969.252	42.46	54.0	11.54	AV	52.00	400	Vertical	Pass
5	12496.188	49.20	74.0	24.80	Peak	254.00	300	Vertical	Pass
5**	12496.188	41.92	54.0	12.08	AV	254.00	300	Vertical	Pass
6	17098.522	51.22	74.0	22.78	Peak	173.00	400	Vertical	Pass
6**	17098.522	43.26	54.0	10.74	AV	173.00	400	Vertical	Pass

 $\pi/4$ -DQPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1283.643	42.59	74.0	31.41	Peak	265.00	200	Horizontal	Pass
1**	1283.643	33.65	54.0	20.35	AV	265.00	200	Horizontal	Pass
2	2774.595	50.45	74.0	23.55	Peak	336.00	300	Horizontal	Pass
2**	2774.595	43.72	54.0	10.28	AV	336.00	300	Horizontal	Pass
3	5168.517	50.21	74.0	23.79	Peak	261.00	200	Horizontal	Pass
3**	5168.517	39.90	54.0	14.10	AV	261.00	200	Horizontal	Pass
4	6810.063	53.22	74.0	20.78	Peak	212.00	300	Horizontal	Pass
4**	6810.063	44.99	54.0	9.01	AV	212.00	300	Horizontal	Pass
5	13468.908	54.24	74.0	19.76	Peak	106.00	200	Horizontal	Pass
5**	13468.908	44.40	54.0	9.60	AV	106.00	200	Horizontal	Pass
6	17463.583	55.68	74.0	18.33	Peak	331.00	100	Horizontal	Pass
6**	17463.583	45.48	54.0	8.52	AV	331.00	100	Horizontal	Pass

$\pi/4$ -DQPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1282.688	42.03	74.0	31.97	Peak	264.00	100	Vertical	Pass
1**	1282.688	31.01	54.0	22.99	AV	264.00	100	Vertical	Pass
2	2772.657	50.42	74.0	23.58	Peak	304.00	300	Vertical	Pass
2**	2772.657	42.21	54.0	11.79	AV	304.00	300	Vertical	Pass
3	5163.266	50.50	74.0	23.50	Peak	158.00	200	Vertical	Pass
3**	5163.266	40.42	54.0	13.58	AV	158.00	200	Vertical	Pass
4	6802.717	58.43	74.0	15.57	Peak	177.00	200	Vertical	Pass
4**	6802.717	42.19	54.0	11.81	AV	177.00	200	Vertical	Pass
5	13471.621	48.99	74.0	25.01	Peak	235.00	200	Vertical	Pass
5**	13471.621	42.62	54.0	11.38	AV	235.00	200	Vertical	Pass
6	17463.255	52.04	74.0	21.96	Peak	123.00	200	Vertical	Pass
6**	17463.255	43.95	54.0	10.05	AV	123.00	200	Vertical	Pass

 $\pi/4$ -DQPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1283.589	42.25	74.0	31.75	Peak	320.00	300	Horizontal	Pass
1**	1283.589	34.16	54.0	19.84	AV	320.00	300	Horizontal	Pass
2	2772.158	50.42	74.0	23.58	Peak	182.00	100	Horizontal	Pass
2**	2772.158	42.63	54.0	11.37	AV	182.00	100	Horizontal	Pass
3	5169.906	49.82	74.0	24.18	Peak	333.00	200	Horizontal	Pass
3**	5169.906	38.99	54.0	15.01	AV	333.00	200	Horizontal	Pass
4	6804.392	52.62	74.0	21.38	Peak	6.00	200	Horizontal	Pass
4**	6804.392	44.46	54.0	9.54	AV	6.00	200	Horizontal	Pass
5	13465.351	53.25	74.0	20.75	Peak	12.00	400	Horizontal	Pass
5**	13465.351	43.43	54.0	10.57	AV	12.00	400	Horizontal	Pass
6	17465.961	54.75	74.0	19.26	Peak	128.00	400	Horizontal	Pass
6**	17465.961	45.18	54.0	8.82	AV	128.00	400	Horizontal	Pass

$\pi/4$ -DQPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1283.051	41.35	74.0	32.65	Peak	223.00	100	Vertical	Pass
1**	1283.051	30.81	54.0	23.19	AV	223.00	100	Vertical	Pass
2	2772.952	49.99	74.0	24.01	Peak	186.00	100	Vertical	Pass
2**	2772.952	40.77	54.0	13.23	AV	186.00	100	Vertical	Pass
3	5165.663	50.58	74.0	23.42	Peak	152.00	200	Vertical	Pass
3**	5165.663	40.15	54.0	13.85	AV	152.00	200	Vertical	Pass
4	6804.385	58.34	74.0	15.66	Peak	230.00	400	Vertical	Pass
4**	6804.385	42.28	54.0	11.72	AV	230.00	400	Vertical	Pass
5	13471.501	47.73	74.0	26.27	Peak	176.00	100	Vertical	Pass
5**	13471.501	41.07	54.0	12.93	AV	176.00	100	Vertical	Pass
6	17461.801	50.50	74.0	23.50	Peak	161.00	200	Vertical	Pass
6**	17461.801	42.62	54.0	11.38	AV	161.00	200	Vertical	Pass

 $\pi/4$ -DQPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1286.252	42.10	74.0	31.90	Peak	31.00	400	Horizontal	Pass
1**	1286.252	33.36	54.0	20.64	AV	31.00	400	Horizontal	Pass
2	2766.788	50.93	74.0	23.07	Peak	360.00	100	Horizontal	Pass
2**	2766.788	42.10	54.0	11.90	AV	360.00	100	Horizontal	Pass
3	5166.709	49.82	74.0	24.18	Peak	326.00	200	Horizontal	Pass
3**	5166.709	39.73	54.0	14.27	AV	326.00	200	Horizontal	Pass
4	6810.308	52.68	74.0	21.32	Peak	190.00	300	Horizontal	Pass
4**	6810.308	43.65	54.0	10.35	AV	190.00	300	Horizontal	Pass
5	13466.239	53.24	74.0	20.76	Peak	165.00	300	Horizontal	Pass
5**	13466.239	43.91	54.0	10.09	AV	165.00	300	Horizontal	Pass
6	17467.584	54.20	74.0	19.81	Peak	74.00	200	Horizontal	Pass
6**	17467.584	44.51	54.0	9.49	AV	74.00	200	Horizontal	Pass

$\pi/4$ -DQPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1279.708	41.87	74.0	32.13	Peak	25.00	400	Vertical	Pass
1**	1279.708	31.03	54.0	22.97	AV	25.00	400	Vertical	Pass
2	2773.099	49.95	74.0	24.05	Peak	34.00	300	Vertical	Pass
2**	2773.099	41.61	54.0	12.39	AV	34.00	300	Vertical	Pass
3	5167.106	50.62	74.0	23.38	Peak	81.00	200	Vertical	Pass
3**	5167.106	40.52	54.0	13.48	AV	81.00	200	Vertical	Pass
4	6805.438	57.61	74.0	16.39	Peak	344.00	100	Vertical	Pass
4**	6805.438	42.35	54.0	11.65	AV	344.00	100	Vertical	Pass
5	13470.401	48.51	74.0	25.49	Peak	98.00	400	Vertical	Pass
5**	13470.401	41.52	54.0	12.48	AV	98.00	400	Vertical	Pass
6	17464.446	50.23	74.0	23.77	Peak	354.00	400	Vertical	Pass
6**	17464.446	42.27	54.0	11.73	AV	354.00	400	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data

Left Earphone

GFSK LOW CHANNEL


No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2339.776	55.62	74.0	18.38	Peak	317.00	300	Horizontal	Pass
1**	2339.776	43.67	54.0	10.33	AV	317.00	300	Horizontal	Pass
2	2390.000	53.52	74.0	20.48	Peak	320.00	200	Horizontal	Pass
2**	2390.000	43.03	54.0	10.97	AV	320.00	200	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.02	74.0	19.98	Peak	260.00	200	Horizontal	Pass
1**	2483.500	43.38	54.0	10.62	AV	260.00	200	Horizontal	Pass
2	2502.023	55.74	74.0	18.27	Peak	224.00	100	Horizontal	Pass
2**	2502.023	43.49	54.0	10.51	AV	224.00	100	Horizontal	Pass

 $\pi/4$ -DQPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.239	55.38	74.0	18.62	Peak	315.00	200	Horizontal	Pass
1**	2325.239	43.82	54.0	10.18	AV	315.00	200	Horizontal	Pass
2	2390.000	54.09	74.0	19.92	Peak	131.00	100	Horizontal	Pass
2**	2390.000	42.88	54.0	11.12	AV	131.00	100	Horizontal	Pass

 $\pi/4$ -DQPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	54.62	74.0	19.38	Peak	327.00	200	Horizontal	Pass
1**	2483.550	44.73	54.0	9.27	AV	327.00	200	Horizontal	Pass
2	2485.250	56.05	74.0	17.95	Peak	314.00	100	Horizontal	Pass
2**	2485.250	44.10	54.0	9.90	AV	314.00	100	Horizontal	Pass

Right Earphone

GFSK LOW CHANNEL


No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2340.562	55.40	74.0	18.60	Peak	202.00	300	Horizontal	Pass
1**	2340.562	43.65	54.0	10.35	AV	202.00	300	Horizontal	Pass
2	2390.000	53.33	74.0	20.67	Peak	177.00	300	Horizontal	Pass
2**	2390.000	42.91	54.0	11.09	AV	177.00	300	Horizontal	Pass

GFSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.06	74.0	19.94	Peak	115.00	200	Horizontal	Pass
1**	2483.500	43.48	54.0	10.52	AV	115.00	200	Horizontal	Pass
2	2500.329	55.69	74.0	18.32	Peak	128.00	200	Horizontal	Pass
2**	2500.329	43.48	54.0	10.52	AV	128.00	200	Horizontal	Pass

 $\pi/4$ -DQPSK LOW CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2327.451	55.63	74.0	18.37	Peak	96.00	100	Horizontal	Pass
1**	2327.451	43.78	54.0	10.22	AV	96.00	100	Horizontal	Pass
2	2390.000	53.85	74.0	20.15	Peak	175.00	100	Horizontal	Pass
2**	2390.000	42.99	54.0	11.01	AV	175.00	100	Horizontal	Pass

 $\pi/4$ -DQPSK HIGH CHANNEL

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.64	74.0	19.36	Peak	59.00	100	Horizontal	Pass
1**	2483.500	44.41	54.0	9.59	AV	59.00	100	Horizontal	Pass
2	2493.400	55.85	74.0	18.15	Peak	208.00	150	Horizontal	Pass
2**	2493.400	43.72	54.0	10.28	AV	208.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25B0238-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25B0238-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25B0238-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--