



Report No.: SUCR260500041102

Page: 1 of 19

Appendix B.3

1.1. Test Band = _LTE-Band2 TM1

1.1.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3711.375	-43.66	29.51	-48.79	-13.00	35.79	Horizontal
2	5199.375	-41.33	32.20	-55.66	-13.00	42.66	Horizontal
3	6763.875	-40.28	35.56	-53.40	-13.00	40.40	Horizontal
4	7978.125	-40.25	36.70	-53.00	-13.00	40.00	Horizontal
5	9569.25	-40.75	37.92	-51.97	-13.00	38.97	Horizontal
6	11428.875	-40.42	40.57	-49.27	-13.00	36.27	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3711	-43.66	29.51	-47.77	-13.00	34.77	Vertical
2	5184.75	-41.38	32.17	-55.99	-13.00	42.99	Vertical
3	6523.5	-40.44	34.69	-53.53	-13.00	40.53	Vertical
4	7989	-40.24	36.70	-52.97	-13.00	39.97	Vertical
5	9598.5	-40.66	38.09	-51.98	-13.00	38.98	Vertical
6	11359.5	-40.66	40.52	-49.36	-13.00	36.36	Vertical



Report No.: SUCR260500041102

Page: 2 of 19

1.2. Test Band = _LTE-Band2 TM1

1.2.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.125	-43.60	29.89	-48.24	-13.00	35.24	Horizontal
2	5627.25	-40.51	32.85	-51.23	-13.00	38.23	Horizontal
3	7607.625	-40.54	36.88	-52.63	-13.00	39.63	Horizontal
4	10395.75	-40.81	39.50	-52.03	-13.00	39.03	Horizontal
5	14021.25	-40.64	41.03	-49.27	-13.00	36.27	Horizontal
6	16924.5	-38.94	40.62	-48.69	-13.00	35.69	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3750.75	-43.60	29.90	-48.56	-13.00	35.56	Vertical
2	5626.5	-40.52	32.85	-47.41	-13.00	34.41	Vertical
3	7603.5	-40.56	36.89	-52.60	-13.00	39.60	Vertical
4	9567.75	-40.76	37.91	-51.84	-13.00	38.84	Vertical
5	11364.75	-40.60	40.53	-49.21	-13.00	36.21	Vertical
6	13678.5	-40.38	40.48	-49.66	-13.00	36.66	Vertical



Report No.: SUCR260500041102

Page: 3 of 19

1.3. Test Band = _LTE-Band2 TM1

1.3.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3790.875	-43.55	29.65	-50.77	-13.00	37.77	Horizontal
2	5686.875	-40.35	32.80	-54.11	-13.00	41.11	Horizontal
3	7097.625	-40.67	36.19	-53.21	-13.00	40.21	Horizontal
4	8546.625	-40.20	36.89	-53.35	-13.00	40.35	Horizontal
5	10721.25	-40.29	39.22	-50.18	-13.00	37.18	Horizontal
6	13867.875	-40.20	40.44	-49.28	-13.00	36.28	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3791.25	-43.55	29.65	-45.84	-13.00	32.84	Vertical
2	5686.875	-40.35	32.80	-52.63	-13.00	39.63	Vertical
3	7980.75	-40.25	36.70	-52.29	-13.00	39.29	Vertical
4	10807.875	-40.34	39.35	-50.04	-13.00	37.04	Vertical
5	13656.375	-40.40	40.46	-49.41	-13.00	36.41	Vertical
6	16942.125	-39.04	40.71	-48.70	-13.00	35.70	Vertical



Report No.: SUCR260500041102

Page: 4 of 19

1.4. Test Band = _LTE-Band4 TM1

1.4.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-48.02	-13.00	35.02	Horizontal
2	5146.5	-41.50	32.08	-43.35	-13.00	30.35	Horizontal
3	7170	-40.35	36.18	-54.48	-13.00	41.48	Horizontal
4	9482.25	-40.94	37.61	-54.12	-13.00	41.12	Horizontal
5	12055.5	-40.16	39.84	-50.97	-13.00	37.97	Horizontal
6	14385	-40.57	41.90	-50.26	-13.00	37.26	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-40.79	-13.00	27.79	Vertical
2	5146.5	-41.50	32.08	-46.03	-13.00	33.03	Vertical
3	7098	-40.67	36.19	-54.34	-13.00	41.34	Vertical
4	9168	-40.74	37.33	-54.30	-13.00	41.30	Vertical
5	11412	-40.30	40.59	-50.04	-13.00	37.04	Vertical
6	14307	-40.80	41.90	-50.52	-13.00	37.52	Vertical



Report No.: SUCR260500041102

Page: 5 of 19

1.5. Test Band = _LTE-Band4 TM1

1.5.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3456	-44.14	28.86	-46.43	-13.00	33.43	Horizontal
2	5184	-41.38	32.17	-44.00	-13.00	31.00	Horizontal
3	7098.75	-40.67	36.19	-54.10	-13.00	41.10	Horizontal
4	9566.25	-40.76	37.90	-53.30	-13.00	40.30	Horizontal
5	13188.75	-40.13	39.53	-51.07	-13.00	38.07	Horizontal
6	16969.5	-39.19	40.85	-50.96	-13.00	37.96	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3456	-44.14	28.86	-39.54	-13.00	26.54	Vertical
2	5184	-41.38	32.17	-45.65	-13.00	32.65	Vertical
3	6945	-40.79	35.61	-54.72	-13.00	41.72	Vertical
4	9633	-40.55	38.30	-53.26	-13.00	40.26	Vertical
5	12114.75	-40.20	39.81	-50.76	-13.00	37.76	Vertical
6	15012	-39.87	40.95	-51.04	-13.00	38.04	Vertical



Report No.: SUCR260500041102

Page: 6 of 19

1.6. Test Band = _LTE-Band4 TM1

1.6.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	-44.18	29.12	-46.17	-13.00	33.17	Horizontal
2	5221.5	-41.31	32.07	-50.97	-13.00	37.97	Horizontal
3	7065	-40.67	35.99	-54.15	-13.00	41.15	Horizontal
4	10970.25	-40.44	40.25	-50.69	-13.00	37.69	Horizontal
5	14298.75	-40.82	41.90	-50.19	-13.00	37.19	Horizontal
6	17083.5	-40.14	41.67	-50.91	-13.00	37.91	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	-44.18	29.12	-42.95	-13.00	29.95	Vertical
2	5221.5	-41.31	32.07	-49.04	-13.00	36.04	Vertical
3	7199.25	-40.21	36.30	-54.41	-13.00	41.41	Vertical
4	9685.5	-40.40	38.47	-53.17	-13.00	40.17	Vertical
5	12093	-40.08	39.81	-50.49	-13.00	37.49	Vertical
6	14384.25	-40.57	41.90	-50.35	-13.00	37.35	Vertical



Report No.: SUCR260500041102

Page: 7 of 19

1.7. Test Band = _LTE-Band5 TM1

1.7.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-46.52	-13.00	33.52	Horizontal
2	2473.7778	-45.58	27.60	-55.61	-13.00	42.61	Horizontal
3	3298.6667	-44.65	28.69	-53.52	-13.00	40.52	Horizontal
4	4382.2222	-42.37	29.97	-51.39	-13.00	38.39	Horizontal
5	5480.8889	-40.81	32.62	-48.41	-13.00	35.41	Horizontal
6	6787.5556	-37.86	35.65	-44.66	-13.00	31.66	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-36.66	-13.00	23.66	Vertical
2	2594.6667	-45.23	28.08	-55.85	-13.00	42.85	Vertical
3	3447.5556	-44.41	28.80	-55.32	-13.00	42.32	Vertical
4	4677.7778	-42.34	30.72	-50.80	-13.00	37.80	Vertical
5	5866.6667	-40.05	32.70	-47.81	-13.00	34.81	Vertical
6	7972.4444	-35.91	36.70	-42.31	-13.00	29.31	Vertical



Report No.: SUCR260500041102

Page: 8 of 19

1.8. Test Band = _LTE-Band5 TM1

1.8.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1664.4444	-46.80	25.16	-51.15	-13.00	38.15	Horizontal
2	2496.4444	-45.54	27.69	-52.40	-13.00	39.40	Horizontal
3	3600	-44.49	29.20	-53.40	-13.00	40.40	Horizontal
4	4794.2222	-42.12	31.00	-50.89	-13.00	37.89	Horizontal
5	5785.3333	-39.91	32.55	-47.86	-13.00	34.86	Horizontal
6	6833.3333	-37.92	35.83	-43.47	-13.00	30.47	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1664.4444	-46.80	25.16	-41.30	-13.00	28.30	Vertical
2	2496.4444	-45.54	27.69	-56.12	-13.00	43.12	Vertical
3	3947.5556	-43.39	29.69	-53.04	-13.00	40.04	Vertical
4	5595.5556	-40.44	32.86	-48.50	-13.00	35.50	Vertical
5	7604.4444	-36.93	36.89	-43.21	-13.00	30.21	Vertical
6	8684.8889	-34.68	36.84	-42.58	-13.00	29.58	Vertical



Report No.: SUCR260500041102

Page: 9 of 19

1.9. Test Band = _LTE-Band5 TM1

1.9.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1679.1111	-46.78	25.01	-57.24	-13.00	44.24	Horizontal
2	2519.1111	-45.47	27.78	-52.81	-13.00	39.81	Horizontal
3	3358.2222	-44.51	28.65	-55.47	-13.00	42.47	Horizontal
4	4671.5556	-42.34	30.67	-51.24	-13.00	38.24	Horizontal
5	6131.5556	-39.41	33.64	-46.99	-13.00	33.99	Horizontal
6	7306.2222	-37.36	36.71	-43.25	-13.00	30.25	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1679.5556	-46.78	25.00	-44.97	-13.00	31.97	Vertical
2	2574.2222	-45.29	28.00	-56.24	-13.00	43.24	Vertical
3	3557.3333	-44.46	29.11	-55.69	-13.00	42.69	Vertical
4	4785.7778	-42.14	30.84	-51.74	-13.00	38.74	Vertical
5	6020	-39.72	33.02	-47.87	-13.00	34.87	Vertical
6	7580.4444	-36.93	36.82	-42.60	-13.00	29.60	Vertical



Report No.: SUCR260500041102

Page: 10 of 19

1.10. Test Band = _LTE-Band7 TM1

1.10.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3767	-43.58	29.80	-60.08	-25.00	35.08	Horizontal
2	5011	-41.49	30.99	-49.85	-25.00	24.85	Horizontal
3	7517	-40.77	36.83	-41.06	-25.00	16.06	Horizontal
4	10956.5	-40.48	40.18	-50.32	-25.00	25.32	Horizontal
5	14457	-40.73	41.73	-49.51	-25.00	24.51	Horizontal
6	17985	-45.96	47.63	-51.01	-25.00	26.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736	-43.62	29.76	-60.15	-25.00	35.15	Vertical
2	5011	-41.49	30.99	-49.08	-25.00	24.08	Vertical
3	7516.5	-40.77	36.83	-38.54	-25.00	13.54	Vertical
4	10313.5	-40.33	39.41	-51.85	-25.00	26.85	Vertical
5	13646	-40.41	40.45	-50.00	-25.00	25.00	Vertical
6	16970.5	-39.20	40.85	-50.44	-25.00	25.44	Vertical



Report No.: SUCR260500041102

Page: 11 of 19

1.11. Test Band = _LTE-Band7 TM1

1.11.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3851.5	-43.50	29.40	-60.12	-25.00	35.12	Horizontal
2	5061	-41.57	31.41	-55.51	-25.00	30.51	Horizontal
3	7089.5	-40.67	36.14	-53.42	-25.00	28.42	Horizontal
4	9602	-40.64	38.11	-52.57	-25.00	27.57	Horizontal
5	12093.5	-40.08	39.81	-50.01	-25.00	25.01	Horizontal
6	15041	-39.85	40.84	-49.97	-25.00	24.97	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-57.15	-25.00	32.15	Vertical
2	5061	-41.57	31.41	-53.77	-25.00	28.77	Vertical
3	7592	-40.59	36.87	-52.57	-25.00	27.57	Vertical
4	9633.5	-40.55	38.30	-52.76	-25.00	27.76	Vertical
5	11395.5	-40.27	40.59	-49.56	-25.00	24.56	Vertical
6	14386	-40.56	41.90	-49.65	-25.00	24.65	Vertical



Report No.: SUCR260500041102

Page: 12 of 19

1.12. Test Band = _LTE-Band7 TM1

1.12.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3729	-43.63	29.69	-60.07	-25.00	35.07	Horizontal
2	5111	-41.61	31.87	-53.71	-25.00	28.71	Horizontal
3	7060	-40.67	35.96	-53.63	-25.00	28.63	Horizontal
4	9631	-40.56	38.29	-52.89	-25.00	27.89	Horizontal
5	13047	-40.56	39.64	-50.88	-25.00	25.88	Horizontal
6	16960	-39.14	40.80	-50.41	-25.00	25.41	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-58.11	-25.00	33.11	Vertical
2	5111	-41.61	31.87	-51.05	-25.00	26.05	Vertical
3	7050.5	-40.67	35.90	-53.49	-25.00	28.49	Vertical
4	9126.5	-40.51	37.35	-53.33	-25.00	28.33	Vertical
5	11401.5	-40.23	40.60	-50.01	-25.00	25.01	Vertical
6	14313	-40.78	41.90	-49.69	-25.00	24.69	Vertical



Report No.: SUCR260500041102

Page: 13 of 19

1.13. Test Band = _LTE-Band12 TM1

1.13.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	-46.79	24.71	-52.25	-13.00	39.25	Horizontal
2	2098.5	-46.13	26.59	-59.22	-13.00	46.22	Horizontal
3	2798.5	-44.88	28.50	-49.31	-13.00	36.31	Horizontal
4	3517.5	-44.42	29.23	-57.69	-13.00	44.69	Horizontal
5	5035.5	-41.61	31.18	-58.08	-13.00	45.08	Horizontal
6	6851.5	-37.98	35.89	-51.38	-13.00	38.38	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	-46.79	24.71	-59.41	-13.00	46.41	Vertical
2	1772.5	-46.53	25.28	-56.21	-13.00	43.21	Vertical
3	2098.5	-46.13	26.59	-62.15	-13.00	49.15	Vertical
4	2798.5	-44.88	28.50	-56.69	-13.00	43.69	Vertical
5	3498	-44.41	29.28	-59.77	-13.00	46.77	Vertical
6	5286	-41.27	32.19	-56.53	-13.00	43.53	Vertical



Report No.: SUCR260500041102

Page: 14 of 19

1.14. Test Band = _LTE-Band12 TM1

1.14.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1250.5	-47.19	24.60	-62.59	-13.00	49.59	Horizontal
2	1406	-46.80	24.80	-50.04	-13.00	37.04	Horizontal
3	2035	-46.23	26.34	-59.09	-13.00	46.09	Horizontal
4	2812.5	-44.91	28.53	-47.71	-13.00	34.71	Horizontal
5	3515.5	-44.42	29.24	-59.80	-13.00	46.80	Horizontal
6	5175.5	-41.45	32.15	-56.41	-13.00	43.41	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1406	-46.80	24.80	-59.78	-13.00	46.78	Vertical
2	2109.5	-46.13	26.62	-59.92	-13.00	46.92	Vertical
3	2812.5	-44.91	28.53	-56.21	-13.00	43.21	Vertical
4	3756.5	-43.88	29.86	-60.11	-13.00	47.11	Vertical
5	5450.5	-40.88	32.50	-56.41	-13.00	43.41	Vertical
6	7613.5	-36.87	36.87	-49.33	-13.00	36.33	Vertical



Report No.: SUCR260500041102

Page: 15 of 19

1.15. Test Band = _LTE-Band12 TM1

1.15.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413	-46.82	24.91	-53.89	-13.00	40.89	Horizontal
2	2120	-46.12	26.64	-59.41	-13.00	46.41	Horizontal
3	2826	-44.94	28.55	-51.77	-13.00	38.77	Horizontal
4	4634.5	-42.32	30.41	-59.03	-13.00	46.03	Horizontal
5	6768	-37.96	35.57	-51.89	-13.00	38.89	Horizontal
6	8550	-35.16	36.90	-48.87	-13.00	35.87	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1413	-46.82	24.91	-60.83	-13.00	47.83	Vertical
2	1909	-46.44	25.29	-59.71	-13.00	46.71	Vertical
3	2826.5	-44.94	28.55	-58.23	-13.00	45.23	Vertical
4	4221	-43.01	29.88	-59.84	-13.00	46.84	Vertical
5	5716.5	-40.31	32.60	-55.30	-13.00	42.30	Vertical
6	7696.5	-36.31	36.52	-49.32	-13.00	36.32	Vertical



Report No.: SUCR260500041102

Page: 16 of 19

1.16. Test Band = _LTE-Band13 TM1

1.16.1. Test Channel = Mid-10M

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1555	-46.94	24.58	-27.95	-13.00	14.95	Horizontal
2	2332.5	-45.75	27.34	-56.74	-13.00	43.74	Horizontal
3	3110	-44.84	28.88	-45.85	-13.00	32.85	Horizontal
4	4665.5	-42.33	30.62	-48.75	-13.00	35.75	Horizontal
5	6490.5	-39.07	34.51	-53.27	-13.00	40.27	Horizontal
6	8966	-34.36	36.73	-48.03	-13.00	35.03	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1199	-47.26	24.80	-65.57	-13.00	52.57	Vertical
2	1555	-46.94	24.58	-34.22	-13.00	21.22	Vertical
3	2332.5	-45.75	27.34	-56.25	-13.00	43.25	Vertical
4	3110	-44.84	28.88	-49.35	-13.00	36.35	Vertical
5	4665.5	-42.33	30.62	-46.25	-13.00	33.25	Vertical
6	6220.5	-39.61	33.68	-52.37	-13.00	39.37	Vertical



Report No.: SUCR260500041102

Page: 17 of 19

1.17. Test Band = _LTE-Band13 TM1

1.17.1. Test Channel = Low

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1557	-46.94	24.61	-47.47	-13.00	34.47	Horizontal
2	2299	-45.76	27.39	-65.26	-13.00	52.26	Horizontal
3	3118	-44.79	28.86	-56.65	-13.00	43.65	Horizontal
4	4336.5	-42.33	29.99	-59.44	-13.00	46.44	Horizontal
5	5817	-39.89	32.63	-54.90	-13.00	41.90	Horizontal
6	7350.5	-37.07	36.80	-50.40	-13.00	37.40	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1559.5	-46.94	24.65	-46.98	-40.00	6.98	Vertical
2	2341	-45.74	27.32	-63.46	-13.00	50.46	Vertical
3	3118	-44.79	28.86	-60.07	-13.00	47.07	Vertical
4	4675	-42.34	30.70	-57.77	-13.00	44.77	Vertical
5	6543	-38.87	34.77	-52.76	-13.00	39.76	Vertical
6	8562	-35.13	36.88	-48.72	-13.00	35.72	Vertical



Report No.: SUCR260500041102

Page: 18 of 19

1.18. Test Band = _LTE-Band13 TM1

1.18.1. Test Channel = Mid

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1561.5	-46.94	24.68	-48.36	-40.00	8.36	Horizontal
2	2346	-45.74	27.31	-63.58	-13.00	50.58	Horizontal
3	3141.5	-44.64	28.82	-62.56	-13.00	49.56	Horizontal
4	4669	-42.33	30.65	-58.77	-13.00	45.77	Horizontal
5	6521	-38.96	34.68	-53.11	-13.00	40.11	Horizontal
6	7887.5	-36.01	36.75	-49.17	-13.00	36.17	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1564	-46.93	24.72	-48.35	-40.00	8.35	Vertical
2	2345.5	-45.74	27.31	-64.13	-13.00	51.13	Vertical
3	3112.5	-44.82	28.88	-61.90	-13.00	48.90	Vertical
4	3890.5	-43.53	29.48	-60.56	-13.00	47.56	Vertical
5	5129.5	-41.61	31.98	-57.10	-13.00	44.10	Vertical
6	6187.5	-39.57	33.75	-54.11	-13.00	41.11	Vertical



Report No.: SUCR260500041102

Page: 19 of 19

1.19. Test Band = _LTE-Band13 TM1

1.19.1. Test Channel = High

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1566.5	-46.93	24.76	-46.30	-40.00	6.30	Horizontal
2	2739.5	-44.99	28.38	-63.32	-13.00	50.32	Horizontal
3	3761.5	-43.89	29.83	-60.52	-13.00	47.52	Horizontal
4	5205.5	-41.35	32.17	-56.72	-13.00	43.72	Horizontal
5	6999.5	-37.66	35.30	-50.92	-13.00	37.92	Horizontal
6	8605.5	-35.03	36.79	-48.51	-13.00	35.51	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1568	-46.93	24.79	-48.63	-40.00	8.63	Vertical
2	2353	-45.74	27.29	-64.77	-13.00	51.77	Vertical
3	3504	-44.41	29.28	-62.03	-13.00	49.03	Vertical
4	5130.5	-41.61	31.98	-57.46	-13.00	44.46	Vertical
5	6742	-38.10	35.39	-52.12	-13.00	39.12	Vertical
6	8570.5	-35.11	36.86	-48.67	-13.00	35.67	Vertical

--- End of Appendix ---