

RF EXPOSURE REPORT



Applicant: Eagle Wireless Holdings, Inc.
1974 E. 66th St., Suite 200-B Cleveland, OH 44103

Manufacturer: Eagle Wireless Holdings, Inc.
1974 E. 66th St., Suite 200-B Cleveland, OH 44103

Product Name: A4525R-GL

Brand Name: EagleWireless

Model No.: A4525R-GL

FCC ID 2BNX7A4525RGLA

IC: 33571-A4525RGLA

Date of EUT Received: N/A, this report is only calculated based on the test results, there will be no date of EUT received.

Issue Date: Oct. 02, 2026

Approved By

John Yeh

We hereby certify that:

The above equipment was evaluated by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1091, KDB 447498 D01 v06 and RSS-102 issue 6.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2608000578ES	00	Original	Oct. 02, 2026	Kimmy Chiou	

Note:

- 1、The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
1.1	PRODUCT DESCRIPTION	4
1.2	EVALUATION SITE	4
1.3	ANTENNA INFORMATION:	5
1.4	RATED POWER	6
2	MAXIMUM PERMISSIBLE EXPOSURE (MPE)	7
2.1	FCC STANDARD APPLICABLE	7
2.2	POWER DENSITY CALCULATION (WORST CASE)	8
2.3	MAXIMUM ALLOWABLE ANTENNA GAIN	9
2.4	ISED STANDARD APPLICABLE	10
2.5	FIELD REFERENCE LEVEL (FRL) EXPOSURE EXEMPTION	11
2.6	MAXIMUM ALLOWABLE ANTENNA GAIN	12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

1.1 Product Description

Product Name:	A4525R-GL
Brand Name:	EagleWireless
Model No.:	A4525R-GL

1.2 Evaluation site

Laboratory		Site Address	FCC Designation number/ Registration Number	ISED Company Number	CAB Identifier
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	☒	No. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, 24803, Taiwan.	TW0027/ 891563	4620A	TW3702
	☐	No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 333 Taiwan.	TW0028/ 200037	4620E	
	☐	1F, No. 8, Alley 15, Lane 120, Sec. 1, Nei Hu Road, Nei Hu District, Taipei City, 222 Taiwan.	TW0029/ 150169	23862	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Antenna Information:

Operating Frequency (MHz)				Ant 0 Peak Gain (dBi)
GSM / GPRS / EDGE 850_1Dn1UP	824	~	849	0.3
GSM / GPRS / EDGE 850_1Dn2UP	824	~	849	0.3
GSM / GPRS / EDGE 850_1Dn3UP	824	~	849	0.3
GSM / GPRS / EDGE 850_1Dn4UP	824	~	849	0.3
GSM / GPRS / EDGE 1900_1Dn1UP	1850	~	1910	2.6
GSM / GPRS / EDGE 1900_1Dn2UP	1850	~	1910	2.6
GSM / GPRS / EDGE 1900_1Dn3UP	1850	~	1910	2.6
GSM / GPRS / EDGE 1900_1Dn4UP	1850	~	1910	2.6
WCDMA/HSPA Band II	1850	~	1910	2.6
WCDMA/HSPA Band IV	1710	~	1753	2.6
WCDMA/HSPA Band V	824	~	849	0.3
LTE-Band 2	1850	~	1910	2.6
LTE-Band 4	1710	~	1755	2.6
LTE-Band 5	824	~	849	0.3
LTE-Band 7	2500	~	2570	1.4
LTE-Band 12	699	~	716	-0.5
LTE-Band 13	777	~	787	-0.5
LTE-Band 25	1850	~	1915	2.6
LTE-Band 26	824	~	849	0.3
LTE-Band 26 Part 90	814	~	824	0.3
LTE-Band 38	2570	~	2620	1.4
LTE-Band 41	2496	~	2690	1.4
LTE-Band 66	1710	~	1780	2.6
LTE-Band 71	663	~	698	-0.9

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.4 Rated Power

Operating Frequency (MHz)		Max. Output Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	separation distance(m)	EIRP / ERP (dBm)	FCC				ISED			
								Power Density (mW/cm ²)	Limit (mW/cm ²)	Density / Limit	FCC Worst Case	Max. EIRP (W)	Limit (W)	Max. EIRP / Limit	IC Worst Case
GSM / GPRS / EDGE 850_1Dn1UP	824 ~ 849	23.97	0.30	22.12	0.16	0.2	24.27	0.05	0.55	0.10		0.27	1.31	0.20	
GSM / GPRS / EDGE 850_1Dn2UP	824 ~ 849	25.98	0.30	24.13	0.26	0.2	26.28	0.08	0.55	0.15		0.42	1.31	0.32	
GSM / GPRS / EDGE 850_1Dn3UP	824 ~ 849	25.74	0.30	23.89	0.24	0.2	26.04	0.08	0.55	0.15		0.40	1.31	0.31	
GSM / GPRS / EDGE 850_1Dn4UP	824 ~ 849	25.99	0.30	24.14	0.26	0.2	26.29	0.08	0.55	0.15	V	0.43	1.31	0.32	V
GSM / GPRS / EDGE 1900_1Dn1UP	1850 ~ 1910	20.99	2.60	21.44	0.14	0.2	23.59	0.05	1.00	0.05		0.23	2.29	0.10	
GSM / GPRS / EDGE 1900_1Dn2UP	1850 ~ 1910	23.98	2.60	24.43	0.28	0.2	26.58	0.09	1.00	0.09		0.45	2.29	0.20	
GSM / GPRS / EDGE 1900_1Dn3UP	1850 ~ 1910	22.74	2.60	23.19	0.21	0.2	25.34	0.07	1.00	0.07		0.34	2.29	0.15	
GSM / GPRS / EDGE 1900_1Dn4UP	1850 ~ 1910	22.99	2.60	23.44	0.22	0.2	25.59	0.07	1.00	0.07		0.36	2.29	0.16	
WCDMA / HSPA Band II	1850 ~ 1910	25.00	2.60	25.45	0.35	0.2	27.60	0.11	1.00	0.11		0.58	2.29	0.25	
WCDMA / HSPA Band IV	1710 ~ 1753	25.00	2.60	25.45	0.35	0.2	27.60	0.11	1.00	0.11		0.58	2.16	0.27	
WCDMA / HSPA Band V	824 ~ 849	25.00	0.30	23.15	0.21	0.2	25.30	0.07	0.55	0.12		0.34	1.31	0.26	
LTE-Band 2	1850 ~ 1910	25.00	2.60	25.45	0.35	0.2	27.60	0.11	1.00	0.11		0.58	2.29	0.25	
LTE-Band 4	1710 ~ 1755	25.00	2.60	25.45	0.35	0.2	27.60	0.11	1.00	0.11		0.58	2.16	0.27	
LTE-Band 5	824 ~ 849	25.00	0.30	23.15	0.21	0.2	25.30	0.07	0.55	0.12		0.34	1.31	0.26	
LTE-Band 7	2500 ~ 2570	25.00	1.40	24.25	0.27	0.2	26.40	0.09	1.00	0.09		0.44	2.80	0.16	
LTE-Band 12	699 ~ 716	25.00	-0.50	22.35	0.17	0.2	24.50	0.06	0.47	0.12		0.28	1.17	0.24	
LTE-Band 13	777 ~ 787	25.00	-0.50	22.35	0.17	0.2	24.50	0.06	0.52	0.11		0.28	1.25	0.23	
LTE-Band 25	1850 ~ 1915	25.00	2.60	25.45	0.35	0.2	27.60	0.11	1.00	0.11		0.58	2.29	0.25	
LTE-Band 26	824 ~ 849	25.00	0.30	23.15	0.21	0.2	25.30	0.07	0.55	0.12		0.34	1.31	0.26	
LTE-Band 26 Part 90	814 ~ 824	25.00	0.30	23.15	0.21	0.2	25.30	0.07	0.54	0.12		0.34	1.29	0.26	
LTE-Band 38	2570 ~ 2620	25.00	1.40	24.25	0.27	0.2	26.40	0.09	1.00	0.09		0.44	2.84	0.15	
LTE-Band 41	2496 ~ 2690	25.00	1.40	24.25	0.27	0.2	26.40	0.09	1.00	0.09		0.44	2.89	0.15	
LTE-Band 66	1710 ~ 1780	25.00	2.60	25.45	0.35	0.2	27.60	0.11	1.00	0.11		0.58	2.18	0.26	
LTE-Band 71	663 ~ 698	25.00	-0.90	21.95	0.16	0.2	24.10	0.05	0.44	0.12		0.26	1.15	0.22	

Note: PG information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 MAXIMUM PERMISSIBLE EXPOSURE (MPE)

2.1 FCC Standard Applicable

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

This is a Mobile device, the MPE is required.

According to §1.1310 and §2.1091 RF exposure is calculated.

Limits for Maximum Permissible Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minute)
Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100000	/	/	1.0	30

f = frequency in MHz

* = Plane-wave equipment power density

Prediction of MPE limit at a given distance

$$S = PG / 4\pi R^2$$

Where: S = Power density

P = Power input to antenna

G = Power gain of the antenna in the direction of interest relative to an isotropic radiator

R = Distance to the center of radiation of the antenna

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.2 Power Density Calculation (Worst Case)

FCC Standalone MPE

Operation Mode	Evaluation Frequency (MHz)	Operation Distance (cm)	Max. Output Power Include Tolerance (dBm)	Antenna Gain (dBi)	Max. EIRP (mW)	Power Density (PD) (mW/cm ²)	Limit (mW/cm ²)	Pass / Fail	Power Density / Limit
GSM / GPRS / EDGE 850_1Dn1UP	849.00	20	23.97	0.30	267.30	0.053	0.566	Pass	0.094
GSM / GPRS / EDGE 850_1Dn2UP	849.00	20	25.98	0.30	424.62	0.085	0.566	Pass	0.149
GSM / GPRS / EDGE 850_1Dn3UP	849.00	20	25.74	0.30	401.79	0.080	0.566	Pass	0.141
GSM / GPRS / EDGE 850_1Dn4UP	849.00	20	25.99	0.30	425.60	0.085	0.566	Pass	0.150
GSM / GPRS / EDGE 1900_1Dn1UP	1910.00	20	20.99	2.60	228.56	0.045	1.000	Pass	0.045
GSM / GPRS / EDGE 1900_1Dn2UP	1910.00	20	23.98	2.60	454.99	0.091	1.000	Pass	0.091
GSM / GPRS / EDGE 1900_1Dn3UP	1910.00	20	22.74	2.60	341.98	0.068	1.000	Pass	0.068
GSM / GPRS / EDGE 1900_1Dn4UP	1910.00	20	22.99	2.60	362.24	0.072	1.000	Pass	0.072
WCDMA / HSPA Band II	1910.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
WCDMA / HSPA Band IV	1753.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
WCDMA / HSPA Band V	849.00	20	25	0.30	338.84	0.067	0.566	Pass	0.119
LTE-Band 2	1910.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
LTE-Band 4	1755.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
LTE-Band 5	849.00	20	25	0.30	338.84	0.067	0.566	Pass	0.119
LTE-Band 7	2570.00	20	25	1.40	436.52	0.087	1.000	Pass	0.087
LTE-Band 12	716.00	20	25	-0.50	281.84	0.056	0.477	Pass	0.118
LTE-Band 13	787.00	20	25	-0.50	281.84	0.056	0.525	Pass	0.107
LTE-Band 25	1915.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
LTE-Band 26	849.00	20	25	0.30	338.84	0.067	0.566	Pass	0.119
LTE-Band 26 Part 90	824.00	20	25	0.30	338.84	0.067	0.549	Pass	0.123
LTE-Band 38	2620.00	20	25	1.40	436.52	0.087	1.000	Pass	0.087
LTE-Band 41	2690.00	20	25	1.40	436.52	0.087	1.000	Pass	0.087
LTE-Band 66	1780.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
LTE-Band 71	698.00	20	25	-0.90	257.04	0.051	0.465	Pass	0.110
CA_5B	849.00	20	25	0.30	338.84	0.067	0.566	Pass	0.119
CA_7C	2570.00	20	25	1.40	436.52	0.087	1.000	Pass	0.087
CA_38C	2620.00	20	25	1.40	436.52	0.087	1.000	Pass	0.087
CA_41C	2690.00	20	25	1.40	436.52	0.087	1.000	Pass	0.087
CA_66B	1780.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115
CA_66C	1780.00	20	25	2.60	575.44	0.115	1.000	Pass	0.115

Conclusion: Source-base time average power is below Exemption Criteria and/or Routine Evaluation MPE thresholds, therefore the device is compliant FCC RF exposure requirement.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.3 Maximum Allowable Antenna Gain

Operation Mode	Freq. (MHz)	Operation Distance (cm)	Max. output Power include tolerance (dBm)	Max. Allowable Antenna Gain (dBi)	EIRP Limit (dBm)	Max. output Power (mW)	Power Density (PD) (mW/cm ²)	PD Limit (mW/cm ²)	Allowable Gain according to EIRP (dBi)	Allowable Gain according to PD (dBi)	Power Density / Limit
GSM / GPRS / EDGE 850_1Dn1UP	824.2	20	23.97	10.44	40.60	2760.52	0.549	0.549	16.63	10.44	1.000
GSM / GPRS / EDGE 850_1Dn2UP	824.2	20	25.98	8.43	40.60	2760.52	0.549	0.549	14.62	8.43	1.000
GSM / GPRS / EDGE 850_1Dn3UP	824.2	20	25.74	8.67	40.60	2760.52	0.549	0.549	14.86	8.67	1.000
GSM / GPRS / EDGE 850_1Dn4UP	824.2	20	25.99	8.42	40.60	2760.52	0.549	0.549	14.61	8.42	1.000
GSM / GPRS / EDGE 1900_1Dn1UP	1850.2	20	20.99	12.01	33.00	1995.26	0.397	1.000	12.01	16.02	0.397
GSM / GPRS / EDGE 1900_1Dn2UP	1850.2	20	23.98	9.02	33.00	1995.26	0.397	1.000	9.02	13.03	0.397
GSM / GPRS / EDGE 1900_1Dn3UP	1850.2	20	22.74	10.26	33.00	1995.26	0.397	1.000	10.26	14.27	0.397
GSM / GPRS / EDGE 1900_1Dn4UP	1850.2	20	22.99	10.01	33.00	1995.26	0.397	1.000	10.01	14.02	0.397
WCDMA / HSPA Band II	1852.4	20	25.00	8.00	33.00	1995.26	0.397	1.000	8.00	12.01	0.397
WCDMA / HSPA Band IV	1712.4	20	25.00	5.00	30.00	1000.00	0.199	1.000	5.00	12.01	0.199
WCDMA / HSPA Band V	826.4	20	25.00	9.42	40.60	2767.89	0.551	0.551	15.60	9.42	1.000
LTE-Band 2	1850.7	20	25.00	8.00	33.00	1995.26	0.397	1.000	8.00	12.01	0.397
LTE-Band 4	1710.7	20	25.00	5.00	30.00	1000.00	0.199	1.000	5.00	12.01	0.199
LTE-Band 5	824.7	20	25.00	9.41	40.60	2762.20	0.550	0.550	15.60	9.41	1.000
LTE-Band 7	2502.5	20	25.00	8.00	33.00	1995.26	0.397	1.000	8.00	12.01	0.397
LTE-Band 12	699.7	20	25.00	8.70	36.92	2343.53	0.466	0.466	11.92	8.70	1.000
LTE-Band 13	779.5	20	25.00	9.17	36.92	2610.81	0.520	0.520	11.92	9.17	1.000
LTE-Band 25	1850.7	20	25.00	8.00	33.00	1995.26	0.397	1.000	8.00	12.01	0.397
LTE-Band 26	824.7	20	25.00	9.41	40.60	2762.20	0.550	0.550	15.60	9.41	1.000
LTE-Band 26 Part 90	814.7	20	25.00	9.36	52.15	2728.70	0.543	0.543	27.15	9.36	1.000
LTE-Band 38	2572.5	20	25.00	8.00	33.00	1995.26	0.397	1.000	8.00	12.01	0.397
LTE-Band 41	2498.5	20	25.00	8.00	33.00	1995.26	0.397	1.000	8.00	12.01	0.397
LTE-Band 66	1710.70	20	25.00	5.00	30.00	1000.00	0.199	1.000	5.00	12.01	0.199
LTE-Band 71	665.50	20	25.00	8.48	36.92	2228.98	0.444	0.444	11.92	8.48	1.000

Note: A duty cycle of 0.25 is set in the output power of GSM 850 and 1900 for PD calculation.

Note: For frequencies below 1 GHz, a 2.15 dB compensation is added to the EIRP limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.4 ISED Standard Applicable

According to RSS-102 issue 6 §6.6 RF Exposure Evaluation

Field reference level (FRL) exposure evaluation is required if the separation distance between the user and/or bystander and the device's radiating element is greater than 20 cm (i.e. mobile devices), except when the device operates as follows:

below 20 MHz and the source-based, time-averaged maximum EIRP of the device is equal to or less than 1 W (adjusted for tune-up tolerance)

at or above 20 MHz and below 48 MHz and the source-based, time-averaged maximum EIRP of the device is equal to or less than $4.49/f^{0.5}W$ (adjusted for tune-up tolerance), where f is in MHz

at or above 48 MHz and below 300 MHz and the source-based, time-averaged maximum EIRP of the device is equal to or less than 0.6 W (adjusted for tune-up tolerance)

at or above 300 MHz and below 6 GHz and the source-based, time-averaged maximum EIRP of the device is equal to or less than $1.31 \times 10^{-2} \times f^{0.6834}W$ (adjusted for tune-up tolerance), where f is in MHz

at or above 6 GHz and the source-based, time-averaged maximum EIRP of the device is equal to or less than 5 W (adjusted for tune-up tolerance)

In these cases, the information contained in the RF exposure technical brief may be limited to information that demonstrates how the EIRP was derived.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.5 Field reference level (FRL) exposure exemption

Operation Mode	Evaluation Frequency (MHz)	Max. output Power include Tolerance (dBm)	Antenna Gain (dBi)	Max. EIRP (W)	Limit (W)	Max. EIRP / Limit	Pass / Fail
GSM / GPRS / EDGE 850_1Dn1UP	849.00	23.97	0.30	0.27	1.315	0.203	Pass
GSM / GPRS / EDGE 850_1Dn2UP	849.00	25.98	0.30	0.42	1.315	0.323	Pass
GSM / GPRS / EDGE 850_1Dn3UP	849.00	25.74	0.30	0.40	1.315	0.306	Pass
GSM / GPRS / EDGE 850_1Dn4UP	849.00	25.99	0.30	0.43	1.315	0.324	Pass
GSM / GPRS / EDGE 1900_1Dn1UP	1910.00	20.99	2.60	0.23	2.288	0.100	Pass
GSM / GPRS / EDGE 1900_1Dn2UP	1910.00	23.98	2.60	0.45	2.288	0.199	Pass
GSM / GPRS / EDGE 1900_1Dn3UP	1910.00	22.74	2.60	0.34	2.288	0.149	Pass
GSM / GPRS / EDGE 1900_1Dn4UP	1910.00	22.99	2.60	0.36	2.288	0.158	Pass
WCDMA / HSPA Band II	1910.00	25	2.60	0.58	2.288	0.251	Pass
WCDMA / HSPA Band IV	1753.00	25	2.60	0.58	2.158	0.267	Pass
WCDMA / HSPA Band V	849.00	25	0.30	0.34	1.315	0.258	Pass
LTE-Band 2	1910.00	25	2.60	0.58	2.288	0.251	Pass
LTE-Band 4	1755.00	25	2.60	0.58	2.160	0.266	Pass
LTE-Band 5	849.00	25	0.30	0.34	1.315	0.258	Pass
LTE-Band 7	2570.00	25	1.40	0.44	2.803	0.156	Pass
LTE-Band 12	716.00	25	-0.50	0.28	1.170	0.241	Pass
LTE-Band 13	787.00	25	-0.50	0.28	1.248	0.226	Pass
LTE-Band 25	1915.00	25	2.60	0.58	2.292	0.251	Pass
LTE-Band 26	849.00	25	0.30	0.34	1.315	0.258	Pass
LTE-Band 38	2620.00	25	1.40	0.44	2.840	0.154	Pass
LTE-Band 41	2690.00	25	1.40	0.44	2.892	0.151	Pass
LTE-Band 66	1780.00	25	2.60	0.58	2.181	0.264	Pass
LTE-Band 71	698.00	25	-0.90	0.26	1.150	0.223	Pass
CA_5B	849.00	25	0.30	0.34	1.315	0.258	Pass
CA_7C	2570.00	25	1.40	0.44	2.803	0.156	Pass
CA_38C	2620.00	25	1.40	0.44	2.840	0.154	Pass
CA_41C	2690.00	25	1.40	0.44	2.892	0.151	Pass
CA_66B	1780.00	25	2.60	0.58	2.181	0.264	Pass
CA_66C	1780.00	25	2.60	0.58	2.181	0.264	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.6 Maximum Allowable Antenna Gain

Operation Mode	Freq. (MHz)	Operation Distance (cm)	Max. output Power include tolerance (dBm)	Max. Allowable Antenna Gain (dBi)	EIRP Limit (dBm)	Max. output Power (mW)	Limit (W)	Allowable Gain according to RF EIRP (dBi)	Allowable Gain according to MPE EIRP (dBi)
GSM / GPRS / EDGE 850_1Dn1UP	824.2	20	23.97	7.13	40.60	1288.51	1.289	16.63	7.13
GSM / GPRS / EDGE 850_1Dn2UP	824.2	20	25.98	5.12	40.60	1288.51	1.289	14.62	5.12
GSM / GPRS / EDGE 850_1Dn3UP	824.2	20	25.74	5.36	40.60	1288.51	1.289	14.86	5.36
GSM / GPRS / EDGE 850_1Dn4UP	824.2	20	25.99	5.11	40.60	1288.51	1.289	14.61	5.11
GSM / GPRS / EDGE 1900_1Dn1UP	1850.2	20	20.99	12.01	33.00	1995.26	2.239	12.01	12.51
GSM / GPRS / EDGE 1900_1Dn2UP	1850.2	20	23.98	9.02	33.00	1995.26	2.239	9.02	9.52
GSM / GPRS / EDGE 1900_1Dn3UP	1850.2	20	22.74	10.26	33.00	1995.26	2.239	10.26	10.76
GSM / GPRS / EDGE 1900_1Dn4UP	1850.2	20	22.99	10.01	33.00	1995.26	2.239	10.01	10.51
WCDMA/HSPA Band II	1852.4	20	25.00	8.00	33.00	1995.26	2.241	8.00	8.50
WCDMA/HSPA Band IV	1712.4	20	25.00	5.00	30.00	1000.00	2.124	5.00	8.27
WCDMA/HSPA Band V	826.4	20	25.00	6.11	40.60	1290.86	1.291	15.60	6.11
LTE-Band 2	1850.7	20	25.00	8.00	33.00	1995.26	2.240	8.00	8.50
LTE-Band 4	1710.7	20	25.00	5.00	30.00	1000.00	2.122	5.00	8.27
LTE-Band 5	824.7	20	25.00	6.10	40.60	1289.00	1.289	15.60	6.10
LTE-Band 7	2502.5	20	25.00	8.00	33.00	1995.26	2.752	8.00	9.40
LTE-Band 12	699.7	20	25.00	5.61	36.92	1152.00	1.152	11.92	5.61
LTE-Band 13	779.5	20	25.00	5.94	36.92	1240.00	1.240	11.92	5.94
LTE-Band 25	1850.7	20	25.00	8.00	33.00	1995.26	2.240	8.00	8.50
LTE-Band 26	824.7	20	25.00	6.10	40.60	1289.00	1.289	15.60	6.10
LTE-Band 38	2572.5	20	25.00	8.00	33.00	1995.26	2.805	8.00	9.48
LTE-Band 41	2498.5	20	25.00	8.00	33.00	1995.26	2.749	8.00	9.39
LTE-Band 66	1710.70	20	25.00	5.00	30.00	1000.00	2.122	5.00	8.27
LTE-Band 71	665.50	20	25.00	5.47	36.92	1113.00	1.113	11.92	5.47

Note: A duty cycle of 0.25 is set in the output power of GSM 850 and 1900 for PD calculation.

Note: For frequencies below 1 GHz, a 2.15 dB compensation is added to the EIRP limit.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group