







HSDPA_HSDPA_B5_High CH4233-846.6_HighCH4233-846.6




HSDPA_HSDPA_B5_Low CH4132-826.4_LowCH4132-826.4




HSDPA_HSDPA_B5_Mid CH4183-836.6_MidCH4183-836.6



HSUPA_HSUPA_B2_High CH9538-1907.6_HighCH9538-1907.6



HSUPA_HSUPA_B2_Low CH9262-1852.4_LowCH9262-1852.4




HSUPA_HSUPA_B2_Mid CH9400-1880_MidCH9400-1880


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




HSUPA_HSUPA_B4_High CH1513-1752.6_HighCH1513-1752.6




HSUPA_HSUPA_B4_Low CH1312-1712.4_LowCH1312-1712.4




HSUPA_HSUPA_B4_Mid CH1413-1732.6_MidCH1413-1732.6



HSUPA_HSUPA_B5_High CH4233-846.6_HighCH4233-846.6



HSUPA_HSUPA_B5_Low CH4132-826.4_LowCH4132-826.4




HSUPA_HSUPA_B5_Mid CH4183-836.6_MidCH4183-836.6


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




WCDMA_WCDMA_B2_High CH9538-1907.6 HighCH9538-1907.6




WCDMA_WCDMA_B2_Low CH9262-1852.4 LowCH9262-1852.4




WCDMA_WCDMA_B2_Mid CH9400-1880_MidCH9400-1880



WCDMA_WCDMA_B4_High CH1513-1752.6 HighCH1513-1752.6



WCDMA_WCDMA_B4_Low CH1312-1712.4 LowCH1312-1712.4




WCDMA_WCDMA_B4_Mid CH1413-1732.6 MidCH1413-1732.6


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





WCDMA_WCDMA_B5_High CH4233-846.6 HighCH4233-846.6




WCDMA_WCDMA_B5_Low CH4132-826.4 LowCH4132-826.4



WCDMA_WCDMA_B5_Mid CH4183-836.6 MidCH4183-836.6



EDGE_EDGE_1900MHz_High CH810-1909.8 HighCH810-1909.8




EDGE_EDGE_1900MHz_Low CH512-1850.2 LowCH512-1850.2


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




EDGE_EDGE_1900MHz_Mid CH661-1880_MidCH661-1880




EDGE_EDGE_850MHz_High CH251-848.8_HighCH251-848.8




EDGE_EDGE_850MHz_Low CH128-824.2_LowCH128-824.2



EDGE_EDGE_850MHz_Mid CH190-836.6_MidCH190-836.6



GPRS_GPRS_1900MHz_High CH810-1909.8_HighCH810-1909.8




GPRS_GPRS_1900MHz_Low CH512-1850.2_LowCH512-1850.2


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




GPRS_GPRS_1900MHz_Mid CH661-1880_MidCH661-1880




GPRS_GPRS_850MHz_High CH251-848.8_HighCH251-848.8




GPRS_GPRS_850MHz_Low CH128-824.2_LowCH128-824.2



GPRS_GPRS_850MHz_Mid CH190-836.6_MidCH190-836.6



HSDPA_HSDPA_B2_High CH9538-1907.6_HighCH9538-1907.6




HSDPA_HSDPA_B2_Low CH9262-1852.4_LowCH9262-1852.4


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




HSDPA_HSDPA_B2_Mid CH9400-1880_MidCH9400-1880




HSDPA_HSDPA_B4_High CH1513-1752.6_HighCH1513-1752.6




HSDPA_HSDPA_B4_Low CH1312-1712.4_LowCH1312-1712.4



HSDPA_HSDPA_B4_Mid CH1413-1732.6_MidCH1413-1732.6



HSDPA_HSDPA_B5_High CH4233-846.6_HighCH4233-846.6




HSDPA_HSDPA_B5_Low CH4132-826.4_LowCH4132-826.4


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




HSDPA_HSDPA_B5_Mid CH4183-836.6_MidCH4183-836.6




HSDPA_HSDPA_B2_High CH9538-1907.6_HighCH9538-1907.6




HSDPA_HSDPA_B2_Low CH9262-1852.4_LowCH9262-1852.4



HSDPA_HSDPA_B2_Mid CH9400-1880_MidCH9400-1880



HSDPA_HSDPA_B4_High CH1513-1752.6_HighCH1513-1752.6




HSDPA_HSDPA_B4_Low CH1312-1712.4_LowCH1312-1712.4


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




HSPA_HSPA_B4_Mid CH1413-1732.6_MidCH1413-1732.6




HSPA_HSPA_B5_High CH4233-846.6_HighCH4233-846.6




HSPA_HSPA_B5_Low CH4132-826.4_LowCH4132-826.4



HSPA_HSPA_B5_Mid CH4183-836.6_MidCH4183-836.6



WCDMA_WCDMA_B2_High CH9538-1907.6_HighCH9538-1907.6




WCDMA_WCDMA_B2_Low CH9262-1852.4_LowCH9262-1852.4


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




WCDMA_WCDMA_B2_Mid CH9400-1880_MidCH9400-1880




WCDMA_WCDMA_B4_High CH1513-1752.6_HighCH1513-1752.6




WCDMA_WCDMA_B4_Low CH1312-1712.4_LowCH1312-1712.4



WCDMA_WCDMA_B4_Mid CH1413-1732.6_MidCH1413-1732.6



WCDMA_WCDMA_B5_High CH4233-846.6_HighCH4233-846.6




WCDMA_WCDMA_B5_Low CH4132-826.4_LowCH4132-826.4

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




WCDMA_WCDMA_B5_Mid CH4183-836.6_MidCH4183-836.6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.5 Field Strength Of Spurious Radiation

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-54.55	-36.47	-16.75	-1.33	-13.00	-41.55
101.78	-64.18	-58.08	-3.92	-2.18	-13.00	-51.18
232.73	-68.95	-67.48	1.81	-3.28	-13.00	-55.95
375.32	-68.01	-65.24	1.38	-4.16	-13.00	-55.01
500.45	-69.99	-66.55	1.38	-4.82	-13.00	-56.99
983.51	-69.34	-63.36	0.87	-6.85	-13.00	-56.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-55.92	-37.51	-17.09	-1.32	-13.00	-42.92
89.17	-67.93	-62.39	-3.48	-2.05	-13.00	-54.93
239.52	-67.95	-65.88	1.24	-3.32	-13.00	-54.95
375.32	-67.78	-65.01	1.38	-4.16	-13.00	-54.78
500.45	-69.90	-66.46	1.38	-4.82	-13.00	-56.90
969.93	-70.44	-64.18	0.55	-6.81	-13.00	-57.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :EDGE850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :824.2 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
32.91	-48.12	-30.03	-16.75	-1.33	-13.00	-35.12
52.31	-59.37	-43.31	-14.45	-1.60	-13.00	-46.37
101.78	-66.77	-60.67	-3.92	-2.18	-13.00	-53.77
250.19	-71.76	-69.64	1.27	-3.39	-13.00	-58.76
375.32	-65.70	-62.93	1.38	-4.16	-13.00	-52.70
987.39	-71.97	-66.00	0.90	-6.87	-13.00	-58.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-48.61	-30.20	-17.09	-1.32	-13.00	-35.61
48.43	-59.07	-42.32	-15.19	-1.55	-13.00	-46.07
90.14	-70.57	-65.11	-3.40	-2.06	-13.00	-57.57
250.19	-71.49	-69.37	1.27	-3.39	-13.00	-58.49
375.32	-65.11	-62.33	1.38	-4.16	-13.00	-52.11
984.48	-71.98	-66.00	0.87	-6.85	-13.00	-58.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.6 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-54.42	-36.34	-16.75	-1.33	-13.00	-41.42
101.78	-64.85	-58.76	-3.92	-2.18	-13.00	-51.85
239.52	-66.16	-64.08	1.24	-3.32	-13.00	-53.16
375.32	-67.13	-64.36	1.38	-4.16	-13.00	-54.13
500.45	-70.73	-67.29	1.38	-4.82	-13.00	-57.73
988.36	-70.05	-64.09	0.91	-6.87	-13.00	-57.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.6 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-52.96	-34.88	-16.75	-1.33	-13.00	-39.96
101.78	-68.07	-61.97	-3.92	-2.18	-13.00	-55.07
237.58	-67.22	-65.27	1.36	-3.31	-13.00	-54.22
375.32	-68.06	-65.29	1.38	-4.16	-13.00	-55.06
500.45	-70.75	-67.30	1.38	-4.82	-13.00	-57.75
988.36	-70.36	-64.39	0.91	-6.87	-13.00	-57.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.6 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-48.19	-30.11	-16.75	-1.33	-13.00	-35.19
52.31	-59.73	-43.68	-14.45	-1.60	-13.00	-46.73
101.78	-67.23	-61.14	-3.92	-2.18	-13.00	-54.23
250.19	-70.70	-68.58	1.27	-3.39	-13.00	-57.70
375.32	-65.31	-62.54	1.38	-4.16	-13.00	-52.31
993.21	-71.65	-65.64	0.89	-6.90	-13.00	-58.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.6 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-49.12	-30.71	-17.09	-1.32	-13.00	-36.12
52.31	-59.56	-43.51	-14.45	-1.60	-13.00	-46.56
250.19	-70.97	-68.86	1.27	-3.39	-13.00	-57.97
375.32	-64.67	-61.90	1.38	-4.16	-13.00	-51.67
500.45	-73.99	-70.54	1.38	-4.82	-13.00	-60.99
997.09	-71.87	-65.79	0.84	-6.92	-13.00	-58.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :848.8 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-51.47	-33.38	-16.75	-1.33	-13.00	-38.47
101.78	-65.99	-59.90	-3.92	-2.18	-13.00	-52.99
215.27	-67.43	-66.05	1.77	-3.16	-13.00	-54.43
375.32	-68.28	-65.51	1.38	-4.16	-13.00	-55.28
500.45	-71.22	-67.78	1.38	-4.82	-13.00	-58.22
992.24	-70.44	-64.45	0.90	-6.89	-13.00	-57.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :848.8 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-53.45	-35.37	-16.75	-1.33	-13.00	-40.45
92.08	-66.09	-60.68	-3.33	-2.08	-13.00	-53.09
236.61	-68.01	-66.13	1.43	-3.30	-13.00	-55.01
375.32	-68.09	-65.32	1.38	-4.16	-13.00	-55.09
500.45	-69.69	-66.25	1.38	-4.82	-13.00	-56.69
992.24	-71.25	-65.25	0.90	-6.89	-13.00	-58.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :848.8 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-49.14	-30.73	-17.09	-1.32	-13.00	-36.14
52.31	-59.87	-43.82	-14.45	-1.60	-13.00	-46.87
101.78	-69.10	-63.01	-3.92	-2.18	-13.00	-56.10
213.33	-71.71	-70.23	1.66	-3.14	-13.00	-58.71
375.32	-65.56	-62.79	1.38	-4.16	-13.00	-52.56
988.36	-71.55	-65.59	0.91	-6.87	-13.00	-58.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :848.8 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-48.78	-30.69	-16.75	-1.33	-13.00	-35.78
52.31	-59.38	-43.33	-14.45	-1.60	-13.00	-46.38
90.14	-69.92	-64.47	-3.40	-2.06	-13.00	-56.92
375.32	-65.32	-62.55	1.38	-4.16	-13.00	-52.32
500.45	-74.61	-71.17	1.38	-4.82	-13.00	-61.61
989.33	-72.07	-66.11	0.91	-6.88	-13.00	-59.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-53.66	-35.58	-16.75	-1.33	-13.00	-40.66
101.78	-63.77	-57.68	-3.92	-2.18	-13.00	-50.77
209.45	-70.00	-68.31	1.42	-3.11	-13.00	-57.00
375.32	-69.15	-66.38	1.38	-4.16	-13.00	-56.15
500.45	-70.46	-67.02	1.38	-4.82	-13.00	-57.46
993.21	-70.48	-64.47	0.89	-6.90	-13.00	-57.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC C
Test Date :2026-09-10
Temp./Humi. :21.4°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-54.79	-36.70	-16.75	-1.33	-13.00	-41.79
101.78	-66.55	-60.45	-3.92	-2.18	-13.00	-53.55
375.32	-68.64	-65.87	1.38	-4.16	-13.00	-55.64
500.45	-70.99	-67.55	1.38	-4.82	-13.00	-57.99
624.61	-60.93	-56.33	0.82	-5.42	-13.00	-47.93
874.87	-67.86	-62.33	0.95	-6.48	-13.00	-54.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-48.31	20.87	-16.75	-1.33	-13.00	-35.31
43.58	-59.12	19.30	-15.79	-1.48	-13.00	-46.12
68.80	-61.06	7.44	-9.76	-1.82	-13.00	-48.06
375.32	-64.72	1.52	1.38	-4.16	-13.00	-51.72
624.61	-69.58	5.65	0.82	-5.42	-13.00	-56.58
874.87	-64.73	9.91	0.95	-6.48	-13.00	-51.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC C
Test Date :2026-09-10
Temp./Humi. :21.4°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-49.87	-31.78	-16.75	-1.33	-13.00	-36.87
52.31	-60.11	-44.06	-14.45	-1.60	-13.00	-47.11
250.19	-72.03	-69.91	1.27	-3.39	-13.00	-59.03
375.32	-65.75	-62.98	1.38	-4.16	-13.00	-52.75
624.61	-70.09	-65.48	0.82	-5.42	-13.00	-57.09
874.87	-64.64	-59.11	0.95	-6.48	-13.00	-51.64


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-49.07	-30.59	-17.17	-1.30	-13.00	-36.07
89.17	-63.02	-57.48	-3.48	-2.05	-13.00	-50.02
202.66	-68.95	-66.95	1.05	-3.05	-13.00	-55.95
375.32	-71.91	-69.14	1.38	-4.16	-13.00	-58.91
500.45	-71.55	-68.11	1.38	-4.82	-13.00	-58.55
631.40	-73.36	-68.72	0.82	-5.46	-13.00	-60.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-42.57	-24.09	-17.17	-1.30	-13.00	-29.57
48.43	-62.68	-45.94	-15.19	-1.55	-13.00	-49.68
91.11	-62.60	-57.22	-3.31	-2.07	-13.00	-49.60
250.19	-72.38	-70.26	1.27	-3.39	-13.00	-59.38
375.32	-66.65	-63.88	1.38	-4.16	-13.00	-53.65
500.45	-74.89	-71.44	1.38	-4.82	-13.00	-61.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-50.24	-32.16	-16.75	-1.33	-13.00	-37.24
89.17	-63.11	-57.57	-3.48	-2.05	-13.00	-50.11
203.63	-67.16	-65.19	1.09	-3.06	-13.00	-54.16
375.32	-72.06	-69.29	1.38	-4.16	-13.00	-59.06
500.45	-71.21	-67.76	1.38	-4.82	-13.00	-58.21
684.75	-73.91	-69.33	1.12	-5.70	-13.00	-60.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
30.97	-43.12	-24.64	-17.17	-1.30	-13.00	-30.12
48.43	-62.11	-45.37	-15.19	-1.55	-13.00	-49.11
91.11	-62.47	-57.09	-3.31	-2.07	-13.00	-49.47
250.19	-71.68	-69.56	1.27	-3.39	-13.00	-58.68
375.32	-66.81	-64.04	1.38	-4.16	-13.00	-53.81
608.12	-76.89	-72.39	0.83	-5.33	-13.00	-63.89


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :826.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-51.02	-32.93	-16.75	-1.33	-13.00	-38.02
89.17	-62.70	-57.16	-3.48	-2.05	-13.00	-49.70
114.39	-65.54	-58.81	-4.42	-2.30	-13.00	-52.54
203.63	-66.72	-64.75	1.09	-3.06	-13.00	-53.72
375.32	-71.98	-69.21	1.38	-4.16	-13.00	-58.98
500.45	-70.65	-67.21	1.38	-4.82	-13.00	-57.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :826.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-45.73	-27.64	-16.75	-1.33	-13.00	-32.73
48.43	-61.48	-44.74	-15.19	-1.55	-13.00	-48.48
91.11	-63.42	-58.04	-3.31	-2.07	-13.00	-50.42
232.73	-73.91	-72.44	1.81	-3.28	-13.00	-60.91
375.32	-66.11	-63.34	1.38	-4.16	-13.00	-53.11
500.45	-74.39	-70.95	1.38	-4.82	-13.00	-61.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
33.88	-52.20	-34.01	-16.84	-1.34	-13.00	-39.20
60.07	-60.98	-46.57	-12.70	-1.71	-13.00	-47.98
108.57	-62.65	-55.96	-4.45	-2.25	-13.00	-49.65
204.60	-67.21	-65.28	1.13	-3.07	-13.00	-54.21
375.32	-71.27	-68.49	1.38	-4.16	-13.00	-58.27
500.45	-72.11	-68.67	1.38	-4.82	-13.00	-59.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-42.02	-23.93	-16.75	-1.33	-13.00	-29.02
49.40	-62.33	-45.79	-14.98	-1.56	-13.00	-49.33
91.11	-61.72	-56.34	-3.31	-2.07	-13.00	-48.72
128.94	-65.97	-59.15	-4.38	-2.45	-13.00	-52.97
336.52	-69.12	-66.43	1.25	-3.94	-13.00	-56.12
375.32	-66.67	-63.90	1.38	-4.16	-13.00	-53.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :846.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-49.90	-31.81	-16.75	-1.33	-13.00	-36.90
89.17	-63.23	-57.69	-3.48	-2.05	-13.00	-50.23
111.48	-65.90	-59.24	-4.39	-2.28	-13.00	-52.90
214.30	-66.99	-65.56	1.72	-3.15	-13.00	-53.99
375.32	-72.06	-69.29	1.38	-4.16	-13.00	-59.06
500.45	-71.78	-68.34	1.38	-4.82	-13.00	-58.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :846.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
32.91	-46.40	-28.31	-16.75	-1.33	-13.00	-33.40
48.43	-62.57	-45.83	-15.19	-1.55	-13.00	-49.57
61.04	-65.17	-51.18	-12.27	-1.72	-13.00	-52.17
91.11	-64.37	-58.99	-3.31	-2.07	-13.00	-51.37
224.97	-73.98	-73.09	2.35	-3.23	-13.00	-60.98
375.32	-66.61	-63.84	1.38	-4.16	-13.00	-53.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1234.00	-52.68	-55.77	3.40	-0.31	-13.00	-39.68
1648.40	-46.48	-52.04	5.92	-0.35	-13.00	-33.48
1837.00	-45.26	-49.88	5.00	-0.38	-13.00	-32.26
2472.60	-40.27	-45.56	5.73	-0.43	-13.00	-27.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1414.00	-51.04	-55.05	4.34	-0.33	-13.00	-38.04
1648.40	-45.98	-51.55	5.92	-0.35	-13.00	-32.98
1837.00	-46.49	-51.11	5.00	-0.38	-13.00	-33.49
2472.60	-41.38	-46.67	5.73	-0.43	-13.00	-28.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1414.00	-44.04	-48.05	4.34	-0.33	-13.00	-31.04
1648.40	-48.85	-54.41	5.92	-0.35	-13.00	-35.85
1846.00	-40.69	-45.30	5.00	-0.38	-13.00	-27.69
2472.60	-45.14	-50.43	5.73	-0.43	-13.00	-32.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :824.2 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1414.00	-47.60	-51.60	4.34	-0.33	-13.00	-34.60
1648.40	-48.11	-53.68	5.92	-0.35	-13.00	-35.11
1792.00	-42.49	-47.29	5.18	-0.38	-13.00	-29.49
2472.60	-45.84	-51.13	5.73	-0.43	-13.00	-32.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :EDGE850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1414.00	-50.00	-54.01	4.34	-0.33	-13.00	-37.00
1673.20	-43.29	-48.84	5.90	-0.35	-13.00	-30.29
1837.00	-45.40	-50.02	5.00	-0.38	-13.00	-32.40
2509.80	-38.21	-43.67	5.90	-0.44	-13.00	-25.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
1126.00	-53.35	-56.45	3.40	-0.30	-13.00	-40.35
1673.20	-44.01	-49.56	5.90	-0.35	-13.00	-31.01
1837.00	-46.58	-51.20	5.00	-0.38	-13.00	-33.58
2509.80	-37.42	-42.87	5.90	-0.44	-13.00	-24.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :EDGE850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1297.00	-54.10	-56.78	3.00	-0.32	-13.00	-41.10
1673.20	-48.47	-54.02	5.90	-0.35	-13.00	-35.47
1837.00	-41.92	-46.53	5.00	-0.38	-13.00	-28.92
2509.80	-43.01	-48.47	5.90	-0.44	-13.00	-30.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1279.00	-47.99	-50.79	3.11	-0.32	-13.00	-34.99
1673.20	-46.96	-52.51	5.90	-0.35	-13.00	-33.96
1837.00	-42.12	-46.74	5.00	-0.38	-13.00	-29.12
2509.80	-43.34	-48.80	5.90	-0.44	-13.00	-30.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :EDGE850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :848.8 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
1234.00	-51.72	-54.81	3.40	-0.31	-13.00	-38.72
1697.60	-39.19	-44.67	5.82	-0.35	-13.00	-26.19
1837.00	-46.07	-50.69	5.00	-0.38	-13.00	-33.07
2546.40	-35.87	-41.42	6.00	-0.45	-13.00	-22.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :848.8 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1279.00	-53.80	-56.60	3.11	-0.32	-13.00	-40.80
1697.60	-39.29	-44.76	5.82	-0.35	-13.00	-26.29
1837.00	-45.17	-49.79	5.00	-0.38	-13.00	-32.17
2546.40	-39.45	-45.00	6.00	-0.45	-13.00	-26.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE850
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :848.8 MHz

Test Site :SAC C
 Test Date :2026-09-09
 Temp./Humi. :23.7°C/60%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1414.00	-46.59	-50.59	4.34	-0.33	-13.00	-33.59
1697.60	-43.23	-48.70	5.82	-0.35	-13.00	-30.23
1837.00	-42.04	-46.66	5.00	-0.38	-13.00	-29.04
2546.40	-41.90	-47.45	6.00	-0.45	-13.00	-28.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS850
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :848.8 MHz

Test Site :SAC C
Test Date :2026-09-09
Temp./Humi. :23.7°C/60%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
1297.00	-49.88	-52.56	3.00	-0.32	-13.00	-36.88
1697.60	-41.92	-47.40	5.82	-0.35	-13.00	-28.92
1837.00	-41.78	-46.40	5.00	-0.38	-13.00	-28.78
2546.40	-41.70	-47.25	6.00	-0.45	-13.00	-28.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3700.40	-46.05	-53.81	8.30	-0.54	-13.00	-33.05
5550.60	-50.08	-60.02	10.60	-0.67	-13.00	-37.08
17985.00	-37.89	-50.94	14.10	-1.05	-13.00	-24.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :EDGE1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1850.2 MHz

Test Site :SAC C
Test Date :2026-09-10
Temp./Humi. :21.4°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18754.00	-71.51	-71.55	17.80	-17.76	-13.00	-58.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3700.40	-43.87	-51.63	8.30	-0.54	-13.00	-30.87
5550.60	-49.94	-59.88	10.60	-0.67	-13.00	-36.94
17985.00	-37.08	-50.13	14.10	-1.05	-13.00	-24.08


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :GPRS1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1850.2 MHz

Test Site :SAC C
Test Date :2026-09-10
Temp./Humi. :21.4°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18224.00	-70.56	-70.77	17.69	-17.48	-13.00	-57.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3700.40	-46.14	-53.90	8.30	-0.54	-13.00	-33.14
5550.60	-52.86	-62.79	10.60	-0.67	-13.00	-39.86
17970.00	-39.01	-52.07	14.10	-1.04	-13.00	-26.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18134.00	-70.97	-71.19	17.65	-17.43	-13.00	-57.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3700.40	-47.77	-55.53	8.30	-0.54	-13.00	-34.77
5550.60	-53.14	-63.08	10.60	-0.67	-13.00	-40.14
17970.00	-37.85	-50.91	14.10	-1.04	-13.00	-24.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1850.2 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18510.00	-69.82	-69.97	17.80	-17.65	-13.00	-56.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-44.04	-51.82	8.34	-0.55	-13.00	-31.04
5640.00	-49.39	-59.37	10.64	-0.66	-13.00	-36.39
17970.00	-38.20	-51.26	14.10	-1.04	-13.00	-25.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18666.00	-70.89	-70.98	17.80	-17.71	-13.00	-57.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-42.73	-50.52	8.34	-0.55	-13.00	-29.73
5640.00	-50.23	-60.21	10.64	-0.66	-13.00	-37.23
17985.00	-37.64	-50.69	14.10	-1.05	-13.00	-24.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2608003009E2
Operation Mode :GPRS1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC C
Test Date :2026-09-10
Temp./Humi. :21.4°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18658.00	-71.16	-71.25	17.80	-17.71	-13.00	-58.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-46.24	-54.03	8.34	-0.55	-13.00	-33.24
5640.00	-53.79	-63.77	10.64	-0.66	-13.00	-40.79
17985.00	-39.12	-52.17	14.10	-1.05	-13.00	-26.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :EDGE1900
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC C
Test Date :2026-09-10
Temp./Humi. :21.4°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18710.00	-71.60	-71.66	17.80	-17.74	-13.00	-58.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-47.95	-55.73	8.34	-0.55	-13.00	-34.95
5640.00	-54.37	-64.35	10.64	-0.66	-13.00	-41.37
17985.00	-38.94	-51.99	14.10	-1.05	-13.00	-25.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18666.00	-70.26	-70.35	17.80	-17.71	-13.00	-57.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3819.60	-46.69	-54.63	8.50	-0.56	-13.00	-33.69
5729.40	-49.50	-59.57	10.72	-0.65	-13.00	-36.50
17970.00	-37.07	-50.13	14.10	-1.04	-13.00	-24.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
19196.00	-71.32	-71.30	17.96	-17.98	-13.00	-58.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2

Operation Mode :GPRS1900

Test Mode :Tx

EUT Pol :H Plane

Test Frequency :1909.8 MHz


Test Site :SAC C

Test Date :2026-09-10

Temp./Humi. :21.4°C/62%

Antenna Pol. :Vertical

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3819.60	-46.36	-54.29	8.50	-0.56	-13.00	-33.36
5729.40	-50.03	-60.10	10.72	-0.65	-13.00	-37.03
17985.00	-37.49	-50.55	14.10	-1.05	-13.00	-24.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18260.00	-70.50	-70.70	17.70	-17.51	-13.00	-57.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3819.60	-48.87	-56.80	8.50	-0.56	-13.00	-35.87
5729.40	-54.31	-64.38	10.72	-0.65	-13.00	-41.31
17985.00	-39.27	-52.32	14.10	-1.05	-13.00	-26.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :EDGE1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
19460.00	-71.16	-71.19	18.17	-18.13	-13.00	-58.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3819.60	-50.52	-58.46	8.50	-0.56	-13.00	-37.52
5729.40	-53.63	-63.70	10.72	-0.65	-13.00	-40.63
17985.00	-38.80	-51.85	14.10	-1.05	-13.00	-25.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :GPRS1900
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1909.8 MHz

Test Site :SAC C
 Test Date :2026-09-10
 Temp./Humi. :21.4°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18330.00	-70.74	-70.92	17.73	-17.55	-13.00	-57.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1852.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3704.80	-56.76	-64.52	8.30	-0.54	-13.00	-43.76
4995.00	-51.41	-60.76	9.99	-0.64	-13.00	-38.41
5557.20	-54.72	-64.69	10.63	-0.67	-13.00	-41.72
9255.00	-40.22	-52.83	13.40	-0.79	-13.00	-27.22
17955.00	-38.84	-51.90	14.10	-1.04	-13.00	-25.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1852.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18586.00	-70.86	-70.98	17.80	-17.68	-13.00	-57.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1852.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3704.80	-57.86	-65.62	8.30	-0.54	-13.00	-44.86
5557.20	-55.16	-65.12	10.63	-0.67	-13.00	-42.16
9270.00	-44.62	-57.23	13.40	-0.78	-13.00	-31.62
17970.00	-40.81	-53.86	14.10	-1.04	-13.00	-27.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1852.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
19094.00	-70.69	-70.65	17.88	-17.91	-13.00	-57.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-57.08	-64.87	8.34	-0.55	-13.00	-44.08
4995.00	-52.03	-61.38	9.99	-0.64	-13.00	-39.03
5640.00	-55.46	-65.44	10.64	-0.66	-13.00	-42.46
9390.00	-42.36	-55.02	13.42	-0.76	-13.00	-29.36
17985.00	-38.88	-51.93	14.10	-1.05	-13.00	-25.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1880 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18736.00	-70.42	-70.47	17.80	-17.75	-13.00	-57.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-57.44	-65.23	8.34	-0.55	-13.00	-44.44
5640.00	-55.79	-65.77	10.64	-0.66	-13.00	-42.79
17985.00	-41.27	-54.33	14.10	-1.05	-13.00	-28.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18008.00	-70.42	-70.72	17.60	-17.31	-13.00	-57.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1907.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3815.20	-55.68	-63.61	8.50	-0.56	-13.00	-42.68
4995.00	-50.87	-60.22	9.99	-0.64	-13.00	-37.87
5722.80	-54.12	-64.17	10.69	-0.64	-13.00	-41.12
9540.00	-39.03	-51.70	13.48	-0.81	-13.00	-26.03
17970.00	-39.11	-52.17	14.10	-1.04	-13.00	-26.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1907.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18352.00	-71.22	-71.40	17.74	-17.56	-13.00	-58.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B2
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1907.6 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
3815.20	-57.19	-65.12	8.50	-0.56	-13.00	-44.19
5722.80	-56.24	-66.28	10.69	-0.64	-13.00	-43.24
9540.00	-44.06	-56.72	13.48	-0.81	-13.00	-31.06
17955.00	-40.07	-53.13	14.10	-1.04	-13.00	-27.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B2
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1907.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18760.00	-71.04	-71.08	17.80	-17.76	-13.00	-58.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1712.4 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
2876.00	-50.91	-57.33	6.90	-0.48	-13.00	-37.91
3424.80	-57.20	-64.87	8.20	-0.53	-13.00	-44.20
4995.00	-50.17	-59.53	9.99	-0.64	-13.00	-37.17
5137.20	-55.53	-64.82	9.93	-0.64	-13.00	-42.53
17970.00	-39.84	-52.89	14.10	-1.04	-13.00	-26.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1712.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18050.00	-71.21	-71.47	17.62	-17.36	-13.00	-58.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1712.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3424.80	-58.00	-65.67	8.20	-0.53	-13.00	-45.00
5137.20	-55.13	-64.41	9.93	-0.64	-13.00	-42.13
17985.00	-41.20	-54.25	14.10	-1.05	-13.00	-28.20


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1712.4 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18626.00	-69.43	-69.54	17.80	-17.69	-13.00	-56.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3464.80	-57.25	-65.19	8.49	-0.55	-13.00	-44.25
5197.20	-55.90	-65.05	9.80	-0.65	-13.00	-42.90
17985.00	-39.69	-52.74	14.10	-1.05	-13.00	-26.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
19154.00	-69.98	-69.95	17.92	-17.95	-13.00	-56.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1732.4 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3464.80	-57.28	-65.22	8.49	-0.55	-13.00	-44.28
5197.20	-56.24	-65.39	9.80	-0.65	-13.00	-43.24
17985.00	-41.18	-54.23	14.10	-1.05	-13.00	-28.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1732.4 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
19474.00	-70.95	-70.99	18.18	-18.13	-13.00	-57.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B4
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :1752.6 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
2874.00	-51.09	-57.51	6.90	-0.47	-13.00	-38.09
3505.20	-56.09	-64.21	8.68	-0.56	-13.00	-43.09
5257.80	-54.73	-64.00	9.92	-0.64	-13.00	-41.73
17925.00	-39.34	-52.41	14.10	-1.04	-13.00	-26.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1752.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
19104.00	-70.65	-70.62	17.88	-17.91	-13.00	-57.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1752.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3505.20	-58.42	-66.54	8.68	-0.56	-13.00	-45.42
5257.80	-57.55	-66.82	9.92	-0.64	-13.00	-44.55
17985.00	-41.04	-54.10	14.10	-1.05	-13.00	-28.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B4
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :1752.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18386.00	-71.03	-71.22	17.75	-17.57	-13.00	-58.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :826.4 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
1126.00	-49.80	-52.90	3.40	-0.30	-13.00	-36.80
1652.80	-61.07	-66.62	5.90	-0.35	-13.00	-48.07
2479.20	-57.19	-62.55	5.79	-0.44	-13.00	-44.19
2872.00	-50.63	-57.06	6.90	-0.47	-13.00	-37.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :826.4 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1126.00	-52.93	-56.03	3.40	-0.30	-13.00	-39.93
1652.80	-61.00	-66.55	5.90	-0.35	-13.00	-48.00
2479.20	-57.15	-62.51	5.79	-0.44	-13.00	-44.15
2872.00	-53.14	-59.57	6.90	-0.47	-13.00	-40.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
 Operation Mode :WCDMA B5
 Test Mode :Tx
 EUT Pol :H Plane
 Test Frequency :836.6 MHz

Test Site :SAC C
 Test Date :2026-09-08
 Temp./Humi. :22.6°C/62%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1126.00	-49.91	-53.01	3.40	-0.30	-13.00	-36.91
1673.20	-61.72	-67.27	5.90	-0.35	-13.00	-48.72
2509.80	-56.95	-62.41	5.90	-0.44	-13.00	-43.95
2872.00	-49.89	-56.31	6.90	-0.47	-13.00	-36.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :836.6 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1126.00	-52.15	-55.25	3.40	-0.30	-13.00	-39.15
1673.20	-60.80	-66.35	5.90	-0.35	-13.00	-47.80
2509.80	-57.15	-62.61	5.90	-0.44	-13.00	-44.15
2872.00	-52.78	-59.20	6.90	-0.47	-13.00	-39.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :846.6 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1126.00	-49.54	-52.64	3.40	-0.30	-13.00	-36.54
1693.20	-61.68	-67.20	5.87	-0.35	-13.00	-48.68
2539.80	-57.10	-62.65	6.00	-0.45	-13.00	-44.10
2872.00	-50.54	-56.96	6.90	-0.47	-13.00	-37.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2608003009E2
Operation Mode :WCDMA B5
Test Mode :Tx
EUT Pol :H Plane
Test Frequency :846.6 MHz

Test Site :SAC C
Test Date :2026-09-08
Temp./Humi. :22.6°C/62%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1126.00	-51.98	-55.07	3.40	-0.30	-13.00	-38.98
1693.20	-60.97	-66.49	5.87	-0.35	-13.00	-47.97
2539.80	-54.72	-60.27	6.00	-0.45	-13.00	-41.72
2881.00	-52.77	-59.20	6.90	-0.48	-13.00	-39.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.6 Frequency Stability

Note: The module's normal voltage is 3.8V dc.

GPRS 850 Mid Channel			836.6000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
4.37	20	836.6000003	0.0004	+/- 2.5 ppm
3.8	20	836.6000076	0.0091	
3.23	20	836.5999838	-0.0194	
2.3 (End point)	20	836.5999825	-0.0209	
FREQUENCY ERROR vs. Temp.				
3.8	50	836.6000142	0.0170	+/- 2.5 ppm
3.8	40	836.5999825	-0.0209	
3.8	30	836.5999839	-0.0192	
3.8	20	836.6000039	0.0047	
3.8	10	836.5999826	-0.0208	
3.8	0	836.6000134	0.0160	
3.8	-10	836.5999879	-0.0145	
3.8	-20	836.6000157	0.0188	
3.8	-30	836.5999946	-0.0065	

GPRS 1900 Mid Channel			1880.0000	MHz
Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
FREQUENCY ERROR vs. VOLTAGE				
4.37	20	1879.999982	-0.0097	+/- 2.5 ppm
3.8	20	1880.000005	0.0024	
3.23	20	1880.000015	0.0082	
2.3 (End point)	20	1879.999985	-0.0078	
FREQUENCY ERROR vs. Temp.				
3.8	50	1879.999996	-0.0022	+/- 2.5 ppm
3.8	40	1880.000015	0.0081	
3.8	30	1879.999982	-0.0095	
3.8	20	1879.999983	-0.0091	
3.8	10	1879.999983	-0.0088	
3.8	0	1879.999991	-0.0048	
3.8	-10	1879.999991	-0.0048	
3.8	-20	1880.000014	0.0074	
3.8	-30	1879.999999	-0.0004	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group