

LTE

Data List							
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.
LTE_B2_20M_CH18900	111.0355	-61.85	-58.92	2.93	-13.00	45.92	V
	3742.0000	-68.13	-53.67	14.46	-13.00	40.67	V
	5613.0000	-72.00	-53.09	18.91	-13.00	40.09	H
	7484.0000	-72.14	-48.52	23.62	-13.00	35.52	V
	9355.0000	-78.65	-55.94	22.71	-13.00	42.94	V
	11226.0000	-79.60	-55.04	24.56	-13.00	42.04	V
	13097.0000	-80.27	-54.06	26.21	-13.00	41.06	V
	14968.0000	-80.11	-51.86	28.25	-13.00	38.86	V
	16839.0000	-79.14	-46.53	32.61	-13.00	33.53	H
LTE_B4_20M_CH20050	471.5708	-64.83	-64.90	-0.07	-13.00	51.90	H
	3422.0000	-65.87	-52.86	13.01	-13.00	39.86	V
	5133.0000	-72.43	-54.48	17.95	-13.00	41.48	H
	6844.0000	-72.87	-50.90	21.97	-13.00	37.90	H
	8555.0000	-77.46	-55.30	22.16	-13.00	42.30	H
	10266.0000	-79.25	-54.42	24.83	-13.00	41.42	V
	11977.0000	-79.89	-54.30	25.59	-13.00	41.30	V
	13688.0000	-80.38	-54.14	26.24	-13.00	41.14	V
	15399.0000	-79.91	-50.97	28.94	-13.00	37.97	V
	17110.0000	-80.66	-47.17	33.49	-13.00	34.17	V
LTE_B5_10M_CH20525	111.5208	-61.99	-58.99	3.00	-13.00	45.99	V
	252.7264	-60.86	-58.99	1.87	-13.00	45.99	H
	1664.0000	-69.88	-54.38	15.50	-13.00	41.38	H
	2496.0000	-68.19	-46.59	21.60	-13.00	33.59	V
	3328.0000	-70.79	-58.11	12.68	-13.00	45.11	V
	4160.0000	-71.79	-56.34	15.45	-13.00	43.34	H
	4992.0000	-72.30	-54.45	17.85	-13.00	41.45	H
	5824.0000	-72.23	-52.33	19.90	-13.00	39.33	H
	6656.0000	-72.63	-51.38	21.25	-13.00	38.38	H

	7488.0000	-72.07	-47.79	24.28	-13.00	34.79	H
	8320.0000	-78.18	-56.52	21.66	-13.00	43.52	V
LTE_B12_10M_CH23095	110.5503	-61.42	-58.61	2.81	-13.00	45.61	V
	251.7559	-61.52	-59.34	2.18	-13.00	46.34	H
	1406.0000	-69.53	-54.28	15.25	-13.00	41.28	V
	2109.0000	-70.57	-50.15	20.42	-13.00	37.15	H
	2812.0000	-70.26	-47.85	22.41	-13.00	34.85	H
	3515.0000	-71.38	-58.05	13.33	-13.00	45.05	V
	4218.0000	-71.89	-56.48	15.41	-13.00	43.48	H
	4921.0000	-72.24	-54.73	17.51	-13.00	41.73	H
	5624.0000	-72.34	-53.46	18.88	-13.00	40.46	V
	6327.0000	-71.68	-51.32	20.36	-13.00	38.32	H
	7030.0000	-73.24	-52.40	20.84	-13.00	39.40	H
LTE_B13_10M_CH23230	111.5208	-61.56	-58.56	3.00	-13.00	45.56	V
	250.3002	-60.92	-59.04	1.88	-13.00	46.04	H
LTE_B13_5M_CH23255	1564.0000	-61.77	-47.73	14.04	-40.00	7.73	V
	2346.0000	-68.42	-48.13	20.29	-13.00	35.13	V
	3128.0000	-70.00	-56.75	13.25	-13.00	43.75	V
	3910.0000	-71.52	-56.80	14.72	-13.00	43.80	V
	4692.0000	-72.30	-55.46	16.84	-13.00	42.46	H
	5474.0000	-71.87	-53.26	18.61	-13.00	40.26	H
	6256.0000	-72.11	-52.08	20.03	-13.00	39.08	H
	7038.0000	-73.18	-51.81	21.37	-13.00	38.81	H
	7820.0000	-73.56	-48.83	24.73	-13.00	35.83	H
LTE_B13_5M_CH23230	1559.2796	-61.95	-47.97	13.98	-40.00	7.97	V
	2340.0000	-69.96	-49.59	20.37	-13.00	36.59	V
	3120.0000	-70.30	-57.29	13.01	-13.00	44.29	V
	3900.0000	-71.55	-56.54	15.01	-13.00	43.54	H
	4680.0000	-72.19	-55.82	16.37	-13.00	42.82	H
	5460.0000	-72.02	-53.50	18.52	-13.00	40.50	V
	6240.0000	-71.95	-51.81	20.14	-13.00	38.81	H
	7020.0000	-72.91	-51.45	21.46	-13.00	38.45	H

	7800.0000	-73.57	-49.70	23.87	-13.00	36.70	V
LTE_B25_20M_CH26590	475.2038	-61.79	-62.07	-0.28	-13.00	49.07	H
	3792.0000	-69.62	-55.08	14.54	-13.00	42.08	V
	5688.0000	-73.17	-54.63	18.54	-13.00	41.63	H
	7584.0000	-73.85	-49.91	23.94	-13.00	36.91	H
	9480.0000	-81.99	-58.42	23.57	-13.00	45.42	V
	11376.0000	-82.76	-57.25	25.51	-13.00	44.25	V
	13272.0000	-83.05	-56.90	26.15	-13.00	43.90	V
	15168.0000	-83.07	-54.12	28.95	-13.00	41.12	V
	17064.0000	-85.71	-52.04	33.67	-13.00	39.04	V
LTE_B26_10M_CH26740	111.8721	-57.13	-54.26	2.87	-13.00	41.26	V
	252.0926	-57.30	-55.22	2.08	-13.00	42.22	H
	1630.0000	-70.10	-54.82	15.28	-13.00	41.82	H
	2445.0000	-67.82	-46.81	21.01	-13.00	33.81	V
	3260.0000	-70.76	-57.99	12.77	-13.00	44.99	V
	4075.0000	-71.90	-55.40	16.50	-13.00	42.40	H
	4890.0000	-72.22	-55.72	16.50	-13.00	42.72	H
	5705.0000	-72.29	-52.90	19.39	-13.00	39.90	H
	6520.0000	-72.82	-51.29	21.53	-13.00	38.29	H
	7335.0000	-72.77	-49.47	23.30	-13.00	36.47	H
	8150.0000	-78.25	-57.25	21.00	-13.00	44.25	V
LTE_B26_15M_CH26965	111.0355	-61.47	-58.54	2.93	-13.00	45.54	V
	250.3002	-60.94	-59.06	1.88	-13.00	46.06	H
	1670.0000	-70.71	-55.21	15.50	-13.00	42.21	H
	2505.0000	-67.88	-46.32	21.56	-13.00	33.32	V
	3340.0000	-70.48	-57.45	13.03	-13.00	44.45	V
	4175.0000	-71.55	-56.05	15.50	-13.00	43.05	H
	5010.0000	-72.20	-54.55	17.65	-13.00	41.55	H
	5845.0000	-72.02	-52.24	19.78	-13.00	39.24	H
	6680.0000	-72.72	-51.87	20.85	-13.00	38.87	H
	7515.0000	-73.19	-49.49	23.70	-13.00	36.49	H
	8350.0000	-77.98	-55.83	22.15	-13.00	42.83	V

LTE_B66_20M_CH132072	111.0355	-61.18	-58.25	2.93	-13.00	45.25	V
	251.2706	-61.71	-59.54	2.17	-13.00	46.54	H
	3422.0000	-67.14	-54.13	13.01	-13.00	41.13	V
	5133.0000	-72.44	-54.49	17.95	-13.00	41.49	H
	6844.0000	-72.37	-50.97	21.40	-13.00	37.97	V
	8555.0000	-76.86	-54.68	22.18	-13.00	41.68	H
	10266.0000	-78.92	-54.09	24.83	-13.00	41.09	V
	11977.0000	-79.51	-53.88	25.63	-13.00	40.88	V
	13688.0000	-79.78	-53.57	26.21	-13.00	40.57	V
	15399.0000	-79.26	-50.36	28.90	-13.00	37.36	V
	17110.0000	-80.03	-46.50	33.53	-13.00	33.50	V
LTE_B85_10M_CH134092	111.5208	-61.83	-58.83	3.00	-13.00	45.83	V
	252.7264	-60.88	-59.01	1.87	-13.00	46.01	H
	1404.0000	-71.18	-67.26	3.92	-13.00	54.26	V
	2106.0000	-70.66	-62.34	8.32	-13.00	49.34	H
	2808.0000	-70.07	-61.11	8.96	-13.00	48.11	H
	3510.0000	-71.25	-57.66	13.59	-13.00	44.66	H
	4212.0000	-71.54	-56.15	15.39	-13.00	43.15	H
	4914.0000	-72.14	-55.07	17.07	-13.00	42.07	H
	5616.0000	-72.21	-53.43	18.78	-13.00	40.43	H
	6318.0000	-71.68	-51.45	20.23	-13.00	38.45	H
	7020.0000	-72.95	-51.49	21.46	-13.00	38.49	H

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal