

Appendix-B NR Band n66

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n66	15	5	DFT-BPSK	L	Inner_1RB_Left	23.99	25.49	30.00	PASS
n66	15	5	DFT-BPSK	L	Inner_1RB_Right	24.01	25.51	30.00	PASS
n66	15	5	DFT-BPSK	L	Inner_Full	24.06	25.56	30.00	PASS
n66	15	5	DFT-BPSK	L	Outer_Full	23.87	25.37	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Left	23.94	25.44	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_1RB_Right	23.95	25.45	30.00	PASS
n66	15	5	DFT-QPSK	L	Inner_Full	24.05	25.55	30.00	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	23.28	24.78	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Left	23.34	24.84	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_1RB_Right	23.36	24.86	30.00	PASS
n66	15	5	DFT-16QAM	L	Inner_Full	23.44	24.94	30.00	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	22.38	23.88	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Left	21.99	23.49	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_1RB_Right	21.95	23.45	30.00	PASS
n66	15	5	DFT-64QAM	L	Inner_Full	21.98	23.48	30.00	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	21.82	23.32	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Left	19.27	20.77	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_1RB_Right	19.32	20.82	30.00	PASS
n66	15	5	DFT-256QAM	L	Inner_Full	19.79	21.29	30.00	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	19.79	21.29	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Left	23.94	25.44	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_1RB_Right	23.95	25.45	30.00	PASS
n66	15	5	DFT-BPSK	M	Inner_Full	23.95	25.45	30.00	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	23.78	25.28	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Left	23.94	25.44	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_1RB_Right	23.94	25.44	30.00	PASS
n66	15	5	DFT-QPSK	M	Inner_Full	24	25.5	30.00	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	23.26	24.76	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Left	23.25	24.75	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_1RB_Right	23.25	24.75	30.00	PASS
n66	15	5	DFT-16QAM	M	Inner_Full	23.39	24.89	30.00	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	22.29	23.79	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Left	22	23.5	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_1RB_Right	21.93	23.43	30.00	PASS
n66	15	5	DFT-64QAM	M	Inner_Full	21.92	23.42	30.00	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	21.82	23.32	30.00	PASS
n66	15	5	DFT-256QAM	M	Inner_1RB_Left	19.3	20.8	30.00	PASS

n66	15	5	DFT-256QAM	M	Inner_1RB_Right	19.29	20.79	30.00	PASS
n66	15	5	DFT-256QAM	M	Inner_Full	19.79	21.29	30.00	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	19.76	21.26	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Left	23.36	24.86	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_1RB_Right	23.38	24.88	30.00	PASS
n66	15	5	DFT-BPSK	H	Inner_Full	23.42	24.92	30.00	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	23.31	24.81	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Left	23.38	24.88	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_1RB_Right	23.38	24.88	30.00	PASS
n66	15	5	DFT-QPSK	H	Inner_Full	23.47	24.97	30.00	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	22.8	24.3	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Left	22.79	24.29	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_1RB_Right	22.7	24.2	30.00	PASS
n66	15	5	DFT-16QAM	H	Inner_Full	22.85	24.35	30.00	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	21.73	23.23	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Left	21.29	22.79	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_1RB_Right	21.44	22.94	30.00	PASS
n66	15	5	DFT-64QAM	H	Inner_Full	21.29	22.79	30.00	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	21.22	22.72	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Left	18.68	20.18	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_1RB_Right	18.66	20.16	30.00	PASS
n66	15	5	DFT-256QAM	H	Inner_Full	19.2	20.7	30.00	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	19.17	20.67	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Left	23.92	25.42	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_1RB_Right	24.07	25.57	30.00	PASS
n66	15	10	DFT-BPSK	L	Inner_Full	24.06	25.56	30.00	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	23.89	25.39	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Left	23.97	25.47	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_1RB_Right	24.13	25.63	30.00	PASS
n66	15	10	DFT-QPSK	L	Inner_Full	24.1	25.6	30.00	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	23.36	24.86	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Left	23.31	24.81	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_1RB_Right	23.45	24.95	30.00	PASS
n66	15	10	DFT-16QAM	L	Inner_Full	23.36	24.86	30.00	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	22.43	23.93	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Left	22.05	23.55	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_1RB_Right	22.09	23.59	30.00	PASS
n66	15	10	DFT-64QAM	L	Inner_Full	21.91	23.41	30.00	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	21.93	23.43	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Left	19.26	20.76	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_1RB_Right	19.32	20.82	30.00	PASS
n66	15	10	DFT-256QAM	L	Inner_Full	19.81	21.31	30.00	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	19.87	21.37	30.00	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Left	23.94	25.44	30.00	PASS
n66	15	10	DFT-BPSK	M	Inner_1RB_Right	24	25.5	30.00	PASS

n66	15	10	DFT-BPSK	M	Inner_Full	24.03	25.53	30.00	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	23.78	25.28	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Left	24.01	25.51	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_1RB_Right	23.94	25.44	30.00	PASS
n66	15	10	DFT-QPSK	M	Inner_Full	23.96	25.46	30.00	PASS
n66	15	10	DFT-QPSK	M	Outer_Full	23.31	24.81	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Left	23.29	24.79	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_1RB_Right	23.23	24.73	30.00	PASS
n66	15	10	DFT-16QAM	M	Inner_Full	23.33	24.83	30.00	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	22.29	23.79	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Left	21.95	23.45	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_1RB_Right	21.78	23.28	30.00	PASS
n66	15	10	DFT-64QAM	M	Inner_Full	21.86	23.36	30.00	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	21.89	23.39	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Left	19.25	20.75	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_1RB_Right	19.15	20.65	30.00	PASS
n66	15	10	DFT-256QAM	M	Inner_Full	19.66	21.16	30.00	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	19.7	21.2	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Left	23.59	25.09	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_1RB_Right	23.48	24.98	30.00	PASS
n66	15	10	DFT-BPSK	H	Inner_Full	23.54	25.04	30.00	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	23.29	24.79	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Left	23.55	25.05	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_1RB_Right	23.4	24.9	30.00	PASS
n66	15	10	DFT-QPSK	H	Inner_Full	23.51	25.01	30.00	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	22.79	24.29	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Left	22.85	24.35	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_1RB_Right	22.68	24.18	30.00	PASS
n66	15	10	DFT-16QAM	H	Inner_Full	22.88	24.38	30.00	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	21.88	23.38	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Left	21.46	22.96	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_1RB_Right	21.53	23.03	30.00	PASS
n66	15	10	DFT-64QAM	H	Inner_Full	21.31	22.81	30.00	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	21.27	22.77	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Left	18.74	20.24	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_1RB_Right	18.61	20.11	30.00	PASS
n66	15	10	DFT-256QAM	H	Inner_Full	19.13	20.63	30.00	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	19.33	20.83	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Left	23.99	25.49	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_1RB_Right	23.97	25.47	30.00	PASS
n66	15	15	DFT-BPSK	L	Inner_Full	24.02	25.52	30.00	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	23.82	25.32	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Left	23.93	25.43	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_1RB_Right	24.01	25.51	30.00	PASS
n66	15	15	DFT-QPSK	L	Inner_Full	24.03	25.53	30.00	PASS

n66	15	15	DFT-QPSK	L	Outer_Full	23.29	24.79	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Left	23.19	24.69	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_1RB_Right	23.38	24.88	30.00	PASS
n66	15	15	DFT-16QAM	L	Inner_Full	23.3	24.8	30.00	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	22.32	23.82	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Left	21.91	23.41	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_1RB_Right	22.11	23.61	30.00	PASS
n66	15	15	DFT-64QAM	L	Inner_Full	21.88	23.38	30.00	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	21.86	23.36	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Left	19.22	20.72	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_1RB_Right	19.22	20.72	30.00	PASS
n66	15	15	DFT-256QAM	L	Inner_Full	19.74	21.24	30.00	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	19.66	21.16	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Left	24.02	25.52	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_1RB_Right	24.02	25.52	30.00	PASS
n66	15	15	DFT-BPSK	M	Inner_Full	24.03	25.53	30.00	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	23.8	25.3	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Left	24.04	25.54	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_1RB_Right	24.03	25.53	30.00	PASS
n66	15	15	DFT-QPSK	M	Inner_Full	24.01	25.51	30.00	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	23.27	24.77	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Left	23.32	24.82	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_1RB_Right	23.31	24.81	30.00	PASS
n66	15	15	DFT-16QAM	M	Inner_Full	23.34	24.84	30.00	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	22.37	23.87	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Left	21.96	23.46	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_1RB_Right	21.86	23.36	30.00	PASS
n66	15	15	DFT-64QAM	M	Inner_Full	21.84	23.34	30.00	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	21.84	23.34	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Left	19.27	20.77	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_1RB_Right	19.14	20.64	30.00	PASS
n66	15	15	DFT-256QAM	M	Inner_Full	19.69	21.19	30.00	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	19.73	21.23	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Left	23.52	25.02	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_1RB_Right	23.36	24.86	30.00	PASS
n66	15	15	DFT-BPSK	H	Inner_Full	23.44	24.94	30.00	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	23.3	24.8	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Left	23.47	24.97	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_1RB_Right	23.39	24.89	30.00	PASS
n66	15	15	DFT-QPSK	H	Inner_Full	23.38	24.88	30.00	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	22.84	24.34	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Left	22.85	24.35	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_1RB_Right	22.69	24.19	30.00	PASS
n66	15	15	DFT-16QAM	H	Inner_Full	22.73	24.23	30.00	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	21.77	23.27	30.00	PASS

n66	15	15	DFT-64QAM	H	Inner_1RB_Left	21.48	22.98	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_1RB_Right	21.37	22.87	30.00	PASS
n66	15	15	DFT-64QAM	H	Inner_Full	21.21	22.71	30.00	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	21.22	22.72	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Left	18.75	20.25	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_1RB_Right	18.52	20.02	30.00	PASS
n66	15	15	DFT-256QAM	H	Inner_Full	19.15	20.65	30.00	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	19.16	20.66	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Left	23.87	25.37	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_1RB_Right	24	25.5	30.00	PASS
n66	15	20	DFT-BPSK	L	Inner_Full	23.99	25.49	30.00	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	23.77	25.27	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Left	23.92	25.42	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_1RB_Right	24.05	25.55	30.00	PASS
n66	15	20	DFT-QPSK	L	Inner_Full	24.03	25.53	30.00	PASS
n66	15	20	DFT-QPSK	L	Outer_Full	23.29	24.79	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Left	23.16	24.66	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_1RB_Right	23.33	24.83	30.00	PASS
n66	15	20	DFT-16QAM	L	Inner_Full	23.26	24.76	30.00	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	22.17	23.67	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Left	21.89	23.39	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_1RB_Right	21.99	23.49	30.00	PASS
n66	15	20	DFT-64QAM	L	Inner_Full	21.86	23.36	30.00	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	21.79	23.29	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Left	19.06	20.56	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_1RB_Right	19.12	20.62	30.00	PASS
n66	15	20	DFT-256QAM	L	Inner_Full	19.76	21.26	30.00	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	19.79	21.29	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Left	24.03	25.53	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_1RB_Right	23.98	25.48	30.00	PASS
n66	15	20	DFT-BPSK	M	Inner_Full	24.08	25.58	30.00	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	23.77	25.27	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Left	23.98	25.48	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_1RB_Right	23.94	25.44	30.00	PASS
n66	15	20	DFT-QPSK	M	Inner_Full	23.99	25.49	30.00	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	23.3	24.8	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Left	23.36	24.86	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_1RB_Right	23.32	24.82	30.00	PASS
n66	15	20	DFT-16QAM	M	Inner_Full	23.32	24.82	30.00	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	22.28	23.78	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Left	22.08	23.58	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_1RB_Right	21.96	23.46	30.00	PASS
n66	15	20	DFT-64QAM	M	Inner_Full	21.85	23.35	30.00	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	21.8	23.3	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_1RB_Left	19.23	20.73	30.00	PASS

n66	15	20	DFT-256QAM	M	Inner_1RB_Right	19.03	20.53	30.00	PASS
n66	15	20	DFT-256QAM	M	Inner_Full	19.74	21.24	30.00	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	19.78	21.28	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Left	23.59	25.09	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_1RB_Right	23.43	24.93	30.00	PASS
n66	15	20	DFT-BPSK	H	Inner_Full	23.6	25.1	30.00	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	23.41	24.91	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Left	23.55	25.05	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_1RB_Right	23.36	24.86	30.00	PASS
n66	15	20	DFT-QPSK	H	Inner_Full	23.62	25.12	30.00	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	22.84	24.34	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Left	22.83	24.33	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_1RB_Right	22.65	24.15	30.00	PASS
n66	15	20	DFT-16QAM	H	Inner_Full	22.75	24.25	30.00	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	21.69	23.19	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Left	21.59	23.09	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_1RB_Right	21.31	22.81	30.00	PASS
n66	15	20	DFT-64QAM	H	Inner_Full	21.34	22.84	30.00	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	21.29	22.79	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Left	18.88	20.38	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_1RB_Right	18.51	20.01	30.00	PASS
n66	15	20	DFT-256QAM	H	Inner_Full	19.3	20.8	30.00	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	19.31	20.81	30.00	PASS

Peak-to-Average Ratio for SA**Peak-to-Average Ratio(CCDF)****Test Result**

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit	Verdict
n66	15	5	DFT-BPSK	L	Outer_Full	4.46	≤13dB	PASS
n66	15	5	DFT-QPSK	L	Outer_Full	5.22	≤13dB	PASS
n66	15	5	DFT-16QAM	L	Outer_Full	6.31	≤13dB	PASS
n66	15	5	DFT-64QAM	L	Outer_Full	6.63	≤13dB	PASS
n66	15	5	DFT-256QAM	L	Outer_Full	6.67	≤13dB	PASS
n66	15	5	CP-QPSK	L	Outer_Full	7.35	≤13dB	PASS
n66	15	5	CP-16QAM	L	Outer_Full	7.42	≤13dB	PASS
n66	15	5	CP-64QAM	L	Outer_Full	7.91	≤13dB	PASS
n66	15	5	CP-256QAM	L	Outer_Full	8.7	≤13dB	PASS
n66	15	5	DFT-BPSK	M	Outer_Full	4.08	≤13dB	PASS
n66	15	5	DFT-QPSK	M	Outer_Full	4.71	≤13dB	PASS
n66	15	5	DFT-16QAM	M	Outer_Full	5.83	≤13dB	PASS
n66	15	5	DFT-64QAM	M	Outer_Full	6.32	≤13dB	PASS
n66	15	5	DFT-256QAM	M	Outer_Full	6.68	≤13dB	PASS
n66	15	5	CP-QPSK	M	Outer_Full	6.72	≤13dB	PASS
n66	15	5	CP-16QAM	M	Outer_Full	7.64	≤13dB	PASS
n66	15	5	CP-64QAM	M	Outer_Full	8.21	≤13dB	PASS
n66	15	5	CP-256QAM	M	Outer_Full	8.76	≤13dB	PASS
n66	15	5	DFT-BPSK	H	Outer_Full	4.46	≤13dB	PASS
n66	15	5	DFT-QPSK	H	Outer_Full	4.56	≤13dB	PASS
n66	15	5	DFT-16QAM	H	Outer_Full	5.83	≤13dB	PASS
n66	15	5	DFT-64QAM	H	Outer_Full	6.21	≤13dB	PASS
n66	15	5	DFT-256QAM	H	Outer_Full	6.67	≤13dB	PASS
n66	15	5	CP-QPSK	H	Outer_Full	7.56	≤13dB	PASS
n66	15	5	CP-16QAM	H	Outer_Full	7.57	≤13dB	PASS
n66	15	5	CP-64QAM	H	Outer_Full	8.17	≤13dB	PASS
n66	15	5	CP-256QAM	H	Outer_Full	8.79	≤13dB	PASS
n66	15	10	DFT-BPSK	L	Outer_Full	4.59	≤13dB	PASS
n66	15	10	DFT-QPSK	L	Outer_Full	5.37	≤13dB	PASS
n66	15	10	DFT-16QAM	L	Outer_Full	6.33	≤13dB	PASS
n66	15	10	DFT-64QAM	L	Outer_Full	6.59	≤13dB	PASS
n66	15	10	DFT-256QAM	L	Outer_Full	6.77	≤13dB	PASS
n66	15	10	CP-QPSK	L	Outer_Full	7.6	≤13dB	PASS
n66	15	10	CP-16QAM	L	Outer_Full	7.53	≤13dB	PASS
n66	15	10	CP-64QAM	L	Outer_Full	7.89	≤13dB	PASS
n66	15	10	CP-256QAM	L	Outer_Full	8.89	≤13dB	PASS
n66	15	10	DFT-BPSK	M	Outer_Full	4.19	≤13dB	PASS

n66	15	10	DFT-QPSK	M	Outer_Full	4.84	≤13dB	PASS
n66	15	10	DFT-16QAM	M	Outer_Full	5.88	≤13dB	PASS
n66	15	10	DFT-64QAM	M	Outer_Full	6.24	≤13dB	PASS
n66	15	10	DFT-256QAM	M	Outer_Full	6.81	≤13dB	PASS
n66	15	10	CP-QPSK	M	Outer_Full	6.99	≤13dB	PASS
n66	15	10	CP-16QAM	M	Outer_Full	6.92	≤13dB	PASS
n66	15	10	CP-64QAM	M	Outer_Full	7.37	≤13dB	PASS
n66	15	10	CP-256QAM	M	Outer_Full	8.82	≤13dB	PASS
n66	15	10	DFT-BPSK	H	Outer_Full	4.04	≤13dB	PASS
n66	15	10	DFT-QPSK	H	Outer_Full	4.72	≤13dB	PASS
n66	15	10	DFT-16QAM	H	Outer_Full	5.79	≤13dB	PASS
n66	15	10	DFT-64QAM	H	Outer_Full	6.25	≤13dB	PASS
n66	15	10	DFT-256QAM	H	Outer_Full	6.82	≤13dB	PASS
n66	15	10	CP-QPSK	H	Outer_Full	7.65	≤13dB	PASS
n66	15	10	CP-16QAM	H	Outer_Full	7.69	≤13dB	PASS
n66	15	10	CP-64QAM	H	Outer_Full	8.16	≤13dB	PASS
n66	15	10	CP-256QAM	H	Outer_Full	8.92	≤13dB	PASS
n66	15	15	DFT-BPSK	L	Outer_Full	4.67	≤13dB	PASS
n66	15	15	DFT-QPSK	L	Outer_Full	5.47	≤13dB	PASS
n66	15	15	DFT-16QAM	L	Outer_Full	6.41	≤13dB	PASS
n66	15	15	DFT-64QAM	L	Outer_Full	6.74	≤13dB	PASS
n66	15	15	DFT-256QAM	L	Outer_Full	6.78	≤13dB	PASS
n66	15	15	CP-QPSK	L	Outer_Full	7.68	≤13dB	PASS
n66	15	15	CP-16QAM	L	Outer_Full	7.62	≤13dB	PASS
n66	15	15	CP-64QAM	L	Outer_Full	8.18	≤13dB	PASS
n66	15	15	CP-256QAM	L	Outer_Full	8.67	≤13dB	PASS
n66	15	15	DFT-BPSK	M	Outer_Full	4.27	≤13dB	PASS
n66	15	15	DFT-QPSK	M	Outer_Full	4.93	≤13dB	PASS
n66	15	15	DFT-16QAM	M	Outer_Full	5.83	≤13dB	PASS
n66	15	15	DFT-64QAM	M	Outer_Full	6.29	≤13dB	PASS
n66	15	15	DFT-256QAM	M	Outer_Full	6.91	≤13dB	PASS
n66	15	15	CP-QPSK	M	Outer_Full	7.01	≤13dB	PASS
n66	15	15	CP-16QAM	M	Outer_Full	6.94	≤13dB	PASS
n66	15	15	CP-64QAM	M	Outer_Full	7.6	≤13dB	PASS
n66	15	15	CP-256QAM	M	Outer_Full	8.66	≤13dB	PASS
n66	15	15	DFT-BPSK	H	Outer_Full	4.13	≤13dB	PASS
n66	15	15	DFT-QPSK	H	Outer_Full	4.78	≤13dB	PASS
n66	15	15	DFT-16QAM	H	Outer_Full	5.72	≤13dB	PASS
n66	15	15	DFT-64QAM	H	Outer_Full	6.24	≤13dB	PASS
n66	15	15	DFT-256QAM	H	Outer_Full	6.93	≤13dB	PASS
n66	15	15	CP-QPSK	H	Outer_Full	6.81	≤13dB	PASS
n66	15	15	CP-16QAM	H	Outer_Full	6.91	≤13dB	PASS
n66	15	15	CP-64QAM	H	Outer_Full	7.49	≤13dB	PASS
n66	15	15	CP-256QAM	H	Outer_Full	8.72	≤13dB	PASS
n66	15	20	DFT-BPSK	L	Outer_Full	4.1	≤13dB	PASS

n66	15	20	DFT-QPSK	L	Outer_Full	4.71	≤13dB	PASS
n66	15	20	DFT-16QAM	L	Outer_Full	6.45	≤13dB	PASS
n66	15	20	DFT-64QAM	L	Outer_Full	6.62	≤13dB	PASS
n66	15	20	DFT-256QAM	L	Outer_Full	6.93	≤13dB	PASS
n66	15	20	CP-QPSK	L	Outer_Full	7.57	≤13dB	PASS
n66	15	20	CP-16QAM	L	Outer_Full	7.58	≤13dB	PASS
n66	15	20	CP-64QAM	L	Outer_Full	7.93	≤13dB	PASS
n66	15	20	CP-256QAM	L	Outer_Full	8.72	≤13dB	PASS
n66	15	20	DFT-BPSK	M	Outer_Full	4.15	≤13dB	PASS
n66	15	20	DFT-QPSK	M	Outer_Full	4.85	≤13dB	PASS
n66	15	20	DFT-16QAM	M	Outer_Full	5.84	≤13dB	PASS
n66	15	20	DFT-64QAM	M	Outer_Full	6.25	≤13dB	PASS
n66	15	20	DFT-256QAM	M	Outer_Full	6.93	≤13dB	PASS
n66	15	20	CP-QPSK	M	Outer_Full	6.91	≤13dB	PASS
n66	15	20	CP-16QAM	M	Outer_Full	6.92	≤13dB	PASS
n66	15	20	CP-64QAM	M	Outer_Full	7.28	≤13dB	PASS
n66	15	20	CP-256QAM	M	Outer_Full	8.69	≤13dB	PASS
n66	15	20	DFT-BPSK	H	Outer_Full	4.16	≤13dB	PASS
n66	15	20	DFT-QPSK	H	Outer_Full	4.75	≤13dB	PASS
n66	15	20	DFT-16QAM	H	Outer_Full	5.75	≤13dB	PASS
n66	15	20	DFT-64QAM	H	Outer_Full	6.36	≤13dB	PASS
n66	15	20	DFT-256QAM	H	Outer_Full	6.96	≤13dB	PASS
n66	15	20	CP-QPSK	H	Outer_Full	6.81	≤13dB	PASS
n66	15	20	CP-16QAM	H	Outer_Full	7.66	≤13dB	PASS
n66	15	20	CP-64QAM	H	Outer_Full	7.98	≤13dB	PASS
n66	15	20	CP-256QAM	H	Outer_Full	8.73	≤13dB	PASS

Test Graphs





































