

**Appendix A.1****1. Effective (Isotropic) Radiated Power Output Data****1.1 Test Result****1.1.1 B2_1.4MHz_EIRP**

Band: 2 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.36	1.00	24.36	<=33.01	Pass
			2	23.15	1.00	24.15	<=33.01	Pass
			5	23.30	1.00	24.30	<=33.01	Pass
		3	0	23.31	1.00	24.31	<=33.01	Pass
			2	23.33	1.00	24.33	<=33.01	Pass
			3	23.30	1.00	24.30	<=33.01	Pass
		6	0	22.27	1.00	23.27	<=33.01	Pass
			0	23.33	1.00	24.33	<=33.01	Pass
			2	23.46	1.00	24.46	<=33.01	Pass
	1880	1	5	23.23	1.00	24.23	<=33.01	Pass
			0	23.35	1.00	24.35	<=33.01	Pass
			2	23.23	1.00	24.23	<=33.01	Pass
		3	3	23.31	1.00	24.31	<=33.01	Pass
			0	22.31	1.00	23.31	<=33.01	Pass
			0	23.81	1.00	24.81	<=33.01	Pass
		6	2	23.50	1.00	24.50	<=33.01	Pass
			5	23.52	1.00	24.52	<=33.01	Pass
			0	23.61	1.00	24.61	<=33.01	Pass
	1909.3	3	2	23.57	1.00	24.57	<=33.01	Pass
			3	23.59	1.00	24.59	<=33.01	Pass
			0	22.60	1.00	23.60	<=33.01	Pass
16QAM	1850.7	1	0	22.68	1.00	23.68	<=33.01	Pass
			2	22.73	1.00	23.73	<=33.01	Pass
			5	22.77	1.00	23.77	<=33.01	Pass
		3	0	22.45	1.00	23.45	<=33.01	Pass
			2	22.34	1.00	23.34	<=33.01	Pass
			3	22.39	1.00	23.39	<=33.01	Pass
		6	0	21.48	1.00	22.48	<=33.01	Pass
	1880	1	0	22.76	1.00	23.76	<=33.01	Pass
			2	22.92	1.00	23.92	<=33.01	Pass
			5	22.80	1.00	23.80	<=33.01	Pass
		3	0	22.50	1.00	23.50	<=33.01	Pass
			2	22.49	1.00	23.49	<=33.01	Pass
			3	22.38	1.00	23.38	<=33.01	Pass
		6	0	21.52	1.00	22.52	<=33.01	Pass
	1909.3	1	0	22.95	1.00	23.95	<=33.01	Pass
			2	22.92	1.00	23.92	<=33.01	Pass
			5	23.00	1.00	24.00	<=33.01	Pass
		3	0	22.67	1.00	23.67	<=33.01	Pass
			2	22.92	1.00	23.92	<=33.01	Pass
			0	22.92	1.00	23.92	<=33.01	Pass



Report No.: SUCR260400030106

Page: 2 of 11

64QAM	1850.7	6	3	22.73	1.00	23.73	<=33.01	Pass
			0	21.85	1.00	22.85	<=33.01	Pass
		1	0	22.57	1.00	23.57	<=33.01	Pass
			2	22.57	1.00	23.57	<=33.01	Pass
			5	22.49	1.00	23.49	<=33.01	Pass
		3	0	22.49	1.00	23.49	<=33.01	Pass
			2	22.37	1.00	23.37	<=33.01	Pass
			3	22.54	1.00	23.54	<=33.01	Pass
		6	0	21.32	1.00	22.32	<=33.01	Pass
	1880	1	0	22.61	1.00	23.61	<=33.01	Pass
			2	22.66	1.00	23.66	<=33.01	Pass
			5	22.44	1.00	23.44	<=33.01	Pass
		3	0	22.48	1.00	23.48	<=33.01	Pass
			2	22.49	1.00	23.49	<=33.01	Pass
			3	22.52	1.00	23.52	<=33.01	Pass
		6	0	21.46	1.00	22.46	<=33.01	Pass
	1909.3	1	0	23.04	1.00	24.04	<=33.01	Pass
			2	22.87	1.00	23.87	<=33.01	Pass
			5	22.70	1.00	23.70	<=33.01	Pass
		3	0	22.75	1.00	23.75	<=33.01	Pass
			2	22.85	1.00	23.85	<=33.01	Pass
			3	22.78	1.00	23.78	<=33.01	Pass
		6	0	21.71	1.00	22.71	<=33.01	Pass
256QAM	1850.7	1	0	18.49	1.00	19.49	<=33.01	Pass
			2	18.67	1.00	19.67	<=33.01	Pass
			5	18.60	1.00	19.60	<=33.01	Pass
		3	0	18.54	1.00	19.54	<=33.01	Pass
			2	18.64	1.00	19.64	<=33.01	Pass
			3	18.47	1.00	19.47	<=33.01	Pass
		6	0	18.39	1.00	19.39	<=33.01	Pass
	1880	1	0	18.51	1.00	19.51	<=33.01	Pass
			2	18.76	1.00	19.76	<=33.01	Pass
			5	18.51	1.00	19.51	<=33.01	Pass
		3	0	18.58	1.00	19.58	<=33.01	Pass
			2	18.66	1.00	19.66	<=33.01	Pass
			3	18.49	1.00	19.49	<=33.01	Pass
		6	0	18.56	1.00	19.56	<=33.01	Pass
	1909.3	1	0	18.90	1.00	19.90	<=33.01	Pass
			2	18.64	1.00	19.64	<=33.01	Pass
			5	18.93	1.00	19.93	<=33.01	Pass
		3	0	18.87	1.00	19.87	<=33.01	Pass
			2	18.78	1.00	19.78	<=33.01	Pass
			3	18.88	1.00	19.88	<=33.01	Pass
		6	0	18.84	1.00	19.84	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	

QPSK	1851.5	1	0	23.41	1.00	24.41	<=33.01	Pass
			7	23.28	1.00	24.28	<=33.01	Pass
			14	23.26	1.00	24.26	<=33.01	Pass
		8	0	22.52	1.00	23.52	<=33.01	Pass
			4	22.42	1.00	23.42	<=33.01	Pass
			7	22.50	1.00	23.50	<=33.01	Pass
		15	0	22.43	1.00	23.43	<=33.01	Pass
	1880	1	0	23.52	1.00	24.52	<=33.01	Pass
			7	23.61	1.00	24.61	<=33.01	Pass
			14	23.37	1.00	24.37	<=33.01	Pass
		8	0	22.57	1.00	23.57	<=33.01	Pass
			4	22.52	1.00	23.52	<=33.01	Pass
			7	22.53	1.00	23.53	<=33.01	Pass
		15	0	22.52	1.00	23.52	<=33.01	Pass
	1908.5	1	0	23.84	1.00	24.84	<=33.01	Pass
			7	23.76	1.00	24.76	<=33.01	Pass
			14	23.66	1.00	24.66	<=33.01	Pass
		8	0	22.93	1.00	23.93	<=33.01	Pass
			4	22.84	1.00	23.84	<=33.01	Pass
			7	22.88	1.00	23.88	<=33.01	Pass
		15	0	22.84	1.00	23.84	<=33.01	Pass
16QAM	1851.5	1	0	22.92	1.00	23.92	<=33.01	Pass
			7	22.44	1.00	23.44	<=33.01	Pass
			14	22.61	1.00	23.61	<=33.01	Pass
		8	0	21.60	1.00	22.60	<=33.01	Pass
			4	21.40	1.00	22.40	<=33.01	Pass
			7	21.37	1.00	22.37	<=33.01	Pass
		15	0	21.57	1.00	22.57	<=33.01	Pass
	1880	1	0	22.91	1.00	23.91	<=33.01	Pass
			7	22.74	1.00	23.74	<=33.01	Pass
			14	22.77	1.00	23.77	<=33.01	Pass
		8	0	21.57	1.00	22.57	<=33.01	Pass
			4	21.60	1.00	22.60	<=33.01	Pass
			7	21.53	1.00	22.53	<=33.01	Pass
		15	0	21.57	1.00	22.57	<=33.01	Pass
	1908.5	1	0	23.21	1.00	24.21	<=33.01	Pass
			7	23.10	1.00	24.10	<=33.01	Pass
			14	23.10	1.00	24.10	<=33.01	Pass
		8	0	21.93	1.00	22.93	<=33.01	Pass
			4	21.91	1.00	22.91	<=33.01	Pass
			7	21.78	1.00	22.78	<=33.01	Pass
		15	0	21.87	1.00	22.87	<=33.01	Pass
64QAM	1851.5	1	0	22.62	1.00	23.62	<=33.01	Pass
			7	22.46	1.00	23.46	<=33.01	Pass
			14	22.71	1.00	23.71	<=33.01	Pass
		8	0	21.55	1.00	22.55	<=33.01	Pass
			4	21.51	1.00	22.51	<=33.01	Pass
			7	21.55	1.00	22.55	<=33.01	Pass
		15	0	21.47	1.00	22.47	<=33.01	Pass
	1880	1	0	22.82	1.00	23.82	<=33.01	Pass
			7	22.38	1.00	23.38	<=33.01	Pass
			14	22.69	1.00	23.69	<=33.01	Pass
		8	0	21.66	1.00	22.66	<=33.01	Pass

256QAM		15	4	21.66	1.00	22.66	<=33.01	Pass
			7	21.58	1.00	22.58	<=33.01	Pass
			0	21.54	1.00	22.54	<=33.01	Pass
	1908.5	1	0	23.17	1.00	24.17	<=33.01	Pass
			7	22.97	1.00	23.97	<=33.01	Pass
			14	22.99	1.00	23.99	<=33.01	Pass
		8	0	21.88	1.00	22.88	<=33.01	Pass
			4	21.88	1.00	22.88	<=33.01	Pass
			7	21.83	1.00	22.83	<=33.01	Pass
		15	0	21.85	1.00	22.85	<=33.01	Pass
	1851.5	1	0	18.47	1.00	19.47	<=33.01	Pass
			7	18.72	1.00	19.72	<=33.01	Pass
			14	18.21	1.00	19.21	<=33.01	Pass
		8	0	18.67	1.00	19.67	<=33.01	Pass
			4	18.45	1.00	19.45	<=33.01	Pass
			7	18.67	1.00	19.67	<=33.01	Pass
		15	0	18.56	1.00	19.56	<=33.01	Pass
	1880	1	0	18.76	1.00	19.76	<=33.01	Pass
			7	18.51	1.00	19.51	<=33.01	Pass
			14	18.47	1.00	19.47	<=33.01	Pass
		8	0	18.69	1.00	19.69	<=33.01	Pass
			4	18.61	1.00	19.61	<=33.01	Pass
			7	18.64	1.00	19.64	<=33.01	Pass
		15	0	18.51	1.00	19.51	<=33.01	Pass
	1908.5	1	0	19.02	1.00	20.02	<=33.01	Pass
			7	18.77	1.00	19.77	<=33.01	Pass
			14	18.86	1.00	19.86	<=33.01	Pass
		8	0	19.01	1.00	20.01	<=33.01	Pass
			4	18.92	1.00	19.92	<=33.01	Pass
			7	18.87	1.00	19.87	<=33.01	Pass
		15	0	18.82	1.00	19.82	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.45	1.00	24.45	<=33.01	Pass
			13	23.40	1.00	24.40	<=33.01	Pass
			24	23.34	1.00	24.34	<=33.01	Pass
		12	0	22.48	1.00	23.48	<=33.01	Pass
			6	22.44	1.00	23.44	<=33.01	Pass
			13	22.37	1.00	23.37	<=33.01	Pass
		25	0	22.47	1.00	23.47	<=33.01	Pass
	1880	1	0	23.37	1.00	24.37	<=33.01	Pass
			13	23.43	1.00	24.43	<=33.01	Pass
			24	23.47	1.00	24.47	<=33.01	Pass
		12	0	22.61	1.00	23.61	<=33.01	Pass
			6	22.63	1.00	23.63	<=33.01	Pass
			13	22.56	1.00	23.56	<=33.01	Pass

		25	0	22.53	1.00	23.53	<=33.01	Pass
	1907.5	1	0	23.72	1.00	24.72	<=33.01	Pass
			13	23.79	1.00	24.79	<=33.01	Pass
			24	23.74	1.00	24.74	<=33.01	Pass
			0	22.93	1.00	23.93	<=33.01	Pass
		12	6	22.84	1.00	23.84	<=33.01	Pass
			13	22.78	1.00	23.78	<=33.01	Pass
25		0	22.75	1.00	23.75	<=33.01	Pass	
16QAM	1852.5	1	0	22.70	1.00	23.70	<=33.01	Pass
			13	22.69	1.00	23.69	<=33.01	Pass
			24	22.81	1.00	23.81	<=33.01	Pass
		12	0	21.51	1.00	22.51	<=33.01	Pass
			6	21.48	1.00	22.48	<=33.01	Pass
			13	21.39	1.00	22.39	<=33.01	Pass
		25	0	21.51	1.00	22.51	<=33.01	Pass
	1880	1	0	22.71	1.00	23.71	<=33.01	Pass
			13	22.88	1.00	23.88	<=33.01	Pass
			24	22.85	1.00	23.85	<=33.01	Pass
		12	0	21.43	1.00	22.43	<=33.01	Pass
			6	21.59	1.00	22.59	<=33.01	Pass
			13	21.49	1.00	22.49	<=33.01	Pass
		25	0	21.57	1.00	22.57	<=33.01	Pass
	1907.5	1	0	23.03	1.00	24.03	<=33.01	Pass
			13	23.17	1.00	24.17	<=33.01	Pass
			24	23.13	1.00	24.13	<=33.01	Pass
		12	0	21.81	1.00	22.81	<=33.01	Pass
			6	21.95	1.00	22.95	<=33.01	Pass
			13	21.78	1.00	22.78	<=33.01	Pass
		25	0	21.87	1.00	22.87	<=33.01	Pass
64QAM	1852.5	1	0	22.67	1.00	23.67	<=33.01	Pass
			13	22.68	1.00	23.68	<=33.01	Pass
			24	22.50	1.00	23.50	<=33.01	Pass
		12	0	21.55	1.00	22.55	<=33.01	Pass
			6	21.45	1.00	22.45	<=33.01	Pass
			13	21.37	1.00	22.37	<=33.01	Pass
		25	0	21.51	1.00	22.51	<=33.01	Pass
	1880	1	0	22.54	1.00	23.54	<=33.01	Pass
			13	22.61	1.00	23.61	<=33.01	Pass
			24	22.80	1.00	23.80	<=33.01	Pass
		12	0	21.60	1.00	22.60	<=33.01	Pass
			6	21.54	1.00	22.54	<=33.01	Pass
			13	21.54	1.00	22.54	<=33.01	Pass
		25	0	21.56	1.00	22.56	<=33.01	Pass
	1907.5	1	0	23.03	1.00	24.03	<=33.01	Pass
			13	23.09	1.00	24.09	<=33.01	Pass
			24	22.98	1.00	23.98	<=33.01	Pass
		12	0	21.99	1.00	22.99	<=33.01	Pass
			6	21.84	1.00	22.84	<=33.01	Pass
			13	21.87	1.00	22.87	<=33.01	Pass
		25	0	21.86	1.00	22.86	<=33.01	Pass
256QAM	1852.5	1	0	18.62	1.00	19.62	<=33.01	Pass
			13	18.44	1.00	19.44	<=33.01	Pass
			24	18.62	1.00	19.62	<=33.01	Pass



Report No.: SUCR260400030106

Page: 6 of 11

	1880	12	0	18.51	1.00	19.51	<=33.01	Pass
			6	18.45	1.00	19.45	<=33.01	Pass
			13	18.38	1.00	19.38	<=33.01	Pass
		25	0	18.51	1.00	19.51	<=33.01	Pass
			0	18.78	1.00	19.78	<=33.01	Pass
			13	18.47	1.00	19.47	<=33.01	Pass
		1	24	18.76	1.00	19.76	<=33.01	Pass
			0	18.61	1.00	19.61	<=33.01	Pass
			6	18.56	1.00	19.56	<=33.01	Pass
	1907.5	12	13	18.49	1.00	19.49	<=33.01	Pass
			0	18.59	1.00	19.59	<=33.01	Pass
			0	18.84	1.00	19.84	<=33.01	Pass
		1	13	18.79	1.00	19.79	<=33.01	Pass
			24	18.99	1.00	19.99	<=33.01	Pass
			0	18.93	1.00	19.93	<=33.01	Pass
		12	6	18.98	1.00	19.98	<=33.01	Pass
			13	18.78	1.00	19.78	<=33.01	Pass
			0	18.84	1.00	19.84	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.43	1.00	24.43	<=33.01	Pass
			25	23.26	1.00	24.26	<=33.01	Pass
			49	23.23	1.00	24.23	<=33.01	Pass
		25	0	22.46	1.00	23.46	<=33.01	Pass
			13	22.53	1.00	23.53	<=33.01	Pass
			25	22.43	1.00	23.43	<=33.01	Pass
		50	0	22.43	1.00	23.43	<=33.01	Pass
			0	23.43	1.00	24.43	<=33.01	Pass
			25	23.39	1.00	24.39	<=33.01	Pass
	1880	1	49	23.29	1.00	24.29	<=33.01	Pass
			0	22.64	1.00	23.64	<=33.01	Pass
			13	22.54	1.00	23.54	<=33.01	Pass
		25	25	22.57	1.00	23.57	<=33.01	Pass
			0	22.55	1.00	23.55	<=33.01	Pass
			0	23.73	1.00	24.73	<=33.01	Pass
		1	25	23.53	1.00	24.53	<=33.01	Pass
			49	23.73	1.00	24.73	<=33.01	Pass
			0	22.89	1.00	23.89	<=33.01	Pass
	1905	25	13	22.81	1.00	23.81	<=33.01	Pass
			25	22.85	1.00	23.85	<=33.01	Pass
			0	22.84	1.00	23.84	<=33.01	Pass
16QAM	1855	1	0	22.85	1.00	23.85	<=33.01	Pass
			25	22.59	1.00	23.59	<=33.01	Pass
			49	22.72	1.00	23.72	<=33.01	Pass
		25	0	21.60	1.00	22.60	<=33.01	Pass
			13	21.45	1.00	22.45	<=33.01	Pass

			25	21.48	1.00	22.48	<=33.01	Pass	
		50	0	21.47	1.00	22.47	<=33.01	Pass	
	1880	1	0	22.61	1.00	23.61	<=33.01	Pass	
			25	22.83	1.00	23.83	<=33.01	Pass	
			49	22.82	1.00	23.82	<=33.01	Pass	
		25	0	21.58	1.00	22.58	<=33.01	Pass	
			13	21.60	1.00	22.60	<=33.01	Pass	
			25	21.60	1.00	22.60	<=33.01	Pass	
	50	0	21.60	1.00	22.60	<=33.01	Pass		
	1905	1	0	23.09	1.00	24.09	<=33.01	Pass	
			25	23.27	1.00	24.27	<=33.01	Pass	
			49	23.22	1.00	24.22	<=33.01	Pass	
		25	0	21.86	1.00	22.86	<=33.01	Pass	
			13	21.93	1.00	22.93	<=33.01	Pass	
			25	22.00	1.00	23.00	<=33.01	Pass	
	50	0	21.91	1.00	22.91	<=33.01	Pass		
	64QAM	1855	1	0	22.56	1.00	23.56	<=33.01	Pass
				25	22.61	1.00	23.61	<=33.01	Pass
49				22.55	1.00	23.55	<=33.01	Pass	
25			0	21.49	1.00	22.49	<=33.01	Pass	
			13	21.47	1.00	22.47	<=33.01	Pass	
			25	21.34	1.00	22.34	<=33.01	Pass	
50		0	21.33	1.00	22.33	<=33.01	Pass		
1880		1	0	22.73	1.00	23.73	<=33.01	Pass	
			25	22.77	1.00	23.77	<=33.01	Pass	
			49	22.69	1.00	23.69	<=33.01	Pass	
		25	0	21.55	1.00	22.55	<=33.01	Pass	
			13	21.60	1.00	22.60	<=33.01	Pass	
			25	21.52	1.00	22.52	<=33.01	Pass	
50		0	21.60	1.00	22.60	<=33.01	Pass		
1905		1	0	22.79	1.00	23.79	<=33.01	Pass	
			25	23.04	1.00	24.04	<=33.01	Pass	
			49	23.00	1.00	24.00	<=33.01	Pass	
		25	0	21.88	1.00	22.88	<=33.01	Pass	
	13		21.84	1.00	22.84	<=33.01	Pass		
	25		21.83	1.00	22.83	<=33.01	Pass		
50	0	21.88	1.00	22.88	<=33.01	Pass			
256QAM	1855	1	0	18.62	1.00	19.62	<=33.01	Pass	
			25	18.47	1.00	19.47	<=33.01	Pass	
			49	18.42	1.00	19.42	<=33.01	Pass	
		25	0	18.48	1.00	19.48	<=33.01	Pass	
			13	18.54	1.00	19.54	<=33.01	Pass	
			25	18.39	1.00	19.39	<=33.01	Pass	
	50	0	18.46	1.00	19.46	<=33.01	Pass		
	1880	1	0	18.74	1.00	19.74	<=33.01	Pass	
			25	18.40	1.00	19.40	<=33.01	Pass	
			49	18.52	1.00	19.52	<=33.01	Pass	
		25	0	18.63	1.00	19.63	<=33.01	Pass	
			13	18.60	1.00	19.60	<=33.01	Pass	
			25	18.55	1.00	19.55	<=33.01	Pass	
	50	0	18.62	1.00	19.62	<=33.01	Pass		
	1905	1	0	19.00	1.00	20.00	<=33.01	Pass	
25			18.77	1.00	19.77	<=33.01	Pass		



Report No.: SUCR260400030106

Page: 8 of 11

		49	18.90	1.00	19.90	<=33.01	Pass
	25	0	18.91	1.00	19.91	<=33.01	Pass
		13	18.87	1.00	19.87	<=33.01	Pass
		25	18.93	1.00	19.93	<=33.01	Pass
	50	0	18.88	1.00	19.88	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.36	1.00	24.36	<=33.01	Pass
			38	23.11	1.00	24.11	<=33.01	Pass
			74	23.20	1.00	24.20	<=33.01	Pass
		36	0	22.33	1.00	23.33	<=33.01	Pass
			18	22.15	1.00	23.15	<=33.01	Pass
			39	22.34	1.00	23.34	<=33.01	Pass
		75	0	22.22	1.00	23.22	<=33.01	Pass
	1880	1	0	23.21	1.00	24.21	<=33.01	Pass
			38	23.33	1.00	24.33	<=33.01	Pass
			74	23.46	1.00	24.46	<=33.01	Pass
		36	0	22.36	1.00	23.36	<=33.01	Pass
			18	21.72	1.00	22.72	<=33.01	Pass
			39	22.47	1.00	23.47	<=33.01	Pass
		75	0	22.37	1.00	23.37	<=33.01	Pass
	1902.5	1	0	23.51	1.00	24.51	<=33.01	Pass
			38	23.56	1.00	24.56	<=33.01	Pass
			74	23.67	1.00	24.67	<=33.01	Pass
		36	0	22.65	1.00	23.65	<=33.01	Pass
			18	22.67	1.00	23.67	<=33.01	Pass
			39	22.73	1.00	23.73	<=33.01	Pass
		75	0	22.73	1.00	23.73	<=33.01	Pass
16QAM	1857.5	1	0	22.56	1.00	23.56	<=33.01	Pass
			38	22.41	1.00	23.41	<=33.01	Pass
			74	22.58	1.00	23.58	<=33.01	Pass
		36	0	21.33	1.00	22.33	<=33.01	Pass
			18	21.34	1.00	22.34	<=33.01	Pass
			39	21.36	1.00	22.36	<=33.01	Pass
		75	0	21.40	1.00	22.40	<=33.01	Pass
	1880	1	0	22.61	1.00	23.61	<=33.01	Pass
			38	22.60	1.00	23.60	<=33.01	Pass
			74	22.74	1.00	23.74	<=33.01	Pass
		36	0	21.35	1.00	22.35	<=33.01	Pass
			18	21.44	1.00	22.44	<=33.01	Pass
			39	21.50	1.00	22.50	<=33.01	Pass
		75	0	21.39	1.00	22.39	<=33.01	Pass
	1902.5	1	0	22.79	1.00	23.79	<=33.01	Pass
			38	22.89	1.00	23.89	<=33.01	Pass
			74	23.11	1.00	24.11	<=33.01	Pass
		36	0	21.67	1.00	22.67	<=33.01	Pass



Report No.: SUCR260400030106

Page: 9 of 11

		75	18	21.68	1.00	22.68	<=33.01	Pass
			39	21.77	1.00	22.77	<=33.01	Pass
			0	21.78	1.00	22.78	<=33.01	Pass
64QAM	1857.5	1	0	22.54	1.00	23.54	<=33.01	Pass
			38	22.49	1.00	23.49	<=33.01	Pass
			74	22.37	1.00	23.37	<=33.01	Pass
		36	0	21.40	1.00	22.40	<=33.01	Pass
			18	21.25	1.00	22.25	<=33.01	Pass
			39	21.36	1.00	22.36	<=33.01	Pass
		75	0	21.39	1.00	22.39	<=33.01	Pass
	1880	1	0	22.48	1.00	23.48	<=33.01	Pass
			38	22.66	1.00	23.66	<=33.01	Pass
			74	22.69	1.00	23.69	<=33.01	Pass
		36	0	21.33	1.00	22.33	<=33.01	Pass
			18	21.42	1.00	22.42	<=33.01	Pass
			39	21.49	1.00	22.49	<=33.01	Pass
		75	0	21.40	1.00	22.40	<=33.01	Pass
	1902.5	1	0	22.73	1.00	23.73	<=33.01	Pass
			38	22.78	1.00	23.78	<=33.01	Pass
			74	23.06	1.00	24.06	<=33.01	Pass
		36	0	21.66	1.00	22.66	<=33.01	Pass
			18	21.76	1.00	22.76	<=33.01	Pass
			39	21.73	1.00	22.73	<=33.01	Pass
		75	0	21.77	1.00	22.77	<=33.01	Pass
256QAM	1857.5	1	0	18.42	1.00	19.42	<=33.01	Pass
			38	18.33	1.00	19.33	<=33.01	Pass
			74	18.37	1.00	19.37	<=33.01	Pass
		36	0	18.42	1.00	19.42	<=33.01	Pass
			18	18.34	1.00	19.34	<=33.01	Pass
			39	18.33	1.00	19.33	<=33.01	Pass
		75	0	18.37	1.00	19.37	<=33.01	Pass
	1880	1	0	18.32	1.00	19.32	<=33.01	Pass
			38	18.52	1.00	19.52	<=33.01	Pass
			74	18.56	1.00	19.56	<=33.01	Pass
		36	0	18.41	1.00	19.41	<=33.01	Pass
			18	18.45	1.00	19.45	<=33.01	Pass
			39	18.57	1.00	19.57	<=33.01	Pass
		75	0	18.42	1.00	19.42	<=33.01	Pass
	1902.5	1	0	18.76	1.00	19.76	<=33.01	Pass
			38	18.74	1.00	19.74	<=33.01	Pass
			74	18.94	1.00	19.94	<=33.01	Pass
		36	0	18.73	1.00	19.73	<=33.01	Pass
			18	18.76	1.00	19.76	<=33.01	Pass
			39	18.81	1.00	19.81	<=33.01	Pass
		75	0	18.75	1.00	19.75	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTN/V						
Modulation	Frequency	RB Allocation	Conducted Power	Gain	EIRP (dBm)	Verdict

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Connectivity Laboratory

South of No. 6 Plant, No. 1, RunSheng Road, Suzhou Industrial Park,
Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215123

t (86-512) 6229 2980
www.sgsgroup.com.cn

TRF No. SUZSCONN-TRF-CR001A_A_Jun 1st,2026

Member of the SGS Group (SGS SA)

	(MHz)	Size	Offset	(dBm)	(dBi)	Result	Limit	
QPSK	1860	1	0	23.28	1.00	24.28	<=33.01	Pass
			50	23.00	1.00	24.00	<=33.01	Pass
			99	23.30	1.00	24.30	<=33.01	Pass
		50	0	22.32	1.00	23.32	<=33.01	Pass
			25	22.29	1.00	23.29	<=33.01	Pass
			50	22.33	1.00	23.33	<=33.01	Pass
		100	0	22.29	1.00	23.29	<=33.01	Pass
	1880	1	0	23.29	1.00	24.29	<=33.01	Pass
			50	23.36	1.00	24.36	<=33.01	Pass
			99	23.34	1.00	24.34	<=33.01	Pass
		50	0	22.31	1.00	23.31	<=33.01	Pass
			25	22.45	1.00	23.45	<=33.01	Pass
			50	22.51	1.00	23.51	<=33.01	Pass
		100	0	22.37	1.00	23.37	<=33.01	Pass
	1900	1	0	23.47	1.00	24.47	<=33.01	Pass
			50	23.50	1.00	24.50	<=33.01	Pass
			99	23.62	1.00	24.62	<=33.01	Pass
		50	0	22.57	1.00	23.57	<=33.01	Pass
			25	22.71	1.00	23.71	<=33.01	Pass
			50	22.71	1.00	23.71	<=33.01	Pass
		100	0	22.63	1.00	23.63	<=33.01	Pass
16QAM	1860	1	0	22.54	1.00	23.54	<=33.01	Pass
			50	22.52	1.00	23.52	<=33.01	Pass
			99	22.48	1.00	23.48	<=33.01	Pass
		50	0	21.37	1.00	22.37	<=33.01	Pass
			25	21.35	1.00	22.35	<=33.01	Pass
			50	21.28	1.00	22.28	<=33.01	Pass
		100	0	21.32	1.00	22.32	<=33.01	Pass
	1880	1	0	22.53	1.00	23.53	<=33.01	Pass
			50	22.57	1.00	23.57	<=33.01	Pass
			99	22.69	1.00	23.69	<=33.01	Pass
		50	0	21.36	1.00	22.36	<=33.01	Pass
			25	21.50	1.00	22.50	<=33.01	Pass
			50	21.49	1.00	22.49	<=33.01	Pass
		100	0	21.41	1.00	22.41	<=33.01	Pass
	1900	1	0	22.71	1.00	23.71	<=33.01	Pass
			50	22.94	1.00	23.94	<=33.01	Pass
			99	22.90	1.00	23.90	<=33.01	Pass
		50	0	21.59	1.00	22.59	<=33.01	Pass
			25	21.77	1.00	22.77	<=33.01	Pass
			50	21.76	1.00	22.76	<=33.01	Pass
		100	0	21.61	1.00	22.61	<=33.01	Pass
64QAM	1860	1	0	22.53	1.00	23.53	<=33.01	Pass
			50	22.33	1.00	23.33	<=33.01	Pass
			99	22.30	1.00	23.30	<=33.01	Pass
		50	0	21.46	1.00	22.46	<=33.01	Pass
			25	21.17	1.00	22.17	<=33.01	Pass
			50	21.25	1.00	22.25	<=33.01	Pass
		100	0	21.32	1.00	22.32	<=33.01	Pass
	1880	1	0	22.45	1.00	23.45	<=33.01	Pass
			50	22.47	1.00	23.47	<=33.01	Pass
			99	22.48	1.00	23.48	<=33.01	Pass

256QAM	1900	50	0	21.30	1.00	22.30	<=33.01	Pass
			25	21.48	1.00	22.48	<=33.01	Pass
			50	21.48	1.00	22.48	<=33.01	Pass
		100	0	21.30	1.00	22.30	<=33.01	Pass
		1	0	22.69	1.00	23.69	<=33.01	Pass
			50	22.75	1.00	23.75	<=33.01	Pass
			99	22.92	1.00	23.92	<=33.01	Pass
		50	0	21.57	1.00	22.57	<=33.01	Pass
			25	21.74	1.00	22.74	<=33.01	Pass
			50	21.84	1.00	22.84	<=33.01	Pass
		100	0	21.63	1.00	22.63	<=33.01	Pass
	1860	1	0	18.45	1.00	19.45	<=33.01	Pass
			50	18.39	1.00	19.39	<=33.01	Pass
			99	18.49	1.00	19.49	<=33.01	Pass
		50	0	18.38	1.00	19.38	<=33.01	Pass
			25	18.41	1.00	19.41	<=33.01	Pass
			50	18.33	1.00	19.33	<=33.01	Pass
		100	0	18.30	1.00	19.30	<=33.01	Pass
		1	0	18.29	1.00	19.29	<=33.01	Pass
			50	18.45	1.00	19.45	<=33.01	Pass
			99	18.66	1.00	19.66	<=33.01	Pass
	1880	50	0	18.33	1.00	19.33	<=33.01	Pass
			25	18.51	1.00	19.51	<=33.01	Pass
			50	18.56	1.00	19.56	<=33.01	Pass
		100	0	18.42	1.00	19.42	<=33.01	Pass
	1900	1	0	18.61	1.00	19.61	<=33.01	Pass
			50	18.68	1.00	19.68	<=33.01	Pass
			99	18.98	1.00	19.98	<=33.01	Pass
		50	0	18.67	1.00	19.67	<=33.01	Pass
			25	18.79	1.00	19.79	<=33.01	Pass
			50	18.83	1.00	19.83	<=33.01	Pass
		100	0	18.78	1.00	19.78	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

---End of Attachment---