



Appendix A.26

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	826.5	Edge_1RB_Left	22.20	/	/	20.85	/	/	<=38.45	Pass
		Edge_1RB_Right	22.38	/	/	21.03	/	/	<=38.45	Pass
		Outer_Full	22.42	/	/	21.07	/	/	<=38.45	Pass
		Inner_Full	22.83	/	/	21.48	/	/	<=38.45	Pass
		Inner_1RB_Left	22.69	/	/	21.34	/	/	<=38.45	Pass
		Inner_1RB_Right	22.88	/	/	21.53	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	23.00	/	/	21.65	/	/	<=38.45	Pass
		Edge_1RB_Right	22.92	/	/	21.57	/	/	<=38.45	Pass
		Outer_Full	23.05	/	/	21.70	/	/	<=38.45	Pass
		Inner_Full	23.49	/	/	22.14	/	/	<=38.45	Pass
		Inner_1RB_Left	23.49	/	/	22.14	/	/	<=38.45	Pass
		Inner_1RB_Right	23.36	/	/	22.01	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	22.28	/	/	20.93	/	/	<=38.45	Pass
		Edge_1RB_Right	22.07	/	/	20.72	/	/	<=38.45	Pass
		Outer_Full	22.23	/	/	20.88	/	/	<=38.45	Pass
		Inner_Full	22.89	/	/	21.54	/	/	<=38.45	Pass
		Inner_1RB_Left	22.95	/	/	21.60	/	/	<=38.45	Pass
		Inner_1RB_Right	22.66	/	/	21.31	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	826.5	Edge_1RB_Left	21.86	/	/	20.51	/	/	<=38.45	Pass
		Edge_1RB_Right	21.96	/	/	20.61	/	/	<=38.45	Pass
		Outer_Full	20.29	/	/	18.94	/	/	<=38.45	Pass
		Inner_Full	23.09	/	/	21.74	/	/	<=38.45	Pass
		Inner_1RB_Left	22.89	/	/	21.54	/	/	<=38.45	Pass
		Inner_1RB_Right	23.03	/	/	21.68	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	22.68	/	/	21.33	/	/	<=38.45	Pass
		Edge_1RB_Right	22.54	/	/	21.19	/	/	<=38.45	Pass
		Outer_Full	20.96	/	/	19.61	/	/	<=38.45	Pass
		Inner_Full	23.50	/	/	22.15	/	/	<=38.45	Pass
		Inner_1RB_Left	23.70	/	/	22.35	/	/	<=38.45	Pass
		Inner_1RB_Right	23.51	/	/	22.16	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	22.09	/	/	20.74	/	/	<=38.45	Pass
		Edge_1RB_Right	21.91	/	/	20.56	/	/	<=38.45	Pass
		Outer_Full	20.29	/	/	18.94	/	/	<=38.45	Pass
		Inner_Full	22.96	/	/	21.61	/	/	<=38.45	Pass
		Inner_1RB_Left	23.01	/	/	21.66	/	/	<=38.45	Pass
		Inner_1RB_Right	23.01	/	/	21.66	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	826.5	Edge_1RB_Left	20.84	/	/	19.49	/	/	<=38.45	Pass
		Edge_1RB_Right	21.07	/	/	19.72	/	/	<=38.45	Pass
		Outer_Full	19.46	/	/	18.11	/	/	<=38.45	Pass
		Inner_Full	22.07	/	/	20.72	/	/	<=38.45	Pass

		Inner_1RB_Left	22.01	/	/	20.66	/	/	<=38.45	Pass
		Inner_1RB_Right	22.35	/	/	21.00	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.61	/	/	20.26	/	/	<=38.45	Pass
		Edge_1RB_Right	21.66	/	/	20.31	/	/	<=38.45	Pass
		Outer_Full	20.04	/	/	18.69	/	/	<=38.45	Pass
		Inner_Full	22.41	/	/	21.06	/	/	<=38.45	Pass
		Inner_1RB_Left	22.61	/	/	21.26	/	/	<=38.45	Pass
		Inner_1RB_Right	22.69	/	/	21.34	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	21.19	/	/	19.84	/	/	<=38.45	Pass
		Edge_1RB_Right	20.92	/	/	19.57	/	/	<=38.45	Pass
		Outer_Full	19.45	/	/	18.10	/	/	<=38.45	Pass
		Inner_Full	21.57	/	/	20.22	/	/	<=38.45	Pass
		Inner_1RB_Left	21.80	/	/	20.45	/	/	<=38.45	Pass
		Inner_1RB_Right	21.78	/	/	20.43	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	826.5	Edge_1RB_Left	20.65	/	/	19.30	/	/	<=38.45	Pass
		Edge_1RB_Right	20.90	/	/	19.55	/	/	<=38.45	Pass
		Outer_Full	19.01	/	/	17.66	/	/	<=38.45	Pass
		Inner_Full	20.69	/	/	19.34	/	/	<=38.45	Pass
		Inner_1RB_Left	20.74	/	/	19.39	/	/	<=38.45	Pass
		Inner_1RB_Right	20.75	/	/	19.40	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	21.25	/	/	19.90	/	/	<=38.45	Pass
		Edge_1RB_Right	21.22	/	/	19.87	/	/	<=38.45	Pass
		Outer_Full	19.64	/	/	18.29	/	/	<=38.45	Pass
		Inner_Full	21.05	/	/	19.70	/	/	<=38.45	Pass
		Inner_1RB_Left	21.06	/	/	19.71	/	/	<=38.45	Pass
		Inner_1RB_Right	21.32	/	/	19.97	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	20.55	/	/	19.20	/	/	<=38.45	Pass
		Edge_1RB_Right	20.22	/	/	18.87	/	/	<=38.45	Pass
		Outer_Full	18.74	/	/	17.39	/	/	<=38.45	Pass
		Inner_Full	20.17	/	/	18.82	/	/	<=38.45	Pass
		Inner_1RB_Left	20.44	/	/	19.09	/	/	<=38.45	Pass
		Inner_1RB_Right	20.03	/	/	18.68	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	826.5	Edge_1RB_Left	18.03	/	/	16.68	/	/	<=38.45	Pass
		Edge_1RB_Right	18.02	/	/	16.67	/	/	<=38.45	Pass
		Outer_Full	16.10	/	/	14.75	/	/	<=38.45	Pass
		Inner_Full	18.37	/	/	17.02	/	/	<=38.45	Pass
		Inner_1RB_Left	18.15	/	/	16.80	/	/	<=38.45	Pass
		Inner_1RB_Right	18.27	/	/	16.92	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	18.73	/	/	17.38	/	/	<=38.45	Pass
		Edge_1RB_Right	18.80	/	/	17.45	/	/	<=38.45	Pass
		Outer_Full	16.49	/	/	15.14	/	/	<=38.45	Pass
		Inner_Full	19.02	/	/	17.67	/	/	<=38.45	Pass
		Inner_1RB_Left	18.82	/	/	17.47	/	/	<=38.45	Pass
		Inner_1RB_Right	18.81	/	/	17.46	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	18.11	/	/	16.76	/	/	<=38.45	Pass
		Edge_1RB_Right	17.69	/	/	16.34	/	/	<=38.45	Pass
		Outer_Full	15.84	/	/	14.49	/	/	<=38.45	Pass
		Inner_Full	17.97	/	/	16.62	/	/	<=38.45	Pass
		Inner_1RB_Left	17.98	/	/	16.63	/	/	<=38.45	Pass
		Inner_1RB_Right	17.60	/	/	16.25	/	/	<=38.45	Pass
CP-OFDM QPSK	826.5	Edge_1RB_Left	20.19	/	/	18.84	/	/	<=38.45	Pass
		Edge_1RB_Right	20.25	/	/	18.90	/	/	<=38.45	Pass
		Outer_Full	20.12	/	/	18.77	/	/	<=38.45	Pass

		Inner Full	21.52	/	/	20.17	/	/	<=38.45	Pass
		Inner 1RB Left	21.47	/	/	20.12	/	/	<=38.45	Pass
		Inner 1RB Right	21.74	/	/	20.39	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.57	/	/	19.22	/	/	<=38.45	Pass
		Edge 1RB Right	20.63	/	/	19.28	/	/	<=38.45	Pass
		Outer Full	20.56	/	/	19.21	/	/	<=38.45	Pass
		Inner Full	22.04	/	/	20.69	/	/	<=38.45	Pass
		Inner 1RB Left	22.07	/	/	20.72	/	/	<=38.45	Pass
		Inner 1RB Right	22.15	/	/	20.80	/	/	<=38.45	Pass
	846.5	Edge 1RB Left	19.68	/	/	18.33	/	/	<=38.45	Pass
		Edge 1RB Right	20.02	/	/	18.67	/	/	<=38.45	Pass
		Outer Full	19.80	/	/	18.45	/	/	<=38.45	Pass
		Inner Full	21.15	/	/	19.80	/	/	<=38.45	Pass
		Inner 1RB Left	21.53	/	/	20.18	/	/	<=38.45	Pass
		Inner 1RB Right	21.43	/	/	20.08	/	/	<=38.45	Pass
CP-OFDM 16 QAM	826.5	Edge 1RB Left	20.08	/	/	18.73	/	/	<=38.45	Pass
		Edge 1RB Right	20.08	/	/	18.73	/	/	<=38.45	Pass
		Outer Full	17.88	/	/	16.53	/	/	<=38.45	Pass
		Inner Full	20.95	/	/	19.60	/	/	<=38.45	Pass
		Inner 1RB Left	20.97	/	/	19.62	/	/	<=38.45	Pass
		Inner 1RB Right	21.04	/	/	19.69	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.60	/	/	19.25	/	/	<=38.45	Pass
		Edge 1RB Right	20.61	/	/	19.26	/	/	<=38.45	Pass
		Outer Full	18.51	/	/	17.16	/	/	<=38.45	Pass
		Inner Full	21.50	/	/	20.15	/	/	<=38.45	Pass
		Inner 1RB Left	21.51	/	/	20.16	/	/	<=38.45	Pass
		Inner 1RB Right	21.58	/	/	20.23	/	/	<=38.45	Pass
	846.5	Edge 1RB Left	20.07	/	/	18.72	/	/	<=38.45	Pass
		Edge 1RB Right	19.90	/	/	18.55	/	/	<=38.45	Pass
		Outer Full	17.54	/	/	16.19	/	/	<=38.45	Pass
		Inner Full	20.68	/	/	19.33	/	/	<=38.45	Pass
		Inner 1RB Left	20.73	/	/	19.38	/	/	<=38.45	Pass
		Inner 1RB Right	20.76	/	/	19.41	/	/	<=38.45	Pass
CP-OFDM 64 QAM	826.5	Edge 1RB Left	19.50	/	/	18.15	/	/	<=38.45	Pass
		Edge 1RB Right	19.61	/	/	18.26	/	/	<=38.45	Pass
		Outer Full	17.37	/	/	16.02	/	/	<=38.45	Pass
		Inner Full	19.50	/	/	18.15	/	/	<=38.45	Pass
		Inner 1RB Left	19.53	/	/	18.18	/	/	<=38.45	Pass
		Inner 1RB Right	19.58	/	/	18.23	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.03	/	/	18.68	/	/	<=38.45	Pass
		Edge 1RB Right	20.02	/	/	18.67	/	/	<=38.45	Pass
		Outer Full	18.19	/	/	16.84	/	/	<=38.45	Pass
		Inner Full	20.09	/	/	18.74	/	/	<=38.45	Pass
		Inner 1RB Left	20.04	/	/	18.69	/	/	<=38.45	Pass
		Inner 1RB Right	20.00	/	/	18.65	/	/	<=38.45	Pass
	846.5	Edge 1RB Left	19.25	/	/	17.90	/	/	<=38.45	Pass
		Edge 1RB Right	19.04	/	/	17.69	/	/	<=38.45	Pass
		Outer Full	17.33	/	/	15.98	/	/	<=38.45	Pass
		Inner Full	19.29	/	/	17.94	/	/	<=38.45	Pass
		Inner 1RB Left	19.35	/	/	18.00	/	/	<=38.45	Pass
		Inner 1RB Right	19.26	/	/	17.91	/	/	<=38.45	Pass
CP-OFDM 256 QAM	826.5	Edge 1RB Left	16.15	/	/	14.80	/	/	<=38.45	Pass
		Edge 1RB Right	16.05	/	/	14.70	/	/	<=38.45	Pass



Report No.: SUCR260400030107

Page: 4 of 14

		Outer_Full	14.27	/	/	12.92	/	/	<=38.45	Pass
		Inner_Full	16.40	/	/	15.05	/	/	<=38.45	Pass
		Inner_1RB_Left	15.94	/	/	14.59	/	/	<=38.45	Pass
		Inner_1RB_Right	15.76	/	/	14.41	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	16.74	/	/	15.39	/	/	<=38.45	Pass
		Edge_1RB_Right	16.82	/	/	15.47	/	/	<=38.45	Pass
		Outer_Full	14.98	/	/	13.63	/	/	<=38.45	Pass
		Inner_Full	17.04	/	/	15.69	/	/	<=38.45	Pass
		Inner_1RB_Left	16.77	/	/	15.42	/	/	<=38.45	Pass
		Inner_1RB_Right	16.84	/	/	15.49	/	/	<=38.45	Pass
	846.5	Edge_1RB_Left	15.97	/	/	14.62	/	/	<=38.45	Pass
		Edge_1RB_Right	15.50	/	/	14.15	/	/	<=38.45	Pass
		Outer_Full	14.04	/	/	12.69	/	/	<=38.45	Pass
		Inner_Full	16.00	/	/	14.65	/	/	<=38.45	Pass
		Inner_1RB_Left	15.85	/	/	14.50	/	/	<=38.45	Pass
		Inner_1RB_Right	15.65	/	/	14.30	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: 0.80dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.2 15_S_10M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	829	Edge 1RB Left	22.22	/	/	20.87	/	/	<=38.45	Pass
		Edge 1RB Right	22.38	/	/	21.03	/	/	<=38.45	Pass
		Outer Full	22.61	/	/	21.26	/	/	<=38.45	Pass
		Inner Full	22.95	/	/	21.60	/	/	<=38.45	Pass
		Inner 1RB Left	22.57	/	/	21.22	/	/	<=38.45	Pass
		Inner 1RB Right	22.70	/	/	21.35	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	22.40	/	/	21.05	/	/	<=38.45	Pass
		Edge 1RB Right	22.18	/	/	20.83	/	/	<=38.45	Pass
		Outer Full	22.57	/	/	21.22	/	/	<=38.45	Pass
		Inner Full	23.03	/	/	21.68	/	/	<=38.45	Pass
		Inner 1RB Left	22.78	/	/	21.43	/	/	<=38.45	Pass
		Inner 1RB Right	22.64	/	/	21.29	/	/	<=38.45	Pass
	844	Edge 1RB Left	22.51	/	/	21.16	/	/	<=38.45	Pass
		Edge 1RB Right	22.04	/	/	20.69	/	/	<=38.45	Pass
		Outer Full	22.29	/	/	20.94	/	/	<=38.45	Pass
		Inner Full	22.78	/	/	21.43	/	/	<=38.45	Pass
		Inner 1RB Left	22.74	/	/	21.39	/	/	<=38.45	Pass
		Inner 1RB Right	22.44	/	/	21.09	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	829	Edge 1RB Left	22.01	/	/	20.66	/	/	<=38.45	Pass
		Edge 1RB Right	22.09	/	/	20.74	/	/	<=38.45	Pass
		Outer Full	20.35	/	/	19.00	/	/	<=38.45	Pass
		Inner Full	22.89	/	/	21.54	/	/	<=38.45	Pass
		Inner 1RB Left	22.90	/	/	21.55	/	/	<=38.45	Pass
		Inner 1RB Right	23.11	/	/	21.76	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	22.08	/	/	20.73	/	/	<=38.45	Pass
		Edge 1RB Right	21.84	/	/	20.49	/	/	<=38.45	Pass
		Outer Full	20.57	/	/	19.22	/	/	<=38.45	Pass

		Inner Full	23.03	/	/	21.68	/	/	<=38.45	Pass
		Inner 1RB Left	23.16	/	/	21.81	/	/	<=38.45	Pass
		Inner 1RB Right	23.04	/	/	21.69	/	/	<=38.45	Pass
	844	Edge 1RB Left	21.99	/	/	20.64	/	/	<=38.45	Pass
		Edge 1RB Right	21.75	/	/	20.40	/	/	<=38.45	Pass
		Outer Full	20.19	/	/	18.84	/	/	<=38.45	Pass
		Inner Full	22.82	/	/	21.47	/	/	<=38.45	Pass
		Inner 1RB Left	23.21	/	/	21.86	/	/	<=38.45	Pass
		Inner 1RB Right	22.99	/	/	21.64	/	/	<=38.45	Pass
		Edge 1RB Left	21.03	/	/	19.68	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	829	Edge 1RB Right	21.03	/	/	19.68	/	/	<=38.45	Pass
		Outer Full	19.35	/	/	18.00	/	/	<=38.45	Pass
		Inner Full	22.00	/	/	20.65	/	/	<=38.45	Pass
		Inner 1RB Left	22.05	/	/	20.70	/	/	<=38.45	Pass
		Inner 1RB Right	22.19	/	/	20.84	/	/	<=38.45	Pass
		Edge 1RB Left	21.02	/	/	19.67	/	/	<=38.45	Pass
	836.5	Edge 1RB Right	21.21	/	/	19.86	/	/	<=38.45	Pass
		Outer Full	19.36	/	/	18.01	/	/	<=38.45	Pass
		Inner Full	22.07	/	/	20.72	/	/	<=38.45	Pass
		Inner 1RB Left	22.05	/	/	20.70	/	/	<=38.45	Pass
		Inner 1RB Right	22.10	/	/	20.75	/	/	<=38.45	Pass
		Edge 1RB Left	21.12	/	/	19.77	/	/	<=38.45	Pass
	844	Edge 1RB Right	20.80	/	/	19.45	/	/	<=38.45	Pass
		Outer Full	19.27	/	/	17.92	/	/	<=38.45	Pass
		Inner Full	21.73	/	/	20.38	/	/	<=38.45	Pass
		Inner 1RB Left	21.95	/	/	20.60	/	/	<=38.45	Pass
		Inner 1RB Right	21.62	/	/	20.27	/	/	<=38.45	Pass
		Edge 1RB Left	20.61	/	/	19.26	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	829	Edge 1RB Right	20.65	/	/	19.30	/	/	<=38.45	Pass
		Outer Full	18.93	/	/	17.58	/	/	<=38.45	Pass
		Inner Full	20.59	/	/	19.24	/	/	<=38.45	Pass
		Inner 1RB Left	20.48	/	/	19.13	/	/	<=38.45	Pass
		Inner 1RB Right	20.69	/	/	19.34	/	/	<=38.45	Pass
		Edge 1RB Left	20.71	/	/	19.36	/	/	<=38.45	Pass
	836.5	Edge 1RB Right	20.73	/	/	19.38	/	/	<=38.45	Pass
		Outer Full	19.16	/	/	17.81	/	/	<=38.45	Pass
		Inner Full	20.60	/	/	19.25	/	/	<=38.45	Pass
		Inner 1RB Left	20.72	/	/	19.37	/	/	<=38.45	Pass
		Inner 1RB Right	20.66	/	/	19.31	/	/	<=38.45	Pass
		Edge 1RB Left	20.49	/	/	19.14	/	/	<=38.45	Pass
	844	Edge 1RB Right	20.08	/	/	18.73	/	/	<=38.45	Pass
		Outer Full	18.58	/	/	17.23	/	/	<=38.45	Pass
		Inner Full	20.47	/	/	19.12	/	/	<=38.45	Pass
		Inner 1RB Left	20.46	/	/	19.11	/	/	<=38.45	Pass
		Inner 1RB Right	20.40	/	/	19.05	/	/	<=38.45	Pass
		Edge 1RB Left	18.01	/	/	16.66	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	829	Edge 1RB Right	18.01	/	/	16.66	/	/	<=38.45	Pass
		Outer Full	15.96	/	/	14.61	/	/	<=38.45	Pass
		Inner Full	18.32	/	/	16.97	/	/	<=38.45	Pass
		Inner 1RB Left	18.00	/	/	16.65	/	/	<=38.45	Pass
		Inner 1RB Right	18.10	/	/	16.75	/	/	<=38.45	Pass
		Edge 1RB Left	18.26	/	/	16.91	/	/	<=38.45	Pass
	836.5	Edge 1RB Right	18.00	/	/	16.65	/	/	<=38.45	Pass
		Edge 1RB Right	18.00	/	/	16.65	/	/	<=38.45	Pass

		Outer_Full	16.03	/	/	14.68	/	/	<=38.45	Pass
		Inner_Full	18.54	/	/	17.19	/	/	<=38.45	Pass
		Inner_1RB_Left	18.22	/	/	16.87	/	/	<=38.45	Pass
		Inner_1RB_Right	18.09	/	/	16.74	/	/	<=38.45	Pass
	844	Edge_1RB_Left	17.51	/	/	16.16	/	/	<=38.45	Pass
		Edge_1RB_Right	17.43	/	/	16.08	/	/	<=38.45	Pass
		Outer_Full	15.36	/	/	14.01	/	/	<=38.45	Pass
		Inner_Full	17.90	/	/	16.55	/	/	<=38.45	Pass
		Inner_1RB_Left	18.13	/	/	16.78	/	/	<=38.45	Pass
		Inner_1RB_Right	17.34	/	/	15.99	/	/	<=38.45	Pass
		Edge_1RB_Left	19.72	/	/	18.37	/	/	<=38.45	Pass
		Edge_1RB_Right	19.85	/	/	18.50	/	/	<=38.45	Pass
CP-OFDM QPSK	829	Outer_Full	19.77	/	/	18.42	/	/	<=38.45	Pass
		Inner_Full	21.42	/	/	20.07	/	/	<=38.45	Pass
		Inner_1RB_Left	21.31	/	/	19.96	/	/	<=38.45	Pass
		Inner_1RB_Right	21.50	/	/	20.15	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.07	/	/	18.72	/	/	<=38.45	Pass
		Edge_1RB_Right	19.96	/	/	18.61	/	/	<=38.45	Pass
		Outer_Full	20.07	/	/	18.72	/	/	<=38.45	Pass
		Inner_Full	21.53	/	/	20.18	/	/	<=38.45	Pass
		Inner_1RB_Left	21.55	/	/	20.20	/	/	<=38.45	Pass
		Inner_1RB_Right	22.08	/	/	20.73	/	/	<=38.45	Pass
	844	Edge_1RB_Left	19.99	/	/	18.64	/	/	<=38.45	Pass
		Edge_1RB_Right	20.00	/	/	18.65	/	/	<=38.45	Pass
		Outer_Full	19.82	/	/	18.47	/	/	<=38.45	Pass
		Inner_Full	21.35	/	/	20.00	/	/	<=38.45	Pass
		Inner_1RB_Left	21.61	/	/	20.26	/	/	<=38.45	Pass
		Inner_1RB_Right	21.33	/	/	19.98	/	/	<=38.45	Pass
CP-OFDM 16 QAM	829	Edge_1RB_Left	19.75	/	/	18.40	/	/	<=38.45	Pass
		Edge_1RB_Right	19.92	/	/	18.57	/	/	<=38.45	Pass
		Outer_Full	17.88	/	/	16.53	/	/	<=38.45	Pass
		Inner_Full	21.01	/	/	19.66	/	/	<=38.45	Pass
		Inner_1RB_Left	20.87	/	/	19.52	/	/	<=38.45	Pass
		Inner_1RB_Right	21.01	/	/	19.66	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.13	/	/	18.78	/	/	<=38.45	Pass
		Edge_1RB_Right	19.98	/	/	18.63	/	/	<=38.45	Pass
		Outer_Full	17.98	/	/	16.63	/	/	<=38.45	Pass
		Inner_Full	21.15	/	/	19.80	/	/	<=38.45	Pass
		Inner_1RB_Left	21.03	/	/	19.68	/	/	<=38.45	Pass
		Inner_1RB_Right	21.22	/	/	19.87	/	/	<=38.45	Pass
	844	Edge_1RB_Left	20.07	/	/	18.72	/	/	<=38.45	Pass
		Edge_1RB_Right	19.85	/	/	18.50	/	/	<=38.45	Pass
		Outer_Full	17.90	/	/	16.55	/	/	<=38.45	Pass
		Inner_Full	20.91	/	/	19.56	/	/	<=38.45	Pass
		Inner_1RB_Left	21.08	/	/	19.73	/	/	<=38.45	Pass
		Inner_1RB_Right	20.78	/	/	19.43	/	/	<=38.45	Pass
CP-OFDM 64 QAM	829	Edge_1RB_Left	19.44	/	/	18.09	/	/	<=38.45	Pass
		Edge_1RB_Right	19.49	/	/	18.14	/	/	<=38.45	Pass
		Outer_Full	17.29	/	/	15.94	/	/	<=38.45	Pass
		Inner_Full	19.55	/	/	18.20	/	/	<=38.45	Pass
		Inner_1RB_Left	19.36	/	/	18.01	/	/	<=38.45	Pass
		Inner_1RB_Right	19.71	/	/	18.36	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.79	/	/	18.44	/	/	<=38.45	Pass

		Edge_1RB_Right	19.52	/	/	18.17	/	/	<=38.45	Pass
		Outer_Full	17.48	/	/	16.13	/	/	<=38.45	Pass
		Inner_Full	19.73	/	/	18.38	/	/	<=38.45	Pass
		Inner_1RB_Left	19.66	/	/	18.31	/	/	<=38.45	Pass
		Inner_1RB_Right	19.69	/	/	18.34	/	/	<=38.45	Pass
	844	Edge_1RB_Left	19.58	/	/	18.23	/	/	<=38.45	Pass
		Edge_1RB_Right	19.22	/	/	17.87	/	/	<=38.45	Pass
		Outer_Full	17.40	/	/	16.05	/	/	<=38.45	Pass
		Inner_Full	19.58	/	/	18.23	/	/	<=38.45	Pass
		Inner_1RB_Left	19.68	/	/	18.33	/	/	<=38.45	Pass
		Inner_1RB_Right	19.21	/	/	17.86	/	/	<=38.45	Pass
	CP-OFDM 256 QAM	829	Edge_1RB_Left	16.09	/	/	14.74	/	/	<=38.45
Edge_1RB_Right			16.15	/	/	14.80	/	/	<=38.45	Pass
Outer_Full			14.47	/	/	13.12	/	/	<=38.45	Pass
Inner_Full			16.40	/	/	15.05	/	/	<=38.45	Pass
Inner_1RB_Left			16.04	/	/	14.69	/	/	<=38.45	Pass
Inner_1RB_Right			16.06	/	/	14.71	/	/	<=38.45	Pass
836.5		Edge_1RB_Left	15.97	/	/	14.62	/	/	<=38.45	Pass
		Edge_1RB_Right	15.66	/	/	14.31	/	/	<=38.45	Pass
		Outer_Full	14.43	/	/	13.08	/	/	<=38.45	Pass
		Inner_Full	16.53	/	/	15.18	/	/	<=38.45	Pass
		Inner_1RB_Left	16.06	/	/	14.71	/	/	<=38.45	Pass
		Inner_1RB_Right	15.98	/	/	14.63	/	/	<=38.45	Pass
844		Edge_1RB_Left	16.11	/	/	14.76	/	/	<=38.45	Pass
		Edge_1RB_Right	15.57	/	/	14.22	/	/	<=38.45	Pass
		Outer_Full	14.33	/	/	12.98	/	/	<=38.45	Pass
		Inner_Full	16.40	/	/	15.05	/	/	<=38.45	Pass
		Inner_1RB_Left	16.14	/	/	14.79	/	/	<=38.45	Pass
		Inner_1RB_Right	15.55	/	/	14.20	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: 0.80dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.3 15_S_15M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)			Limit	Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	831.5	Edge 1RB Left	22.22	/	/	20.87	/	/	<=38.45	Pass
		Edge 1RB Right	22.38	/	/	21.03	/	/	<=38.45	Pass
		Outer Full	22.59	/	/	21.24	/	/	<=38.45	Pass
		Inner Full	23.01	/	/	21.66	/	/	<=38.45	Pass
		Inner 1RB Left	22.80	/	/	21.45	/	/	<=38.45	Pass
		Inner 1RB Right	22.99	/	/	21.64	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	22.53	/	/	21.18	/	/	<=38.45	Pass
		Edge 1RB Right	22.39	/	/	21.04	/	/	<=38.45	Pass
		Outer Full	22.56	/	/	21.21	/	/	<=38.45	Pass
		Inner Full	22.87	/	/	21.52	/	/	<=38.45	Pass
		Inner 1RB Left	23.11	/	/	21.76	/	/	<=38.45	Pass
		Inner 1RB Right	22.66	/	/	21.31	/	/	<=38.45	Pass
	841.5	Edge 1RB Left	22.49	/	/	21.14	/	/	<=38.45	Pass
		Edge 1RB Right	21.74	/	/	20.39	/	/	<=38.45	Pass

DFT-s-OFDM QPSK		Outer Full	22.39	/	/	21.04	/	/	<=38.45	Pass
		Inner Full	23.04	/	/	21.69	/	/	<=38.45	Pass
		Inner 1RB Left	22.71	/	/	21.36	/	/	<=38.45	Pass
		Inner 1RB Right	22.73	/	/	21.38	/	/	<=38.45	Pass
	831.5	Edge 1RB Left	22.02	/	/	20.67	/	/	<=38.45	Pass
		Edge 1RB Right	22.00	/	/	20.65	/	/	<=38.45	Pass
		Outer Full	20.50	/	/	19.15	/	/	<=38.45	Pass
		Inner Full	23.04	/	/	21.69	/	/	<=38.45	Pass
	836.5	Inner 1RB Left	23.13	/	/	21.78	/	/	<=38.45	Pass
		Inner 1RB Right	23.06	/	/	21.71	/	/	<=38.45	Pass
		Edge 1RB Left	22.11	/	/	20.76	/	/	<=38.45	Pass
		Edge 1RB Right	21.90	/	/	20.55	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	841.5	Outer Full	20.43	/	/	19.08	/	/	<=38.45	Pass
		Inner Full	22.98	/	/	21.63	/	/	<=38.45	Pass
		Inner 1RB Left	23.19	/	/	21.84	/	/	<=38.45	Pass
		Inner 1RB Right	22.92	/	/	21.57	/	/	<=38.45	Pass
	831.5	Edge 1RB Left	22.12	/	/	20.77	/	/	<=38.45	Pass
		Edge 1RB Right	21.63	/	/	20.28	/	/	<=38.45	Pass
		Outer Full	20.50	/	/	19.15	/	/	<=38.45	Pass
		Inner Full	22.73	/	/	21.38	/	/	<=38.45	Pass
	836.5	Inner 1RB Left	22.96	/	/	21.61	/	/	<=38.45	Pass
		Inner 1RB Right	22.58	/	/	21.23	/	/	<=38.45	Pass
		Edge 1RB Left	21.12	/	/	19.77	/	/	<=38.45	Pass
		Edge 1RB Right	21.05	/	/	19.70	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	841.5	Outer Full	19.45	/	/	18.10	/	/	<=38.45	Pass
		Inner Full	22.12	/	/	20.77	/	/	<=38.45	Pass
		Inner 1RB Left	22.00	/	/	20.65	/	/	<=38.45	Pass
		Inner 1RB Right	22.02	/	/	20.67	/	/	<=38.45	Pass
	831.5	Edge 1RB Left	21.01	/	/	19.66	/	/	<=38.45	Pass
		Edge 1RB Right	20.83	/	/	19.48	/	/	<=38.45	Pass
		Outer Full	19.42	/	/	18.07	/	/	<=38.45	Pass
		Inner Full	21.95	/	/	20.60	/	/	<=38.45	Pass
	836.5	Inner 1RB Left	22.49	/	/	21.14	/	/	<=38.45	Pass
		Inner 1RB Right	22.09	/	/	20.74	/	/	<=38.45	Pass
		Edge 1RB Left	21.27	/	/	19.92	/	/	<=38.45	Pass
		Edge 1RB Right	20.68	/	/	19.33	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	841.5	Outer Full	19.34	/	/	17.99	/	/	<=38.45	Pass
		Inner Full	21.91	/	/	20.56	/	/	<=38.45	Pass
		Inner 1RB Left	22.00	/	/	20.65	/	/	<=38.45	Pass
		Inner 1RB Right	21.66	/	/	20.31	/	/	<=38.45	Pass
	831.5	Edge 1RB Left	20.68	/	/	19.33	/	/	<=38.45	Pass
		Edge 1RB Right	20.69	/	/	19.34	/	/	<=38.45	Pass
		Outer Full	18.70	/	/	17.35	/	/	<=38.45	Pass
		Inner Full	20.66	/	/	19.31	/	/	<=38.45	Pass
	836.5	Inner 1RB Left	20.64	/	/	19.29	/	/	<=38.45	Pass
		Inner 1RB Right	20.66	/	/	19.31	/	/	<=38.45	Pass
		Edge 1RB Left	20.85	/	/	19.50	/	/	<=38.45	Pass
		Edge 1RB Right	20.65	/	/	19.30	/	/	<=38.45	Pass
DFT-s-OFDM 64 QAM	841.5	Outer Full	18.63	/	/	17.28	/	/	<=38.45	Pass
		Inner Full	20.62	/	/	19.27	/	/	<=38.45	Pass
		Inner 1RB Left	20.61	/	/	19.26	/	/	<=38.45	Pass
		Inner 1RB Right	20.47	/	/	19.12	/	/	<=38.45	Pass
	831.5	Edge 1RB Left	20.70	/	/	19.35	/	/	<=38.45	Pass
		Edge 1RB Right	20.70	/	/	19.35	/	/	<=38.45	Pass
		Outer Full	18.63	/	/	17.28	/	/	<=38.45	Pass
		Inner Full	20.62	/	/	19.27	/	/	<=38.45	Pass
	836.5	Inner 1RB Left	20.61	/	/	19.26	/	/	<=38.45	Pass
		Inner 1RB Right	20.47	/	/	19.12	/	/	<=38.45	Pass
		Edge 1RB Left	20.70	/	/	19.35	/	/	<=38.45	Pass
		Edge 1RB Right	20.70	/	/	19.35	/	/	<=38.45	Pass

		Edge 1RB Right	20.29	/	/	18.94	/	/	<=38.45	Pass
		Outer Full	18.73	/	/	17.38	/	/	<=38.45	Pass
		Inner Full	20.59	/	/	19.24	/	/	<=38.45	Pass
		Inner 1RB Left	20.66	/	/	19.31	/	/	<=38.45	Pass
		Inner 1RB Right	20.33	/	/	18.98	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	831.5	Edge 1RB Left	17.86	/	/	16.51	/	/	<=38.45	Pass
		Edge 1RB Right	18.03	/	/	16.68	/	/	<=38.45	Pass
		Outer Full	15.92	/	/	14.57	/	/	<=38.45	Pass
		Inner Full	18.58	/	/	17.23	/	/	<=38.45	Pass
		Inner 1RB Left	18.15	/	/	16.80	/	/	<=38.45	Pass
		Inner 1RB Right	18.17	/	/	16.82	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	18.26	/	/	16.91	/	/	<=38.45	Pass
		Edge 1RB Right	17.92	/	/	16.57	/	/	<=38.45	Pass
		Outer Full	15.88	/	/	14.53	/	/	<=38.45	Pass
		Inner Full	18.44	/	/	17.09	/	/	<=38.45	Pass
		Inner 1RB Left	18.26	/	/	16.91	/	/	<=38.45	Pass
		Inner 1RB Right	17.94	/	/	16.59	/	/	<=38.45	Pass
	841.5	Edge 1RB Left	17.89	/	/	16.54	/	/	<=38.45	Pass
		Edge 1RB Right	17.74	/	/	16.39	/	/	<=38.45	Pass
		Outer Full	15.69	/	/	14.34	/	/	<=38.45	Pass
		Inner Full	18.29	/	/	16.94	/	/	<=38.45	Pass
		Inner 1RB Left	17.90	/	/	16.55	/	/	<=38.45	Pass
		Inner 1RB Right	17.56	/	/	16.21	/	/	<=38.45	Pass
CP-OFDM QPSK	831.5	Edge 1RB Left	19.62	/	/	18.27	/	/	<=38.45	Pass
		Edge 1RB Right	19.92	/	/	18.57	/	/	<=38.45	Pass
		Outer Full	20.02	/	/	18.67	/	/	<=38.45	Pass
		Inner Full	21.59	/	/	20.24	/	/	<=38.45	Pass
		Inner 1RB Left	21.35	/	/	20.00	/	/	<=38.45	Pass
		Inner 1RB Right	21.44	/	/	20.09	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.10	/	/	18.75	/	/	<=38.45	Pass
		Edge 1RB Right	19.63	/	/	18.28	/	/	<=38.45	Pass
		Outer Full	19.91	/	/	18.56	/	/	<=38.45	Pass
		Inner Full	21.73	/	/	20.38	/	/	<=38.45	Pass
		Inner 1RB Left	21.29	/	/	19.94	/	/	<=38.45	Pass
		Inner 1RB Right	21.17	/	/	19.82	/	/	<=38.45	Pass
	841.5	Edge 1RB Left	20.15	/	/	18.80	/	/	<=38.45	Pass
		Edge 1RB Right	19.55	/	/	18.20	/	/	<=38.45	Pass
		Outer Full	19.97	/	/	18.62	/	/	<=38.45	Pass
		Inner Full	21.48	/	/	20.13	/	/	<=38.45	Pass
		Inner 1RB Left	21.69	/	/	20.34	/	/	<=38.45	Pass
		Inner 1RB Right	21.37	/	/	20.02	/	/	<=38.45	Pass
CP-OFDM 16 QAM	831.5	Edge 1RB Left	20.17	/	/	18.82	/	/	<=38.45	Pass
		Edge 1RB Right	20.17	/	/	18.82	/	/	<=38.45	Pass
		Outer Full	18.07	/	/	16.72	/	/	<=38.45	Pass
		Inner Full	21.02	/	/	19.67	/	/	<=38.45	Pass
		Inner 1RB Left	21.25	/	/	19.90	/	/	<=38.45	Pass
		Inner 1RB Right	21.03	/	/	19.68	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.32	/	/	18.97	/	/	<=38.45	Pass
		Edge 1RB Right	19.96	/	/	18.61	/	/	<=38.45	Pass
		Outer Full	18.05	/	/	16.70	/	/	<=38.45	Pass
		Inner Full	21.12	/	/	19.77	/	/	<=38.45	Pass
		Inner 1RB Left	21.27	/	/	19.92	/	/	<=38.45	Pass
		Inner 1RB Right	20.96	/	/	19.61	/	/	<=38.45	Pass

	841.5	Edge_1RB_Left	20.16	/	/	18.81	/	/	<=38.45	Pass
		Edge_1RB_Right	19.45	/	/	18.10	/	/	<=38.45	Pass
		Outer_Full	17.77	/	/	16.42	/	/	<=38.45	Pass
		Inner_Full	20.87	/	/	19.52	/	/	<=38.45	Pass
		Inner_1RB_Left	21.17	/	/	19.82	/	/	<=38.45	Pass
		Inner_1RB_Right	20.87	/	/	19.52	/	/	<=38.45	Pass
CP-OFDM 64 QAM	831.5	Edge_1RB_Left	19.50	/	/	18.15	/	/	<=38.45	Pass
		Edge_1RB_Right	19.29	/	/	17.94	/	/	<=38.45	Pass
		Outer_Full	17.40	/	/	16.05	/	/	<=38.45	Pass
		Inner_Full	19.54	/	/	18.19	/	/	<=38.45	Pass
		Inner_1RB_Left	19.60	/	/	18.25	/	/	<=38.45	Pass
		Inner_1RB_Right	19.51	/	/	18.16	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	19.62	/	/	18.27	/	/	<=38.45	Pass
		Edge_1RB_Right	19.30	/	/	17.95	/	/	<=38.45	Pass
		Outer_Full	17.61	/	/	16.26	/	/	<=38.45	Pass
		Inner_Full	19.66	/	/	18.31	/	/	<=38.45	Pass
		Inner_1RB_Left	19.80	/	/	18.45	/	/	<=38.45	Pass
		Inner_1RB_Right	19.29	/	/	17.94	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	19.57	/	/	18.22	/	/	<=38.45	Pass
		Edge_1RB_Right	19.05	/	/	17.70	/	/	<=38.45	Pass
		Outer_Full	17.23	/	/	15.88	/	/	<=38.45	Pass
		Inner_Full	19.33	/	/	17.98	/	/	<=38.45	Pass
		Inner_1RB_Left	19.58	/	/	18.23	/	/	<=38.45	Pass
		Inner_1RB_Right	19.23	/	/	17.88	/	/	<=38.45	Pass
CP-OFDM 256 QAM	831.5	Edge_1RB_Left	15.67	/	/	14.32	/	/	<=38.45	Pass
		Edge_1RB_Right	16.04	/	/	14.69	/	/	<=38.45	Pass
		Outer_Full	14.33	/	/	12.98	/	/	<=38.45	Pass
		Inner_Full	16.61	/	/	15.26	/	/	<=38.45	Pass
		Inner_1RB_Left	15.79	/	/	14.44	/	/	<=38.45	Pass
		Inner_1RB_Right	16.16	/	/	14.81	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	15.38	/	/	14.03	/	/	<=38.45	Pass
		Edge_1RB_Right	14.89	/	/	13.54	/	/	<=38.45	Pass
		Outer_Full	14.20	/	/	12.85	/	/	<=38.45	Pass
		Inner_Full	16.62	/	/	15.27	/	/	<=38.45	Pass
		Inner_1RB_Left	16.02	/	/	14.67	/	/	<=38.45	Pass
		Inner_1RB_Right	16.05	/	/	14.70	/	/	<=38.45	Pass
	841.5	Edge_1RB_Left	15.73	/	/	14.38	/	/	<=38.45	Pass
		Edge_1RB_Right	15.82	/	/	14.47	/	/	<=38.45	Pass
		Outer_Full	13.99	/	/	12.64	/	/	<=38.45	Pass
		Inner_Full	16.28	/	/	14.93	/	/	<=38.45	Pass
		Inner_1RB_Left	16.00	/	/	14.65	/	/	<=38.45	Pass
		Inner_1RB_Right	15.57	/	/	14.22	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: 0.80dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

1.1.4 15_S_20M_NTNV_ERP

5G NR n5 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2	834	Edge_1RB_Left	22.27	/	/	20.92	/	/	<=38.45	Pass

BPSK		Edge_1RB_Right	22.24	/	/	20.89	/	/	<=38.45	Pass
		Outer_Full	22.42	/	/	21.07	/	/	<=38.45	Pass
		Inner_Full	22.94	/	/	21.59	/	/	<=38.45	Pass
		Inner_1RB_Left	22.83	/	/	21.48	/	/	<=38.45	Pass
	836.5	Inner_1RB_Right	22.82	/	/	21.47	/	/	<=38.45	Pass
		Edge_1RB_Left	22.44	/	/	21.09	/	/	<=38.45	Pass
		Edge_1RB_Right	22.13	/	/	20.78	/	/	<=38.45	Pass
		Outer_Full	22.54	/	/	21.19	/	/	<=38.45	Pass
	839	Inner_Full	22.88	/	/	21.53	/	/	<=38.45	Pass
		Inner_1RB_Left	22.98	/	/	21.63	/	/	<=38.45	Pass
		Inner_1RB_Right	22.58	/	/	21.23	/	/	<=38.45	Pass
		Edge_1RB_Left	22.33	/	/	20.98	/	/	<=38.45	Pass
		Edge_1RB_Right	21.97	/	/	20.62	/	/	<=38.45	Pass
		Outer_Full	22.61	/	/	21.26	/	/	<=38.45	Pass
		Inner_Full	22.92	/	/	21.57	/	/	<=38.45	Pass
		Inner_1RB_Left	22.90	/	/	21.55	/	/	<=38.45	Pass
		Inner_1RB_Right	22.37	/	/	21.02	/	/	<=38.45	Pass
DFT-s-OFDM QPSK	834	Edge_1RB_Left	22.23	/	/	20.88	/	/	<=38.45	Pass
		Edge_1RB_Right	22.23	/	/	20.88	/	/	<=38.45	Pass
		Outer_Full	20.31	/	/	18.96	/	/	<=38.45	Pass
		Inner_Full	22.96	/	/	21.61	/	/	<=38.45	Pass
	836.5	Inner_1RB_Left	23.06	/	/	21.71	/	/	<=38.45	Pass
		Inner_1RB_Right	22.92	/	/	21.57	/	/	<=38.45	Pass
		Edge_1RB_Left	22.09	/	/	20.74	/	/	<=38.45	Pass
		Edge_1RB_Right	21.78	/	/	20.43	/	/	<=38.45	Pass
	839	Outer_Full	20.48	/	/	19.13	/	/	<=38.45	Pass
		Inner_Full	23.17	/	/	21.82	/	/	<=38.45	Pass
		Inner_1RB_Left	23.02	/	/	21.67	/	/	<=38.45	Pass
		Inner_1RB_Right	22.87	/	/	21.52	/	/	<=38.45	Pass
DFT-s-OFDM 16 QAM	834	Edge_1RB_Left	22.09	/	/	20.74	/	/	<=38.45	Pass
		Edge_1RB_Right	21.45	/	/	20.10	/	/	<=38.45	Pass
		Outer_Full	20.29	/	/	18.94	/	/	<=38.45	Pass
		Inner_Full	22.96	/	/	21.61	/	/	<=38.45	Pass
	836.5	Inner_1RB_Left	23.08	/	/	21.73	/	/	<=38.45	Pass
		Inner_1RB_Right	22.83	/	/	21.48	/	/	<=38.45	Pass
		Edge_1RB_Left	21.04	/	/	19.69	/	/	<=38.45	Pass
		Edge_1RB_Right	20.62	/	/	19.27	/	/	<=38.45	Pass
	839	Outer_Full	19.35	/	/	18.00	/	/	<=38.45	Pass
		Inner_Full	21.98	/	/	20.63	/	/	<=38.45	Pass
		Inner_1RB_Left	22.14	/	/	20.79	/	/	<=38.45	Pass
		Inner_1RB_Right	22.32	/	/	20.97	/	/	<=38.45	Pass
	834	Edge_1RB_Left	21.13	/	/	19.78	/	/	<=38.45	Pass
		Edge_1RB_Right	20.91	/	/	19.56	/	/	<=38.45	Pass
		Outer_Full	19.44	/	/	18.09	/	/	<=38.45	Pass
		Inner_Full	22.04	/	/	20.69	/	/	<=38.45	Pass
	836.5	Inner_1RB_Left	22.18	/	/	20.83	/	/	<=38.45	Pass
		Inner_1RB_Right	21.94	/	/	20.59	/	/	<=38.45	Pass
		Edge_1RB_Left	21.08	/	/	19.73	/	/	<=38.45	Pass
		Edge_1RB_Right	20.71	/	/	19.36	/	/	<=38.45	Pass
	839	Outer_Full	19.54	/	/	18.19	/	/	<=38.45	Pass
		Inner_Full	22.04	/	/	20.69	/	/	<=38.45	Pass
		Inner_1RB_Left	22.16	/	/	20.81	/	/	<=38.45	Pass
		Inner_1RB_Right	21.60	/	/	20.25	/	/	<=38.45	Pass

DFT-s-OFDM 64 QAM	834	Edge_1RB_Left	20.22	/	/	18.87	/	/	<=38.45	Pass
		Edge_1RB_Right	20.80	/	/	19.45	/	/	<=38.45	Pass
		Outer_Full	19.10	/	/	17.75	/	/	<=38.45	Pass
		Inner_Full	20.63	/	/	19.28	/	/	<=38.45	Pass
		Inner_1RB_Left	20.57	/	/	19.22	/	/	<=38.45	Pass
		Inner_1RB_Right	20.37	/	/	19.02	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.76	/	/	19.41	/	/	<=38.45	Pass
		Edge_1RB_Right	20.40	/	/	19.05	/	/	<=38.45	Pass
		Outer_Full	18.98	/	/	17.63	/	/	<=38.45	Pass
		Inner_Full	20.56	/	/	19.21	/	/	<=38.45	Pass
		Inner_1RB_Left	20.52	/	/	19.17	/	/	<=38.45	Pass
		Inner_1RB_Right	20.50	/	/	19.15	/	/	<=38.45	Pass
	839	Edge_1RB_Left	20.69	/	/	19.34	/	/	<=38.45	Pass
		Edge_1RB_Right	20.26	/	/	18.91	/	/	<=38.45	Pass
		Outer_Full	18.79	/	/	17.44	/	/	<=38.45	Pass
		Inner_Full	20.59	/	/	19.24	/	/	<=38.45	Pass
		Inner_1RB_Left	20.73	/	/	19.38	/	/	<=38.45	Pass
		Inner_1RB_Right	20.40	/	/	19.05	/	/	<=38.45	Pass
DFT-s-OFDM 256 QAM	834	Edge_1RB_Left	17.62	/	/	16.27	/	/	<=38.45	Pass
		Edge_1RB_Right	17.93	/	/	16.58	/	/	<=38.45	Pass
		Outer_Full	15.82	/	/	14.47	/	/	<=38.45	Pass
		Inner_Full	18.46	/	/	17.11	/	/	<=38.45	Pass
		Inner_1RB_Left	18.14	/	/	16.79	/	/	<=38.45	Pass
		Inner_1RB_Right	17.79	/	/	16.44	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	18.09	/	/	16.74	/	/	<=38.45	Pass
		Edge_1RB_Right	18.06	/	/	16.71	/	/	<=38.45	Pass
		Outer_Full	15.83	/	/	14.48	/	/	<=38.45	Pass
		Inner_Full	18.45	/	/	17.10	/	/	<=38.45	Pass
		Inner_1RB_Left	18.37	/	/	17.02	/	/	<=38.45	Pass
		Inner_1RB_Right	18.09	/	/	16.74	/	/	<=38.45	Pass
	839	Edge_1RB_Left	18.03	/	/	16.68	/	/	<=38.45	Pass
		Edge_1RB_Right	17.72	/	/	16.37	/	/	<=38.45	Pass
		Outer_Full	14.94	/	/	13.59	/	/	<=38.45	Pass
		Inner_Full	18.30	/	/	16.95	/	/	<=38.45	Pass
		Inner_1RB_Left	18.02	/	/	16.67	/	/	<=38.45	Pass
		Inner_1RB_Right	17.18	/	/	15.83	/	/	<=38.45	Pass
CP-OFDM QPSK	834	Edge_1RB_Left	20.07	/	/	18.72	/	/	<=38.45	Pass
		Edge_1RB_Right	20.07	/	/	18.72	/	/	<=38.45	Pass
		Outer_Full	20.00	/	/	18.65	/	/	<=38.45	Pass
		Inner_Full	21.61	/	/	20.26	/	/	<=38.45	Pass
		Inner_1RB_Left	21.53	/	/	20.18	/	/	<=38.45	Pass
		Inner_1RB_Right	21.46	/	/	20.11	/	/	<=38.45	Pass
	836.5	Edge_1RB_Left	20.01	/	/	18.66	/	/	<=38.45	Pass
		Edge_1RB_Right	19.78	/	/	18.43	/	/	<=38.45	Pass
		Outer_Full	20.17	/	/	18.82	/	/	<=38.45	Pass
		Inner_Full	21.48	/	/	20.13	/	/	<=38.45	Pass
		Inner_1RB_Left	21.66	/	/	20.31	/	/	<=38.45	Pass
		Inner_1RB_Right	21.33	/	/	19.98	/	/	<=38.45	Pass
	839	Edge_1RB_Left	20.11	/	/	18.76	/	/	<=38.45	Pass
		Edge_1RB_Right	19.68	/	/	18.33	/	/	<=38.45	Pass
		Outer_Full	19.96	/	/	18.61	/	/	<=38.45	Pass
		Inner_Full	21.42	/	/	20.07	/	/	<=38.45	Pass
		Inner_1RB_Left	21.62	/	/	20.27	/	/	<=38.45	Pass

		Inner 1RB Right	20.93	/	/	19.58	/	/	<=38.45	Pass
CP-OFDM 16 QAM	834	Edge 1RB Left	19.96	/	/	18.61	/	/	<=38.45	Pass
		Edge 1RB Right	19.74	/	/	18.39	/	/	<=38.45	Pass
		Outer Full	17.93	/	/	16.58	/	/	<=38.45	Pass
		Inner Full	21.13	/	/	19.78	/	/	<=38.45	Pass
		Inner 1RB Left	21.15	/	/	19.80	/	/	<=38.45	Pass
		Inner 1RB Right	20.84	/	/	19.49	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	20.09	/	/	18.74	/	/	<=38.45	Pass
		Edge 1RB Right	19.78	/	/	18.43	/	/	<=38.45	Pass
		Outer Full	17.78	/	/	16.43	/	/	<=38.45	Pass
		Inner Full	21.08	/	/	19.73	/	/	<=38.45	Pass
		Inner 1RB Left	21.13	/	/	19.78	/	/	<=38.45	Pass
		Inner 1RB Right	20.73	/	/	19.38	/	/	<=38.45	Pass
	839	Edge 1RB Left	19.87	/	/	18.52	/	/	<=38.45	Pass
		Edge 1RB Right	19.47	/	/	18.12	/	/	<=38.45	Pass
		Outer Full	17.87	/	/	16.52	/	/	<=38.45	Pass
		Inner Full	21.11	/	/	19.76	/	/	<=38.45	Pass
		Inner 1RB Left	21.13	/	/	19.78	/	/	<=38.45	Pass
		Inner 1RB Right	20.78	/	/	19.43	/	/	<=38.45	Pass
CP-OFDM 64 QAM	834	Edge 1RB Left	19.51	/	/	18.16	/	/	<=38.45	Pass
		Edge 1RB Right	19.47	/	/	18.12	/	/	<=38.45	Pass
		Outer Full	17.27	/	/	15.92	/	/	<=38.45	Pass
		Inner Full	19.55	/	/	18.20	/	/	<=38.45	Pass
		Inner 1RB Left	19.69	/	/	18.34	/	/	<=38.45	Pass
		Inner 1RB Right	19.28	/	/	17.93	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	19.64	/	/	18.29	/	/	<=38.45	Pass
		Edge 1RB Right	19.35	/	/	18.00	/	/	<=38.45	Pass
		Outer Full	17.38	/	/	16.03	/	/	<=38.45	Pass
		Inner Full	19.49	/	/	18.14	/	/	<=38.45	Pass
		Inner 1RB Left	19.61	/	/	18.26	/	/	<=38.45	Pass
		Inner 1RB Right	19.30	/	/	17.95	/	/	<=38.45	Pass
	839	Edge 1RB Left	19.89	/	/	18.54	/	/	<=38.45	Pass
		Edge 1RB Right	19.39	/	/	18.04	/	/	<=38.45	Pass
		Outer Full	17.35	/	/	16.00	/	/	<=38.45	Pass
		Inner Full	19.51	/	/	18.16	/	/	<=38.45	Pass
		Inner 1RB Left	19.73	/	/	18.38	/	/	<=38.45	Pass
		Inner 1RB Right	19.31	/	/	17.96	/	/	<=38.45	Pass
CP-OFDM 256 QAM	834	Edge 1RB Left	16.04	/	/	14.69	/	/	<=38.45	Pass
		Edge 1RB Right	15.28	/	/	13.93	/	/	<=38.45	Pass
		Outer Full	14.30	/	/	12.95	/	/	<=38.45	Pass
		Inner Full	16.62	/	/	15.27	/	/	<=38.45	Pass
		Inner 1RB Left	16.11	/	/	14.76	/	/	<=38.45	Pass
		Inner 1RB Right	16.18	/	/	14.83	/	/	<=38.45	Pass
	836.5	Edge 1RB Left	16.10	/	/	14.75	/	/	<=38.45	Pass
		Edge 1RB Right	15.60	/	/	14.25	/	/	<=38.45	Pass
		Outer Full	14.05	/	/	12.70	/	/	<=38.45	Pass
		Inner Full	16.60	/	/	15.25	/	/	<=38.45	Pass
		Inner 1RB Left	16.21	/	/	14.86	/	/	<=38.45	Pass
		Inner 1RB Right	15.65	/	/	14.30	/	/	<=38.45	Pass
	839	Edge 1RB Left	15.90	/	/	14.55	/	/	<=38.45	Pass
		Edge 1RB Right	14.73	/	/	13.38	/	/	<=38.45	Pass
		Outer Full	13.90	/	/	12.55	/	/	<=38.45	Pass
		Inner Full	16.62	/	/	15.27	/	/	<=38.45	Pass



Report No.: SUCR260400030107

Page: 14 of 14

		Inner_1RB_Left	14.89	/	/	13.54	/	/	<=38.45	Pass
		Inner_1RB_Right	15.91	/	/	14.56	/	/	<=38.45	Pass
Note1: Antenna Gain: Ant1: 0.80dBi; Note2: ERP=Conducted Power+Antenna Gain-2.15										

---End of Attachment---