



Report No.: SUCR260400030006

Page: 1 of 72

Appendix B.2

1.1. Test Band = LTE Band 2A-12A_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1291	46.73	-25.19	24.48	-49.24	-13.00	36.24	Horizontal
2	2471	49.28	-23.23	27.15	-42.06	-13.00	29.06	Horizontal
3	3893.25	50.90	-48.28	29.13	-63.51	-13.00	50.51	Horizontal
4	6141.75	51.96	-47.45	33.34	-57.41	-13.00	44.41	Horizontal
5	10803.75	50.77	-40.69	39.36	-45.82	-13.00	32.82	Horizontal
6	14304.75	54.49	-38.43	40.27	-38.93	-13.00	25.93	Horizontal

1.2. Test Band = LTE Band 2A-12A_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1267.5	46.39	-25.08	24.56	-49.38	-13.00	36.38	Vertical
2	2393.5	48.57	-23.52	27.01	-43.20	-13.00	30.20	Vertical
3	3773.25	49.96	-48.27	28.94	-64.63	-13.00	51.63	Vertical
4	5424.75	51.79	-47.69	32.39	-58.77	-13.00	45.77	Vertical
5	8721.75	51.54	-44.09	37.09	-50.72	-13.00	37.72	Vertical
6	12023.25	51.99	-39.47	39.39	-43.35	-13.00	30.35	Vertical



Report No.: SUCR260400030006

Page: 2 of 72

1.3. Test Band = LTE Band 2A-12A_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1241.5	46.49	-24.96	24.65	-49.07	-13.00	36.07	Horizontal
2	2454	50.92	-23.30	27.12	-40.53	-13.00	27.53	Horizontal
3	3935.25	50.51	-48.25	29.20	-63.80	-13.00	50.80	Horizontal
4	5514.75	51.67	-47.62	32.61	-58.61	-13.00	45.61	Horizontal
5	7659.75	51.25	-44.95	36.37	-52.59	-13.00	39.59	Horizontal
6	10893.75	50.77	-40.05	39.43	-45.12	-13.00	32.12	Horizontal

1.4. Test Band = LTE Band 2A-12A_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1221.5	46.25	-24.86	24.72	-49.15	-13.00	36.15	Vertical
2	2352	48.41	-23.47	26.93	-43.38	-13.00	30.38	Vertical
3	3303	50.50	-48.04	28.34	-64.46	-13.00	51.46	Vertical
4	4362.75	50.36	-47.99	29.88	-63.01	-13.00	50.01	Vertical
5	7224.75	51.48	-46.19	35.90	-54.07	-13.00	41.07	Vertical
6	11400	51.53	-40.08	39.46	-44.35	-13.00	31.35	Vertical



Report No.: SUCR260400030006

Page: 3 of 72

1.5. Test Band = LTE Band 2A-12A_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1291	46.52	-25.19	24.48	-49.45	-13.00	36.45	Horizontal
2	2435	50.37	-23.38	27.08	-41.19	-13.00	28.19	Horizontal
3	3804	50.43	-48.18	28.99	-64.03	-13.00	51.03	Horizontal
4	6734.25	51.62	-46.67	35.07	-55.23	-13.00	42.23	Horizontal
5	12006	51.92	-39.43	39.40	-43.38	-13.00	30.38	Horizontal
6	15502.5	53.01	-36.59	39.30	-39.54	-13.00	26.54	Horizontal

1.6. Test Band = LTE Band 2A-12A_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238	46.31	-24.94	24.67	-49.22	-13.00	36.22	Vertical
2	2388.5	48.43	-23.52	27.00	-43.35	-13.00	30.35	Vertical
3	3951.75	50.47	-48.23	29.22	-63.80	-13.00	50.80	Vertical
4	6341.25	51.39	-47.16	34.10	-56.93	-13.00	43.93	Vertical
5	10911	50.76	-40.09	39.44	-45.15	-13.00	32.15	Vertical
6	14942.25	54.26	-37.64	40.21	-38.43	-13.00	25.43	Vertical



Report No.: SUCR260400030006

Page: 4 of 72

1.7. Test Band = LTE Band 2A-13A_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1325	46.45	-25.31	24.36	-49.75	-13.00	36.75	Horizontal
2	2699	49.48	-22.97	27.56	-41.19	-13.00	28.19	Horizontal
3	3990.75	50.11	-48.19	29.29	-64.05	-13.00	51.05	Horizontal
4	6653.25	51.71	-46.78	34.95	-55.39	-13.00	42.39	Horizontal
5	10341	51.14	-41.19	39.04	-46.27	-13.00	33.27	Horizontal
6	14321.25	54.06	-38.45	40.27	-39.39	-13.00	26.39	Horizontal

1.8. Test Band = LTE Band 2A-13A_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198	46.06	-24.77	24.80	-49.17	-13.00	36.17	Vertical
2	2696	49.76	-22.99	27.55	-40.94	-13.00	27.94	Vertical
3	4384.5	50.70	-48.06	29.92	-62.70	-13.00	49.70	Vertical
4	6180.75	51.98	-47.52	33.49	-57.31	-13.00	44.31	Vertical
5	8855.25	52.11	-44.01	37.24	-49.92	-13.00	36.92	Vertical
6	12804.75	53.01	-39.31	38.92	-42.64	-13.00	29.64	Vertical



Report No.: SUCR260400030006

Page: 5 of 72

1.9. Test Band = LTE Band 2A-13A_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1210.5	46.10	-24.81	24.76	-49.21	-13.00	36.21	Horizontal
2	2425	49.21	-23.43	27.07	-42.41	-13.00	29.41	Horizontal
3	3598.5	50.38	-48.28	28.66	-64.50	-13.00	51.50	Horizontal
4	6015.75	52.11	-47.48	32.86	-57.77	-13.00	44.77	Horizontal
5	9441	52.90	-42.77	38.02	-47.11	-13.00	34.11	Horizontal
6	14898.75	53.96	-37.36	40.21	-38.45	-13.00	25.45	Horizontal

1.10. Test Band = LTE Band 2A-13A_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1319.5	46.29	-25.29	24.38	-49.88	-13.00	36.88	Vertical
2	2318	48.28	-23.42	26.87	-43.53	-13.00	30.53	Vertical
3	3806.25	50.67	-48.19	28.99	-63.79	-13.00	50.79	Vertical
4	4968	50.90	-48.02	31.13	-61.25	-13.00	48.25	Vertical
5	7296.75	51.43	-46.16	36.03	-53.96	-13.00	40.96	Vertical
6	10911.75	50.43	-40.09	39.44	-45.48	-13.00	32.48	Vertical



Report No.: SUCR260400030006

Page: 6 of 72

1.11. Test Band = LTE Band 2A-13A_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1281.5	46.68	-25.14	24.51	-49.21	-13.00	36.21	Horizontal
2	2104.5	48.02	-23.05	26.49	-43.80	-13.00	30.80	Horizontal
3	3598.5	50.57	-48.28	28.66	-64.31	-13.00	51.31	Horizontal
4	5382	52.03	-47.73	32.27	-58.69	-13.00	45.69	Horizontal
5	9503.25	51.86	-42.37	38.10	-47.66	-13.00	34.66	Horizontal
6	14179.5	53.41	-38.61	40.28	-40.18	-13.00	27.18	Horizontal

1.12. Test Band = LTE Band 2A-13A_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1219.5	46.19	-24.85	24.73	-49.19	-13.00	36.19	Vertical
2	2336	48.35	-23.45	26.90	-43.45	-13.00	30.45	Vertical
3	3960.75	50.84	-48.22	29.24	-63.41	-13.00	50.41	Vertical
4	6461.25	51.21	-46.97	34.55	-56.46	-13.00	43.46	Vertical
5	10894.5	50.59	-40.05	39.43	-45.29	-13.00	32.29	Vertical
6	14928.75	54.10	-37.55	40.21	-38.50	-13.00	25.50	Vertical



Report No.: SUCR260400030006

Page: 7 of 72

1.13. Test Band = LTE Band 2A-4A_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1344	46.33	-25.36	24.30	-50.00	-13.00	37.00	Horizontal
2	2271.5	48.04	-23.44	26.79	-43.87	-13.00	30.87	Horizontal
3	3589.5	50.63	-48.28	28.64	-64.27	-13.00	51.27	Horizontal
4	5147.25	51.18	-47.85	31.61	-60.32	-13.00	47.32	Horizontal
5	6735.75	51.46	-46.67	35.08	-55.39	-13.00	42.39	Horizontal
6	9420	52.92	-42.91	37.99	-47.27	-13.00	34.27	Horizontal

1.14. Test Band = LTE Band 2A-4A_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1252	46.58	-25.00	24.62	-49.07	-13.00	36.07	Vertical
2	2431.5	48.74	-23.40	27.08	-42.84	-13.00	29.84	Vertical
3	3905.25	50.69	-48.28	29.15	-63.71	-13.00	50.71	Vertical
4	5854.5	52.01	-47.38	32.74	-57.89	-13.00	44.89	Vertical
5	9392.25	52.31	-43.04	37.95	-48.04	-13.00	35.04	Vertical
6	12028.5	51.82	-39.48	39.38	-43.54	-13.00	30.54	Vertical



Report No.: SUCR260400030006

Page: 8 of 72

1.15. Test Band = LTE Band 2A-4A_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1286.5	46.55	-25.17	24.50	-49.38	-13.00	36.38	Horizontal
2	2423	48.65	-23.43	27.06	-42.98	-13.00	29.98	Horizontal
3	4137	49.90	-48.17	29.52	-64.01	-13.00	51.01	Horizontal
4	5512.5	51.57	-47.62	32.61	-58.71	-13.00	45.71	Horizontal
5	8361	51.40	-44.28	36.70	-51.44	-13.00	38.44	Horizontal
6	12696.75	52.43	-39.26	38.98	-43.11	-13.00	30.11	Horizontal

1.16. Test Band = LTE Band 2A-4A_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1275	46.40	-25.11	24.54	-49.44	-13.00	36.44	Vertical
2	2317	48.35	-23.42	26.87	-43.46	-13.00	30.46	Vertical
3	4371	50.59	-48.01	29.89	-62.79	-13.00	49.79	Vertical
4	6776.25	51.99	-46.81	35.14	-54.94	-13.00	41.94	Vertical
5	9417	52.36	-42.93	37.98	-47.85	-13.00	34.85	Vertical
6	12629.25	52.66	-39.07	39.02	-42.65	-13.00	29.65	Vertical



Report No.: SUCR260400030006

Page: 9 of 72

1.17. Test Band = LTE Band 2A-4A_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1267.5	46.66	-25.08	24.56	-49.11	-13.00	36.11	Horizontal
2	2315	48.40	-23.42	26.87	-43.41	-13.00	30.41	Horizontal
3	3891	50.79	-48.28	29.13	-63.62	-13.00	50.62	Horizontal
4	5849.25	51.84	-47.40	32.74	-58.08	-13.00	45.08	Horizontal
5	8826	52.22	-44.00	37.21	-49.83	-13.00	36.83	Horizontal
6	14298.75	54.12	-38.42	40.27	-39.29	-13.00	26.29	Horizontal

1.18. Test Band = LTE Band 2A-4A_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1253	46.56	-25.01	24.61	-49.09	-13.00	36.09	Vertical
2	2309.5	48.28	-23.41	26.86	-43.54	-13.00	30.54	Vertical
3	3943.5	50.37	-48.24	29.21	-63.92	-13.00	50.92	Vertical
4	6294.75	51.68	-47.33	33.92	-56.99	-13.00	43.99	Vertical
5	8789.25	52.13	-44.00	37.17	-49.97	-13.00	36.97	Vertical
6	14910	54.03	-37.43	40.21	-38.45	-13.00	25.45	Vertical



Report No.: SUCR260400030006

Page: 10 of 72

1.19. Test Band = LTE Band 2A-5A_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230.5	46.30	-24.90	24.69	-49.17	-13.00	36.17	Horizontal
2	2435.5	48.68	-23.38	27.08	-42.88	-13.00	29.88	Horizontal
3	3598.5	50.48	-48.28	28.66	-64.40	-13.00	51.40	Horizontal
4	5418	51.94	-47.70	32.37	-58.65	-13.00	45.65	Horizontal
5	7798.5	51.35	-44.91	36.34	-52.48	-13.00	39.48	Horizontal
6	13300.5	52.52	-39.09	39.25	-42.58	-13.00	29.58	Horizontal

1.20. Test Band = LTE Band 2A-5A_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1218.5	46.30	-24.85	24.74	-49.07	-13.00	36.07	Vertical
2	2269	48.11	-23.44	26.78	-43.81	-13.00	30.81	Vertical
3	4010.25	50.65	-48.17	29.32	-63.46	-13.00	50.46	Vertical
4	6464.25	51.92	-46.97	34.56	-55.74	-13.00	42.74	Vertical
5	9422.25	52.51	-42.90	37.99	-47.66	-13.00	34.66	Vertical
6	14176.5	54.03	-38.60	40.28	-39.55	-13.00	26.55	Vertical



Report No.: SUCR260400030006

Page: 11 of 72

1.21. Test Band = LTE Band 2A-5A_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1310.5	46.47	-25.26	24.41	-49.64	-13.00	36.64	Horizontal
2	2307.5	48.20	-23.41	26.85	-43.62	-13.00	30.62	Horizontal
3	3924	50.51	-48.26	29.18	-63.84	-13.00	50.84	Horizontal
4	6792	51.84	-46.86	35.17	-55.12	-13.00	42.12	Horizontal
5	10105.5	50.87	-41.88	38.87	-47.40	-13.00	34.40	Horizontal
6	13717.5	52.93	-38.15	39.88	-40.61	-13.00	27.61	Horizontal

1.22. Test Band = LTE Band 2A-5A_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	46.71	-24.95	24.66	-48.84	-13.00	35.84	Vertical
2	2445.5	48.83	-23.34	27.10	-42.67	-13.00	29.67	Vertical
3	4427.25	50.30	-48.07	29.98	-63.05	-13.00	50.05	Vertical
4	6428.25	51.45	-46.95	34.43	-56.33	-13.00	43.33	Vertical
5	9392.25	52.96	-43.04	37.95	-47.39	-13.00	34.39	Vertical
6	11986.5	51.85	-39.50	39.40	-43.51	-13.00	30.51	Vertical



Report No.: SUCR260400030006

Page: 12 of 72

1.23. Test Band = LTE Band 2A-5A_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238	46.42	-24.94	24.67	-49.11	-13.00	36.11	Horizontal
2	2535.5	49.13	-23.31	27.26	-42.17	-13.00	29.17	Horizontal
3	4434	50.41	-48.07	29.99	-62.92	-13.00	49.92	Horizontal
4	6462	51.35	-46.97	34.56	-56.32	-13.00	43.32	Horizontal
5	10000.5	50.94	-41.70	38.80	-47.22	-13.00	34.22	Horizontal
6	14931.75	54.30	-37.57	40.21	-38.32	-13.00	25.32	Horizontal

1.24. Test Band = LTE Band 2A-5A_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1268.5	46.43	-25.08	24.56	-49.35	-13.00	36.35	Vertical
2	2302.5	48.24	-23.40	26.84	-43.58	-13.00	30.58	Vertical
3	3596.25	50.50	-48.28	28.65	-64.39	-13.00	51.39	Vertical
4	5449.5	52.07	-47.67	32.46	-58.40	-13.00	45.40	Vertical
5	8429.25	51.22	-44.16	36.77	-51.43	-13.00	38.43	Vertical
6	12044.25	52.11	-39.51	39.37	-43.29	-13.00	30.29	Vertical



Report No.: SUCR260400030006

Page: 13 of 72

1.25. Test Band = LTE Band 2A-66A_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440.5	46.58	-25.21	24.38	-49.50	-13.00	36.50	Horizontal
2	2546	49.15	-23.37	27.28	-42.19	-13.00	29.19	Horizontal
3	3888	50.83	-48.28	29.12	-63.59	-13.00	50.59	Horizontal
4	5898.75	51.85	-47.16	32.76	-57.81	-13.00	44.81	Horizontal
5	9381.75	52.33	-43.02	37.93	-48.01	-13.00	35.01	Horizontal
6	13198.5	52.19	-38.70	39.10	-42.67	-13.00	29.67	Horizontal

1.26. Test Band = LTE Band 2A-66A_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1261	46.37	-25.05	24.59	-49.35	-13.00	36.35	Vertical
2	2245.5	48.00	-23.48	26.74	-43.99	-13.00	30.99	Vertical
3	4458	50.58	-48.03	30.03	-62.68	-13.00	49.68	Vertical
4	6686.25	51.68	-46.62	35.00	-55.20	-13.00	42.20	Vertical
5	10281.75	50.45	-41.33	39.00	-47.14	-13.00	34.14	Vertical
6	13717.5	53.04	-38.15	39.88	-40.50	-13.00	27.50	Vertical



Report No.: SUCR260400030006

Page: 14 of 72

1.27. Test Band = LTE Band 2A-66A_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1289.5	46.60	-25.18	24.49	-49.35	-13.00	36.35	Horizontal
2	2429	48.86	-23.41	27.07	-42.74	-13.00	29.74	Horizontal
3	3942	50.91	-48.24	29.21	-63.39	-13.00	50.39	Horizontal
4	5055.75	51.15	-47.90	31.36	-60.66	-13.00	47.66	Horizontal
5	9496.5	52.13	-42.39	38.10	-47.43	-13.00	34.43	Horizontal
6	13561.5	52.74	-39.10	39.64	-41.98	-13.00	28.98	Horizontal

1.28. Test Band = LTE Band 2A-66A_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1265	46.77	-25.07	24.57	-48.98	-13.00	35.98	Vertical
2	2694.5	49.56	-23.00	27.55	-41.15	-13.00	28.15	Vertical
3	3918.75	50.49	-48.27	29.17	-63.87	-13.00	50.87	Vertical
4	6696.75	51.53	-46.57	35.01	-55.28	-13.00	42.28	Vertical
5	9468.75	52.46	-42.58	38.06	-47.33	-13.00	34.33	Vertical
6	14242.5	53.65	-38.56	40.28	-39.89	-13.00	26.89	Vertical



Report No.: SUCR260400030006

Page: 15 of 72

1.29. Test Band = LTE Band 2A-66A_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1270.5	46.54	-25.09	24.55	-49.26	-13.00	36.26	Horizontal
2	2414	48.56	-23.47	27.05	-43.13	-13.00	30.13	Horizontal
3	3942	50.42	-48.24	29.21	-63.88	-13.00	50.88	Horizontal
4	6725.25	51.66	-46.64	35.06	-55.18	-13.00	42.18	Horizontal
5	9447	52.43	-42.73	38.03	-47.53	-13.00	34.53	Horizontal
6	13525.5	52.80	-39.15	39.59	-42.03	-13.00	29.03	Horizontal

1.30. Test Band = LTE Band 2A-66A_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1295.5	46.44	-25.21	24.47	-49.56	-13.00	36.56	Vertical
2	2362.5	48.37	-23.48	26.95	-43.42	-13.00	30.42	Vertical
3	3820.5	50.05	-48.20	29.01	-64.40	-13.00	51.40	Vertical
4	5407.5	51.86	-47.71	32.34	-58.77	-13.00	45.77	Vertical
5	8869.5	52.16	-44.02	37.26	-49.86	-13.00	36.86	Vertical
6	13713	53.14	-38.11	39.87	-40.36	-13.00	27.36	Vertical



Report No.: SUCR260400030006

Page: 16 of 72

1.31. Test Band = LTE Band 2A-7A_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1246	37.90	-24.98	24.64	-57.70	-25.00	32.70	Horizontal
2	3178.5	51.53	-48.23	28.24	-63.71	-25.00	38.71	Horizontal
3	4284.5	49.91	-47.87	29.76	-63.46	-25.00	38.46	Horizontal
4	5735.5	52.48	-47.55	32.69	-57.63	-25.00	32.63	Horizontal
5	8195.5	51.10	-44.21	36.52	-51.85	-25.00	26.85	Horizontal
6	11349.5	52.64	-40.27	39.47	-43.43	-25.00	18.43	Horizontal

1.32. Test Band = LTE Band 2A-7A_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1256.5	37.99	-25.03	24.60	-57.69	-25.00	32.69	Vertical
2	3287	50.98	-48.05	28.33	-64.00	-25.00	39.00	Vertical
3	5263.5	51.58	-47.82	31.94	-59.56	-25.00	34.56	Vertical
4	7140	51.60	-45.98	35.75	-53.89	-25.00	28.89	Vertical
5	10836.5	51.74	-40.46	39.39	-44.60	-25.00	19.60	Vertical
6	14817.5	53.69	-36.94	40.22	-38.29	-25.00	13.29	Vertical



Report No.: SUCR260400030006

Page: 17 of 72

1.33. Test Band = LTE Band 2A-7A_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1286.5	37.83	-25.17	24.50	-58.10	-25.00	33.10	Horizontal
2	3323	51.15	-48.12	28.36	-63.87	-25.00	38.87	Horizontal
3	4853.5	51.82	-48.02	30.88	-60.58	-25.00	35.58	Horizontal
4	6437.5	52.16	-46.95	34.46	-55.59	-25.00	30.59	Horizontal
5	9431.5	53.29	-42.84	38.00	-46.80	-25.00	21.80	Horizontal
6	14790.5	53.58	-36.83	40.22	-38.29	-25.00	13.29	Horizontal

1.34. Test Band = LTE Band 2A-7A_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448	37.32	-25.15	24.44	-58.65	-25.00	33.65	Vertical
2	3269	51.05	-48.07	28.32	-63.97	-25.00	38.97	Vertical
3	4792.5	50.82	-48.01	30.74	-61.70	-25.00	36.70	Vertical
4	7153	52.06	-46.03	35.78	-53.45	-25.00	28.45	Vertical
5	9435	52.89	-42.81	38.01	-47.17	-25.00	22.17	Vertical
6	13701.5	53.52	-37.99	39.85	-39.87	-25.00	14.87	Vertical



Report No.: SUCR260400030006

Page: 18 of 72

1.35. Test Band = LTE Band 2A-7A_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1299	37.71	-25.23	24.45	-58.32	-25.00	33.32	Horizontal
2	3193	51.46	-48.18	28.25	-63.73	-25.00	38.73	Horizontal
3	4903	51.90	-48.03	30.99	-60.40	-25.00	35.40	Horizontal
4	7777	52.01	-44.98	36.34	-51.88	-25.00	26.88	Horizontal
5	10347	51.14	-41.19	39.04	-46.27	-25.00	21.27	Horizontal
6	13701.5	53.22	-37.99	39.85	-40.17	-25.00	15.17	Horizontal

1.36. Test Band = LTE Band 2A-7A_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1337	37.59	-25.34	24.32	-58.69	-25.00	33.69	Vertical
2	3560	51.25	-48.28	28.60	-63.70	-25.00	38.70	Vertical
3	5427	52.45	-47.69	32.40	-58.10	-25.00	33.10	Vertical
4	8164	51.36	-44.40	36.48	-51.82	-25.00	26.82	Vertical
5	10286	51.09	-41.29	39.00	-46.46	-25.00	21.46	Vertical
6	14885	54.31	-37.29	40.21	-38.03	-25.00	13.03	Vertical



Report No.: SUCR260400030006

Page: 19 of 72

1.37. Test Band = LTE Band 4A-12A_TM1

1.37.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1483	37.27	-24.87	24.68	-58.18	-13.00	45.18	Horizontal
2	3400.875	46.08	-48.41	28.42	-69.17	-13.00	56.17	Horizontal
3	4652.25	46.48	-47.98	30.43	-66.32	-13.00	53.32	Horizontal
4	6292.5	45.94	-47.34	33.91	-62.75	-13.00	49.75	Horizontal
5	7770.75	44.83	-45.00	36.35	-59.08	-13.00	46.08	Horizontal
6	12772.5	39.32	-39.29	38.94	-56.30	-13.00	43.30	Horizontal

1.38. Test Band = LTE Band 4A-12A_TM1

1.38.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231.5	37.84	-24.91	24.69	-57.64	-13.00	44.64	Vertical
2	2704	40.15	-22.97	27.57	-50.52	-13.00	37.52	Vertical
3	3897.75	46.36	-48.29	29.14	-68.05	-13.00	55.05	Vertical
4	7752.75	44.52	-45.05	36.35	-59.44	-13.00	46.44	Vertical
5	12030.375	40.30	-39.48	39.38	-55.06	-13.00	42.06	Vertical
6	15492.375	35.91	-36.65	39.31	-56.69	-13.00	43.69	Vertical



Report No.: SUCR260400030006

Page: 20 of 72

1.39. Test Band = LTE Band 4A-12A_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231	38.01	-24.91	24.69	-57.46	-13.00	44.46	Horizontal
2	2542.5	39.79	-23.35	27.28	-51.54	-13.00	38.54	Horizontal
3	3531	46.78	-48.29	28.55	-68.22	-13.00	55.22	Horizontal
4	4824.75	46.12	-48.01	30.81	-66.34	-13.00	53.34	Horizontal
5	7204.125	45.62	-46.20	35.87	-59.97	-13.00	46.97	Horizontal
6	13697.625	37.40	-38.00	39.85	-56.01	-13.00	43.01	Horizontal

1.40. Test Band = LTE Band 4A-12A_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.87	-24.78	24.80	-57.36	-13.00	44.36	Vertical
2	2530.5	39.66	-23.28	27.25	-51.63	-13.00	38.63	Vertical
3	3594	46.85	-48.28	28.65	-68.04	-13.00	55.04	Vertical
4	4589.625	46.14	-48.00	30.30	-66.82	-13.00	53.82	Vertical
5	6339	46.16	-47.17	34.09	-62.18	-13.00	49.18	Vertical
6	11310.375	40.64	-40.42	39.47	-55.57	-13.00	42.57	Vertical



Report No.: SUCR260400030006

Page: 21 of 72

1.41. Test Band = LTE Band 4A-12A_ TM1

1.41.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238	37.96	-24.94	24.67	-57.57	-13.00	44.57	Horizontal
2	2548	39.82	-23.38	27.29	-51.53	-13.00	38.53	Horizontal
3	3956.25	46.54	-48.23	29.23	-67.72	-13.00	54.72	Horizontal
4	5379.75	47.20	-47.73	32.26	-63.53	-13.00	50.53	Horizontal
5	7350.375	45.59	-46.17	36.13	-59.70	-13.00	46.70	Horizontal
6	11324.625	40.45	-40.37	39.47	-55.71	-13.00	42.71	Horizontal

1.42. Test Band = LTE Band 4A-12A_ TM1

1.42.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1233	37.83	-24.92	24.68	-57.66	-13.00	44.66	Vertical
2	2587.5	40.15	-23.60	27.36	-51.35	-13.00	38.35	Vertical
3	3785.25	45.65	-48.23	28.96	-68.88	-13.00	55.88	Vertical
4	5506.125	46.38	-47.62	32.60	-63.89	-13.00	50.89	Vertical
5	8354.625	43.68	-44.31	36.69	-59.20	-13.00	46.20	Vertical
6	12805.5	39.03	-39.31	38.92	-56.62	-13.00	43.62	Vertical



Report No.: SUCR260400030006

Page: 22 of 72

1.43. Test Band = LTE Band 4A-13A_ TM1

1.43.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1195.5	37.83	-24.79	24.80	-57.42	-13.00	44.42	Horizontal
2	2687	40.06	-23.05	27.54	-50.72	-13.00	37.72	Horizontal
3	3908.25	47.35	-48.28	29.15	-67.04	-13.00	54.04	Horizontal
4	6007.125	46.80	-47.49	32.83	-63.12	-13.00	50.12	Horizontal
5	9440.625	44.11	-42.77	38.02	-55.91	-13.00	42.91	Horizontal
6	12675	39.94	-39.20	39.00	-55.53	-13.00	42.53	Horizontal

1.44. Test Band = LTE Band 4A-13A_ TM1

1.44.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238	38.14	-24.94	24.67	-57.39	-13.00	44.39	Vertical
2	2700	40.18	-22.96	27.56	-50.48	-13.00	37.48	Vertical
3	3575.625	47.38	-48.28	28.62	-67.54	-13.00	54.54	Vertical
4	5544.75	46.31	-47.65	32.62	-63.98	-13.00	50.98	Vertical
5	9417.75	44.32	-42.93	37.98	-55.88	-13.00	42.88	Vertical
6	13714.125	37.80	-38.12	39.87	-55.71	-13.00	42.71	Vertical



Report No.: SUCR260400030006

Page: 23 of 72

1.45. Test Band = LTE Band 4A-13A_ TM1

1.45.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230.5	37.91	-24.90	24.69	-57.56	-13.00	44.56	Horizontal
2	2697.5	40.15	-22.98	27.56	-50.53	-13.00	37.53	Horizontal
3	3764.625	47.02	-48.30	28.92	-67.61	-13.00	54.61	Horizontal
4	6047.625	46.49	-47.44	32.98	-63.23	-13.00	50.23	Horizontal
5	8740.5	44.56	-44.07	37.11	-57.65	-13.00	44.65	Horizontal
6	11970	39.64	-39.59	39.40	-55.81	-13.00	42.81	Horizontal

1.46. Test Band = LTE Band 4A-13A_ TM1

1.46.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1246.5	37.81	-24.98	24.64	-57.79	-13.00	44.79	Vertical
2	2638	39.69	-23.40	27.45	-51.52	-13.00	38.52	Vertical
3	4083.75	45.41	-48.08	29.43	-68.50	-13.00	55.50	Vertical
4	6005.625	45.94	-47.49	32.82	-63.99	-13.00	50.99	Vertical
5	8345.625	44.03	-44.35	36.68	-58.90	-13.00	45.90	Vertical
6	14927.625	37.07	-37.54	40.21	-55.53	-13.00	42.53	Vertical



Report No.: SUCR260400030006

Page: 24 of 72

1.47. Test Band = LTE Band 4A-13A_ TM1

1.47.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274	38.08	-25.11	24.54	-57.75	-13.00	44.75	Horizontal
2	2694	40.26	-23.00	27.55	-50.45	-13.00	37.45	Horizontal
3	3569.25	46.86	-48.28	28.61	-68.07	-13.00	55.07	Horizontal
4	4821.75	46.22	-48.01	30.81	-66.25	-13.00	53.25	Horizontal
5	6756.375	45.91	-46.74	35.11	-60.98	-13.00	47.98	Horizontal
6	10285.5	41.29	-41.29	39.00	-56.26	-13.00	43.26	Horizontal

1.48. Test Band = LTE Band 4A-13A_ TM1

1.48.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1214	37.94	-24.83	24.75	-57.39	-13.00	44.39	Vertical
2	2746.5	39.82	-23.11	27.64	-50.91	-13.00	37.91	Vertical
3	4599	46.25	-48.00	30.32	-66.69	-13.00	53.69	Vertical
4	6797.625	46.01	-46.88	35.18	-60.96	-13.00	47.96	Vertical
5	9407.625	43.85	-43.00	37.97	-56.44	-13.00	43.44	Vertical
6	13708.125	37.61	-38.05	39.86	-55.84	-13.00	42.84	Vertical



Report No.: SUCR260400030006

Page: 25 of 72

1.49. Test Band = LTE Band 4A-5A_ TM1

1.49.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.87	-24.78	24.80	-57.36	-13.00	44.36	Horizontal
2	2545	39.99	-23.36	27.28	-51.35	-13.00	38.35	Horizontal
3	3268.5	46.18	-48.07	28.31	-68.84	-13.00	55.84	Horizontal
4	4305.375	45.69	-47.80	29.79	-67.58	-13.00	54.58	Horizontal
5	5403	46.95	-47.72	32.33	-63.70	-13.00	50.70	Horizontal
6	9465.75	44.06	-42.60	38.05	-55.75	-13.00	42.75	Horizontal

1.50. Test Band = LTE Band 4A-5A_ TM1

1.50.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194	37.89	-24.80	24.80	-57.36	-13.00	44.36	Vertical
2	2576	39.95	-23.54	27.34	-51.51	-13.00	38.51	Vertical
3	4075.125	46.14	-48.09	29.42	-67.79	-13.00	54.79	Vertical
4	5458.125	46.81	-47.66	32.48	-63.62	-13.00	50.62	Vertical
5	7945.875	44.88	-44.92	36.31	-58.99	-13.00	45.99	Vertical
6	12015.375	39.47	-39.45	39.39	-55.85	-13.00	42.85	Vertical



Report No.: SUCR260400030006

Page: 26 of 72

1.51. Test Band = LTE Band 4A-5A_ TM1

1.51.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1205	37.86	-24.78	24.78	-57.40	-13.00	44.40	Horizontal
2	2691.5	40.15	-23.02	27.54	-50.59	-13.00	37.59	Horizontal
3	3594.375	47.12	-48.28	28.65	-67.77	-13.00	54.77	Horizontal
4	5146.875	46.22	-47.85	31.61	-65.28	-13.00	52.28	Horizontal
5	7552.125	44.76	-45.34	36.39	-59.45	-13.00	46.45	Horizontal
6	11372.625	39.92	-40.18	39.46	-56.06	-13.00	43.06	Horizontal

1.52. Test Band = LTE Band 4A-5A_ TM1

1.52.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1216	37.90	-24.84	24.74	-57.45	-13.00	44.45	Vertical
2	2480	39.52	-23.19	27.16	-51.77	-13.00	38.77	Vertical
3	3882	46.43	-48.27	29.11	-67.99	-13.00	54.99	Vertical
4	5290.125	46.13	-47.79	32.01	-64.91	-13.00	51.91	Vertical
5	6479.625	45.39	-46.98	34.62	-62.23	-13.00	49.23	Vertical
6	9449.25	44.12	-42.72	38.03	-55.83	-13.00	42.83	Vertical



Report No.: SUCR260400030006

Page: 27 of 72

1.53. Test Band = LTE Band 4A-5A_ TM1

1.53.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1253.5	38.01	-25.01	24.61	-57.65	-13.00	44.65	Horizontal
2	2692	40.29	-23.02	27.55	-50.44	-13.00	37.44	Horizontal
3	3590.25	47.78	-48.28	28.64	-67.12	-13.00	54.12	Horizontal
4	4822.5	46.03	-48.01	30.81	-66.44	-13.00	53.44	Horizontal
5	6837.375	46.16	-46.83	35.24	-60.69	-13.00	47.69	Horizontal
6	10840.875	39.93	-40.43	39.39	-56.37	-13.00	43.37	Horizontal

1.54. Test Band = LTE Band 4A-5A_ TM1

1.54.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239	38.11	-24.94	24.66	-57.43	-13.00	44.43	Vertical
2	2303	39.04	-23.40	26.85	-52.78	-13.00	39.78	Vertical
3	4387.5	46.50	-48.07	29.92	-66.91	-13.00	53.91	Vertical
4	6602.625	45.82	-47.04	34.86	-61.61	-13.00	48.61	Vertical
5	8751.75	44.88	-44.05	37.13	-57.31	-13.00	44.31	Vertical
6	12593.625	39.05	-39.05	39.04	-56.21	-13.00	43.21	Vertical



Report No.: SUCR260400030006

Page: 28 of 72

1.55. Test Band = LTE Band 4A-7A_ TM1

1.55.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.5	37.95	-24.77	24.80	-57.28	-25.00	32.28	Horizontal
2	2056	38.81	-23.08	26.40	-53.13	-25.00	28.13	Horizontal
3	3599	51.33	-48.28	28.66	-63.55	-25.00	38.55	Horizontal
4	5301	52.50	-47.78	32.04	-58.50	-25.00	33.50	Horizontal
5	6852	52.28	-46.81	35.26	-54.52	-25.00	29.52	Horizontal
6	10316	51.15	-41.16	39.02	-46.25	-25.00	21.25	Horizontal

1.56. Test Band = LTE Band 4A-7A_ TM1

1.56.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1262	37.91	-25.05	24.58	-57.82	-25.00	32.82	Vertical
2	1844	38.26	-23.49	25.91	-54.58	-25.00	29.58	Vertical
3	3268	51.07	-48.07	28.31	-63.95	-25.00	38.95	Vertical
4	4990.5	51.43	-48.01	31.18	-60.66	-25.00	35.66	Vertical
5	7250	52.16	-46.18	35.95	-53.33	-25.00	28.33	Vertical
6	12004	52.47	-39.43	39.40	-42.82	-25.00	17.82	Vertical



Report No.: SUCR260400030006

Page: 29 of 72

1.57. Test Band = LTE Band 4A-7A_ TM1

1.57.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1307	38.10	-25.25	24.43	-57.99	-25.00	32.99	Horizontal
2	1953.5	38.38	-23.47	26.18	-54.17	-25.00	29.17	Horizontal
3	3313.5	51.22	-48.08	28.35	-63.77	-25.00	38.77	Horizontal
4	5132.5	51.31	-47.84	31.57	-60.22	-25.00	35.22	Horizontal
5	7212.5	52.00	-46.20	35.88	-53.57	-25.00	28.57	Horizontal
6	10881	51.22	-40.14	39.42	-44.77	-25.00	19.77	Horizontal

1.58. Test Band = LTE Band 4A-7A_ TM1

1.58.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1264.5	38.25	-25.06	24.57	-57.50	-25.00	32.50	Vertical
2	1790.5	37.69	-23.26	25.79	-55.04	-25.00	30.04	Vertical
3	3295.5	51.08	-48.04	28.34	-63.88	-25.00	38.88	Vertical
4	5112	51.55	-47.83	31.51	-60.02	-25.00	35.02	Vertical
5	8202	51.41	-44.19	36.52	-51.52	-25.00	26.52	Vertical
6	12765.5	53.53	-39.29	38.94	-42.08	-25.00	17.08	Vertical



Report No.: SUCR260400030006

Page: 30 of 72

1.59. Test Band = LTE Band 4A-7A_ TM1

1.59.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.88	-24.78	24.80	-57.35	-25.00	32.35	Horizontal
2	1791	37.45	-23.25	25.79	-55.28	-25.00	30.28	Horizontal
3	3584	51.23	-48.28	28.63	-63.68	-25.00	38.68	Horizontal
4	5373	52.28	-47.74	32.24	-58.47	-25.00	33.47	Horizontal
5	7362	52.15	-46.17	36.15	-53.12	-25.00	28.12	Horizontal
6	10882.5	51.32	-40.13	39.42	-44.66	-25.00	19.66	Horizontal

1.60. Test Band = LTE Band 4A-7A_ TM1

1.60.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1229	37.88	-24.90	24.70	-57.58	-25.00	32.58	Vertical
2	1937	38.38	-23.59	26.14	-54.33	-25.00	29.33	Vertical
3	3574.5	50.89	-48.28	28.62	-64.03	-25.00	39.03	Vertical
4	5388.5	52.36	-47.73	32.29	-58.34	-25.00	33.34	Vertical
5	8312.5	52.36	-44.50	36.64	-50.75	-25.00	25.75	Vertical
6	11808.5	51.75	-39.88	39.42	-43.97	-25.00	18.97	Vertical



Report No.: SUCR260400030006

Page: 31 of 72

1.61. Test Band = LTE Band 5A-66A_ TM1

1.61.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1297.5	37.80	-25.22	24.46	-58.22	-13.00	45.22	Horizontal
2	2570.5	39.90	-23.50	27.33	-51.54	-13.00	38.54	Horizontal
3	3894.75	46.86	-48.28	29.13	-67.55	-13.00	54.55	Horizontal
4	5770.5	46.73	-47.60	32.71	-63.42	-13.00	50.42	Horizontal
5	8491.875	44.50	-44.27	36.84	-58.19	-13.00	45.19	Horizontal
6	13721.625	37.61	-38.19	39.88	-55.96	-13.00	42.96	Horizontal

1.62. Test Band = LTE Band 5A-66A_ TM1

1.62.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1360	37.68	-25.41	24.24	-58.75	-13.00	45.75	Vertical
2	2685.5	40.12	-23.06	27.53	-50.67	-13.00	37.67	Vertical
3	4029	45.68	-48.15	29.35	-68.38	-13.00	55.38	Vertical
4	6643.125	45.36	-46.83	34.93	-61.81	-13.00	48.81	Vertical
5	9412.5	44.71	-42.97	37.98	-55.54	-13.00	42.54	Vertical
6	12698.25	39.21	-39.27	38.98	-56.33	-13.00	43.33	Vertical



Report No.: SUCR260400030006

Page: 32 of 72

1.63. Test Band = LTE Band 5A-66A_ TM1

1.63.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263.5	37.92	-25.06	24.58	-57.82	-13.00	44.82	Horizontal
2	2408	40.64	-23.50	27.03	-51.08	-13.00	38.08	Horizontal
3	3597	47.21	-48.28	28.66	-67.68	-13.00	54.68	Horizontal
4	5492.25	46.91	-47.62	32.58	-63.39	-13.00	50.39	Horizontal
5	8019	44.40	-44.39	36.32	-58.93	-13.00	45.93	Horizontal
6	12672	39.19	-39.19	39.00	-56.26	-13.00	43.26	Horizontal

1.64. Test Band = LTE Band 5A-66A_ TM1

1.64.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.5	37.83	-24.77	24.80	-57.40	-13.00	44.40	Vertical
2	2639	40.03	-23.39	27.45	-51.17	-13.00	38.17	Vertical
3	3890.625	46.76	-48.28	29.13	-67.65	-13.00	54.65	Vertical
4	5461.875	46.54	-47.65	32.49	-63.88	-13.00	50.88	Vertical
5	8430	44.45	-44.16	36.77	-58.20	-13.00	45.20	Vertical
6	12513.75	39.54	-39.77	39.09	-56.39	-13.00	43.39	Vertical



Report No.: SUCR260400030006
Page: 33 of 72

1.65. Test Band = LTE Band 5A-66A_ TM1

1.65.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1175	37.82	-24.91	24.81	-57.54	-13.00	44.54	Horizontal
2	2684	40.12	-23.07	27.53	-50.68	-13.00	37.68	Horizontal
3	3760.875	46.85	-48.31	28.92	-67.80	-13.00	54.80	Horizontal
4	5526.375	46.90	-47.63	32.61	-63.38	-13.00	50.38	Horizontal
5	8826.75	45.29	-44.00	37.21	-56.76	-13.00	43.76	Horizontal
6	11963.625	39.72	-39.63	39.40	-55.76	-13.00	42.76	Horizontal

1.66. Test Band = LTE Band 5A-66A_ TM1

1.66.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197	37.95	-24.78	24.80	-57.29	-13.00	44.29	Vertical
2	2489.5	39.45	-23.15	27.18	-51.78	-13.00	38.78	Vertical
3	3388.875	45.97	-48.37	28.41	-69.25	-13.00	56.25	Vertical
4	6056.625	46.54	-47.43	33.02	-63.14	-13.00	50.14	Vertical
5	8755.875	44.75	-44.05	37.13	-57.43	-13.00	44.43	Vertical
6	14399.25	38.34	-38.58	40.26	-55.24	-13.00	42.24	Vertical



Report No.: SUCR260400030006

Page: 34 of 72

1.67. Test Band = LTE Band 5A-7A_ TM1

1.67.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1334.5	37.62	-25.33	24.33	-58.64	-25.00	33.64	Horizontal
2	2090	38.82	-23.04	26.46	-53.02	-25.00	28.02	Horizontal
3	3388	51.00	-48.36	28.41	-64.21	-25.00	39.21	Horizontal
4	5326	52.83	-47.76	32.11	-58.08	-25.00	33.08	Horizontal
5	9460	52.94	-42.64	38.04	-46.92	-25.00	21.92	Horizontal
6	14699.5	53.59	-36.69	40.23	-38.13	-25.00	13.13	Horizontal

1.68. Test Band = LTE Band 5A-7A_ TM1

1.68.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1251	38.09	-25.00	24.62	-57.55	-25.00	32.55	Vertical
2	1719.5	37.54	-23.69	25.68	-55.73	-25.00	30.73	Vertical
3	3164.5	51.41	-48.27	28.23	-63.89	-25.00	38.89	Vertical
4	4583.5	51.02	-48.00	30.28	-61.95	-25.00	36.95	Vertical
5	6649	51.49	-46.81	34.94	-55.64	-25.00	30.64	Vertical
6	10489.5	50.84	-40.71	39.14	-45.99	-25.00	20.99	Vertical



Report No.: SUCR260400030006

Page: 35 of 72

1.69. Test Band = LTE Band 5A-7A_ TM1

1.69.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239	38.04	-24.94	24.66	-57.50	-25.00	32.50	Horizontal
2	1844.5	37.91	-23.49	25.91	-54.93	-25.00	29.93	Horizontal
3	3549	50.73	-48.29	28.58	-64.24	-25.00	39.24	Horizontal
4	5085.5	51.70	-47.85	31.44	-59.97	-25.00	34.97	Horizontal
5	7289.5	52.20	-46.16	36.02	-53.20	-25.00	28.20	Horizontal
6	11340.5	52.21	-40.31	39.47	-43.89	-25.00	18.89	Horizontal

1.70. Test Band = LTE Band 5A-7A_ TM1

1.70.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1309	38.18	-25.26	24.42	-57.92	-25.00	32.92	Vertical
2	1757.5	37.33	-23.46	25.74	-55.65	-25.00	30.65	Vertical
3	3938.5	51.23	-48.25	29.20	-63.08	-25.00	38.08	Vertical
4	6383	52.03	-47.00	34.26	-55.97	-25.00	30.97	Vertical
5	10298.5	51.10	-41.16	39.01	-46.32	-25.00	21.32	Vertical
6	14312	54.56	-38.44	40.27	-38.87	-25.00	13.87	Vertical



Report No.: SUCR260400030006

Page: 36 of 72

1.71. Test Band = LTE Band 5A-7A_ TM1

1.71.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1179.5	38.05	-24.89	24.81	-57.28	-25.00	32.28	Horizontal
2	1739	37.30	-23.57	25.71	-55.82	-25.00	30.82	Horizontal
3	3492.5	50.96	-48.30	28.49	-64.11	-25.00	39.11	Horizontal
4	4708.5	50.66	-47.96	30.56	-62.01	-25.00	37.01	Horizontal
5	6375	52.00	-47.03	34.23	-56.06	-25.00	31.06	Horizontal
6	13250	52.56	-38.90	39.18	-42.42	-25.00	17.42	Horizontal

1.72. Test Band = LTE Band 5A-7A_ TM1

1.72.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1194.5	37.91	-24.79	24.80	-57.34	-25.00	32.34	Vertical
2	1844.5	38.00	-23.49	25.91	-54.84	-25.00	29.84	Vertical
3	3496.5	51.14	-48.29	28.50	-63.92	-25.00	38.92	Vertical
4	4511.5	51.06	-47.98	30.13	-62.06	-25.00	37.06	Vertical
5	7129.5	51.74	-45.94	35.73	-53.73	-25.00	28.73	Vertical
6	11979	52.46	-39.54	39.40	-42.94	-25.00	17.94	Vertical



Report No.: SUCR260400030006

Page: 37 of 72

1.73. Test Band = LTE Band 5B_ TM1

1.73.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1205.3333	50.66	-50.22	24.78	-70.04	-13.00	57.04	Horizontal
2	1664.8889	49.52	-49.79	25.60	-69.94	-13.00	56.94	Horizontal
3	2568	51.97	-49.08	27.32	-65.05	-13.00	52.05	Horizontal
4	3596.8889	51.53	-48.48	28.66	-63.55	-13.00	50.55	Horizontal
5	4884.8889	51.67	-48.15	30.95	-60.79	-13.00	47.79	Horizontal
6	6068.8889	51.60	-47.19	33.06	-57.79	-13.00	44.79	Horizontal

1.74. Test Band = LTE Band 5B_ TM1

1.74.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1201.3333	49.52	-50.23	24.80	-71.17	-13.00	58.17	Vertical
2	1606.2222	49.45	-49.92	25.51	-70.22	-13.00	57.22	Vertical
3	2301.3333	51.33	-49.13	26.84	-66.22	-13.00	53.22	Vertical
4	3000.4444	51.14	-48.29	28.10	-64.31	-13.00	51.31	Vertical
5	4388.8889	50.16	-48.04	29.92	-63.22	-13.00	50.22	Vertical
6	6381.7778	52.33	-47.28	34.25	-55.96	-13.00	42.96	Vertical



Report No.: SUCR260400030006

Page: 38 of 72

1.75. Test Band = LTE Band 5B_ TM1

1.75.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1215.1111	50.11	-50.21	24.75	-70.62	-13.00	57.62	Horizontal
2	1603.5556	49.48	-49.92	25.51	-70.20	-13.00	57.20	Horizontal
3	2316.4444	51.49	-49.19	26.87	-66.09	-13.00	53.09	Horizontal
4	3460.8889	51.42	-48.53	28.47	-63.90	-13.00	50.90	Horizontal
5	4412.8889	50.49	-48.06	29.96	-62.87	-13.00	49.87	Horizontal
6	6247.1111	51.88	-47.43	33.74	-57.07	-13.00	44.07	Horizontal

1.76. Test Band = LTE Band 5B_ TM1

1.76.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1235.1111	49.89	-50.19	24.68	-70.89	-13.00	57.89	Vertical
2	1593.7778	49.30	-49.92	25.46	-70.43	-13.00	57.43	Vertical
3	2199.5556	51.02	-49.49	26.66	-67.07	-13.00	54.07	Vertical
4	3047.1111	51.64	-48.59	28.14	-64.07	-13.00	51.07	Vertical
5	4337.3333	50.09	-48.03	29.84	-63.36	-13.00	50.36	Vertical
6	6116	51.46	-47.09	33.24	-57.65	-13.00	44.65	Vertical



Report No.: SUCR260400030006

Page: 39 of 72

1.77. Test Band = LTE Band 5B_ TM1

1.77.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1121.7778	50.05	-50.01	24.84	-70.38	-13.00	57.38	Horizontal
2	1562.2222	49.68	-49.89	25.24	-70.24	-13.00	57.24	Horizontal
3	2108.8889	51.14	-49.46	26.50	-67.09	-13.00	54.09	Horizontal
4	3052.8889	51.80	-48.62	28.14	-63.94	-13.00	50.94	Horizontal
5	4390.6667	50.49	-48.04	29.93	-62.88	-13.00	49.88	Horizontal
6	6752.4444	51.67	-46.83	35.10	-55.31	-13.00	42.31	Horizontal

1.78. Test Band = LTE Band 5B_ TM1

1.78.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1124.8889	50.27	-50.02	24.84	-70.17	-13.00	57.17	Vertical
2	1679.1111	49.73	-49.76	25.62	-69.68	-13.00	56.68	Vertical
3	2993.3333	51.03	-48.32	28.09	-64.46	-13.00	51.46	Vertical
4	4957.3333	51.14	-48.05	31.11	-61.06	-13.00	48.06	Vertical
5	6654.2222	50.98	-46.90	34.95	-56.23	-13.00	43.23	Vertical
6	8391.5556	51.86	-44.04	36.73	-50.71	-13.00	37.71	Vertical



Report No.: SUCR260400030006

Page: 40 of 72

1.79. Test Band = LTE Band 7C_ TM1

1.79.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1201.5	37.67	-24.77	24.79	-57.56	-25.00	32.56	Horizontal
2	1856	37.95	-23.57	25.94	-54.94	-25.00	29.94	Horizontal
3	3904.5	51.40	-48.29	29.15	-63.00	-25.00	38.00	Horizontal
4	6230	52.57	-47.48	33.67	-56.50	-25.00	31.50	Horizontal
5	9298	51.47	-42.89	37.82	-48.87	-25.00	23.87	Horizontal
6	14746.5	53.84	-36.76	40.23	-37.95	-25.00	12.95	Horizontal

1.80. Test Band = LTE Band 7C_ TM1

1.80.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1190.5	37.86	-24.82	24.80	-57.41	-25.00	32.41	Vertical
2	1994.5	38.41	-23.18	26.29	-53.74	-25.00	28.74	Vertical
3	3856	51.12	-48.24	29.07	-63.31	-25.00	38.31	Vertical
4	5767	52.29	-47.60	32.71	-57.86	-25.00	32.86	Vertical
5	7769.5	51.61	-45.00	36.35	-52.31	-25.00	27.31	Vertical
6	12003.5	52.62	-39.43	39.40	-42.67	-25.00	17.67	Vertical



Report No.: SUCR260400030006

Page: 41 of 72

1.81. Test Band = LTE Band 7C_ TM1

1.81.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1188.5	37.84	-24.83	24.81	-57.44	-25.00	32.44	Horizontal
2	1845.5	37.97	-23.50	25.91	-54.88	-25.00	29.88	Horizontal
3	3530.5	51.20	-48.29	28.55	-63.80	-25.00	38.80	Horizontal
4	5535	52.05	-47.64	32.61	-58.24	-25.00	33.24	Horizontal
5	8367	51.97	-44.26	36.70	-50.84	-25.00	25.84	Horizontal
6	13363	53.00	-39.14	39.34	-42.06	-25.00	17.06	Horizontal

1.82. Test Band = LTE Band 7C_ TM1

1.82.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1252.5	38.01	-25.01	24.62	-57.64	-25.00	32.64	Vertical
2	2027	38.58	-23.11	26.35	-53.44	-25.00	28.44	Vertical
3	3285.5	51.34	-48.05	28.33	-63.64	-25.00	38.64	Vertical
4	4735	51.06	-47.98	30.62	-61.56	-25.00	36.56	Vertical
5	7107	51.67	-45.86	35.69	-53.75	-25.00	28.75	Vertical
6	11394.5	52.17	-40.10	39.46	-43.73	-25.00	18.73	Vertical



Report No.: SUCR260400030006

Page: 42 of 72

1.83. Test Band = LTE Band 7C_ TM1

1.83.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1227.5	37.76	-24.89	24.70	-57.69	-25.00	32.69	Horizontal
2	1827	37.82	-23.38	25.87	-54.95	-25.00	29.95	Horizontal
3	3486.5	51.20	-48.31	28.49	-63.88	-25.00	38.88	Horizontal
4	5246	51.89	-47.84	31.89	-59.32	-25.00	34.32	Horizontal
5	8383.5	52.04	-44.18	36.72	-50.68	-25.00	25.68	Horizontal
6	12012.5	52.30	-39.45	39.39	-43.01	-25.00	18.01	Horizontal

1.84. Test Band = LTE Band 7C_ TM1

1.84.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.5	37.89	-24.78	24.80	-57.35	-25.00	32.35	Vertical
2	1776.5	37.55	-23.34	25.76	-55.29	-25.00	30.29	Vertical
3	3475.5	51.55	-48.32	28.48	-63.55	-25.00	38.55	Vertical
4	5503	52.22	-47.61	32.60	-58.05	-25.00	33.05	Vertical
5	7205	52.09	-46.20	35.87	-53.50	-25.00	28.50	Vertical
6	12016	52.88	-39.45	39.39	-42.44	-25.00	17.44	Vertical



Report No.: SUCR260400030006

Page: 43 of 72

1.85. Test Band = LTE Band 12A-66A_ TM1

1.85.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1249.5	37.89	-24.99	24.63	-57.74	-13.00	44.74	Horizontal
2	2692	40.03	-23.02	27.55	-50.70	-13.00	37.70	Horizontal
3	3599.625	47.02	-48.28	28.66	-67.86	-13.00	54.86	Horizontal
4	5956.5	46.46	-47.35	32.78	-63.37	-13.00	50.37	Horizontal
5	8762.625	44.73	-44.04	37.14	-57.43	-13.00	44.43	Horizontal
6	14391	38.17	-38.57	40.26	-55.39	-13.00	42.39	Horizontal

1.86. Test Band = LTE Band 12A-66A_ TM1

1.86.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1241.5	37.81	-24.96	24.65	-57.75	-13.00	44.75	Vertical
2	2691	40.22	-23.02	27.54	-50.52	-13.00	37.52	Vertical
3	3697.875	46.68	-48.51	28.82	-68.27	-13.00	55.27	Vertical
4	5584.875	46.11	-47.69	32.63	-64.20	-13.00	51.20	Vertical
5	8583.75	44.43	-44.02	36.94	-57.91	-13.00	44.91	Vertical
6	14912.25	37.20	-37.45	40.21	-55.30	-13.00	42.30	Vertical



Report No.: SUCR260400030006

Page: 44 of 72

1.87. Test Band = LTE Band 12A-66A_ TM1

1.87.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1238.5	37.91	-24.94	24.67	-57.63	-13.00	44.63	Horizontal
2	2694	39.97	-23.00	27.55	-50.74	-13.00	37.74	Horizontal
3	3766.125	46.30	-48.29	28.93	-68.33	-13.00	55.33	Horizontal
4	5455.125	46.66	-47.66	32.47	-63.79	-13.00	50.79	Horizontal
5	8814	44.89	-44.00	37.20	-57.17	-13.00	44.17	Horizontal
6	13357.875	38.94	-39.14	39.34	-56.12	-13.00	43.12	Horizontal

1.88. Test Band = LTE Band 12A-66A_ TM1

1.88.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1205	37.87	-24.78	24.78	-57.39	-13.00	44.39	Vertical
2	2322.5	39.07	-23.43	26.88	-52.74	-13.00	39.74	Vertical
3	3760.5	46.63	-48.31	28.92	-68.02	-13.00	55.02	Vertical
4	5455.5	46.79	-47.66	32.48	-63.65	-13.00	50.65	Vertical
5	10573.5	40.95	-41.09	39.20	-56.20	-13.00	43.20	Vertical
6	14877.75	37.05	-37.25	40.21	-55.25	-13.00	42.25	Vertical



Report No.: SUCR260400030006

Page: 45 of 72

1.89. Test Band = LTE Band 12A-66A_ TM1

1.89.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1255.5	37.79	-25.02	24.61	-57.89	-13.00	44.89	Horizontal
2	2674.5	40.51	-23.14	27.51	-50.38	-13.00	37.38	Horizontal
3	3940.5	46.95	-48.25	29.20	-67.35	-13.00	54.35	Horizontal
4	5348.25	47.15	-47.75	32.18	-63.69	-13.00	50.69	Horizontal
5	7348.5	45.33	-46.16	36.13	-59.97	-13.00	46.97	Horizontal
6	10798.5	40.18	-40.72	39.36	-56.45	-13.00	43.45	Horizontal

1.90. Test Band = LTE Band 12A-66A_ TM1

1.90.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1263	37.94	-25.06	24.58	-57.80	-13.00	44.80	Vertical
2	2695	40.22	-23.00	27.55	-50.48	-13.00	37.48	Vertical
3	3591.375	47.07	-48.28	28.65	-67.82	-13.00	54.82	Vertical
4	4651.125	46.21	-47.98	30.43	-66.60	-13.00	53.60	Vertical
5	7213.5	45.74	-46.19	35.88	-59.83	-13.00	46.83	Vertical
6	11370.375	40.36	-40.19	39.46	-55.63	-13.00	42.63	Vertical



Report No.: SUCR260400030006

Page: 46 of 72

1.91. Test Band = LTE Band 13A-66A_ TM1

1.91.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1419.5	37.57	-25.37	24.24	-58.83	-13.00	45.83	Horizontal
2	2568.5	39.91	-23.49	27.32	-51.52	-13.00	38.52	Horizontal
3	3893.25	46.69	-48.28	29.13	-67.72	-13.00	54.72	Horizontal
4	5385	47.04	-47.73	32.28	-63.67	-13.00	50.67	Horizontal
5	7580.25	44.09	-44.89	36.38	-59.67	-13.00	46.67	Horizontal
6	11319.375	40.24	-40.39	39.47	-55.94	-13.00	42.94	Horizontal

1.92. Test Band = LTE Band 13A-66A_ TM1

1.92.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1242.5	37.96	-24.96	24.65	-57.61	-13.00	44.61	Vertical
2	2502	39.45	-23.12	27.20	-51.73	-13.00	38.73	Vertical
3	4450.125	46.23	-48.04	30.02	-67.05	-13.00	54.05	Vertical
4	6159.75	46.04	-47.48	33.41	-63.29	-13.00	50.29	Vertical
5	8792.25	44.81	-44.00	37.17	-57.28	-13.00	44.28	Vertical
6	14359.5	38.57	-38.52	40.26	-54.94	-13.00	41.94	Vertical



Report No.: SUCR260400030006

Page: 47 of 72

1.93. Test Band = LTE Band 13A-66A_ TM1

1.93.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1305.5	37.73	-25.25	24.43	-58.35	-13.00	45.35	Horizontal
2	2554.5	39.88	-23.42	27.30	-51.50	-13.00	38.50	Horizontal
3	3747.75	46.67	-48.35	28.90	-68.05	-13.00	55.05	Horizontal
4	6397.5	45.60	-46.94	34.31	-62.29	-13.00	49.29	Horizontal
5	9418.5	44.81	-42.92	37.99	-55.39	-13.00	42.39	Horizontal
6	13585.875	38.52	-39.07	39.68	-56.13	-13.00	43.13	Horizontal

1.94. Test Band = LTE Band 13A-66A_ TM1

1.94.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1227	37.91	-24.89	24.71	-57.53	-13.00	44.53	Vertical
2	2645.5	39.74	-23.35	27.46	-51.41	-13.00	38.41	Vertical
3	3893.625	47.23	-48.28	29.13	-67.18	-13.00	54.18	Vertical
4	5876.25	45.86	-47.27	32.75	-63.92	-13.00	50.92	Vertical
5	9476.625	43.13	-42.53	38.07	-56.59	-13.00	43.59	Vertical
6	14335.875	38.18	-38.48	40.27	-55.29	-13.00	42.29	Vertical



Report No.: SUCR260400030006

Page: 48 of 72

1.95. Test Band = LTE Band 13A-66A_ TM1

1.95.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1487	37.32	-24.83	24.71	-58.07	-13.00	45.07	Horizontal
2	2532	39.78	-23.29	27.26	-51.51	-13.00	38.51	Horizontal
3	3594	46.94	-48.28	28.65	-67.95	-13.00	54.95	Horizontal
4	4930.5	46.00	-48.02	31.05	-66.24	-13.00	53.24	Horizontal
5	6809.25	45.80	-46.88	35.19	-61.14	-13.00	48.14	Horizontal
6	11173.875	39.66	-40.35	39.48	-56.46	-13.00	43.46	Horizontal

1.96. Test Band = LTE Band 13A-66A_ TM1

1.96.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273	37.91	-25.10	24.54	-57.91	-13.00	44.91	Vertical
2	2466.5	39.56	-23.25	27.14	-51.81	-13.00	38.81	Vertical
3	3598.875	47.36	-48.28	28.66	-67.52	-13.00	54.52	Vertical
4	5275.5	46.57	-47.81	31.97	-64.53	-13.00	51.53	Vertical
5	7353.375	46.20	-46.17	36.14	-59.09	-13.00	46.09	Vertical
6	11393.25	40.21	-40.11	39.46	-55.69	-13.00	42.69	Vertical



Report No.: SUCR260400030006

Page: 49 of 72

1.97. Test Band = LTE Band 66B_ TM1

1.97.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1232	37.76	-24.91	24.69	-57.72	-13.00	44.72	Horizontal
2	2695	40.20	-23.00	27.55	-50.50	-13.00	37.50	Horizontal
3	3897	46.67	-48.29	29.14	-67.74	-13.00	54.74	Horizontal
4	5889.375	45.90	-47.20	32.76	-63.81	-13.00	50.81	Horizontal
5	8821.5	44.99	-44.00	37.20	-57.06	-13.00	44.06	Horizontal
6	13593	38.45	-39.06	39.69	-56.18	-13.00	43.18	Horizontal

1.98. Test Band = LTE Band 66B_ TM1

1.98.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239.5	37.96	-24.95	24.66	-57.58	-13.00	44.58	Vertical
2	2483.5	39.58	-23.18	27.17	-51.69	-13.00	38.69	Vertical
3	3880.125	46.86	-48.27	29.11	-67.56	-13.00	54.56	Vertical
4	5935.125	46.70	-47.27	32.77	-63.06	-13.00	50.06	Vertical
5	8531.25	45.13	-44.18	36.88	-57.43	-13.00	44.43	Vertical
6	13710.375	37.58	-38.08	39.87	-55.89	-13.00	42.89	Vertical



Report No.: SUCR260400030006

Page: 50 of 72

1.99. Test Band = LTE Band 66B_ TM1

1.99.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239.5	37.94	-24.95	24.66	-57.60	-13.00	44.60	Horizontal
2	2675.5	40.01	-23.13	27.52	-50.87	-13.00	37.87	Horizontal
3	3728.625	47.36	-48.42	28.87	-67.45	-13.00	54.45	Horizontal
4	6054	46.70	-47.44	33.01	-62.99	-13.00	49.99	Horizontal
5	8537.25	44.21	-44.16	36.89	-58.32	-13.00	45.32	Horizontal
6	14363.25	38.30	-38.52	40.26	-55.22	-13.00	42.22	Horizontal

1.100. Test Band = LTE Band 66B_ TM1

1.100.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274.5	38.21	-25.11	24.54	-57.62	-13.00	44.62	Vertical
2	2697	40.21	-22.98	27.55	-50.48	-13.00	37.48	Vertical
3	3975.75	46.56	-48.21	29.26	-67.65	-13.00	54.65	Vertical
4	6235.875	46.26	-47.47	33.70	-62.77	-13.00	49.77	Vertical
5	8740.125	44.73	-44.07	37.11	-57.48	-13.00	44.48	Vertical
6	13774.875	38.37	-38.75	39.96	-55.68	-13.00	42.68	Vertical



Report No.: SUCR260400030006

Page: 51 of 72

1.101. Test Band = LTE Band 66B_ TM1

1.101.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1247	37.99	-24.98	24.64	-57.62	-13.00	44.62	Horizontal
2	2659	39.75	-23.25	27.49	-51.27	-13.00	38.27	Horizontal
3	3969.375	46.50	-48.21	29.25	-67.72	-13.00	54.72	Horizontal
4	6015.75	46.58	-47.48	32.86	-63.30	-13.00	50.30	Horizontal
5	8827.125	44.52	-44.00	37.21	-57.53	-13.00	44.53	Horizontal
6	14323.125	38.03	-38.46	40.27	-55.42	-13.00	42.42	Horizontal

1.102. Test Band = LTE Band 66B_ TM1

1.102.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1275.5	37.88	-25.11	24.54	-57.96	-13.00	44.96	Vertical
2	2543.5	39.86	-23.35	27.28	-51.48	-13.00	38.48	Vertical
3	3763.125	46.48	-48.30	28.92	-68.16	-13.00	55.16	Vertical
4	5447.25	46.75	-47.67	32.45	-63.73	-13.00	50.73	Vertical
5	7791.375	44.62	-44.94	36.34	-59.23	-13.00	46.23	Vertical
6	11316	40.14	-40.40	39.47	-56.05	-13.00	43.05	Vertical



Report No.: SUCR260400030006

Page: 52 of 72

1.103. Test Band = LTE Band 66C_ TM1

1.103.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308	37.72	-25.25	24.42	-58.37	-13.00	45.37	Horizontal
2	2549.5	39.84	-23.39	27.29	-51.52	-13.00	38.52	Horizontal
3	3599.25	47.25	-48.28	28.66	-67.63	-13.00	54.63	Horizontal
4	4658.25	46.50	-47.98	30.45	-66.29	-13.00	53.29	Horizontal
5	6738	46.23	-46.68	35.08	-60.63	-13.00	47.63	Horizontal
6	10821	40.51	-40.57	39.37	-55.95	-13.00	42.95	Horizontal

1.104. Test Band = LTE Band 66C_ TM1

1.104.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1230	38.07	-24.90	24.70	-57.40	-13.00	44.40	Vertical
2	2540	39.98	-23.33	27.27	-51.34	-13.00	38.34	Vertical
3	3589.125	46.93	-48.28	28.64	-67.97	-13.00	54.97	Vertical
4	5385	46.60	-47.73	32.28	-64.11	-13.00	51.11	Vertical
5	7929.375	45.12	-45.11	36.31	-58.94	-13.00	45.94	Vertical
6	11979.375	39.64	-39.54	39.40	-55.76	-13.00	42.76	Vertical



Report No.: SUCR260400030006

Page: 53 of 72

1.105. Test Band = LTE Band 66C_ TM1

1.105.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1284	37.85	-25.15	24.51	-58.06	-13.00	45.06	Horizontal
2	2700	39.98	-22.96	27.56	-50.68	-13.00	37.68	Horizontal
3	3925.125	47.57	-48.26	29.18	-66.77	-13.00	53.77	Horizontal
4	6090.75	46.15	-47.39	33.14	-63.36	-13.00	50.36	Horizontal
5	8795.625	44.71	-44.00	37.18	-57.37	-13.00	44.37	Horizontal
6	13712.625	38.55	-38.10	39.87	-54.94	-13.00	41.94	Horizontal

1.106. Test Band = LTE Band 66C_ TM1

1.106.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1249.5	37.85	-24.99	24.63	-57.78	-13.00	44.78	Vertical
2	2677	40.17	-23.12	27.52	-50.69	-13.00	37.69	Vertical
3	4047.75	45.58	-48.12	29.38	-68.43	-13.00	55.43	Vertical
4	5965.5	46.33	-47.38	32.79	-63.52	-13.00	50.52	Vertical
5	8828.25	44.60	-44.00	37.21	-57.45	-13.00	44.45	Vertical
6	12769.125	39.22	-39.29	38.94	-56.39	-13.00	43.39	Vertical



Report No.: SUCR260400030006

Page: 54 of 72

1.107. Test Band = LTE Band 66C_ TM1

1.107.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203.5	37.83	-24.78	24.79	-57.42	-13.00	44.42	Horizontal
2	2719.5	39.53	-23.02	27.60	-51.16	-13.00	38.16	Horizontal
3	3981	46.48	-48.20	29.27	-67.71	-13.00	54.71	Horizontal
4	5505.75	46.45	-47.62	32.60	-63.82	-13.00	50.82	Horizontal
5	8405.625	44.07	-44.12	36.75	-58.56	-13.00	45.56	Horizontal
6	12692.625	39.33	-39.25	38.98	-56.19	-13.00	43.19	Horizontal

1.108. Test Band = LTE Band 66C_ TM1

1.108.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1248.5	37.82	-24.99	24.63	-57.80	-13.00	44.80	Vertical
2	2692.5	40.20	-23.01	27.55	-50.53	-13.00	37.53	Vertical
3	3949.5	46.71	-48.24	29.22	-67.57	-13.00	54.57	Vertical
4	6113.25	45.90	-47.40	33.23	-63.53	-13.00	50.53	Vertical
5	8782.875	44.83	-44.01	37.16	-57.28	-13.00	44.28	Vertical
6	14366.25	38.38	-38.53	40.26	-55.14	-13.00	42.14	Vertical



Report No.: SUCR260400030006

Page: 55 of 72

1.109. Test Band = LTE Band 2C_ TM1

1.109.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1231.5	46.49	-24.91	24.69	-48.99	-13.00	35.99	Horizontal
2	2430.5	49.95	-23.40	27.07	-41.64	-13.00	28.64	Horizontal
3	3599.25	50.44	-48.28	28.66	-64.44	-13.00	51.44	Horizontal
4	4800.75	50.97	-48.01	30.76	-61.54	-13.00	48.54	Horizontal
5	6750.75	51.76	-46.72	35.10	-55.12	-13.00	42.12	Horizontal
6	10345.5	50.66	-41.19	39.04	-46.75	-13.00	33.75	Horizontal

1.110. Test Band = LTE Band 2C_ TM1

1.110.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1353.5	46.28	-25.39	24.26	-50.11	-13.00	37.11	Vertical
2	2416	48.48	-23.46	27.05	-43.19	-13.00	30.19	Vertical
3	3887.25	50.40	-48.28	29.12	-64.02	-13.00	51.02	Vertical
4	6222.75	51.83	-47.50	33.65	-57.28	-13.00	44.28	Vertical
5	9278.25	50.42	-43.02	37.79	-50.07	-13.00	37.07	Vertical
6	12662.25	52.34	-39.16	39.00	-43.08	-13.00	30.08	Vertical



Report No.: SUCR260400030006

Page: 56 of 72

1.111. Test Band = LTE Band 2C_ TM1

1.111.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1217	46.26	-24.84	24.74	-49.10	-13.00	36.10	Horizontal
2	2409	48.81	-23.49	27.04	-42.91	-13.00	29.91	Horizontal
3	4334.25	49.88	-47.89	29.83	-63.44	-13.00	50.44	Horizontal
4	6664.5	51.55	-46.73	34.96	-55.47	-13.00	42.47	Horizontal
5	10478.25	50.34	-40.78	39.13	-46.56	-13.00	33.56	Horizontal
6	14877.75	54.07	-37.25	40.21	-38.23	-13.00	25.23	Horizontal

1.112. Test Band = LTE Band 2C_ TM1

1.112.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1215	46.22	-24.83	24.75	-49.12	-13.00	36.12	Vertical
2	2415	48.93	-23.47	27.05	-42.75	-13.00	29.75	Vertical
3	3822.75	50.63	-48.21	29.02	-63.82	-13.00	50.82	Vertical
4	5483.25	51.87	-47.63	32.55	-58.47	-13.00	45.47	Vertical
5	7601.25	51.14	-44.58	36.38	-52.32	-13.00	39.32	Vertical
6	11412	51.49	-40.08	39.46	-44.39	-13.00	31.39	Vertical



Report No.: SUCR260400030006

Page: 57 of 72

1.113. Test Band = LTE Band 2C_ TM1

1.113.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1224.5	46.22	-24.88	24.71	-49.20	-13.00	36.20	Horizontal
2	2432	48.54	-23.40	27.08	-43.04	-13.00	30.04	Horizontal
3	3821.25	50.03	-48.20	29.01	-64.42	-13.00	51.42	Horizontal
4	5481	51.65	-47.63	32.55	-58.69	-13.00	45.69	Horizontal
5	7761.75	51.48	-45.02	36.35	-52.46	-13.00	39.46	Horizontal
6	13674.75	52.78	-38.24	39.81	-40.91	-13.00	27.91	Horizontal

1.114. Test Band = LTE Band 2C_ TM1

1.114.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1288.5	46.59	-25.18	24.49	-49.36	-13.00	36.36	Vertical
2	2431	49.13	-23.40	27.08	-42.45	-13.00	29.45	Vertical
3	3910.5	50.93	-48.28	29.16	-63.45	-13.00	50.45	Vertical
4	5389.5	51.82	-47.73	32.29	-58.88	-13.00	45.88	Vertical
5	7920.75	51.67	-45.21	36.32	-52.49	-13.00	39.49	Vertical
6	12616.5	51.81	-39.04	39.03	-43.46	-13.00	30.46	Vertical



Report No.: SUCR260400030006

Page: 58 of 72

1.115. Test Band = LTE Band 38C_ TM1

1.115.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1337.5	37.50	-25.34	24.32	-58.78	-25.00	33.78	Horizontal
2	2101.5	38.70	-23.04	26.48	-53.11	-25.00	28.11	Horizontal
3	3302.5	51.33	-48.04	28.34	-63.63	-25.00	38.63	Horizontal
4	4432	51.62	-48.07	29.99	-61.72	-25.00	36.72	Horizontal
5	6412.5	52.25	-46.94	34.37	-55.58	-25.00	30.58	Horizontal
6	11373.5	51.72	-40.18	39.46	-44.26	-25.00	19.26	Horizontal

1.116. Test Band = LTE Band 38C_ TM1

1.116.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1307	37.87	-25.25	24.43	-58.22	-25.00	33.22	Vertical
2	1969.5	38.33	-23.36	26.22	-54.07	-25.00	29.07	Vertical
3	3960.5	51.02	-48.22	29.24	-63.23	-25.00	38.23	Vertical
4	6444	51.75	-46.96	34.49	-55.98	-25.00	30.98	Vertical
5	9415.5	53.47	-42.94	37.98	-46.75	-25.00	21.75	Vertical
6	14310.5	54.99	-38.44	40.27	-38.44	-25.00	13.44	Vertical



Report No.: SUCR260400030006

Page: 59 of 72

1.117. Test Band = LTE Band 38C_ TM1

1.117.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1179.5	37.76	-24.89	24.81	-57.57	-25.00	32.57	Horizontal
2	1810	37.76	-23.27	25.83	-54.94	-25.00	29.94	Horizontal
3	3443.5	51.48	-48.36	28.45	-63.68	-25.00	38.68	Horizontal
4	4811	52.07	-48.01	30.78	-60.42	-25.00	35.42	Horizontal
5	6409	52.38	-46.94	34.35	-55.46	-25.00	30.46	Horizontal
6	11949	52.79	-39.71	39.41	-42.78	-25.00	17.78	Horizontal

1.118. Test Band = LTE Band 38C_ TM1

1.118.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1261	38.10	-25.05	24.59	-57.62	-25.00	32.62	Vertical
2	1866.5	38.12	-23.64	25.97	-54.81	-25.00	29.81	Vertical
3	3911.5	50.91	-48.28	29.16	-63.47	-25.00	38.47	Vertical
4	5150	51.36	-47.86	31.62	-60.14	-25.00	35.14	Vertical
5	7068	51.49	-46.08	35.62	-54.22	-25.00	29.22	Vertical
6	10895.5	50.90	-40.04	39.43	-44.98	-25.00	19.98	Vertical



Report No.: SUCR260400030006

Page: 60 of 72

1.119. Test Band = LTE Band 38C_ TM1

1.119.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1227	37.92	-24.89	24.71	-57.52	-25.00	32.52	Horizontal
2	2160	38.83	-23.34	26.59	-53.18	-25.00	28.18	Horizontal
3	4480.5	51.14	-48.01	30.07	-62.06	-25.00	37.06	Horizontal
4	7108.5	51.27	-45.86	35.70	-54.16	-25.00	29.16	Horizontal
5	10487	50.99	-40.73	39.14	-45.86	-25.00	20.86	Horizontal
6	14914	54.82	-37.46	40.21	-37.69	-25.00	12.69	Horizontal

1.120. Test Band = LTE Band 38C_ TM1

1.120.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204.5	37.96	-24.78	24.78	-57.30	-25.00	32.30	Vertical
2	1816.5	37.79	-23.31	25.84	-54.94	-25.00	29.94	Vertical
3	3574.5	51.54	-48.28	28.62	-63.38	-25.00	38.38	Vertical
4	5697	51.97	-47.50	32.68	-58.11	-25.00	33.11	Vertical
5	9420	53.01	-42.91	37.99	-47.18	-25.00	22.18	Vertical
6	14321.5	55.04	-38.45	40.27	-38.41	-25.00	13.41	Vertical



Report No.: SUCR260400030006

Page: 61 of 72

1.121. Test Band = LTE Band 41C(2500-2690)_ TM1

1.121.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196	37.89	-24.78	24.80	-57.35	-25.00	32.35	Horizontal
2	1813	37.75	-23.29	25.83	-54.96	-25.00	29.96	Horizontal
3	3595	50.98	-48.28	28.65	-63.91	-25.00	38.91	Horizontal
4	5530.5	52.18	-47.64	32.61	-58.11	-25.00	33.11	Horizontal
5	8294	51.70	-44.53	36.62	-51.46	-25.00	26.46	Horizontal
6	12776	53.32	-39.29	38.93	-42.30	-25.00	17.30	Horizontal

1.122. Test Band = LTE Band 41C(2500-2690)_ TM1

1.122.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1191	37.73	-24.81	24.80	-57.54	-25.00	32.54	Vertical
2	1614.5	37.44	-24.81	25.52	-57.11	-25.00	32.11	Vertical
3	3908	51.03	-48.28	29.15	-63.36	-25.00	38.36	Vertical
4	6417	51.89	-46.94	34.38	-55.93	-25.00	30.93	Vertical
5	10094.5	51.54	-41.86	38.87	-46.71	-25.00	21.71	Vertical
6	14925.5	54.46	-37.53	40.21	-38.12	-25.00	13.12	Vertical



Report No.: SUCR260400030006

Page: 62 of 72

1.123. Test Band = LTE Band 41C(2500-2690)_ TM1

1.123.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1203.5	37.78	-24.78	24.79	-57.47	-25.00	32.47	Horizontal
2	1657.5	37.32	-24.31	25.59	-56.66	-25.00	31.66	Horizontal
3	3588.5	51.27	-48.28	28.64	-63.63	-25.00	38.63	Horizontal
4	5390	52.65	-47.73	32.29	-58.04	-25.00	33.04	Horizontal
5	7643	51.85	-44.85	36.37	-51.88	-25.00	26.88	Horizontal
6	13249.5	52.94	-38.89	39.17	-42.04	-25.00	17.04	Horizontal

1.124. Test Band = LTE Band 41C(2500-2690)_ TM1

1.124.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1162.5	38.11	-24.99	24.82	-57.32	-25.00	32.32	Vertical
2	1810	37.82	-23.27	25.83	-54.88	-25.00	29.88	Vertical
3	3593	50.92	-48.28	28.65	-63.97	-25.00	38.97	Vertical
4	5753	52.23	-47.57	32.70	-57.90	-25.00	32.90	Vertical
5	9426.5	53.00	-42.87	38.00	-47.13	-25.00	22.13	Vertical
6	13457	52.84	-39.18	39.49	-42.12	-25.00	17.12	Vertical



Report No.: SUCR260400030006

Page: 63 of 72

1.125. Test Band = LTE Band 41C(2500-2690)_ TM1

1.125.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204.5	37.94	-24.78	24.78	-57.32	-25.00	32.32	Horizontal
2	2050.5	38.54	-23.08	26.39	-53.41	-25.00	28.41	Horizontal
3	3326	50.75	-48.13	28.36	-64.28	-25.00	39.28	Horizontal
4	5321.5	52.05	-47.77	32.10	-58.88	-25.00	33.88	Horizontal
5	7756.5	52.12	-45.04	36.35	-51.83	-25.00	26.83	Horizontal
6	14152.5	53.65	-38.55	40.28	-39.87	-25.00	14.87	Horizontal

1.126. Test Band = LTE Band 41C(2500-2690)_ TM1

1.126.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1197.5	37.69	-24.78	24.80	-57.54	-25.00	32.54	Vertical
2	1818.5	38.02	-23.32	25.85	-54.72	-25.00	29.72	Vertical
3	3569.5	51.15	-48.28	28.61	-63.78	-25.00	38.78	Vertical
4	5979.5	52.47	-47.43	32.79	-57.43	-25.00	32.43	Vertical
5	10048	51.19	-41.78	38.83	-47.02	-25.00	22.02	Vertical
6	14770	53.25	-36.80	40.22	-38.59	-25.00	13.59	Vertical



Report No.: SUCR260400030006

Page: 64 of 72

1.127. Test Band = LTE Band 42C(3450-3600)_ TM1

1.127.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1246.2	35.50	-24.98	24.64	-60.10	-30.00	30.10	Horizontal
2	1961.4	35.25	-23.42	26.20	-57.22	-30.00	27.22	Horizontal
3	2957	34.37	-22.73	28.02	-55.60	-30.00	25.60	Horizontal
4	4686.4	31.67	-19.03	30.51	-52.11	-30.00	22.11	Horizontal
5	7802.6333	44.47	-44.90	36.34	-59.35	-30.00	29.35	Horizontal
6	11430.0667	39.41	-39.82	39.46	-56.22	-30.00	26.22	Horizontal

1.128. Test Band = LTE Band 42C(3450-3600)_ TM1

1.128.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1204.8	35.70	-24.78	24.78	-59.56	-30.00	29.56	Vertical
2	1738.6	33.97	-23.57	25.71	-59.16	-30.00	29.16	Vertical
3	2701.8	34.77	-22.97	27.56	-55.89	-30.00	25.89	Vertical
4	4797.2	31.78	-18.74	30.75	-51.46	-30.00	21.46	Vertical
5	10729	39.28	-40.71	39.31	-57.38	-30.00	27.38	Vertical
6	14998.4667	36.57	-37.90	40.20	-56.39	-30.00	26.39	Vertical



Report No.: SUCR260400030006

Page: 65 of 72

1.129. Test Band = LTE Band 42C(3450-3600)_ TM1

1.129.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1191.2	35.92	-24.81	24.80	-59.35	-30.00	29.35	Horizontal
2	1789.8	34.44	-23.26	25.78	-58.30	-30.00	28.30	Horizontal
3	3157	34.82	-22.38	28.23	-54.59	-30.00	24.59	Horizontal
4	4498.8	31.99	-19.40	30.10	-52.57	-30.00	22.57	Horizontal
5	7841.8667	44.81	-44.93	36.33	-59.05	-30.00	29.05	Horizontal
6	12818.6333	38.88	-39.12	38.91	-56.59	-30.00	26.59	Horizontal

1.130. Test Band = LTE Band 42C(3450-3600)_ TM1

1.130.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240.4	35.70	-24.95	24.66	-59.85	-30.00	29.85	Vertical
2	1844.8	34.78	-23.50	25.91	-58.06	-30.00	28.06	Vertical
3	2736.8	35.28	-23.08	27.63	-55.43	-30.00	25.43	Vertical
4	4889	32.23	-18.23	30.96	-50.31	-30.00	20.31	Vertical
5	8793.7333	44.12	-43.85	37.17	-57.82	-30.00	27.82	Vertical
6	13722.4667	37.21	-38.08	39.88	-56.24	-30.00	26.24	Vertical



Report No.: SUCR260400030006

Page: 66 of 72

1.131. Test Band = LTE Band 42C(3450-3600)_ TM1

1.131.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1153.8	36.20	-25.04	24.82	-59.28	-30.00	29.28	Horizontal
2	1779.2	34.35	-23.33	25.77	-58.47	-30.00	28.47	Horizontal
3	2924.2	34.87	-22.88	27.96	-55.31	-30.00	25.31	Horizontal
4	5376.2	33.28	-16.80	32.25	-46.53	-30.00	16.53	Horizontal
5	8508.1	44.34	-43.72	36.86	-57.78	-30.00	27.78	Horizontal
6	12801.0333	38.90	-39.27	38.92	-56.71	-30.00	26.71	Horizontal

1.132. Test Band = LTE Band 42C(3450-3600)_ TM1

1.132.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1307.6	35.97	-25.25	24.42	-60.12	-30.00	30.12	Vertical
2	1927.6	35.05	-23.66	26.12	-57.75	-30.00	27.75	Vertical
3	2999.8	34.75	-22.54	28.10	-54.95	-30.00	24.95	Vertical
4	5001.2	32.51	-17.31	31.20	-48.85	-30.00	18.85	Vertical
5	9386.2667	43.20	-42.83	37.94	-56.95	-30.00	26.95	Vertical
6	14324.5333	38.68	-38.76	40.27	-55.08	-30.00	25.08	Vertical



Report No.: SUCR260400030006

Page: 67 of 72

1.133. Test Band = LTE Band 41A-42A(3450-3600)_ TM1

1.133.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1196.8	35.83	-24.78	24.80	-59.41	-30.00	29.41	Horizontal
2	1857.4	34.85	-23.58	25.94	-58.05	-30.00	28.05	Horizontal
3	3021.8	34.59	-22.51	28.12	-55.06	-30.00	25.06	Horizontal
4	4808	31.98	-18.69	30.78	-51.19	-30.00	21.19	Horizontal
5	8445.4	44.20	-44.05	36.79	-58.32	-30.00	28.32	Horizontal
6	11387.1667	39.51	-39.80	39.46	-56.09	-30.00	26.09	Horizontal

1.134. Test Band = LTE Band 41A-42A(3450-3600)_ TM1

1.134.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1214.6	35.71	-24.83	24.75	-59.63	-30.00	29.63	Vertical
2	1854.2	34.66	-23.56	25.94	-58.22	-30.00	28.22	Vertical
3	2920	34.24	-22.90	27.96	-55.96	-30.00	25.96	Vertical
4	5030.2	31.65	-17.46	31.28	-49.79	-30.00	19.79	Vertical
5	9454.1	43.22	-42.72	38.04	-56.73	-30.00	26.73	Vertical
6	12885	38.17	-38.54	38.87	-56.76	-30.00	26.76	Vertical



Report No.: SUCR260400030006

Page: 68 of 72

1.135. Test Band = LTE Band 41A-42A(3450-3600)_ TM1

1.135.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1314.8	35.07	-25.27	24.40	-61.07	-30.00	31.07	Horizontal
2	1816	34.72	-23.31	25.84	-58.01	-30.00	28.01	Horizontal
3	2924.6	34.76	-22.88	27.96	-55.42	-30.00	25.42	Horizontal
4	4505.2	32.12	-19.40	30.11	-52.43	-30.00	22.43	Horizontal
5	8491.6	43.68	-43.74	36.84	-58.48	-30.00	28.48	Horizontal
6	12028.1	39.03	-38.80	39.38	-55.64	-30.00	25.64	Horizontal

1.136. Test Band = LTE Band 41A-42A(3450-3600)_ TM1

1.136.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1262.8	35.90	-25.06	24.58	-59.83	-30.00	29.83	Vertical
2	1817.2	34.46	-23.31	25.84	-58.27	-30.00	28.27	Vertical
3	3119.4	35.14	-22.39	28.20	-54.32	-30.00	24.32	Vertical
4	4719	32.35	-18.89	30.58	-51.22	-30.00	21.22	Vertical
5	8504.8	43.38	-43.70	36.86	-58.73	-30.00	28.73	Vertical
6	12815.3333	39.01	-39.15	38.91	-56.49	-30.00	26.49	Vertical



Report No.: SUCR260400030006

Page: 69 of 72

1.137. Test Band = LTE Band 41A-42A(3450-3600)_ TM1

1.137.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1249.4	35.58	-24.99	24.63	-60.05	-30.00	30.05	Horizontal
2	2061	35.50	-23.07	26.41	-56.42	-30.00	26.42	Horizontal
3	4946	32.18	-17.77	31.08	-49.77	-30.00	19.77	Horizontal
4	8775.0333	44.58	-43.82	37.15	-57.35	-30.00	27.35	Horizontal
5	11977.5	38.89	-38.86	39.40	-55.83	-30.00	25.83	Horizontal
6	16376.4	36.12	-37.82	38.55	-58.41	-30.00	28.41	Horizontal

1.138. Test Band = LTE Band 41A-42A(3450-3600)_ TM1

1.138.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1300.2	35.27	-25.23	24.45	-60.77	-30.00	30.77	Vertical
2	2005.4	35.19	-23.13	26.31	-56.89	-30.00	26.89	Vertical
3	5082.6	32.67	-17.75	31.43	-48.90	-30.00	18.90	Vertical
4	7932.8	44.07	-44.74	36.31	-59.62	-30.00	29.62	Vertical
5	10755.0333	39.82	-40.61	39.33	-56.72	-30.00	26.72	Vertical
6	15277.5	35.52	-38.03	39.70	-58.07	-30.00	28.07	Vertical



Report No.: SUCR260400030006

Page: 70 of 72

1.139. Test Band = LTE Band 48C_ TM1

1.139.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1265	36.00	-25.07	24.57	-59.75	-30.00	29.75	Horizontal
2	1745.8	34.32	-23.53	25.72	-58.75	-30.00	28.75	Horizontal
3	2522.8	35.64	-23.24	27.24	-55.62	-30.00	25.62	Horizontal
4	4955.2	32.78	-17.69	31.10	-49.07	-30.00	19.07	Horizontal
5	8439.9	44.07	-44.09	36.78	-58.49	-30.00	28.49	Horizontal
6	12820.4667	39.27	-39.10	38.91	-56.18	-30.00	26.18	Horizontal

1.140. Test Band = LTE Band 48C_ TM1

1.140.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1251.2	35.83	-25.00	24.62	-59.81	-30.00	29.81	Vertical
2	1797.4	34.73	-23.22	25.80	-57.95	-30.00	27.95	Vertical
3	3051.6	34.85	-22.47	28.14	-54.74	-30.00	24.74	Vertical
4	4933.4	32.04	-17.88	31.05	-50.05	-30.00	20.05	Vertical
5	8761.4667	43.91	-43.79	37.14	-58.01	-30.00	28.01	Vertical
6	12884.2667	38.38	-38.55	38.87	-56.56	-30.00	26.56	Vertical



Report No.: SUCR260400030006

Page: 71 of 72

1.141. Test Band = LTE Band 48C_ TM1

1.141.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1207.4	35.79	-24.79	24.77	-59.49	-30.00	29.49	Horizontal
2	1830.4	34.77	-23.40	25.88	-58.01	-30.00	28.01	Horizontal
3	2701.2	35.41	-22.96	27.56	-55.25	-30.00	25.25	Horizontal
4	4483.2	32.38	-19.49	30.07	-52.30	-30.00	22.30	Horizontal
5	8805.8333	44.61	-43.84	37.19	-57.31	-30.00	27.31	Horizontal
6	13707.8	37.33	-37.99	39.86	-56.06	-30.00	26.06	Horizontal

1.142. Test Band = LTE Band 48C_ TM1

1.142.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1191.6	36.16	-24.81	24.80	-59.11	-30.00	29.11	Vertical
2	1798.2	35.02	-23.21	25.80	-57.65	-30.00	27.65	Vertical
3	3037.4	34.71	-22.49	28.13	-54.91	-30.00	24.91	Vertical
4	5062	32.22	-17.63	31.37	-49.30	-30.00	19.30	Vertical
5	8860.1	43.81	-43.67	37.25	-57.88	-30.00	27.88	Vertical
6	14352.0333	38.23	-38.74	40.26	-55.51	-30.00	25.51	Vertical



Report No.: SUCR260400030006

Page: 72 of 72

1.143. Test Band = LTE Band 48C_ TM1

1.143.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1164.8	36.16	-24.97	24.82	-59.26	-30.00	29.26	Horizontal
2	1995.2	35.53	-23.17	26.29	-56.62	-30.00	26.62	Horizontal
3	3049.6	34.73	-22.47	28.14	-54.86	-30.00	24.86	Horizontal
4	5307.2	33.06	-17.14	32.06	-47.28	-30.00	17.28	Horizontal
5	8802.1667	44.56	-43.85	37.18	-57.37	-30.00	27.37	Horizontal
6	12825.6	38.64	-39.06	38.90	-56.77	-30.00	26.77	Horizontal

1.144. Test Band = LTE Band 48C_ TM1

1.144.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1240	36.82	-24.95	24.66	-58.73	-30.00	28.73	Vertical
2	2084.6	35.77	-23.05	26.45	-56.08	-30.00	26.08	Vertical
3	3156.6	34.70	-22.38	28.23	-54.71	-30.00	24.71	Vertical
4	5348	32.74	-16.94	32.17	-47.29	-30.00	17.29	Vertical
5	10839	39.00	-40.34	39.39	-57.21	-30.00	27.21	Vertical
6	14354.2333	37.65	-38.74	40.26	-56.09	-30.00	26.09	Vertical

---End of Attachment---