



Middle Channel (5 200 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 407.70	H	52.04	37.53	-38.50	-	51.07	68.20	17.13
15 583.47 ¹⁾	H	49.38	39.80	-35.38	-	53.80	74.00	20.20
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 240 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 475.93	V	50.97	37.58	-38.46	-	50.09	68.20	18.11
15 759.80 ¹⁾	V	49.84	39.80	-35.70	-	53.94	74.00	20.06
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz





SISO ANT2


UNII 1 802.11a

Lowest Channel (5 180 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB($\mu V/m$))	(dB($\mu V/m$))	(dB)
Peak data								
5 149.82 ¹⁾	V	51.25	34.25	-24.30	-	61.20	74.00	12.80
10 355.95	H	52.13	37.48	-38.52	-	51.09	68.20	17.11
15 544.75 ¹⁾	V	48.96	39.80	-35.31	-	53.45	74.00	20.55
Average Data								
5 149.82 ¹⁾	V	40.68	34.25	-24.30	-	50.63	54.00	3.37



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 200 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 387.77	V	50.72	37.51	-38.51	-	49.72	68.20	18.48
15 611.83 ¹⁾	H	49.24	39.80	-35.43	-	53.61	74.00	20.39
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 240 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 514.65	V	52.08	37.61	-38.47	-	51.22	68.20	16.98
15 734.12 ¹⁾	V	48.75	39.80	-35.66	-	52.89	74.00	21.11
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




MIMO
UNII 1 802.11n HT20

Lowest Channel (5 180 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 149.92 ¹⁾	V	52.39	34.25	-24.30	-	62.34	74.00	11.66
10 365.15	H	51.24	37.49	-38.52	-	50.21	68.20	17.99
15 576.18 ¹⁾	V	48.87	39.80	-35.37	-	53.30	74.00	20.70
Average Data								
5 149.92 ¹⁾	V	40.44	34.25	-24.30	-	50.39	54.00	3.61



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Middle Channel (5 200 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 453.70	H	51.18	37.56	-38.47	-	50.27	68.20	17.93
15 584.62 ¹⁾	H	48.86	39.80	-35.38	-	53.28	74.00	20.72
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz




Highest Channel (5 240 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 451.02	H	52.34	37.56	-38.48	-	51.42	68.20	16.78
15 770.15 ¹⁾	V	49.63	39.80	-35.72	-	53.71	74.00	20.29
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz





Horizontal/Vertical for 6.5 GHz ~ 18 GHz




UNII 1 802.11n HT40

Lowest Channel (5 190 MHz)


Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
5 149.47 ¹⁾	V	52.08	34.25	-24.30	-	62.03	74.00	11.97
10 369.75	V	51.87	37.50	-38.51	-	50.86	68.20	17.34
15 579.63 ¹⁾	H	49.31	39.80	-35.37	-	53.74	74.00	20.26
Average Data								
5 149.47 ¹⁾	V	39.03	34.25	-24.30	0.10	49.08	54.00	4.92



Horizontal/Vertical for 1 GHz ~ 6.5 GHz




Horizontal/Vertical for 6.5 GHz ~ 18 GHz



Highest Channel (5 230 MHz)

Frequency	Pol.	Reading	Antenna Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
10 449.10	H	51.97	37.56	-38.48	-	51.05	68.20	17.15
15 696.17 ¹⁾	H	48.86	39.80	-35.59	-	53.07	74.00	20.93
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 6.5 GHz



Horizontal/Vertical for 6.5 GHz ~ 18 GHz

