



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1


Date: 2025/3/21

Temperature: 23.1 °C

Time: 下午 04:22:05

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	36.8136	-90.46	peak	23.48	-66.98	-20.00	150	110	-46.98	
	89.6192	-89.52	peak	22.03	-67.49	-20.00	150	210	-47.49	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2025/3/21

Temperature:23.1 °C

-10.0 dBm

Time: 下午 04:28:19

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	101.5431	-89.75	peak	21.95	-67.80	-20.00	150	100	-47.80	
	169.6794	-89.97	peak	21.94	-68.03	-20.00	150	250	-48.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 09:12:25

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	434.0681	-61.20	peak	-9.07	-70.27	-20.00	150	310	-50.27	
*	921.4430	-62.20	peak	-2.45	-64.65	-20.00	150	200	-44.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2

Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 09:14:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	368.3367	-43.44	peak	-11.26	-54.70	-20.00	150	220	-34.70	
	921.4430	-53.57	peak	-2.65	-56.22	-20.00	150	170	-36.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 04:41:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1378.757	-49.91	peak	3.58	-46.33	-20.00	150	210	-26.33	
	2418.838	-57.39	peak	1.42	-55.97	-20.00	150	300	-35.97	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 04:49:41

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1378.757	-51.67	peak	3.49	-48.18	-20.00	150	200	-28.18	
	2418.838	-60.02	peak	6.51	-53.51	-20.00	150	310	-33.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 04:43:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #5


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 04:51:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #3


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 10:04:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2025/3/21

Temperature:23.1 °C

-10.0 dBm

Time: 下午 10:09:37

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : POWER

Data : #1


Date: 2025/3/21

Temperature: 23.1 °C

50.0 dBm

Time: 下午 09:43:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 POWER-33db

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	460.0015	-13.10	peak	27.82	14.72	33.00	150	70	-18.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : POWER

Data : #2


Date: 2025/3/21

Temperature: 23.1 °C

50.0 dBm

Time: 下午 09:45:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 POWER-33db

EUT : W6M22411-23912

M/N:

Test Mode : TX 460MHz

Note :

Polarization: **Vertical**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	459.9945	-1.29	peak	27.35	26.06	33.00	150	200	-6.94	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #1


Date: 2025/3/21

Temperature: 23.1 °C

Time: 下午 04:23:13

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	40.9018	-91.29	peak	23.46	-67.83	-20.00	150	270	-47.83	
	87.2343	-90.12	peak	21.84	-68.28	-20.00	150	300	-48.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 1

Data : #2


Date: 2025/3/21

Temperature: 23.1 °C

Time: 下午 04:27:14

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Vertical**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	96.7735	-89.64	peak	21.66	-67.98	-20.00	150	100	-47.98	
*	194.5491	-88.69	peak	21.61	-67.08	-20.00	150	250	-47.08	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #1

Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 09:16:58

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	368.3367	-58.02	peak	-10.11	-68.13	-20.00	150	230	-48.13	
*	940.6814	-58.52	peak	-3.43	-61.95	-20.00	150	140	-41.95	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 2

Data : #2

Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 09:18:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Vertical**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	369.9400	-41.65	peak	-11.31	-52.96	-20.00	150	200	-32.96	
*	940.6814	-49.35	peak	-3.09	-52.44	-20.00	150	320	-32.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #1


Date: 2025/3/21

Temperature: 23.1 °C

Time: 下午 05:10:16

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1408.818	-58.92	peak	3.57	-55.35	-20.00	150	200	-35.35	
	2412.826	-56.96	peak	1.46	-55.50	-20.00	150	310	-35.50	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #4


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 05:13:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Vertical**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1408.818	-57.19	peak	3.49	-53.70	-20.00	150	310	-33.70	
*	1943.888	-52.41	peak	7.75	-44.66	-20.00	150	200	-24.66	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : 3

Data : #2


Date: 2025/3/21

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 05:11:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Horizontal**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2025/3/21

Temperature:23.1 °C

-10.0 dBm

Time: 下午 05:15:55

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2025/3/21

Temperature:23.1 °C

-10.0 dBm

Time: 下午 10:12:44

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: *Horizontal*

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2025/3/21

Temperature:23.1 °C

-10.0 dBm

Time: 下午 10:16:43

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: Vertical

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Rick

File : POWER

Data : #1


Date: 2025/3/21

Temperature: 23.1 °C

50.0 dBm

Time: 下午 09:38:17

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 POWER-33db

EUT : W6M22411-23912

M/N:

Test Mode : TX 469.9875MHz

Note :

Polarization: **Vertical**

Power : 7.2Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	469.9865	-1.90	peak	27.90	26.00	33.00	150	130	-7.00	

*:Maximum data x:Over limit !:over margin