



Mode	4																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz																																																																																																			
ANT	1 + 2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5893.51</td><td>53.04</td><td>88.20</td><td>-35.16</td><td>30.00</td><td>34.01</td><td>11.53</td><td>34.16</td><td>3.58</td><td>309</td><td>106</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.51	53.04	88.20	-35.16	30.00	34.01	11.53	34.16	3.58	309	106	Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>95.74</td><td>-----</td><td>-----</td><td>00.77</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>309</td><td>106</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	95.74	-----	-----	00.77	34.00	11.65	34.24	3.56	309	106	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5893.51	53.04	88.20	-35.16	30.00	34.01	11.53	34.16	3.58	309	106	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	95.74	-----	-----	00.77	34.00	11.65	34.24	3.56	309	106	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.12</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>28.53</td><td>34.09</td><td>11.45</td><td>34.11</td><td>3.59</td><td>309</td><td>106</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.12	43.55	68.20	-24.65	28.53	34.09	11.45	34.11	3.59	309	106	Average	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.63</td><td>-----</td><td>-----</td><td>72.66</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>309</td><td>106</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.63	-----	-----	72.66	34.00	11.65	34.24	3.56	309	106	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5854.12	43.55	68.20	-24.65	28.53	34.09	11.45	34.11	3.59	309	106	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	87.63	-----	-----	72.66	34.00	11.65	34.24	3.56	309	106	Average																																																																																								



Mode	4																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz																																																																																																
ANT	1 + 2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.63</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>38.26</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>300</td><td>201 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	53.21	88.20	-34.99	38.26	34.00	11.58	34.20	3.57	300	201 Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>96.18</td><td>-----</td><td>-----</td><td>81.21</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>300</td><td>201 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	96.18	-----	-----	81.21	34.00	11.65	34.24	3.56	300	201 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5922.63	53.21	88.20	-34.99	38.26	34.00	11.58	34.20	3.57	300	201 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	96.18	-----	-----	81.21	34.00	11.65	34.24	3.56	300	201 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5909.76</td><td>43.53</td><td>68.20</td><td>-24.67</td><td>28.58</td><td>34.00</td><td>11.56</td><td>34.18</td><td>3.57</td><td>300</td><td>201 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5909.76	43.53	68.20	-24.67	28.58	34.00	11.56	34.18	3.57	300	201 Average	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>88.68</td><td>-----</td><td>-----</td><td>73.71</td><td>34.00</td><td>11.65</td><td>34.24</td><td>3.56</td><td>300</td><td>201 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.68	-----	-----	73.71	34.00	11.65	34.24	3.56	300	201 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5909.76	43.53	68.20	-24.67	28.58	34.00	11.56	34.18	3.57	300	201 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5955.00	88.68	-----	-----	73.71	34.00	11.65	34.24	3.56	300	201 Average																																																																																						



		4											
Mode		Harmonic											
		U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz											
ANT		1 + 2											
Pol.		Horizontal						Vertical					
Peak Avg		<											



Mode	4	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_5955MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	5																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_26/0_5955MHz																																																																																																			
ANT	1 + 2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.20</td><td>53.07</td><td>88.20</td><td>-35.13</td><td>38.12</td><td>34.00</td><td>11.56</td><td>34.18</td><td>3.57</td><td>400</td><td>108</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.20	53.07	88.20	-35.13	38.12	34.00	11.56	34.18	3.57	400	108	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.93</td><td>-----</td><td>-----</td><td>79.97</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>400</td><td>108</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.93	-----	-----	79.97	34.00	11.63	34.23	3.56	400	108	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5900.20	53.07	88.20	-35.13	38.12	34.00	11.56	34.18	3.57	400	108	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	94.93	-----	-----	79.97	34.00	11.63	34.23	3.56	400	108	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5900.14</td><td>43.98</td><td>68.20</td><td>-24.22</td><td>29.04</td><td>34.00</td><td>11.54</td><td>34.17</td><td>3.57</td><td>400</td><td>108</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.14	43.98	68.20	-24.22	29.04	34.00	11.54	34.17	3.57	400	108	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>87.60</td><td>-----</td><td>-----</td><td>72.64</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>400</td><td>108</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.60	-----	-----	72.64	34.00	11.63	34.23	3.56	400	108	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5900.14	43.98	68.20	-24.22	29.04	34.00	11.54	34.17	3.57	400	108	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	87.60	-----	-----	72.64	34.00	11.63	34.23	3.56	400	108	Average																																																																																								



Mode	5																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_26/0_5955MHz																																																																																	
ANT	1 + 2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5839.17</td><td>53.27</td><td>88.20 -34.93</td><td>38.24</td><td>34.10</td><td>11.42</td><td>34.09</td><td>3.60</td><td>250</td><td>129 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5839.17	53.27	88.20 -34.93	38.24	34.10	11.42	34.09	3.60	250	129 Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>96.84</td><td>-----</td><td>81.88</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>250</td><td>129 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	96.84	-----	81.88	34.00	11.63	34.23	3.56	250	129 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5839.17	53.27	88.20 -34.93	38.24	34.10	11.42	34.09	3.60	250	129 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	96.84	-----	81.88	34.00	11.63	34.23	3.56	250	129 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5851.52</td><td>44.19</td><td>68.20 -24.01</td><td>29.16</td><td>34.10</td><td>11.45</td><td>34.11</td><td>3.59</td><td>250</td><td>129 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5851.52	44.19	68.20 -24.01	29.16	34.10	11.45	34.11	3.59	250	129 Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5955.00</td><td>89.90</td><td>-----</td><td>74.94</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>250</td><td>129 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	89.90	-----	74.94	34.00	11.63	34.23	3.56	250	129 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5851.52	44.19	68.20 -24.01	29.16	34.10	11.45	34.11	3.59	250	129 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	89.90	-----	74.94	34.00	11.63	34.23	3.56	250	129 Average																																																																									





Mode	6																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_106/53_5955MHz																																																																																																			
ANT	1 + 2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5864.26</td><td>52.47</td><td>88.20</td><td>-35.73</td><td>37.46</td><td>34.07</td><td>11.47</td><td>34.12</td><td>3.59</td><td>400</td><td>108</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5864.26	52.47	88.20	-35.73	37.46	34.07	11.47	34.12	3.59	400	108	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>94.55</td><td>-----</td><td>-----</td><td>79.59</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>400</td><td>108</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.55	-----	-----	79.59	34.00	11.63	34.23	3.56	400	108	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5864.26	52.47	88.20	-35.73	37.46	34.07	11.47	34.12	3.59	400	108	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	94.55	-----	-----	79.59	34.00	11.63	34.23	3.56	400	108	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.09</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>29.01</td><td>34.10</td><td>11.45</td><td>34.11</td><td>3.59</td><td>400</td><td>108</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.09	44.04	68.20	-24.16	29.01	34.10	11.45	34.11	3.59	400	108	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.30</td><td>-----</td><td>-----</td><td>72.34</td><td>34.00</td><td>11.63</td><td>34.23</td><td>3.56</td><td>400</td><td>108</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.30	-----	-----	72.34	34.00	11.63	34.23	3.56	400	108	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5850.09	44.04	68.20	-24.16	29.01	34.10	11.45	34.11	3.59	400	108	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	87.30	-----	-----	72.34	34.00	11.63	34.23	3.56	400	108	Average																																																																																								



Mode	6																																																																									
	Band Edge																																																																									
	U-NII-5_5.925~6.425_802.11ax HE20_CH1_106/53_5955MHz																																																																									
ANT	1 + 2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5866.34 53.35 88.20 -34.85 38.34 34.07 11.48 34.13 3.59 250 130</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5866.34 53.35 88.20 -34.85 38.34 34.07 11.48 34.13 3.59 250 130	Peak								Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 96.70 ----- 81.74 34.00 11.63 34.23 3.56 250 130</td><td>Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5955.00 96.70 ----- 81.74 34.00 11.63 34.23 3.56 250 130	Peak							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																	
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5866.34 53.35 88.20 -34.85 38.34 34.07 11.48 34.13 3.59 250 130	Peak																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5955.00 96.70 ----- 81.74 34.00 11.63 34.23 3.56 250 130	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5888.70 43.89 68.20 -24.31 28.93 34.02 11.52 34.16 3.58 250 130</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5888.70 43.89 68.20 -24.31 28.93 34.02 11.52 34.16 3.58 250 130	Average								Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 5955.00 89.27 ----- 74.31 34.00 11.63 34.23 3.56 250 130</td><td>Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin	Level Factor	Loss Factor	Factor						MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg									1 5955.00 89.27 ----- 74.31 34.00 11.63 34.23 3.56 250 130	Average							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5888.70 43.89 68.20 -24.31 28.93 34.02 11.52 34.16 3.58 250 130	Average																																																																									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq Level Line Margin	Level Factor	Loss Factor	Factor																																																																							
MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB dB cm deg																																																																										
1 5955.00 89.27 ----- 74.31 34.00 11.63 34.23 3.56 250 130	Average																																																																									



Mode	7																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-5_5.925~6.425_802.11ax HE20_CH49_6195MHz																																																																																																																																															
ANT	1 + 2																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-13  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>35.19</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>25.00</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>-- Average</td></tr><tr><td>3</td><td>18585.00</td><td>38.76</td><td>74.00</td><td>-35.24</td><td>56.04</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12390.00	53.68	74.00	-20.32	35.19	39.18	16.74	40.23	0.47	--	-- Peak	2	12390.00	43.49	54.00	-10.51	25.00	39.18	16.74	40.23	0.47	--	-- Average	3	18585.00	38.76	74.00	-35.24	56.04	38.34	18.62	64.70	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-13  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>34.32</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>12390.00</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>25.06</td><td>39.18</td><td>16.74</td><td>40.23</td><td>0.47</td><td>--</td><td>-- Average</td></tr><tr><td>3</td><td>18585.00</td><td>39.44</td><td>74.00</td><td>-34.56</td><td>56.72</td><td>38.34</td><td>18.62</td><td>64.70</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12390.00	52.81	74.00	-21.19	34.32	39.18	16.74	40.23	0.47	--	-- Peak	2	12390.00	43.55	54.00	-10.45	25.06	39.18	16.74	40.23	0.47	--	-- Average	3	18585.00	39.44	74.00	-34.56	56.72	38.34	18.62	64.70	-9.54	--	-- Peak
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	12390.00	53.68	74.00	-20.32	35.19	39.18	16.74	40.23	0.47	--	-- Peak																																																																																																																																					
2	12390.00	43.49	54.00	-10.51	25.00	39.18	16.74	40.23	0.47	--	-- Average																																																																																																																																					
3	18585.00	38.76	74.00	-35.24	56.04	38.34	18.62	64.70	-9.54	--	-- Peak																																																																																																																																					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	12390.00	52.81	74.00	-21.19	34.32	39.18	16.74	40.23	0.47	--	-- Peak																																																																																																																																					
2	12390.00	43.55	54.00	-10.45	25.06	39.18	16.74	40.23	0.47	--	-- Average																																																																																																																																					
3	18585.00	39.44	74.00	-34.56	56.72	38.34	18.62	64.70	-9.54	--	-- Peak																																																																																																																																					



Mode	7	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE20_CH49_6195MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL







Mode	8																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE20_CH93_6415MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.53</td><td>88.20</td><td>-34.67</td><td>34.32</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>55.35</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.53	88.20	-34.67	34.32	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	38.72	74.00	-35.28	55.35	38.20	18.96	64.25	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>54.02</td><td>88.20</td><td>-34.18</td><td>34.81</td><td>39.90</td><td>17.09</td><td>40.54</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19245.00</td><td>39.46</td><td>74.00</td><td>-34.54</td><td>56.09</td><td>38.20</td><td>18.96</td><td>64.25</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	54.02	88.20	-34.18	34.81	39.90	17.09	40.54	0.44	--	Peak	2	19245.00	39.46	74.00	-34.54	56.09	38.20	18.96	64.25	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	53.53	88.20	-34.67	34.32	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	38.72	74.00	-35.28	55.35	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12830.00	54.02	88.20	-34.18	34.81	39.90	17.09	40.54	0.44	--	Peak																																																																																																															
2	19245.00	39.46	74.00	-34.54	56.09	38.20	18.96	64.25	-9.54	--	Peak																																																																																																															



Mode	8	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE20_CH93_6415MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz																																																																																																		
ANT	1 + 2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-12-11 						Level (dBuV/m) Date: 2025-12-11 																																																																																												
	Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5906.06</td><td>52.91</td><td>88.20</td><td>-35.29</td><td>37.97</td><td>34.00</td><td>11.55</td><td>34.18</td><td>3.57</td><td>390</td><td>108</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5906.06	52.91	88.20	-35.29	37.97	34.00	11.55	34.18	3.57	390	108	Peak	Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>97.07</td><td>-----</td><td>-----</td><td>82.11</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>390</td><td>108</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	97.07	-----	-----	82.11	34.00	11.66	34.25	3.55	390	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5906.06	52.91	88.20	-35.29	37.97	34.00	11.55	34.18	3.57	390	108	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	97.07	-----	-----	82.11	34.00	11.66	34.25	3.55	390	108	Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-12-11 						Level (dBuV/m) Date: 2025-12-11 																																																																																												
	Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5858.74</td><td>43.73</td><td>68.20</td><td>-24.47</td><td>28.72</td><td>34.00</td><td>11.46</td><td>34.12</td><td>3.59</td><td>390</td><td>108</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5858.74	43.73	68.20	-24.47	28.72	34.00	11.46	34.12	3.59	390	108	Average	Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>89.30</td><td>-----</td><td>-----</td><td>74.34</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>390</td><td>108</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	89.30	-----	-----	74.34	34.00	11.66	34.25	3.55	390	108
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5858.74	43.73	68.20	-24.47	28.72	34.00	11.46	34.12	3.59	390	108	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	89.30	-----	-----	74.34	34.00	11.66	34.25	3.55	390	108	Average																																																																																							



Mode	9																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz																																																																																	
ANT	1 + 2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5878.34</td><td>52.91</td><td>88.20 -35.29</td><td>37.93</td><td>34.04</td><td>11.50</td><td>34.14</td><td>3.58</td><td>300 134 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5878.34	52.91	88.20 -35.29	37.93	34.04	11.50	34.14	3.58	300 134 Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>98.89</td><td>-----</td><td>83.93</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>300 134 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	98.89	-----	83.93	34.00	11.66	34.25	3.55	300 134 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5878.34	52.91	88.20 -35.29	37.93	34.04	11.50	34.14	3.58	300 134 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	98.89	-----	83.93	34.00	11.66	34.25	3.55	300 134 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.48</td><td>43.87</td><td>68.20 -24.33</td><td>28.92</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>300 134 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.48	43.87	68.20 -24.33	28.92	34.00	11.58	34.20	3.57	300 134 Average	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>90.71</td><td>-----</td><td>75.75</td><td>34.00</td><td>11.66</td><td>34.25</td><td>3.55</td><td>300 134 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	90.71	-----	75.75	34.00	11.66	34.25	3.55	300 134 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5920.48	43.87	68.20 -24.33	28.92	34.00	11.58	34.20	3.57	300 134 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5965.00	90.71	-----	75.75	34.00	11.66	34.25	3.55	300 134 Average																																																																									



Mode	9																																																																																																																																																																								
	Harmonic																																																																																																																																																																								
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz																																																																																																																																																																								
ANT	1 + 2																																																																																																																																																																								
Pol.	Horizontal																																																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>34.61</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.57</td><td>54.00</td><td>-11.43</td><td>25.09</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>37.63</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>27.83</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>35.54</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11930.00</td><td>42.56</td><td>54.00</td><td>-11.44</td><td>25.08</td><td>38.64</td><td>16.37</td><td>40.36</td><td>0.50</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17895.00</td><td>55.62</td><td>74.00</td><td>-18.38</td><td>37.79</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17895.00</td><td>45.38</td><td>54.00</td><td>-8.62</td><td>27.55</td><td>40.48</td><td>20.06</td><td>46.76</td><td>0.71</td><td>--</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	52.09	74.00	-21.91	34.61	38.64	16.37	40.36	0.50	--	Peak	2	11930.00	42.57	54.00	-11.43	25.09	38.64	16.37	40.36	0.50	--	Average	3	17895.00	55.46	74.00	-18.54	37.63	40.48	20.06	46.76	0.71	--	Peak	4	17895.00	45.66	54.00	-8.34	27.83	40.48	20.06	46.76	0.71	--	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	53.02	74.00	-20.98	35.54	38.64	16.37	40.36	0.50	--	Peak	2	11930.00	42.56	54.00	-11.44	25.08	38.64	16.37	40.36	0.50	--	Average	3	17895.00	55.62	74.00	-18.38	37.79	40.48	20.06	46.76	0.71	--	Peak	4	17895.00	45.38	54.00	-8.62	27.55	40.48	20.06	46.76	0.71	--	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11930.00	52.09	74.00	-21.91	34.61	38.64	16.37	40.36	0.50	--	Peak																																																																																																																																																														
2	11930.00	42.57	54.00	-11.43	25.09	38.64	16.37	40.36	0.50	--	Average																																																																																																																																																														
3	17895.00	55.46	74.00	-18.54	37.63	40.48	20.06	46.76	0.71	--	Peak																																																																																																																																																														
4	17895.00	45.66	54.00	-8.34	27.83	40.48	20.06	46.76	0.71	--	Average																																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																															
1	11930.00	53.02	74.00	-20.98	35.54	38.64	16.37	40.36	0.50	--	Peak																																																																																																																																																														
2	11930.00	42.56	54.00	-11.44	25.08	38.64	16.37	40.36	0.50	--	Average																																																																																																																																																														
3	17895.00	55.62	74.00	-18.38	37.79	40.48	20.06	46.76	0.71	--	Peak																																																																																																																																																														
4	17895.00	45.38	54.00	-8.62	27.55	40.48	20.06	46.76	0.71	--	Average																																																																																																																																																														



Mode	9	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE40_CH3_5965MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	10																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-5_5.925~6.425_802.11ax HE40_CH51_6205MHz																																																																																																																																																							
ANT	1 + 2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>34.76</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>43.60</td><td>54.00</td><td>-10.40</td><td>25.03</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>55.76</td><td>38.37</td><td>18.63</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.33	74.00	-20.67	34.76	39.24	16.75	40.22	0.47	--	--	Peak	2	12410.00	43.60	54.00	-10.40	25.03	39.24	16.75	40.22	0.47	--	--	Average	3	18615.00	38.56	74.00	-35.44	55.76	38.37	18.63	64.66	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>35.34</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12410.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>25.01</td><td>39.24</td><td>16.75</td><td>40.22</td><td>0.47</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18615.00</td><td>39.04</td><td>74.00</td><td>-34.96</td><td>56.24</td><td>38.37</td><td>18.63</td><td>64.66</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	53.91	74.00	-20.09	35.34	39.24	16.75	40.22	0.47	--	--	Peak	2	12410.00	43.58	54.00	-10.42	25.01	39.24	16.75	40.22	0.47	--	--	Average	3	18615.00	39.04	74.00	-34.96	56.24	38.37	18.63	64.66	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12410.00	53.33	74.00	-20.67	34.76	39.24	16.75	40.22	0.47	--	--	Peak																																																																																																																																												
2	12410.00	43.60	54.00	-10.40	25.03	39.24	16.75	40.22	0.47	--	--	Average																																																																																																																																												
3	18615.00	38.56	74.00	-35.44	55.76	38.37	18.63	64.66	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	12410.00	53.91	74.00	-20.09	35.34	39.24	16.75	40.22	0.47	--	--	Peak																																																																																																																																												
2	12410.00	43.58	54.00	-10.42	25.01	39.24	16.75	40.22	0.47	--	--	Average																																																																																																																																												
3	18615.00	39.04	74.00	-34.96	56.24	38.37	18.63	64.66	-9.54	--	--	Peak																																																																																																																																												



Mode	10	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE40_CH51_6205MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	11																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925~6.425_802.11ax HE40_CH91_6405MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>34.44</td><td>39.90</td><td>17.07</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.17</td><td>74.00</td><td>-34.83</td><td>55.00</td><td>30.20</td><td>18.95</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.66	88.20	-34.54	34.44	39.90	17.07	40.51	0.44	--	Peak	2	19215.00	39.17	74.00	-34.83	55.00	30.20	18.95	64.24	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.30</td><td>88.20</td><td>-34.90</td><td>34.00</td><td>39.90</td><td>17.07</td><td>40.51</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>39.15</td><td>74.00</td><td>-34.85</td><td>55.78</td><td>30.20</td><td>18.95</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.30	88.20	-34.90	34.00	39.90	17.07	40.51	0.44	--	Peak	2	19215.00	39.15	74.00	-34.85	55.78	30.20	18.95	64.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	53.66	88.20	-34.54	34.44	39.90	17.07	40.51	0.44	--	Peak																																																																																																					
2	19215.00	39.17	74.00	-34.83	55.00	30.20	18.95	64.24	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12810.00	53.30	88.20	-34.90	34.00	39.90	17.07	40.51	0.44	--	Peak																																																																																																					
2	19215.00	39.15	74.00	-34.85	55.78	30.20	18.95	64.24	-9.54	--	Peak																																																																																																					



Mode	11	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE40_CH91_6405MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	12																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz																																																																																																			
ANT	1 + 2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5869.16</td><td>53.56</td><td>88.20</td><td>-34.64</td><td>38.56</td><td>34.06</td><td>11.48</td><td>34.13</td><td>3.59</td><td>400</td><td>104</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5869.16	53.56	88.20	-34.64	38.56	34.06	11.48	34.13	3.59	400	104	Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>95.86</td><td>-----</td><td>-----</td><td>80.89</td><td>34.00</td><td>11.70</td><td>34.28</td><td>3.55</td><td>400</td><td>104</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	95.86	-----	-----	80.89	34.00	11.70	34.28	3.55	400	104	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5869.16	53.56	88.20	-34.64	38.56	34.06	11.48	34.13	3.59	400	104	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	95.86	-----	-----	80.89	34.00	11.70	34.28	3.55	400	104	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>30.72</td><td>34.00</td><td>11.59</td><td>34.20</td><td>3.57</td><td>400</td><td>104</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	45.68	68.20	-22.52	30.72	34.00	11.59	34.20	3.57	400	104	Average	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.59</td><td>-----</td><td>-----</td><td>73.62</td><td>34.00</td><td>11.70</td><td>34.28</td><td>3.55</td><td>400</td><td>104</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.59	-----	-----	73.62	34.00	11.70	34.28	3.55	400	104	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.20	45.68	68.20	-22.52	30.72	34.00	11.59	34.20	3.57	400	104	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	88.59	-----	-----	73.62	34.00	11.70	34.28	3.55	400	104	Average																																																																																								





Mode	12																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz																																																																																										
ANT	1 + 2																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5914.12	53.46	88.20	-34.74	38.51	34.00	11.57	34.19	3.57	300	135	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	98.92	-----	-----	83.95	34.00	11.69	34.27	3.55	300	135	Peak					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5914.12	53.46	88.20	-34.74	38.51	34.00	11.57	34.19	3.57	300	135	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	98.92	-----	-----	83.95	34.00	11.69	34.27	3.55	300	135	Peak																																																																															
Avg	Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto						Level (dBuV/m) Date: 2025-12-11 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5920.68	45.83	68.20	-22.37	30.88	34.00	11.58	34.20	3.57	300	135	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5985.00	91.24	-----	-----	76.27	34.00	11.70	34.28	3.55	300	135	Average					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5920.68	45.83	68.20	-22.37	30.88	34.00	11.58	34.20	3.57	300	135	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	91.24	-----	-----	76.27	34.00	11.70	34.28	3.55	300	135	Average																																																																															



	12																																																																																																																																																																																					
Mode	Harmonic																																																																																																																																																																																					
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz																																																																																																																																																																																					
ANT	1 + 2																																																																																																																																																																																					
Pol.	Horizontal							Vertical																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>52.62</td><td>74.00</td><td>-21.38</td><td></td><td>35.13</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td></td><td>25.95</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>56.47</td><td>74.00</td><td>-17.53</td><td></td><td>38.57</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td></td><td>29.58</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11970.00	52.62	74.00	-21.38		35.13	38.64	16.41	40.39	0.49	--	--	Peak	2	11970.00	43.44	54.00	-10.56		25.95	38.64	16.41	40.39	0.49	--	--	Average	3	17955.00	56.47	74.00	-17.53		38.57	40.50	20.09	46.77	0.71	--	--	Peak	4	17955.00	47.48	54.00	-6.52		29.58	40.50	20.09	46.77	0.71	--	--	Average	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11970.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td></td><td>35.50</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>11970.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td></td><td>25.94</td><td>38.64</td><td>16.41</td><td>40.39</td><td>0.49</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17955.00</td><td>56.45</td><td>74.00</td><td>-17.55</td><td></td><td>38.55</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17955.00</td><td>47.46</td><td>54.00</td><td>-6.54</td><td></td><td>29.56</td><td>40.50</td><td>20.09</td><td>46.77</td><td>0.71</td><td>--</td><td>--</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11970.00	52.99	74.00	-21.01		35.50	38.64	16.41	40.39	0.49	--	--	Peak	2	11970.00	43.43	54.00	-10.57		25.94	38.64	16.41	40.39	0.49	--	--	Average	3	17955.00	56.45	74.00	-17.55		38.55	40.50	20.09	46.77	0.71	--	--	Peak	4	17955.00	47.46	54.00	-6.54		29.56	40.50	20.09	46.77	0.71	--	--	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1	11970.00	52.62	74.00	-21.38		35.13	38.64	16.41	40.39	0.49	--	--	Peak																																																																																																																																																																									
2	11970.00	43.44	54.00	-10.56		25.95	38.64	16.41	40.39	0.49	--	--	Average																																																																																																																																																																									
3	17955.00	56.47	74.00	-17.53		38.57	40.50	20.09	46.77	0.71	--	--	Peak																																																																																																																																																																									
4	17955.00	47.48	54.00	-6.52		29.58	40.50	20.09	46.77	0.71	--	--	Average																																																																																																																																																																									
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																										
1	11970.00	52.99	74.00	-21.01		35.50	38.64	16.41	40.39	0.49	--	--	Peak																																																																																																																																																																									
2	11970.00	43.43	54.00	-10.57		25.94	38.64	16.41	40.39	0.49	--	--	Average																																																																																																																																																																									
3	17955.00	56.45	74.00	-17.55		38.55	40.50	20.09	46.77	0.71	--	--	Peak																																																																																																																																																																									
4	17955.00	47.46	54.00	-6.54		29.56	40.50	20.09	46.77	0.71	--	--	Average																																																																																																																																																																									



Mode	12	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE80_CH7_5985MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	13																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE80_CH55_6225MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>34.15</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>2 12450.00</td><td>43.40</td><td>54.00</td><td>-10.60</td><td>24.62</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>-- -- Average</td></tr><tr><td>3 18675.00</td><td>39.03</td><td>74.00</td><td>-34.97</td><td>56.15</td><td>38.35</td><td>18.66</td><td>64.59</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	52.93	74.00	-21.07	34.15	39.40	16.79	40.20	0.46	-- -- Peak	2 12450.00	43.40	54.00	-10.60	24.62	39.40	16.79	40.20	0.46	-- -- Average	3 18675.00	39.03	74.00	-34.97	56.15	38.35	18.66	64.59	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12450.00</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>34.45</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>-- -- Peak</td></tr><tr><td>2 12450.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>24.75</td><td>39.40</td><td>16.79</td><td>40.20</td><td>0.46</td><td>-- -- Average</td></tr><tr><td>3 18675.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>56.66</td><td>38.35</td><td>18.66</td><td>64.59</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12450.00	53.23	74.00	-20.77	34.45	39.40	16.79	40.20	0.46	-- -- Peak	2 12450.00	43.53	54.00	-10.47	24.75	39.40	16.79	40.20	0.46	-- -- Average	3 18675.00	39.54	74.00	-34.46	56.66	38.35	18.66	64.59	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12450.00	52.93	74.00	-21.07	34.15	39.40	16.79	40.20	0.46	-- -- Peak																																																																																																																	
2 12450.00	43.40	54.00	-10.60	24.62	39.40	16.79	40.20	0.46	-- -- Average																																																																																																																	
3 18675.00	39.03	74.00	-34.97	56.15	38.35	18.66	64.59	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12450.00	53.23	74.00	-20.77	34.45	39.40	16.79	40.20	0.46	-- -- Peak																																																																																																																	
2 12450.00	43.53	54.00	-10.47	24.75	39.40	16.79	40.20	0.46	-- -- Average																																																																																																																	
3 18675.00	39.54	74.00	-34.46	56.66	38.35	18.66	64.59	-9.54	-- -- Peak																																																																																																																	



Mode	13	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE80_CH55_6225MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	14																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925~6.425_802.11ax HE80_CH87_6385MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-19  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>34.04</td><td>39.84</td><td>17.04</td><td>40.47</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>55.70</td><td>38.29</td><td>18.92</td><td>64.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.21	88.20	-34.99	34.04	39.84	17.04	40.47	0.44	--	Peak	2	19155.00	39.14	74.00	-34.86	55.70	38.29	18.92	64.23	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>34.78</td><td>39.84</td><td>17.04</td><td>40.47</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19155.00</td><td>39.57</td><td>74.00</td><td>-34.43</td><td>56.13</td><td>38.29</td><td>18.92</td><td>64.23</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.95	88.20	-34.25	34.78	39.84	17.04	40.47	0.44	--	Peak	2	19155.00	39.57	74.00	-34.43	56.13	38.29	18.92	64.23	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	53.21	88.20	-34.99	34.04	39.84	17.04	40.47	0.44	--	Peak																																																																																																					
2	19155.00	39.14	74.00	-34.86	55.70	38.29	18.92	64.23	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	53.95	88.20	-34.25	34.78	39.84	17.04	40.47	0.44	--	Peak																																																																																																					
2	19155.00	39.57	74.00	-34.43	56.13	38.29	18.92	64.23	-9.54	--	Peak																																																																																																					



Mode	14	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE80_CH87_6385MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	15																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5917.00</td><td>55.75</td><td>88.20 -32.45</td><td>40.00</td><td>34.00</td><td>11.57</td><td>34.19</td><td>3.57</td><td>400</td><td>106 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5917.00	55.75	88.20 -32.45	40.00	34.00	11.57	34.19	3.57	400	106 Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>99.73</td><td>-----</td><td>84.67</td><td>34.10</td><td>11.74</td><td>34.33</td><td>3.55</td><td>400</td><td>106 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	99.73	-----	84.67	34.10	11.74	34.33	3.55	400	106 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5917.00	55.75	88.20 -32.45	40.00	34.00	11.57	34.19	3.57	400	106 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	99.73	-----	84.67	34.10	11.74	34.33	3.55	400	106 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5921.20</td><td>48.13</td><td>68.20 -20.07</td><td>33.18</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>400</td><td>106 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5921.20	48.13	68.20 -20.07	33.18	34.00	11.58	34.20	3.57	400	106 Average	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>91.03</td><td>-----</td><td>75.97</td><td>34.10</td><td>11.74</td><td>34.33</td><td>3.55</td><td>400</td><td>106 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	91.03	-----	75.97	34.10	11.74	34.33	3.55	400	106 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5921.20	48.13	68.20 -20.07	33.18	34.00	11.58	34.20	3.57	400	106 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 6025.00	91.03	-----	75.97	34.10	11.74	34.33	3.55	400	106 Average																																																																																	



Mode	15																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5921.20</td><td>57.34</td><td>88.20 -30.86</td><td>42.39</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>300</td><td>130 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5921.20	57.34	88.20 -30.86	42.39	34.00	11.58	34.20	3.57	300	130 Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>100.84</td><td>-----</td><td>85.71</td><td>34.19</td><td>11.74</td><td>34.35</td><td>3.55</td><td>300</td><td>130 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	100.84	-----	85.71	34.19	11.74	34.35	3.55	300	130 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5921.20	57.34	88.20 -30.86	42.39	34.00	11.58	34.20	3.57	300	130 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	100.84	-----	85.71	34.19	11.74	34.35	3.55	300	130 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5919.60</td><td>48.71</td><td>68.20 -19.49</td><td>33.76</td><td>34.00</td><td>11.58</td><td>34.20</td><td>3.57</td><td>300</td><td>130 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5919.60	48.71	68.20 -19.49	33.76	34.00	11.58	34.20	3.57	300	130 Average	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3.600kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 6025.00</td><td>92.56</td><td>-----</td><td>77.50</td><td>34.10</td><td>11.74</td><td>34.33</td><td>3.55</td><td>300</td><td>130 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 6025.00	92.56	-----	77.50	34.10	11.74	34.33	3.55	300	130 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 5919.60	48.71	68.20 -19.49	33.76	34.00	11.58	34.20	3.57	300	130 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 6025.00	92.56	-----	77.50	34.10	11.74	34.33	3.55	300	130 Average																																																																																	



Mode	15																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12050.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>35.70</td><td>38.80</td><td>16.47</td><td>40.40</td><td>0.49</td><td>-- -- Peak</td></tr><tr><td>2 12050.00</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>25.76</td><td>38.80</td><td>16.47</td><td>40.40</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18075.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>56.59</td><td>38.80</td><td>18.34</td><td>64.29</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12050.00	53.40	74.00	-20.60	35.70	38.80	16.47	40.40	0.49	-- -- Peak	2 12050.00	43.46	54.00	-10.54	25.76	38.80	16.47	40.40	0.49	-- -- Average	3 18075.00	39.10	74.00	-34.90	56.59	38.80	18.34	64.29	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-13 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12050.00</td><td>53.49</td><td>74.00</td><td>-20.51</td><td>35.79</td><td>38.80</td><td>16.47</td><td>40.40</td><td>0.49</td><td>-- -- Peak</td></tr><tr><td>2 12050.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>25.77</td><td>38.80</td><td>16.47</td><td>40.40</td><td>0.49</td><td>-- -- Average</td></tr><tr><td>3 18075.00</td><td>40.39</td><td>74.00</td><td>-33.61</td><td>57.88</td><td>38.80</td><td>18.34</td><td>64.29</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12050.00	53.49	74.00	-20.51	35.79	38.80	16.47	40.40	0.49	-- -- Peak	2 12050.00	43.47	54.00	-10.53	25.77	38.80	16.47	40.40	0.49	-- -- Average	3 18075.00	40.39	74.00	-33.61	57.88	38.80	18.34	64.29	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12050.00	53.40	74.00	-20.60	35.70	38.80	16.47	40.40	0.49	-- -- Peak																																																																																																																	
2 12050.00	43.46	54.00	-10.54	25.76	38.80	16.47	40.40	0.49	-- -- Average																																																																																																																	
3 18075.00	39.10	74.00	-34.90	56.59	38.80	18.34	64.29	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12050.00	53.49	74.00	-20.51	35.79	38.80	16.47	40.40	0.49	-- -- Peak																																																																																																																	
2 12050.00	43.47	54.00	-10.53	25.77	38.80	16.47	40.40	0.49	-- -- Average																																																																																																																	
3 18075.00	40.39	74.00	-33.61	57.88	38.80	18.34	64.29	-9.54	-- -- Peak																																																																																																																	



Mode	15	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE160_CH15_6025MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-13 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-13 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	16																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.925~6.425_802.11ax HE160_CH47_6185MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12370.00</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>36.19</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>44.42</td><td>54.00</td><td>-9.58</td><td>26.00</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>56.05</td><td>38.22</td><td>18.60</td><td>64.73</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	54.61	74.00	-19.39	36.19	39.14	16.72	40.24	0.47	-- -- Peak	2 12370.00	44.42	54.00	-9.58	26.00	39.14	16.72	40.24	0.47	-- -- Average	3 18555.00	39.40	74.00	-34.60	56.05	38.22	18.60	64.73	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12370.00</td><td>54.55</td><td>74.00</td><td>-19.45</td><td>36.13</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Peak</td></tr><tr><td>2 12370.00</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>25.91</td><td>39.14</td><td>16.72</td><td>40.24</td><td>0.47</td><td>-- -- Average</td></tr><tr><td>3 18555.00</td><td>39.01</td><td>74.00</td><td>-34.99</td><td>56.46</td><td>38.22</td><td>18.60</td><td>64.73</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12370.00	54.55	74.00	-19.45	36.13	39.14	16.72	40.24	0.47	-- -- Peak	2 12370.00	44.33	54.00	-9.67	25.91	39.14	16.72	40.24	0.47	-- -- Average	3 18555.00	39.01	74.00	-34.99	56.46	38.22	18.60	64.73	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	54.61	74.00	-19.39	36.19	39.14	16.72	40.24	0.47	-- -- Peak																																																																																																																	
2 12370.00	44.42	54.00	-9.58	26.00	39.14	16.72	40.24	0.47	-- -- Average																																																																																																																	
3 18555.00	39.40	74.00	-34.60	56.05	38.22	18.60	64.73	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 12370.00	54.55	74.00	-19.45	36.13	39.14	16.72	40.24	0.47	-- -- Peak																																																																																																																	
2 12370.00	44.33	54.00	-9.67	25.91	39.14	16.72	40.24	0.47	-- -- Average																																																																																																																	
3 18555.00	39.01	74.00	-34.99	56.46	38.22	18.60	64.73	-9.54	-- -- Peak																																																																																																																	



Mode	16	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE160_CH47_6185MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	17																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925~6.425_802.11ax HE160_CH79_6345MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>35.73</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>45.17</td><td>54.00</td><td>-8.83</td><td>26.00</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>56.04</td><td>38.33</td><td>18.86</td><td>64.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	54.90	74.00	-19.10	35.73	39.80	16.98	40.39	0.45	--	--	Peak	2	12690.00	45.17	54.00	-8.83	26.00	39.80	16.98	40.39	0.45	--	--	Average	3	19035.00	39.48	74.00	-34.52	56.04	38.33	18.86	64.21	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>35.55</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>12690.00</td><td>45.19</td><td>54.00</td><td>-8.81</td><td>26.02</td><td>39.80</td><td>16.98</td><td>40.39</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.59</td><td>74.00</td><td>-34.41</td><td>56.15</td><td>38.33</td><td>18.86</td><td>64.21</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	54.72	74.00	-19.28	35.55	39.80	16.98	40.39	0.45	--	--	Peak	2	12690.00	45.19	54.00	-8.81	26.02	39.80	16.98	40.39	0.45	--	--	Average	3	19035.00	39.59	74.00	-34.41	56.15	38.33	18.86	64.21	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12690.00	54.90	74.00	-19.10	35.73	39.80	16.98	40.39	0.45	--	--	Peak																																																																																																																																		
2	12690.00	45.17	54.00	-8.83	26.00	39.80	16.98	40.39	0.45	--	--	Average																																																																																																																																		
3	19035.00	39.48	74.00	-34.52	56.04	38.33	18.86	64.21	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	12690.00	54.72	74.00	-19.28	35.55	39.80	16.98	40.39	0.45	--	--	Peak																																																																																																																																		
2	12690.00	45.19	54.00	-8.81	26.02	39.80	16.98	40.39	0.45	--	--	Average																																																																																																																																		
3	19035.00	39.59	74.00	-34.41	56.15	38.33	18.86	64.21	-9.54	--	--	Peak																																																																																																																																		



Mode	17	
	Harmonic	
	U-NII-5_5.925~6.425_802.11ax HE160_CH79_6345MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	18																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425~6.525_802.11a_CH97_6435MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>54.62</td><td>88.20</td><td>-33.58</td><td>35.42</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>40.36</td><td>74.00</td><td>-33.64</td><td>56.97</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	54.62	88.20	-33.58	35.42	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	40.36	74.00	-33.64	56.97	38.20	18.99	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>34.43</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.84</td><td>74.00</td><td>-35.16</td><td>55.45</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.63	88.20	-34.57	34.43	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	38.84	74.00	-35.16	55.45	38.20	18.99	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	54.62	88.20	-33.58	35.42	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	40.36	74.00	-33.64	56.97	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	53.63	88.20	-34.57	34.43	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	38.84	74.00	-35.16	55.45	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															



Mode	18	
	Harmonic	
	U-NII-6_6.425~6.525_802.11a_CH97_6435MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	19																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425~6.525_802.11a_CH105_6475MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>55.83</td><td>88.20</td><td>-32.37</td><td>36.57</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.18</td><td>74.00</td><td>-35.82</td><td>54.76</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	55.83	88.20	-32.37	36.57	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	38.18	74.00	-35.82	54.76	38.20	19.05	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.96</td><td>88.20</td><td>-34.24</td><td>34.70</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.02</td><td>74.00</td><td>-35.98</td><td>54.60</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.96	88.20	-34.24	34.70	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	38.02	74.00	-35.98	54.60	38.20	19.05	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	55.83	88.20	-32.37	36.57	40.00	17.18	40.67	0.43	--	Peak																																																																																																															
2	19425.00	38.18	74.00	-35.82	54.76	38.20	19.05	64.29	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12950.00	53.96	88.20	-34.24	34.70	40.00	17.18	40.67	0.43	--	Peak																																																																																																															
2	19425.00	38.02	74.00	-35.98	54.60	38.20	19.05	64.29	-9.54	--	Peak																																																																																																															



Mode	19	
	Harmonic	
	U-NII-6_6.425~6.525_802.11a_CH105_6475MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	20																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11a_CH113_6515MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.91</td><td>88.20</td><td>-34.29</td><td>34.83</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>55.84</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.91	88.20	-34.29	34.83	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	39.25	74.00	-34.75	55.84	38.10	19.11	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.64</td><td>88.20</td><td>-34.56</td><td>34.56</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>55.53</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.64	88.20	-34.56	34.56	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	38.94	74.00	-35.06	55.53	38.10	19.11	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	53.91	88.20	-34.29	34.83	39.88	17.24	40.79	0.43	--	Peak																																																																																																					
2	19545.00	39.25	74.00	-34.75	55.84	38.10	19.11	64.26	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	53.64	88.20	-34.56	34.56	39.88	17.24	40.79	0.43	--	Peak																																																																																																					
2	19545.00	38.94	74.00	-35.06	55.53	38.10	19.11	64.26	-9.54	--	Peak																																																																																																					



Mode	20	
	Harmonic	
	U-NII-6_6.425~6.525_802.11a_CH113_6515MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	21																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425~6.525_802.11ax HE20_CH97_6435MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>54.31</td><td>88.20</td><td>-33.89</td><td>35.11</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>55.44</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	54.31	88.20	-33.89	35.11	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	38.83	74.00	-35.17	55.44	38.20	18.99	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>53.63</td><td>88.20</td><td>-34.57</td><td>34.43</td><td>39.90</td><td>17.12</td><td>40.58</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>39.26</td><td>74.00</td><td>-34.74</td><td>55.87</td><td>38.20</td><td>18.99</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	53.63	88.20	-34.57	34.43	39.90	17.12	40.58	0.44	--	Peak	2	19305.00	39.26	74.00	-34.74	55.87	38.20	18.99	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	54.31	88.20	-33.89	35.11	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	38.83	74.00	-35.17	55.44	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	12870.00	53.63	88.20	-34.57	34.43	39.90	17.12	40.58	0.44	--	Peak																																																																																																															
2	19305.00	39.26	74.00	-34.74	55.87	38.20	18.99	64.26	-9.54	--	Peak																																																																																																															



Mode	21	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE20_CH97_6435MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	22																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE20_CH105_6475MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.95</td><td>88.20</td><td>-34.25</td><td>34.69</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.33</td><td>74.00</td><td>-35.67</td><td>54.91</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.95	88.20	-34.25	34.69	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	38.33	74.00	-35.67	54.91	38.20	19.05	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>53.92</td><td>88.20</td><td>-34.28</td><td>34.66</td><td>40.00</td><td>17.18</td><td>40.67</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>38.07</td><td>74.00</td><td>-35.93</td><td>54.65</td><td>38.20</td><td>19.05</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	53.92	88.20	-34.28	34.66	40.00	17.18	40.67	0.43	--	Peak	2	19425.00	38.07	74.00	-35.93	54.65	38.20	19.05	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.95	88.20	-34.25	34.69	40.00	17.18	40.67	0.43	--	Peak																																																																																																					
2	19425.00	38.33	74.00	-35.67	54.91	38.20	19.05	64.29	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	53.92	88.20	-34.28	34.66	40.00	17.18	40.67	0.43	--	Peak																																																																																																					
2	19425.00	38.07	74.00	-35.93	54.65	38.20	19.05	64.29	-9.54	--	Peak																																																																																																					



Mode	22	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE20_CH105_6475MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	23																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE20_CH113_6515MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>55.52</td><td>88.20</td><td>-32.68</td><td>36.44</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>39.06</td><td>74.00</td><td>-34.94</td><td>55.65</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	55.52	88.20	-32.68	36.44	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	39.06	74.00	-34.94	55.65	38.10	19.11	64.26	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>34.67</td><td>39.88</td><td>17.24</td><td>40.79</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>38.81</td><td>74.00</td><td>-35.19</td><td>55.40</td><td>38.10</td><td>19.11</td><td>64.26</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	53.75	88.20	-34.45	34.67	39.88	17.24	40.79	0.43	--	Peak	2	19545.00	38.81	74.00	-35.19	55.40	38.10	19.11	64.26	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	55.52	88.20	-32.68	36.44	39.88	17.24	40.79	0.43	--	Peak																																																																																																					
2	19545.00	39.06	74.00	-34.94	55.65	38.10	19.11	64.26	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	53.75	88.20	-34.45	34.67	39.88	17.24	40.79	0.43	--	Peak																																																																																																					
2	19545.00	38.81	74.00	-35.19	55.40	38.10	19.11	64.26	-9.54	--	Peak																																																																																																					



Mode	23	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE20_CH113_6515MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	24																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE40_CH99_6445MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>35.16</td><td>39.90</td><td>17.13</td><td>40.60</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>55.38</td><td>38.20</td><td>19.00</td><td>64.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	54.35	88.20	-33.85	35.16	39.90	17.13	40.60	0.44	--	Peak	2	19335.00	38.77	74.00	-35.23	55.38	38.20	19.00	64.27	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12890.00</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>34.53</td><td>39.90</td><td>17.13</td><td>40.60</td><td>0.44</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>38.29</td><td>74.00</td><td>-35.71</td><td>54.90</td><td>38.20</td><td>19.00</td><td>64.27</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12890.00	53.72	88.20	-34.48	34.53	39.90	17.13	40.60	0.44	--	Peak	2	19335.00	38.29	74.00	-35.71	54.90	38.20	19.00	64.27	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	54.35	88.20	-33.85	35.16	39.90	17.13	40.60	0.44	--	Peak																																																																																																					
2	19335.00	38.77	74.00	-35.23	55.38	38.20	19.00	64.27	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12890.00	53.72	88.20	-34.48	34.53	39.90	17.13	40.60	0.44	--	Peak																																																																																																					
2	19335.00	38.29	74.00	-35.71	54.90	38.20	19.00	64.27	-9.54	--	Peak																																																																																																					





Mode	24	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE40_CH99_6445MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	25																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-6_6.425~6.525_802.11ax HE40_CH107_6485MHz																																																																																																																			
ANT	1 + 2																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>54.37</td><td>88.20</td><td>-33.83</td><td>35.11</td><td>40.00</td><td>17.20</td><td>40.69</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>39.15</td><td>74.00</td><td>-34.85</td><td>55.73</td><td>38.19</td><td>19.06</td><td>64.29</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	54.37	88.20	-33.83	35.11	40.00	17.20	40.69	0.43	--	--	Peak	2	19455.00	39.15	74.00	-34.85	55.73	38.19	19.06	64.29	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>55.01</td><td>88.20</td><td>-33.19</td><td>35.75</td><td>40.00</td><td>17.20</td><td>40.69</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19455.00</td><td>38.59</td><td>74.00</td><td>-35.41</td><td>55.17</td><td>38.19</td><td>19.06</td><td>64.29</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	55.01	88.20	-33.19	35.75	40.00	17.20	40.69	0.43	--	--	Peak	2	19455.00	38.59	74.00	-35.41	55.17	38.19	19.06	64.29	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12970.00	54.37	88.20	-33.83	35.11	40.00	17.20	40.69	0.43	--	--	Peak																																																																																																								
2	19455.00	39.15	74.00	-34.85	55.73	38.19	19.06	64.29	-9.54	--	--	Peak																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12970.00	55.01	88.20	-33.19	35.75	40.00	17.20	40.69	0.43	--	--	Peak																																																																																																								
2	19455.00	38.59	74.00	-35.41	55.17	38.19	19.06	64.29	-9.54	--	--	Peak																																																																																																								



Mode	25	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE40_CH107_6485MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16  AVG(UNII_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16  AVG(UNII_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	26																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425~6.525_802.11ax HE40_CH115_6525MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>53.69</td><td>88.20</td><td>-34.51</td><td>34.72</td><td>39.00</td><td>17.25</td><td>40.83</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>39.09</td><td>74.00</td><td>-34.91</td><td>55.65</td><td>38.10</td><td>19.12</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	53.69	88.20	-34.51	34.72	39.00	17.25	40.83	0.43	--	Peak	2	19575.00	39.09	74.00	-34.91	55.65	38.10	19.12	64.24	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>53.93</td><td>88.20</td><td>-34.27</td><td>34.96</td><td>39.00</td><td>17.25</td><td>40.83</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>39.23</td><td>74.00</td><td>-34.77</td><td>55.79</td><td>38.10</td><td>19.12</td><td>64.24</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	53.93	88.20	-34.27	34.96	39.00	17.25	40.83	0.43	--	Peak	2	19575.00	39.23	74.00	-34.77	55.79	38.10	19.12	64.24	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	53.69	88.20	-34.51	34.72	39.00	17.25	40.83	0.43	--	Peak																																																																																																					
2	19575.00	39.09	74.00	-34.91	55.65	38.10	19.12	64.24	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13050.00	53.93	88.20	-34.27	34.96	39.00	17.25	40.83	0.43	--	Peak																																																																																																					
2	19575.00	39.23	74.00	-34.77	55.79	38.10	19.12	64.24	-9.54	--	Peak																																																																																																					



Mode	26	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE40_CH115_6525MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	27																																																																																																													
	Harmonic																																																																																																													
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz																																																																																																													
ANT	1 + 2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.23</td><td>88.20</td><td>-33.97</td><td>35.00</td><td>39.96</td><td>17.16</td><td>40.64</td><td>0.43</td><td>-- Peak</td></tr><tr><td>2</td><td>19395.00</td><td>38.50</td><td>74.00</td><td>-35.50</td><td>55.09</td><td>38.20</td><td>19.03</td><td>64.28</td><td>-9.54</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.23	88.20	-33.97	35.00	39.96	17.16	40.64	0.43	-- Peak	2	19395.00	38.50	74.00	-35.50	55.09	38.20	19.03	64.28	-9.54	-- Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12930.00</td><td>54.14</td><td>88.20</td><td>-34.06</td><td>34.91</td><td>39.96</td><td>17.16</td><td>40.64</td><td>0.43</td><td>-- Peak</td></tr><tr><td>2</td><td>19395.00</td><td>39.43</td><td>74.00</td><td>-34.57</td><td>56.02</td><td>38.20</td><td>19.03</td><td>64.28</td><td>-9.54</td><td>-- Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12930.00	54.14	88.20	-34.06	34.91	39.96	17.16	40.64	0.43	-- Peak	2	19395.00	39.43	74.00	-34.57	56.02	38.20	19.03	64.28	-9.54	-- Peak
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	12930.00	54.23	88.20	-33.97	35.00	39.96	17.16	40.64	0.43	-- Peak																																																																																																				
2	19395.00	38.50	74.00	-35.50	55.09	38.20	19.03	64.28	-9.54	-- Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	12930.00	54.14	88.20	-34.06	34.91	39.96	17.16	40.64	0.43	-- Peak																																																																																																				
2	19395.00	39.43	74.00	-34.57	56.02	38.20	19.03	64.28	-9.54	-- Peak																																																																																																				



Mode	27	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE80_CH103_6465MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	28																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-6_6.425~6.525_802.11ax HE160_CH111_6505MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-16  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.65</td><td>88.20</td><td>-33.55</td><td>35.45</td><td>39.96</td><td>17.23</td><td>40.74</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>39.38</td><td>74.00</td><td>-34.62</td><td>56.02</td><td>30.10</td><td>19.09</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.65	88.20	-33.55	35.45	39.96	17.23	40.74	0.43	--	Peak	2	19515.00	39.38	74.00	-34.62	56.02	30.10	19.09	64.29	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13010.00</td><td>54.70</td><td>88.20</td><td>-33.50</td><td>35.50</td><td>39.96</td><td>17.23</td><td>40.74</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19515.00</td><td>38.76</td><td>74.00</td><td>-35.24</td><td>55.40</td><td>30.10</td><td>19.09</td><td>64.29</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13010.00	54.70	88.20	-33.50	35.50	39.96	17.23	40.74	0.43	--	Peak	2	19515.00	38.76	74.00	-35.24	55.40	30.10	19.09	64.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13010.00	54.65	88.20	-33.55	35.45	39.96	17.23	40.74	0.43	--	Peak																																																																																																															
2	19515.00	39.38	74.00	-34.62	56.02	30.10	19.09	64.29	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13010.00	54.70	88.20	-33.50	35.50	39.96	17.23	40.74	0.43	--	Peak																																																																																																															
2	19515.00	38.76	74.00	-35.24	55.40	30.10	19.09	64.29	-9.54	--	Peak																																																																																																															



Mode	28	
	Harmonic	
	U-NII-6_6.425~6.525_802.11ax HE160_CH111_6505MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	29																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>34.77</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>56.34</td><td>30.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.71	88.20	-34.49	34.77	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	39.82	74.00	-34.18	56.34	30.10	19.14	64.22	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-16 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.90</td><td>88.20</td><td>-34.22</td><td>35.04</td><td>39.00</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>55.42</td><td>30.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.90	88.20	-34.22	35.04	39.00	17.26	40.87	0.43	--	Peak	2	19605.00	38.90	74.00	-35.10	55.42	30.10	19.14	64.22	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	53.71	88.20	-34.49	34.77	39.00	17.26	40.87	0.43	--	Peak																																																																																																					
2	19605.00	39.82	74.00	-34.18	56.34	30.10	19.14	64.22	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	53.90	88.20	-34.22	35.04	39.00	17.26	40.87	0.43	--	Peak																																																																																																					
2	19605.00	38.90	74.00	-35.10	55.42	30.10	19.14	64.22	-9.54	--	Peak																																																																																																					



Mode	29	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	30																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																							
ANT	1 + 2																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-12-21 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>20085.00</td><td>38.48</td><td>74.00</td><td>-35.52</td><td>54.51</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	20085.00	38.48	74.00	-35.52	54.51	38.00	19.39	63.88	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-21 Site : 03CH23-HY Condition: PEAK(UNII)_6E 1m BBHA9170_1225_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>20085.00</td><td>39.20</td><td>74.00</td><td>-34.80</td><td>55.23</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	20085.00	39.20	74.00	-34.80	55.23	38.00	19.39	63.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	20085.00	38.48	74.00	-35.52	54.51	38.00	19.39	63.88	-9.54	--	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	20085.00	39.20	74.00	-34.80	55.23	38.00	19.39	63.88	-9.54	--	Peak																																																																													



Mode	30	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-16 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	31																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																																																																																																					
ANT	1 + 2																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13710.00</td><td>54.61</td><td>88.20</td><td>-33.59</td><td>36.26</td><td>40.22</td><td>17.65</td><td>42.22</td><td>0.39</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18000.00</td><td>55.67</td><td>74.00</td><td>-18.33</td><td>37.72</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>200</td><td>230</td><td>Peak</td></tr><tr><td>3</td><td>20565.00</td><td>39.53</td><td>74.00</td><td>-34.47</td><td>55.00</td><td>38.10</td><td>19.71</td><td>63.74</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	13710.00	54.61	88.20	-33.59	36.26	40.22	17.65	42.22	0.39	--	--	Peak	2	18000.00	55.67	74.00	-18.33	37.72	40.50	20.12	46.77	0.71	200	230	Peak	3	20565.00	39.53	74.00	-34.47	55.00	38.10	19.71	63.74	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>13710.00</td><td>55.60</td><td>88.20</td><td>-32.60</td><td>37.25</td><td>40.22</td><td>17.65</td><td>42.22</td><td>0.39</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18000.00</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>37.28</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>200</td><td>133</td><td>Peak</td></tr><tr><td>3</td><td>20565.00</td><td>38.83</td><td>74.00</td><td>-35.17</td><td>54.30</td><td>38.10</td><td>19.71</td><td>63.74</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	13710.00	55.60	88.20	-32.60	37.25	40.22	17.65	42.22	0.39	--	--	Peak	2	18000.00	55.23	74.00	-18.77	37.28	40.50	20.12	46.77	0.71	200	133	Peak	3	20565.00	38.83	74.00	-35.17	54.30	38.10	19.71	63.74	-9.54	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	13710.00	54.61	88.20	-33.59	36.26	40.22	17.65	42.22	0.39	--	--	Peak																																																																																																																																																										
2	18000.00	55.67	74.00	-18.33	37.72	40.50	20.12	46.77	0.71	200	230	Peak																																																																																																																																																										
3	20565.00	39.53	74.00	-34.47	55.00	38.10	19.71	63.74	-9.54	--	--	Peak																																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	13710.00	55.60	88.20	-32.60	37.25	40.22	17.65	42.22	0.39	--	--	Peak																																																																																																																																																										
2	18000.00	55.23	74.00	-18.77	37.28	40.50	20.12	46.77	0.71	200	133	Peak																																																																																																																																																										
3	20565.00	38.83	74.00	-35.17	54.30	38.10	19.71	63.74	-9.54	--	--	Peak																																																																																																																																																										



Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 AVG(UNII_6E) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	32																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz																																																																																																																																																							
ANT	1 + 2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.38</td><td>88.20</td><td>-34.82</td><td>34.44</td><td>39.80</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18000.00</td><td>55.69</td><td>74.00</td><td>-18.31</td><td>37.74</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>400</td><td>357</td><td>Peak</td></tr><tr><td>3</td><td>19605.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>55.27</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.38	88.20	-34.82	34.44	39.80	17.26	40.87	0.43	--	--	Peak	2	18000.00	55.69	74.00	-18.31	37.74	40.50	20.12	46.77	0.71	400	357	Peak	3	19605.00	38.75	74.00	-35.25	55.27	38.10	19.14	64.22	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>34.42</td><td>39.80</td><td>17.26</td><td>40.87</td><td>0.43</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18000.00</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>38.14</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>200</td><td>0</td><td>Peak</td></tr><tr><td>3</td><td>19605.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>56.00</td><td>38.10</td><td>19.14</td><td>64.22</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	53.36	88.20	-34.84	34.42	39.80	17.26	40.87	0.43	--	--	Peak	2	18000.00	56.09	74.00	-17.91	38.14	40.50	20.12	46.77	0.71	200	0	Peak	3	19605.00	39.48	74.00	-34.52	56.00	38.10	19.14	64.22	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13070.00	53.38	88.20	-34.82	34.44	39.80	17.26	40.87	0.43	--	--	Peak																																																																																																																																												
2	18000.00	55.69	74.00	-18.31	37.74	40.50	20.12	46.77	0.71	400	357	Peak																																																																																																																																												
3	19605.00	38.75	74.00	-35.25	55.27	38.10	19.14	64.22	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13070.00	53.36	88.20	-34.84	34.42	39.80	17.26	40.87	0.43	--	--	Peak																																																																																																																																												
2	18000.00	56.09	74.00	-17.91	38.14	40.50	20.12	46.77	0.71	200	0	Peak																																																																																																																																												
3	19605.00	39.48	74.00	-34.52	56.00	38.10	19.14	64.22	-9.54	--	--	Peak																																																																																																																																												



Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	33																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz																																																																																																																																							
ANT	1 + 2																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>35.56</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>25.78</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>38.25</td><td>74.00</td><td>-35.75</td><td>54.28</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.26	74.00	-19.74	35.56	40.10	17.46	41.58	0.41	--	Peak	2	13390.00	44.48	54.00	-9.52	25.78	40.10	17.46	41.58	0.41	--	Average	3	20085.00	38.25	74.00	-35.75	54.28	38.00	19.39	63.88	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>35.60</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13390.00</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>25.76</td><td>40.10</td><td>17.46</td><td>41.58</td><td>0.41</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20085.00</td><td>38.76</td><td>74.00</td><td>-35.24</td><td>54.79</td><td>38.00</td><td>19.39</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	54.30	74.00	-19.70	35.60	40.10	17.46	41.58	0.41	--	Peak	2	13390.00	44.46	54.00	-9.54	25.76	40.10	17.46	41.58	0.41	--	Average	3	20085.00	38.76	74.00	-35.24	54.79	38.00	19.39	63.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13390.00	54.26	74.00	-19.74	35.56	40.10	17.46	41.58	0.41	--	Peak																																																																																																																													
2	13390.00	44.48	54.00	-9.52	25.78	40.10	17.46	41.58	0.41	--	Average																																																																																																																													
3	20085.00	38.25	74.00	-35.75	54.28	38.00	19.39	63.88	-9.54	--	Peak																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	13390.00	54.30	74.00	-19.70	35.60	40.10	17.46	41.58	0.41	--	Peak																																																																																																																													
2	13390.00	44.46	54.00	-9.54	25.76	40.10	17.46	41.58	0.41	--	Average																																																																																																																													
3	20085.00	38.76	74.00	-35.24	54.79	38.00	19.39	63.88	-9.54	--	Peak																																																																																																																													



Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	34																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13710.00</td><td>54.92</td><td>88.20 -33.28</td><td>36.57</td><td>40.22</td><td>17.65</td><td>42.22</td><td>0.39</td><td>--</td><td>-- Peak</td></tr><tr><td>2 18000.00</td><td>55.65</td><td>74.00 -18.35</td><td>37.70</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>200</td><td>230 Peak</td></tr><tr><td>3 20565.00</td><td>38.34</td><td>74.00 -35.66</td><td>53.81</td><td>38.10</td><td>19.71</td><td>63.74</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13710.00	54.92	88.20 -33.28	36.57	40.22	17.65	42.22	0.39	--	-- Peak	2 18000.00	55.65	74.00 -18.35	37.70	40.50	20.12	46.77	0.71	200	230 Peak	3 20565.00	38.34	74.00 -35.66	53.81	38.10	19.71	63.74	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13710.00</td><td>54.90</td><td>88.20 -33.30</td><td>36.55</td><td>40.22</td><td>17.65</td><td>42.22</td><td>0.39</td><td>--</td><td>-- Peak</td></tr><tr><td>2 18000.00</td><td>55.83</td><td>74.00 -18.17</td><td>37.88</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>300</td><td>0 Peak</td></tr><tr><td>3 20565.00</td><td>40.54</td><td>74.00 -33.46</td><td>56.01</td><td>38.10</td><td>19.71</td><td>63.74</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13710.00	54.90	88.20 -33.30	36.55	40.22	17.65	42.22	0.39	--	-- Peak	2 18000.00	55.83	74.00 -18.17	37.88	40.50	20.12	46.77	0.71	300	0 Peak	3 20565.00	40.54	74.00 -33.46	56.01	38.10	19.71	63.74	-9.54	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13710.00	54.92	88.20 -33.28	36.57	40.22	17.65	42.22	0.39	--	-- Peak																																																																																																																	
2 18000.00	55.65	74.00 -18.35	37.70	40.50	20.12	46.77	0.71	200	230 Peak																																																																																																																	
3 20565.00	38.34	74.00 -35.66	53.81	38.10	19.71	63.74	-9.54	--	-- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13710.00	54.90	88.20 -33.30	36.55	40.22	17.65	42.22	0.39	--	-- Peak																																																																																																																	
2 18000.00	55.83	74.00 -18.17	37.88	40.50	20.12	46.77	0.71	300	0 Peak																																																																																																																	
3 20565.00	40.54	74.00 -33.46	56.01	38.10	19.71	63.74	-9.54	--	-- Peak																																																																																																																	



Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	35																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz																																																																																																																																													
ANT	1 + 2																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-12-19  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>53.83</td><td>88.20</td><td>-34.37</td><td>34.94</td><td>39.86</td><td>17.30</td><td>41.01</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18000.00</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>37.09</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>400</td><td>23</td><td>Peak</td></tr><tr><td>3</td><td>19695.00</td><td>39.38</td><td>74.00</td><td>-34.62</td><td>55.78</td><td>38.10</td><td>19.18</td><td>64.14</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	53.83	88.20	-34.37	34.94	39.86	17.30	41.01	0.42	--	--	Peak	2	18000.00	55.84	74.00	-18.16	37.09	40.50	20.12	46.77	0.71	400	23	Peak	3	19695.00	39.38	74.00	-34.62	55.78	38.10	19.18	64.14	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-19  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>35.58</td><td>39.86</td><td>17.30</td><td>41.01</td><td>0.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18000.00</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>37.90</td><td>40.50</td><td>20.12</td><td>46.77</td><td>0.71</td><td>200</td><td>348</td><td>Peak</td></tr><tr><td>3</td><td>19695.00</td><td>39.52</td><td>74.00</td><td>-34.48</td><td>55.92</td><td>38.10</td><td>19.18</td><td>64.14</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	54.47	88.20	-33.73	35.58	39.86	17.30	41.01	0.42	--	--	Peak	2	18000.00	55.85	74.00	-18.15	37.90	40.50	20.12	46.77	0.71	200	348	Peak	3	19695.00	39.52	74.00	-34.48	55.92	38.10	19.18	64.14	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13130.00	53.83	88.20	-34.37	34.94	39.86	17.30	41.01	0.42	--	--	Peak																																																																																																																																		
2	18000.00	55.84	74.00	-18.16	37.09	40.50	20.12	46.77	0.71	400	23	Peak																																																																																																																																		
3	19695.00	39.38	74.00	-34.62	55.78	38.10	19.18	64.14	-9.54	--	--	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	13130.00	54.47	88.20	-33.73	35.58	39.86	17.30	41.01	0.42	--	--	Peak																																																																																																																																		
2	18000.00	55.85	74.00	-18.15	37.90	40.50	20.12	46.77	0.71	200	348	Peak																																																																																																																																		
3	19695.00	39.52	74.00	-34.48	55.92	38.10	19.18	64.14	-9.54	--	--	Peak																																																																																																																																		



Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



		36									
Mode		Harmonic									
		U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz									
ANT		1 + 2									
Pol.		Horizontal					Vertical				
Peak Avg											



Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	37																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>55.23</td><td>88.20</td><td>-32.97</td><td>36.89</td><td>40.18</td><td>17.64</td><td>42.18</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>38.95</td><td>74.00</td><td>-35.05</td><td>54.46</td><td>38.10</td><td>19.69</td><td>63.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	55.23	88.20	-32.97	36.89	40.18	17.64	42.18	0.39	--	Peak	2	20535.00	38.95	74.00	-35.05	54.46	38.10	19.69	63.76	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13690.00</td><td>55.13</td><td>88.20</td><td>-33.07</td><td>36.79</td><td>40.18</td><td>17.64</td><td>42.18</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20535.00</td><td>38.87</td><td>74.00</td><td>-35.13</td><td>54.38</td><td>38.10</td><td>19.69</td><td>63.76</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	55.13	88.20	-33.07	36.79	40.18	17.64	42.18	0.39	--	Peak	2	20535.00	38.87	74.00	-35.13	54.38	38.10	19.69	63.76	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13690.00	55.23	88.20	-32.97	36.89	40.18	17.64	42.18	0.39	--	Peak																																																																																																															
2	20535.00	38.95	74.00	-35.05	54.46	38.10	19.69	63.76	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13690.00	55.13	88.20	-33.07	36.79	40.18	17.64	42.18	0.39	--	Peak																																																																																																															
2	20535.00	38.87	74.00	-35.13	54.38	38.10	19.69	63.76	-9.54	--	Peak																																																																																																															



Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



	38																																																																																																																									
Mode	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>35.68</td><td>40.00</td><td>17.37</td><td>41.27</td><td>0.42</td><td>-- -- Peak</td></tr><tr><td>2 13250.00</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>26.25</td><td>40.00</td><td>17.37</td><td>41.27</td><td>0.42</td><td>-- -- Average</td></tr><tr><td>3 19875.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>54.73</td><td>38.10</td><td>19.27</td><td>64.00</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	54.52	74.00	-19.48	35.68	40.00	17.37	41.27	0.42	-- -- Peak	2 13250.00	45.09	54.00	-8.91	26.25	40.00	17.37	41.27	0.42	-- -- Average	3 19875.00	38.56	74.00	-35.44	54.73	38.10	19.27	64.00	-9.54	-- -- Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13250.00</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>35.43</td><td>40.00</td><td>17.37</td><td>41.27</td><td>0.42</td><td>-- -- Peak</td></tr><tr><td>2 13250.00</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>26.16</td><td>40.00</td><td>17.37</td><td>41.27</td><td>0.42</td><td>-- -- Average</td></tr><tr><td>3 19875.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>55.07</td><td>38.10</td><td>19.27</td><td>64.00</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13250.00	54.27	74.00	-19.73	35.43	40.00	17.37	41.27	0.42	-- -- Peak	2 13250.00	45.00	54.00	-9.00	26.16	40.00	17.37	41.27	0.42	-- -- Average	3 19875.00	38.90	74.00	-35.10	55.07	38.10	19.27	64.00	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	54.52	74.00	-19.48	35.68	40.00	17.37	41.27	0.42	-- -- Peak																																																																																																																	
2 13250.00	45.09	54.00	-8.91	26.25	40.00	17.37	41.27	0.42	-- -- Average																																																																																																																	
3 19875.00	38.56	74.00	-35.44	54.73	38.10	19.27	64.00	-9.54	-- -- Peak																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 13250.00	54.27	74.00	-19.73	35.43	40.00	17.37	41.27	0.42	-- -- Peak																																																																																																																	
2 13250.00	45.00	54.00	-9.00	26.16	40.00	17.37	41.27	0.42	-- -- Average																																																																																																																	
3 19875.00	38.90	74.00	-35.10	55.07	38.10	19.27	64.00	-9.54	-- -- Peak																																																																																																																	



Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	39																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.12</td><td>88.20</td><td>-34.08</td><td>35.47</td><td>40.00</td><td>17.47</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>38.30</td><td>74.00</td><td>-35.70</td><td>54.31</td><td>38.00</td><td>19.41</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.12	88.20	-34.08	35.47	40.00	17.47	41.62	0.41	--	Peak	2	20115.00	38.30	74.00	-35.70	54.31	38.00	19.41	63.88	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>54.68</td><td>88.20</td><td>-33.52</td><td>36.03</td><td>40.00</td><td>17.47</td><td>41.62</td><td>0.41</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20115.00</td><td>39.08</td><td>74.00</td><td>-34.92</td><td>55.09</td><td>38.00</td><td>19.41</td><td>63.88</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	54.68	88.20	-33.52	36.03	40.00	17.47	41.62	0.41	--	Peak	2	20115.00	39.08	74.00	-34.92	55.09	38.00	19.41	63.88	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.12	88.20	-34.08	35.47	40.00	17.47	41.62	0.41	--	Peak																																																																																																															
2	20115.00	38.30	74.00	-35.70	54.31	38.00	19.41	63.88	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13410.00	54.68	88.20	-33.52	36.03	40.00	17.47	41.62	0.41	--	Peak																																																																																																															
2	20115.00	39.08	74.00	-34.92	55.09	38.00	19.41	63.88	-9.54	--	Peak																																																																																																															



Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	40																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>54.90</td><td>88.20</td><td>-33.30</td><td>36.53</td><td>40.04</td><td>17.57</td><td>41.95</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>38.96</td><td>74.00</td><td>-35.04</td><td>54.76</td><td>38.00</td><td>19.57</td><td>63.83</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	54.90	88.20	-33.30	36.53	40.04	17.57	41.95	0.40	--	Peak	2	20355.00	38.96	74.00	-35.04	54.76	38.00	19.57	63.83	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>55.39</td><td>88.20</td><td>-32.81</td><td>37.02</td><td>40.04</td><td>17.57</td><td>41.95</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20355.00</td><td>39.30</td><td>74.00</td><td>-34.70</td><td>55.10</td><td>38.00</td><td>19.57</td><td>63.83</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	55.39	88.20	-32.81	37.02	40.04	17.57	41.95	0.40	--	Peak	2	20355.00	39.30	74.00	-34.70	55.10	38.00	19.57	63.83	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13570.00	54.90	88.20	-33.30	36.53	40.04	17.57	41.95	0.40	--	Peak																																																																																																															
2	20355.00	38.96	74.00	-35.04	54.76	38.00	19.57	63.83	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13570.00	55.39	88.20	-32.81	37.02	40.04	17.57	41.95	0.40	--	Peak																																																																																																															
2	20355.00	39.30	74.00	-34.70	55.10	38.00	19.57	63.83	-9.54	--	Peak																																																																																																															



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	41																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz																																																																																																																																																							
ANT	1 + 2																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13330.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>36.11</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>26.47</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>40.16</td><td>74.00</td><td>-33.84</td><td>56.27</td><td>38.00</td><td>19.33</td><td>63.90</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	54.90	74.00	-19.10	36.11	40.10	17.42	41.45	0.41	--	--	Peak	2	13330.00	45.26	54.00	-8.74	26.47	40.10	17.42	41.45	0.41	--	--	Average	3	19995.00	40.16	74.00	-33.84	56.27	38.00	19.33	63.90	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13330.00</td><td>54.83</td><td>74.00</td><td>-19.17</td><td>36.04</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>13330.00</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>26.48</td><td>40.10</td><td>17.42</td><td>41.45</td><td>0.41</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19995.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>55.25</td><td>38.00</td><td>19.33</td><td>63.90</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	54.83	74.00	-19.17	36.04	40.10	17.42	41.45	0.41	--	--	Peak	2	13330.00	45.27	54.00	-8.73	26.48	40.10	17.42	41.45	0.41	--	--	Average	3	19995.00	39.14	74.00	-34.86	55.25	38.00	19.33	63.90	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13330.00	54.90	74.00	-19.10	36.11	40.10	17.42	41.45	0.41	--	--	Peak																																																																																																																																												
2	13330.00	45.26	54.00	-8.74	26.47	40.10	17.42	41.45	0.41	--	--	Average																																																																																																																																												
3	19995.00	40.16	74.00	-33.84	56.27	38.00	19.33	63.90	-9.54	--	--	Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																														
1	13330.00	54.83	74.00	-19.17	36.04	40.10	17.42	41.45	0.41	--	--	Peak																																																																																																																																												
2	13330.00	45.27	54.00	-8.73	26.48	40.10	17.42	41.45	0.41	--	--	Average																																																																																																																																												
3	19995.00	39.14	74.00	-34.86	55.25	38.00	19.33	63.90	-9.54	--	--	Peak																																																																																																																																												





Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	42																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_6825MHz																																																																																																																								
ANT	1 + 2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>56.37</td><td>88.20</td><td>-31.83</td><td>38.06</td><td>40.10</td><td>17.62</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.56</td><td>74.00</td><td>-34.44</td><td>55.16</td><td>38.10</td><td>19.65</td><td>63.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	56.37	88.20	-31.83	38.06	40.10	17.62	42.11	0.39	--	Peak	2	20475.00	39.56	74.00	-34.44	55.16	38.10	19.65	63.81	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>55.65</td><td>88.20</td><td>-32.55</td><td>37.34</td><td>40.10</td><td>17.62</td><td>42.11</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20475.00</td><td>39.14</td><td>74.00</td><td>-34.86</td><td>54.74</td><td>38.10</td><td>19.65</td><td>63.81</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	55.65	88.20	-32.55	37.34	40.10	17.62	42.11	0.39	--	Peak	2	20475.00	39.14	74.00	-34.86	54.74	38.10	19.65	63.81	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13650.00	56.37	88.20	-31.83	38.06	40.10	17.62	42.11	0.39	--	Peak																																																																																																														
2	20475.00	39.56	74.00	-34.44	55.16	38.10	19.65	63.81	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13650.00	55.65	88.20	-32.55	37.34	40.10	17.62	42.11	0.39	--	Peak																																																																																																														
2	20475.00	39.14	74.00	-34.86	54.74	38.10	19.65	63.81	-9.54	--	Peak																																																																																																														



Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_6825MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19  Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	43																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																																																															
ANT	1 + 2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>55.38</td><td>88.20</td><td>-32.82</td><td>37.00</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>54.58</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	55.38	88.20	-32.82	37.00	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	39.32	74.00	-34.68	54.58	38.10	19.79	63.61	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-19 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.16</td><td>88.20</td><td>-34.04</td><td>35.78</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.99</td><td>74.00</td><td>-35.01</td><td>54.25</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.16	88.20	-34.04	35.78	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	38.99	74.00	-35.01	54.25	38.10	19.79	63.61	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	55.38	88.20	-32.82	37.00	40.38	17.70	42.38	0.38	--	Peak																																																																																																					
2	20685.00	39.32	74.00	-34.68	54.58	38.10	19.79	63.61	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13790.00	54.16	88.20	-34.04	35.78	40.38	17.70	42.38	0.38	--	Peak																																																																																																					
2	20685.00	38.99	74.00	-35.01	54.25	38.10	19.79	63.61	-9.54	--	Peak																																																																																																					



Mode	43	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-19 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	44																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>55.40</td><td>88.20</td><td>-32.80</td><td>36.87</td><td>40.80</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>53.86</td><td>38.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	55.40	88.20	-32.80	36.87	40.80	17.82	42.76	0.37	--	Peak	2	20905.00	39.10	74.00	-34.90	53.86	38.10	19.99	63.31	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>55.14</td><td>88.20</td><td>-33.06</td><td>36.61</td><td>40.80</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>38.66</td><td>74.00</td><td>-35.34</td><td>53.42</td><td>38.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	55.14	88.20	-33.06	36.61	40.80	17.82	42.76	0.37	--	Peak	2	20905.00	38.66	74.00	-35.34	53.42	38.10	19.99	63.31	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	55.40	88.20	-32.80	36.87	40.80	17.82	42.76	0.37	--	Peak																																																																																																															
2	20905.00	39.10	74.00	-34.90	53.86	38.10	19.99	63.31	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	55.14	88.20	-33.06	36.61	40.80	17.82	42.76	0.37	--	Peak																																																																																																															
2	20905.00	38.66	74.00	-35.34	53.42	38.10	19.99	63.31	-9.54	--	Peak																																																																																																															



Mode	44	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 10600 12080 13560 15040 16520 18000 Frequency (MHz) AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	45																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7125.01</td><td>70.24</td><td>88.20</td><td>-17.96</td><td>52.71</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>115</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7125.01	70.24	88.20	-17.96	52.71	36.65	12.60	35.52	3.00	400	115	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7115.00</td><td>95.19</td><td>-----</td><td>-----</td><td>77.71</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>400</td><td>115</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7115.00	95.19	-----	-----	77.71	36.62	12.58	35.51	3.79	400	115	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7125.01	70.24	88.20	-17.96	52.71	36.65	12.60	35.52	3.00	400	115	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7115.00	95.19	-----	-----	77.71	36.62	12.58	35.51	3.79	400	115	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7125.01</td><td>59.01</td><td>68.20</td><td>-9.19</td><td>41.48</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>115</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7125.01	59.01	68.20	-9.19	41.48	36.65	12.60	35.52	3.00	400	115	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>7115.00</td><td>88.57</td><td>-----</td><td>-----</td><td>71.09</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>400</td><td>115</td><td>Average</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1	7115.00	88.57	-----	-----	71.09	36.62	12.58	35.51	3.79	400	115	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7125.01	59.01	68.20	-9.19	41.48	36.65	12.60	35.52	3.00	400	115	Average																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																										
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																										
1	7115.00	88.57	-----	-----	71.09	36.62	12.58	35.51	3.79	400	115	Average																																																																														



Mode	45																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.27</td><td>74.77</td><td>88.20</td><td>-13.43</td><td>57.24</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>259</td><td>137</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.27	74.77	88.20	-13.43	57.24	36.65	12.60	35.52	3.00	259	137	Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>99.12</td><td>-----</td><td>-----</td><td>81.64</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>259</td><td>137</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	99.12	-----	-----	81.64	36.62	12.58	35.51	3.79	259	137	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7125.27	74.77	88.20	-13.43	57.24	36.65	12.60	35.52	3.00	259	137	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7115.00	99.12	-----	-----	81.64	36.62	12.58	35.51	3.79	259	137	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.01</td><td>65.13</td><td>68.20</td><td>-3.07</td><td>47.60</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>259</td><td>137</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.01	65.13	68.20	-3.07	47.60	36.65	12.60	35.52	3.00	259	137	Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:0.750kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>92.42</td><td>-----</td><td>-----</td><td>74.94</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>259</td><td>137</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	92.42	-----	-----	74.94	36.62	12.58	35.51	3.79	259	137	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7125.01	65.13	68.20	-3.07	47.60	36.65	12.60	35.52	3.00	259	137	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	7115.00	92.42	-----	-----	74.94	36.62	12.58	35.51	3.79	259	137	Average																																																																														



Mode	45																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.24</td><td>88.20</td><td>-32.96</td><td>36.56</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.94</td><td>74.00</td><td>-34.06</td><td>54.49</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.24	88.20	-32.96	36.56	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	39.94	74.00	-34.06	54.49	38.20	20.16	63.37	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.74</td><td>88.20</td><td>-32.46</td><td>37.06</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>39.61</td><td>74.00</td><td>-34.39</td><td>54.16</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.74	88.20	-32.46	37.06	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	39.61	74.00	-34.39	54.16	38.20	20.16	63.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.24	88.20	-32.96	36.56	41.14	17.93	43.11	0.40	--	Peak																																																																																																															
2	21345.00	39.94	74.00	-34.06	54.49	38.20	20.16	63.37	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.74	88.20	-32.46	37.06	41.14	17.93	43.11	0.40	--	Peak																																																																																																															
2	21345.00	39.61	74.00	-34.39	54.16	38.20	20.16	63.37	-9.54	--	Peak																																																																																																															



Mode	45	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	46																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_6895MHz																																																																																																																								
ANT	1 + 2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.72</td><td>88.20</td><td>-33.48</td><td>36.34</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.57</td><td>74.00</td><td>-35.43</td><td>53.83</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.72	88.20	-33.48	36.34	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	38.57	74.00	-35.43	53.83	38.10	19.79	63.61	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>54.79</td><td>88.20</td><td>-33.41</td><td>36.41</td><td>40.38</td><td>17.70</td><td>42.38</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20685.00</td><td>38.85</td><td>74.00</td><td>-35.15</td><td>54.11</td><td>38.10</td><td>19.79</td><td>63.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	54.79	88.20	-33.41	36.41	40.38	17.70	42.38	0.38	--	Peak	2	20685.00	38.85	74.00	-35.15	54.11	38.10	19.79	63.61	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13790.00	54.72	88.20	-33.48	36.34	40.38	17.70	42.38	0.38	--	Peak																																																																																																														
2	20685.00	38.57	74.00	-35.43	53.83	38.10	19.79	63.61	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13790.00	54.79	88.20	-33.41	36.41	40.38	17.70	42.38	0.38	--	Peak																																																																																																														
2	20685.00	38.85	74.00	-35.15	54.11	38.10	19.79	63.61	-9.54	--	Peak																																																																																																														



Mode	46	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_6895MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	47																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_6995MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>55.01</td><td>88.20</td><td>-33.19</td><td>36.48</td><td>40.00</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>53.70</td><td>30.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	55.01	88.20	-33.19	36.48	40.00	17.82	42.76	0.37	--	Peak	2	20905.00	38.94	74.00	-35.06	53.70	30.10	19.99	63.31	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13990.00</td><td>54.85</td><td>88.20</td><td>-33.35</td><td>36.32</td><td>40.00</td><td>17.82</td><td>42.76</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20905.00</td><td>39.35</td><td>74.00</td><td>-34.65</td><td>54.11</td><td>30.10</td><td>19.99</td><td>63.31</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13990.00	54.85	88.20	-33.35	36.32	40.00	17.82	42.76	0.37	--	Peak	2	20905.00	39.35	74.00	-34.65	54.11	30.10	19.99	63.31	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	55.01	88.20	-33.19	36.48	40.00	17.82	42.76	0.37	--	Peak																																																																																																															
2	20905.00	38.94	74.00	-35.06	53.70	30.10	19.99	63.31	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13990.00	54.85	88.20	-33.35	36.32	40.00	17.82	42.76	0.37	--	Peak																																																																																																															
2	20905.00	39.35	74.00	-34.65	54.11	30.10	19.99	63.31	-9.54	--	Peak																																																																																																															



Mode	47	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_6995MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	48																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-12 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>72.32</td><td>88.20 -15.88</td><td>54.79</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>304</td><td>106 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	72.32	88.20 -15.88	54.79	36.65	12.60	35.52	3.00	304	106 Peak	Level (dBuV/m) Date: 2025-12-12 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>97.28</td><td>-----</td><td>79.82</td><td>36.61</td><td>12.57</td><td>35.51</td><td>3.79</td><td>304</td><td>106 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	97.28	-----	79.82	36.61	12.57	35.51	3.79	304	106 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7125.01	72.32	88.20 -15.88	54.79	36.65	12.60	35.52	3.00	304	106 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7115.00	97.28	-----	79.82	36.61	12.57	35.51	3.79	304	106 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-12 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>60.91</td><td>68.20 -7.29</td><td>43.38</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>304</td><td>106 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7125.01	60.91	68.20 -7.29	43.38	36.65	12.60	35.52	3.00	304	106 Average	Level (dBuV/m) Date: 2025-12-12 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>90.29</td><td>-----</td><td>72.81</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>304</td><td>106 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7115.00	90.29	-----	72.81	36.62	12.58	35.51	3.79	304	106 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7125.01	60.91	68.20 -7.29	43.38	36.65	12.60	35.52	3.00	304	106 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 7115.00	90.29	-----	72.81	36.62	12.58	35.51	3.79	304	106 Average																																																																																	



Mode	48																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-11 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>74.00</td><td>88.20 -14.20</td><td>56.47</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>242</td><td>203 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.01	74.00	88.20 -14.20	56.47	36.65	12.60	35.52	3.00	242	203 Peak	Level (dBuV/m) Date: 2025-12-11 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>98.47</td><td>-----</td><td>80.99</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>242</td><td>203 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	98.47	-----	80.99	36.62	12.58	35.51	3.79	242	203 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7125.01	74.00	88.20 -14.20	56.47	36.65	12.60	35.52	3.00	242	203 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7115.00	98.47	-----	80.99	36.62	12.58	35.51	3.79	242	203 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-11 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>61.86</td><td>68.20 -6.34</td><td>44.33</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>242</td><td>203 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.01	61.86	68.20 -6.34	44.33	36.65	12.60	35.52	3.00	242	203 Average	Level (dBuV/m) Date: 2025-12-11 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>91.32</td><td>-----</td><td>73.84</td><td>36.62</td><td>12.58</td><td>35.51</td><td>3.79</td><td>242</td><td>203 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	91.32	-----	73.84	36.62	12.58	35.51	3.79	242	203 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7125.01	61.86	68.20 -6.34	44.33	36.65	12.60	35.52	3.00	242	203 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7115.00	91.32	-----	73.84	36.62	12.58	35.51	3.79	242	203 Average																																																																																	



Mode	48																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.26</td><td>88.20</td><td>-32.94</td><td>36.58</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.86</td><td>74.00</td><td>-35.14</td><td>53.41</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.26	88.20	-32.94	36.58	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	38.86	74.00	-35.14	53.41	38.20	20.16	63.37	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>55.12</td><td>88.20</td><td>-33.08</td><td>36.44</td><td>41.14</td><td>17.93</td><td>43.11</td><td>0.40</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21345.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>53.35</td><td>38.20</td><td>20.16</td><td>63.37</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	55.12	88.20	-33.08	36.44	41.14	17.93	43.11	0.40	--	Peak	2	21345.00	38.80	74.00	-35.20	53.35	38.20	20.16	63.37	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.26	88.20	-32.94	36.58	41.14	17.93	43.11	0.40	--	Peak																																																																																																															
2	21345.00	38.86	74.00	-35.14	53.41	38.20	20.16	63.37	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14230.00	55.12	88.20	-33.08	36.44	41.14	17.93	43.11	0.40	--	Peak																																																																																																															
2	21345.00	38.80	74.00	-35.20	53.35	38.20	20.16	63.37	-9.54	--	Peak																																																																																																															



Mode	48	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL







Mode	49																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_26/8_7115MHz																																																																																			
ANT	1 + 2																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>69.45</td><td>88.20</td><td>-18.75</td><td>51.92</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>107</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	69.45	88.20	-18.75	51.92	36.65	12.60	35.52	3.00	400	107	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>93.43</td><td>-----</td><td>-----</td><td>75.90</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>107</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	93.43	-----	-----	75.90	36.65	12.60	35.52	3.00	400	107	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	69.45	88.20	-18.75	51.92	36.65	12.60	35.52	3.00	400	107	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	93.43	-----	-----	75.90	36.65	12.60	35.52	3.00	400	107	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>58.40</td><td>68.20</td><td>-9.80</td><td>40.87</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>107</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	58.40	68.20	-9.80	40.87	36.65	12.60	35.52	3.00	400	107	Average	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>86.97</td><td>-----</td><td>-----</td><td>69.44</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>107</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	86.97	-----	-----	69.44	36.65	12.60	35.52	3.00	400	107	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	58.40	68.20	-9.80	40.87	36.65	12.60	35.52	3.00	400	107	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	86.97	-----	-----	69.44	36.65	12.60	35.52	3.00	400	107	Average																																																																									



Mode	49																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_26/8_7115MHz																																																																																	
ANT	1 + 2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>73.88</td><td>88.20 -14.32</td><td>56.35</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>253</td><td>135 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.01	73.88	88.20 -14.32	56.35	36.65	12.60	35.52	3.00	253	135 Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>96.87</td><td>-----</td><td>79.34</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>253</td><td>135 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	96.87	-----	79.34	36.65	12.60	35.52	3.00	253	135 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7125.01	73.88	88.20 -14.32	56.35	36.65	12.60	35.52	3.00	253	135 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7115.00	96.87	-----	79.34	36.65	12.60	35.52	3.00	253	135 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7125.01</td><td>63.81</td><td>68.20 -5.19</td><td>45.48</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>253</td><td>135 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.01	63.81	68.20 -5.19	45.48	36.65	12.60	35.52	3.00	253	135 Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7115.00</td><td>91.85</td><td>-----</td><td>74.32</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>253</td><td>135 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	91.85	-----	74.32	36.65	12.60	35.52	3.00	253	135 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7125.01	63.81	68.20 -5.19	45.48	36.65	12.60	35.52	3.00	253	135 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 7115.00	91.85	-----	74.32	36.65	12.60	35.52	3.00	253	135 Average																																																																									



Mode	50																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_106/54_7115MHz																																																																																															
ANT	1 + 2																																																																																															
Pol.	Horizontal					Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-12-20  PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>72.16</td><td>88.20</td><td>-16.04</td><td>54.63</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>111</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	72.16	88.20	-16.04	54.63	36.65	12.60	35.52	3.00	400	111	Peak	Level (dBuV/m) Date: 2025-12-20  PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>96.41</td><td>-----</td><td>-----</td><td>78.88</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>111</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	96.41	-----	-----	78.88	36.65	12.60	35.52	3.00	400	111	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.01	72.16	88.20	-16.04	54.63	36.65	12.60	35.52	3.00	400	111	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	96.41	-----	-----	78.88	36.65	12.60	35.52	3.00	400	111	Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-12-20  AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.01</td><td>60.36</td><td>68.20</td><td>-7.84</td><td>42.83</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>400</td><td>111</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.01	60.36	68.20	-7.84	42.83	36.65	12.60	35.52	3.00	400	111	Average	Level (dBuV/m) Date: 2025-12-20  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.73</td><td>-----</td><td>-----</td><td>72.23</td><td>36.64</td><td>12.59</td><td>35.52</td><td>3.79</td><td>400</td><td>111</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.73	-----	-----	72.23	36.64	12.59	35.52	3.79	400	111	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7125.01	60.36	68.20	-7.84	42.83	36.65	12.60	35.52	3.00	400	111	Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	7115.00	89.73	-----	-----	72.23	36.64	12.59	35.52	3.79	400	111	Average																																																																																				



Mode	50																																																																																			
	Band Edge																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_106/54_7115MHz																																																																																			
ANT	1 + 2																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-12-20 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>75.96</td><td>88.20</td><td>-12.24</td><td>58.43</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>255</td><td>138</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	75.96	88.20	-12.24	58.43	36.65	12.60	35.52	3.00	255	138	Peak	Level (dBuV/m) Date: 2025-12-20 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>98.50</td><td>-----</td><td>-----</td><td>81.00</td><td>36.64</td><td>12.59</td><td>35.52</td><td>3.79</td><td>255</td><td>138</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	98.50	-----	-----	81.00	36.64	12.59	35.52	3.79	255	138	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	75.96	88.20	-12.24	58.43	36.65	12.60	35.52	3.00	255	138	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	98.50	-----	-----	81.00	36.64	12.59	35.52	3.79	255	138	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-12-20 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7125.01</td><td>63.69</td><td>68.20</td><td>-4.51</td><td>46.16</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>255</td><td>138</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7125.01	63.69	68.20	-4.51	46.16	36.65	12.60	35.52	3.00	255	138	Average	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:2.400kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 7115.00</td><td>92.22</td><td>-----</td><td>-----</td><td>74.69</td><td>36.65</td><td>12.60</td><td>35.52</td><td>3.00</td><td>255</td><td>138</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 7115.00	92.22	-----	-----	74.69	36.65	12.60	35.52	3.00	255	138	Average
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7125.01	63.69	68.20	-4.51	46.16	36.65	12.60	35.52	3.00	255	138	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 7115.00	92.22	-----	-----	74.69	36.65	12.60	35.52	3.00	255	138	Average																																																																									



Mode	51																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_6925MHz																																																																																																																								
ANT	1 + 2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>55.41</td><td>88.20</td><td>-32.79</td><td>37.08</td><td>40.40</td><td>17.74</td><td>42.49</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>39.04</td><td>74.00</td><td>-34.96</td><td>54.15</td><td>38.10</td><td>19.85</td><td>63.52</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	55.41	88.20	-32.79	37.08	40.40	17.74	42.49	0.38	--	Peak	2	20775.00	39.04	74.00	-34.96	54.15	38.10	19.85	63.52	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13850.00</td><td>55.49</td><td>88.20</td><td>-32.71</td><td>37.16</td><td>40.40</td><td>17.74</td><td>42.49</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20775.00</td><td>38.12</td><td>74.00</td><td>-35.88</td><td>53.23</td><td>38.10</td><td>19.85</td><td>63.52</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	55.49	88.20	-32.71	37.16	40.40	17.74	42.49	0.38	--	Peak	2	20775.00	38.12	74.00	-35.88	53.23	38.10	19.85	63.52	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13850.00	55.41	88.20	-32.79	37.08	40.40	17.74	42.49	0.38	--	Peak																																																																																																														
2	20775.00	39.04	74.00	-34.96	54.15	38.10	19.85	63.52	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13850.00	55.49	88.20	-32.71	37.16	40.40	17.74	42.49	0.38	--	Peak																																																																																																														
2	20775.00	38.12	74.00	-35.88	53.23	38.10	19.85	63.52	-9.54	--	Peak																																																																																																														



Mode	51	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_6925MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	52																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_7005MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>55.12</td><td>88.20</td><td>-33.08</td><td>36.59</td><td>40.82</td><td>17.83</td><td>42.79</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>38.70</td><td>74.00</td><td>-35.30</td><td>53.43</td><td>38.10</td><td>20.01</td><td>63.30</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	55.12	88.20	-33.08	36.59	40.82	17.83	42.79	0.37	--	Peak	2	21015.00	38.70	74.00	-35.30	53.43	38.10	20.01	63.30	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14010.00</td><td>55.12</td><td>88.20</td><td>-33.08</td><td>36.59</td><td>40.82</td><td>17.83</td><td>42.79</td><td>0.37</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21015.00</td><td>38.82</td><td>74.00</td><td>-35.18</td><td>53.55</td><td>38.10</td><td>20.01</td><td>63.30</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	55.12	88.20	-33.08	36.59	40.82	17.83	42.79	0.37	--	Peak	2	21015.00	38.82	74.00	-35.18	53.55	38.10	20.01	63.30	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14010.00	55.12	88.20	-33.08	36.59	40.82	17.83	42.79	0.37	--	Peak																																																																																																															
2	21015.00	38.70	74.00	-35.30	53.43	38.10	20.01	63.30	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14010.00	55.12	88.20	-33.08	36.59	40.82	17.83	42.79	0.37	--	Peak																																																																																																															
2	21015.00	38.82	74.00	-35.18	53.55	38.10	20.01	63.30	-9.54	--	Peak																																																																																																															



Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_7005MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL





Mode	53																																																																																									
	Band Edge																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																									
ANT	1 + 2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-12-12 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7211.24</td><td>55.48</td><td>88.20 -32.72</td><td>37.63</td><td>36.90</td><td>12.70</td><td>35.59</td><td>3.84</td><td>375</td><td>110 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7211.24	55.48	88.20 -32.72	37.63	36.90	12.70	35.59	3.84	375	110 Peak	Level (dBuV/m) Date: 2025-12-12 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>98.58</td><td>-----</td><td>81.11</td><td>36.63</td><td>12.55</td><td>35.49</td><td>3.78</td><td>375</td><td>110 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	98.58	-----	81.11	36.63	12.55	35.49	3.78	375	110 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7211.24	55.48	88.20 -32.72	37.63	36.90	12.70	35.59	3.84	375	110 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7085.00	98.58	-----	81.11	36.63	12.55	35.49	3.78	375	110 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-12-12 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7207.24</td><td>47.34</td><td>68.20 -20.86</td><td>29.49</td><td>36.90</td><td>12.70</td><td>35.59</td><td>3.84</td><td>375</td><td>110 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7207.24	47.34	68.20 -20.86	29.49	36.90	12.70	35.59	3.84	375	110 Average	Level (dBuV/m) Date: 2025-12-12 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 7085.00</td><td>91.70</td><td>-----</td><td>74.23</td><td>36.63</td><td>12.55</td><td>35.49</td><td>3.78</td><td>375</td><td>110 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7085.00	91.70	-----	74.23	36.63	12.55	35.49	3.78	375	110 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7207.24	47.34	68.20 -20.86	29.49	36.90	12.70	35.59	3.84	375	110 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 7085.00	91.70	-----	74.23	36.63	12.55	35.49	3.78	375	110 Average																																																																																	



Mode	53																																																																																	
	Band Edge																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																	
ANT	1 + 2																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-12-12 PEAK_BE(UNII)_6E Site : 03CH23-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7192.68 55.78 88.20 -32.42 37.97 36.87 12.68 35.58 3.84 243 205 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7192.68 55.78 88.20 -32.42 37.97 36.87 12.68 35.58 3.84 243 205 Peak									Level (dBuV/m) Date: 2025-12-12 PEAK(UNII)_6E Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 99.03 ----- 81.56 36.62 12.56 35.49 3.78 243 205 Peak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7085.00 99.03 ----- 81.56 36.62 12.56 35.49 3.78 243 205 Peak								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7192.68 55.78 88.20 -32.42 37.97 36.87 12.68 35.58 3.84 243 205 Peak																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7085.00 99.03 ----- 81.56 36.62 12.56 35.49 3.78 243 205 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-12-12 AVG_BE(UNII)_6E Site : 03CH23-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7135.56 47.31 68.20 -20.89 29.76 36.67 12.61 35.53 3.80 243 205 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7135.56 47.31 68.20 -20.89 29.76 36.67 12.61 35.53 3.80 243 205 Average									Level (dBuV/m) Date: 2025-12-12 AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL : RBW:1000.000kHz VBW:3.300kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq Level Line Margin Level Factor Loss Factor Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1 7085.00 93.06 ----- 75.59 36.63 12.55 35.49 3.78 243 205 Average</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq Level Line Margin Level Factor Loss Factor Factor									MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg									1 7085.00 93.06 ----- 75.59 36.63 12.55 35.49 3.78 243 205 Average								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7135.56 47.31 68.20 -20.89 29.76 36.67 12.61 35.53 3.80 243 205 Average																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq Level Line Margin Level Factor Loss Factor Factor																																																																																		
MHz dBuV/m dBuV/m dB dB dB dB dB dB cm deg																																																																																		
1 7085.00 93.06 ----- 75.59 36.63 12.55 35.49 3.78 243 205 Average																																																																																		



Mode	53																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>55.79</td><td>88.20</td><td>-32.41</td><td>37.05</td><td>41.14</td><td>17.91</td><td>43.02</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>38.90</td><td>74.00</td><td>-35.10</td><td>53.48</td><td>38.20</td><td>20.11</td><td>63.35</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	55.79	88.20	-32.41	37.05	41.14	17.91	43.02	0.39	--	Peak	2	21255.00	38.90	74.00	-35.10	53.48	38.20	20.11	63.35	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20  Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14170.00</td><td>55.36</td><td>88.20</td><td>-32.84</td><td>36.62</td><td>41.14</td><td>17.91</td><td>43.02</td><td>0.39</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>21255.00</td><td>39.19</td><td>74.00</td><td>-34.81</td><td>53.77</td><td>38.20</td><td>20.11</td><td>63.35</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	55.36	88.20	-32.84	36.62	41.14	17.91	43.02	0.39	--	Peak	2	21255.00	39.19	74.00	-34.81	53.77	38.20	20.11	63.35	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14170.00	55.79	88.20	-32.41	37.05	41.14	17.91	43.02	0.39	--	Peak																																																																																																															
2	21255.00	38.90	74.00	-35.10	53.48	38.20	20.11	63.35	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	14170.00	55.36	88.20	-32.84	36.62	41.14	17.91	43.02	0.39	--	Peak																																																																																																															
2	21255.00	39.19	74.00	-34.81	53.77	38.20	20.11	63.35	-9.54	--	Peak																																																																																																															





Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_7085MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20 Frequency (MHz) Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL



Mode	54																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz																																																																																																																									
ANT	1 + 2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>56.00</td><td>88.20</td><td>-32.20</td><td>37.49</td><td>40.64</td><td>17.76</td><td>42.57</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>38.81</td><td>74.00</td><td>-35.19</td><td>53.83</td><td>38.10</td><td>19.89</td><td>63.47</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	56.00	88.20	-32.20	37.49	40.64	17.76	42.57	0.38	--	Peak	2	20835.00	38.81	74.00	-35.19	53.83	38.10	19.89	63.47	-9.54	--	Peak	Level (dBuV/m) Date: 2025-12-20 Site : 03CH23-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13890.00</td><td>55.41</td><td>88.20</td><td>-32.79</td><td>36.90</td><td>40.64</td><td>17.76</td><td>42.57</td><td>0.38</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20835.00</td><td>38.89</td><td>74.00</td><td>-35.11</td><td>53.91</td><td>38.10</td><td>19.89</td><td>63.47</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13890.00	55.41	88.20	-32.79	36.90	40.64	17.76	42.57	0.38	--	Peak	2	20835.00	38.89	74.00	-35.11	53.91	38.10	19.89	63.47	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13890.00	56.00	88.20	-32.20	37.49	40.64	17.76	42.57	0.38	--	Peak																																																																																																															
2	20835.00	38.81	74.00	-35.19	53.83	38.10	19.89	63.47	-9.54	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	13890.00	55.41	88.20	-32.79	36.90	40.64	17.76	42.57	0.38	--	Peak																																																																																																															
2	20835.00	38.89	74.00	-35.11	53.91	38.10	19.89	63.47	-9.54	--	Peak																																																																																																															



Mode	54	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_6945MHz	
ANT	1 + 2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-12-20  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 HORIZONTAL	Level (dBuV/m) Date: 2025-12-20  AVG(UNII)_6E Site : 03CH23-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C05A18EN_250702 VERTICAL