





























Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303




Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303





Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan


Tel: +886 2 26099301
Fax: +886 2 26099303















Audix Technology Corp.

No. 491, Zhongfu Rd., Linkou Dist.,

New Taipei City 244, Taiwan



Tel: +886 2 26099301

Fax: +886 2 26099303





Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



A.5 FREQUENCY STABILITY

Test Date	2025/09/18	Temp./Hum.	24°C/58%
Cable Loss	---	Tested By	Sam Chang
Test Voltage	AC 120V 60Hz (Via AC Adapter)		

A.5.1 Frequency stability Result



Temperature (°C)	Voltage (Vac)	Centre Frequency (MHz)	Measurement Value (MHz)	Frequency Stability (ppm)
25	120	5180	5179.992	-1.544
-30	102		5179.971	-5.598
	138		5180.000	0.000
-20	102		5179.971	-5.598
	138		5179.998	-0.386
-10	102		5179.99	-1.931
	138		5179.993	-1.351
0	102		5179.990	-1.931
	138		5179.993	-1.351
10	102		5180.000	0.000
	138		5180.023	4.440
20	102		5180.020	3.861
	138		5180.024	4.633
30	102		5179.977	-4.440
	138		5180.018	3.475
40	102		5179.989	-2.124
	138		5180.020	3.861
50	102		5179.984	-3.089
	138		5180.001	0.193

Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303


A.6 BAND EDGE

Test Date	2025/08/26~09/01	Temp./Hum.	24~26°C/51~55%
Test Voltage	AC 120V 60Hz (Via AC Adapter)	Tested By	Harry Huang



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303



Audix Technology Corp.
No. 491, Zhongfu Rd., Linkou Dist.,
New Taipei City 244, Taiwan

Tel: +886 2 26099301
Fax: +886 2 26099303

