NR7_30 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_OBW_Mid_64QAM_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_OBW_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_OBW_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_OBW_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_5 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_5 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_5 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_10 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_10 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_10 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_15 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_15 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_15 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_20 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_20 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_20 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_25 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_25 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_25 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_5 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_5 M_Conducted Spurious(Above10 G)_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_5 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_10 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_10 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_10 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_15 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_15 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_15 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_20 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_20 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_20 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_25 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_25 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_25 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_30 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_40 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_50 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Low Channel Edge Plot (5 MHz BPSK RB 1)-1



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Low Channel Edge Plot (5 MHz BPSK)-1



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Low Channel Edge Plot (5 MHz BPSK_RB 1)-2



			Lower			Upper		
Start Freq	Stop Freq	Integ BW	dBm	ΔLimit(dB)	Freq (Hz)	dBm	ΔLimit(dB)	Freq (Hz)
2.500 MHz	3.500 MHz	30.00 kHz	---	(---)	---	-49.70	(-39.70)	2.500 M
3.500 MHz	7.500 MHz	1.000 MHz	---	(---)	---	-39.33	(-29.33)	5.780 M
7.500 MHz	8.500 MHz	1.000 MHz	---	(---)	---	-47.25	(-34.25)	7.505 M
8.500 MHz	10.00 MHz	1.000 MHz	---	(---)	---	-36.32	(-11.32)	8.628 M
2.500 MHz	10.00 MHz	68.00 kHz	-17.93	(-67.93)	-2.500 M	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Low Channel Edge Plot (5 MHz BPSK)-2



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Mid Channel Edge Plot (5 MHz BPSK)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_High Channel Edge Plot (5 MHz BPSK RB 1)



			Lower			Upper		
Start Freq	Stop Freq	Integ BW	dBm	ΔLimit(dB)	Freq (Hz)	dBm	ΔLimit(dB)	Freq (Hz)
2.500 MHz	3.500 MHz	30.00 kHz	-50.06	(-40.06)	-2.500 M	-25.77	(-15.77)	2.505 M
3.500 MHz	7.500 MHz	1.000 MHz	-38.53	(-28.53)	-5.800 M	-35.29	(-25.29)	3.500 M
7.500 MHz	8.500 MHz	1.000 MHz	-48.18	(-35.18)	-7.970 M	-50.72	(-37.72)	8.240 M
8.500 MHz	10.00 MHz	1.000 MHz	-50.32	(-25.32)	-8.508 M	-50.84	(-25.84)	8.523 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_High Channel Edge Plot (5 MHz BPSK)



			Lower			Upper		
Start Freq	Stop Freq	Integ BW	dBm	ΔLimit(dB)	Freq (Hz)	dBm	ΔLimit(dB)	Freq (Hz)
2.500 MHz	3.500 MHz	100.0 kHz	-29.16	(-19.16)	-2.500 M	-28.25	(-18.25)	2.505 M
3.500 MHz	7.500 MHz	1.000 MHz	-24.02	(-14.02)	-3.560 M	-25.97	(-15.97)	3.600 M
7.500 MHz	8.500 MHz	1.000 MHz	-29.54	(-16.54)	-7.510 M	-33.19	(-20.19)	7.575 M
8.500 MHz	10.00 MHz	1.000 MHz	-30.03	(-5.03)	-8.523 M	-34.45	(-9.45)	8.508 M
8.000 MHz	12.50 MHz	1.000 MHz	---	(---)	---	---	(---)	---
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Low Channel Edge Plot (10 MHz BPSK RB 1)-1



The report shall not be (partly) reproduced except in full without approval of the laboratory.

NR7_Low Channel Edge Plot (10 MHz BPSK)-1

			Lower			Upper		
Start Freq	Stop Freq	Integ BW	dBm	ΔLimit(dB)	Freq (Hz)	dBm	ΔLimit(dB)	Freq (Hz)
5.000 MHz	6.000 MHz	200.0 kHz	-31.98	(-21.98)	-5.000 M	---	(---)	---
6.000 MHz	9.000 MHz	1.000 MHz	-30.68	(-20.68)	-6.285 M	---	(---)	---
9.000 MHz	14.50 MHz	1.000 MHz	-32.31	(-19.31)	-9.110 M	---	(---)	---
14.50 MHz	34.50 MHz	1.000 MHz	-40.39	(-15.39)	-14.50 M	---	(---)	---
5.000 MHz	34.50 MHz	270.0 kHz	---	(---)	---	-34.21	(-84.21)	5.135 M
12.50 MHz	15.00 MHz	1.000 MHz	---	(---)	---	---	(---)	---

The report shall not be (partly) reproduced except in full without approval of the laboratory.