n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(1)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

13. TEST PLOTS (MIMO2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

13.1 3450 MHz - 3550 MHz

n77(3450~3550 MHz)_10 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_PAR_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_PAR_Mid_BPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_PAR_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_PAR_Mid_QPSK_FullRB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_PAR_Mid_16QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_PAR_Mid_64QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_PAR_Mid_256QAM_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_OBW_Mid_BPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_OBW_Mid_QPSK_FullRB

The report shall not be (partly) reproduced except in full without approval of the laboratory.