





Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4882.0000	-14.00	62.543	48.54	74.00	25.46			54.00		117.2	72.4	Vertical	PASS
2	4882.0000	-14.00	60.004	46.00	74.00	28.00			54.00		104.8	22.9	Horizontal	PASS
3	7323.0000	-9.17	50.1	40.93	74.00	33.07			54.00		150	245	Horizontal	PASS
4	7323.0000	-9.17	51.16	41.99	74.00	32.01			54.00		150	300	Vertical	PASS
5	9764.0000	-4.62	54.481	49.86	74.00	24.14			54.00		134.3	87	Horizontal	PASS
6	9764.0000	-4.62	60.891	56.27	74.00	17.73	57.456	52.84	54.00	1.16	128	108	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4960.0000	-14.84	62.846	48.01	74.00	25.99			54.00		117.2	72.4	Vertical	PASS
2	4960.0000	-14.84	59.907	45.07	74.00	28.93			54.00		104.8	22.9	Horizontal	PASS
3	7440.0000	-8.89	51.87	42.98	74.00	31.02			54.00		150	170	Vertical	PASS
4	7440.0000	-8.89	49.52	40.63	74.00	33.37			54.00		150	22	Horizontal	PASS
5	9920.0000	-4.28	53.156	48.88	74.00	25.12			54.00		134.3	87	Horizontal	PASS
6	9920.0000	-4.28	60.435	56.16	74.00	17.84	56.549	52.27	54.00	1.73	128	108	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.

Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83, Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4804.0000	-14.53	62.354	47.82	74.00	26.18			54.00		117.2	72.4	Vertical	PASS
2	4804.0000	-14.53	59.910	45.38	74.00	28.62			54.00		104.8	22.9	Horizontal	PASS
3	7206.0000	-9.40	52.41	43.01	74.00	30.99			54.00		150	219	Vertical	PASS
4	7206.0000	-9.40	50.27	40.87	74.00	33.13			54.00		150	255	Horizontal	PASS
5	9608.0000	-5.07	54.852	49.78	74.00	24.22			54.00		134.3	87	Horizontal	PASS
6	9608.0000	-5.07	59.885	54.82	74.00	19.18	56.03	50.96	54.00	3.04	128	108	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China



Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4882.0000	-14.00	62.554	48.55	74.00	25.45			54.00		117.2	72.4	Vertical	PASS
2	4882.0000	-14.00	60.053	46.05	74.00	27.95			54.00		104.8	22.9	Horizontal	PASS
3	7323.0000	-9.17	50.89	41.72	74.00	32.28			54.00		150	234	Horizontal	PASS
4	7323.0000	-9.17	51.39	42.22	74.00	31.78			54.00		150	184	Vertical	PASS
5	9764.0000	-4.62	54.293	49.67	74.00	24.33			54.00		134.3	87	Horizontal	PASS
6	9764.0000	-4.62	61.027	56.41	74.00	17.59	57.872	53.25	54.00	0.75	128	108	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.

Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83, Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4960.0000	-14.84	62.973	48.13	74.00	25.87			54.00		117.2	72.4	Vertical	PASS
2	4960.0000	-14.84	60.157	45.32	74.00	28.68			54.00		104.8	22.9	Horizontal	PASS
3	7440.0000	-8.89	52.13	43.24	74.00	30.76			54.00		150	40	Horizontal	PASS
4	7440.0000	-8.89	53	44.11	74.00	29.89			54.00		150	129	Vertical	PASS
5	9920.0000	-4.28	53.038	48.76	74.00	25.24			54.00		134.3	87	Horizontal	PASS
6	9920.0000	-4.28	61.792	57.51	74.00	16.49	57.163	52.88	54.00	1.12	128	108	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode:	DH5	Channel:	2402 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:30:06		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.20	40.15	2.95	74.00	33.85	142.3	70	PK	Horizontal	PASS
2	2483.5000	36.36	39.82	3.46	74.00	34.18	142.3	340	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	DH5	Channel:	2402 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:50:43		

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.39	40.34	2.95	74.00	33.66	104.1	130	PK	Vertical	PASS
2	2483.5000	36.65	40.11	3.46	74.00	33.89	104.1	230	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China


Suspected Data List

NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	36.22	39.17	2.95	74.00	34.83	142.3	320	PK	Horizontal	PASS
2	2483.5000	37.46	40.92	3.46	74.00	33.08	142.3	320	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	DH5	Channel:	2480 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:51:21		

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	36.87	39.82	2.95	74.00	34.18	104.1	90	PK	Vertical	PASS
2	2483.5000	36.59	40.05	3.46	74.00	33.95	104.1	200	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China


Suspected Data List

NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	36.84	39.79	2.95	74.00	34.21	142.3	190	PK	Horizontal	PASS
2	2483.5000	36.44	39.90	3.46	74.00	34.10	142.3	140	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor


(2) Margin = Limit - Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	2DH5	Channel:	2402 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:52:01		

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	36.55	39.50	2.95	74.00	34.50	104.1	100	PK	Vertical	PASS
2	2483.5000	36.61	40.07	3.46	74.00	33.93	104.1	240	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China


Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	38.79	41.74	2.95	74.00	32.26	142.3	350	PK	Horizontal	PASS
2	2483.5000	37.06	40.52	3.46	74.00	33.48	142.3	240	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China


Suspected Data List


NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.41	40.36	2.95	74.00	33.64	104.1	220	PK	Vertical	PASS
2	2483.5000	37.55	41.01	3.46	74.00	32.99	104.1	270	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China


Suspected Data List

NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.52	40.47	2.95	74.00	33.53	142.3	250	PK	Horizontal	PASS
2	2483.5000	36.21	39.67	3.46	74.00	34.33	142.3	60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	3DH5	Channel:	2402 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:53:09		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.17	40.12	2.95	74.00	33.88	104.1	340	PK	Vertical	PASS
2	2483.5000	37.08	40.54	3.46	74.00	33.46	104.1	20	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	3DH5	Channel:	2480 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:35:57		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.36	40.31	2.95	74.00	33.69	142.3	270	PK	Horizontal	PASS
2	2483.5000	36.32	39.78	3.46	74.00	34.22	142.3	300	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	3DH5	Channel:	2480 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-01-28 16:53:53		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.24	40.19	2.95	74.00	33.81	104.1	200	PK	Vertical	PASS
2	2483.5000	37.01	40.47	3.46	74.00	33.53	104.1	260	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China


Watch4pro measurement

Below 1GHz

Mode:	Normal operation	Channel:	/
Antenna:	/	State:	/

Start of Test: 2026-02-06 10:06:57

Test Graph




PK Suspected Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	130.0312	40.70	-16.91	23.79	43.50	19.71	100	218	Horizontal	PASS
2	166.6488	36.73	-16.13	20.60	43.50	22.90	100	173	Vertical	PASS
3	301.1150	40.39	-15.64	24.75	46.00	21.25	100	282	Horizontal	PASS
4	333.1250	44.91	-15.10	29.81	46.00	16.19	100	319	Horizontal	PASS
5	333.2462	41.50	-15.10	26.40	46.00	19.60	100	275	Vertical	PASS
6	581.4450	33.81	-9.05	24.76	46.00	21.24	100	163	Vertical	PASS
7	583.2638	32.50	-9.05	23.45	46.00	22.55	100	131	Horizontal	PASS
8	693.7225	30.50	-6.94	23.56	46.00	22.44	100	169	Horizontal	PASS
9	702.2100	30.88	-6.80	24.08	46.00	21.92	100	188	Vertical	PASS
10	828.0675	31.24	-4.37	26.87	46.00	19.13	100	245	Vertical	PASS
11	829.8862	33.96	-4.39	29.57	46.00	16.43	100	42	Horizontal	PASS
12	998.1812	37.94	-1.22	36.72	54.00	17.28	100	183	Vertical	PASS

Test Report No.: EFGX26010180-IE-01-E04


EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83, Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Above 1GHz



Final Data List											
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Limit [dBμV/m]	Height [cm]	Angle [°]	Polarity	Verdict
1	4804.0000	-14.53	54.68	40.15	74.00	33.85	54.00	150	78	Horizontal	PASS
2	4804.0000	-14.53	55.17	40.64	74.00	33.36	54.00	150	293	Vertical	PASS
3	7206.0000	-9.40	51.77	42.37	74.00	31.63	54.00	150	194	Vertical	PASS
4	7206.0000	-9.40	50.36	40.96	74.00	33.04	54.00	150	335	Horizontal	PASS
5	9608.0000	-5.07	58.251	53.18	74.00	20.82	54.00	110.9	196.2	Vertical	PASS
6	9608.0000	-5.07	56.038	50.97	74.00	23.03	54.00	121.4	229.6	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List											
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Limit [dBμV/m]	Height [cm]	Angle [°]	Polarity	Verdict
1	4882.0000	-14.00	55.06	41.06	74.00	32.94	54.00	150	196	Horizontal	PASS
2	4882.0000	-14.00	54.26	40.26	74.00	33.74	54.00	150	305	Vertical	PASS
3	7323.0000	-9.17	51.72	42.55	74.00	31.45	54.00	150	190	Vertical	PASS
4	7323.0000	-9.17	52.1	42.93	74.00	31.07	54.00	150	339	Horizontal	PASS
5	9764.0000	-4.62	58.357	53.74	74.00	20.26	54.00	110.9	196.2	Vertical	PASS
6	9764.0000	-4.62	55.065	50.45	74.00	23.55	54.00	121.4	229.6	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
 Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
 Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China




Final Data List											
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Limit [dBμV/m]	Height [cm]	Angle [°]	Polarity	Verdict
1	4960.0000	-14.84	54.64	39.80	74.00	34.20	54.00	150	61	Horizontal	PASS
2	4960.0000	-14.84	54.83	39.99	74.00	34.01	54.00	150	280	Vertical	PASS
3	7440.0000	-8.89	49.93	41.04	74.00	32.96	54.00	150	184	Horizontal	PASS
4	7440.0000	-8.89	52.84	43.95	74.00	30.05	54.00	150	200	Vertical	PASS
5	9920.0000	-4.28	57.823	53.54	74.00	20.46	54.00	110.9	196.2	Vertical	PASS
6	9920.0000	-4.28	54.480	50.20	74.00	23.80	54.00	121.4	229.6	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Mode:	3DH5	Channel:	2402 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-02-02 10:26:47		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.37	40.32	2.95	74.00	33.68	143.2	260	PK	Horizontal	PASS
2	2483.5000	36.30	39.76	3.46	74.00	34.24	143.2	60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	3DH5	Channel:	2402 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-02-02 10:50:53		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	36.16	39.11	2.95	74.00	34.89	103.7	180	PK	Vertical	PASS
2	2483.5000	37.57	41.03	3.46	74.00	32.97	103.7	230	PK	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	3DH5	Channel:	2480 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-02-02 10:28:13		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	35.92	38.87	2.95	74.00	35.13	143.2	330	PK	Horizontal	PASS
2	2483.5000	36.30	39.76	3.46	74.00	34.24	143.2	300	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China

Mode:	3DH5	Channel:	2480 MHz
Antenna:	/	State:	Tx
Start of Test:	2026-02-02 10:51:34		

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2390.0000	37.15	40.10	2.95	74.00	33.90	103.7	60	PK	Vertical	PASS
2	2483.5000	36.43	39.89	3.46	74.00	34.11	103.7	210	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

--End of report--

Test Report No.: EFGX26010180-IE-01-E04

EUROFINS ELECTRICAL TESTING SERVICE (SHENZHEN) CO., LTD.
Room 20 of 2/F., 1/F., Building 2, Spring Block & Room 102, Building 8, Autumn Block Meishenghuigu Innovation Park, No.83,
Dabao Road, Bao'an District Shenzhen, Guangdong, People's Republic of China