




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_/_Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_/_Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_/_Ant2_NTNV




4.2.2 PSD-Band3




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant2_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant2_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant2_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant2_NTNV



5. Unwanted Emissions In Restricted Frequency Bands

5.1 Test Result

5.1.1 CSE

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
					2	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass

					2	Refer To Test Graph	Pass
		5825	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5230	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5755	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5795	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
802.11ac (VHT80)	SISO	5210	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5775	/	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5240	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5745	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5825	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5230	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5755	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5795	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
802.11ax (HEW80)	SISO	5210	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
		5775	SU	/	1	Refer To Test Graph	Pass
					2	Refer To Test Graph	Pass
Note: 1) EIRP[dBm]=E[dBuV/m]- 95.2, for d= 3 m;							


- | |
|---|
| <p>2) Level[dBm] results have calculated the antenna gain;</p> <p>3) Antenna gain= U-NII-1: 5150 MHz to 5250 MHz: 3.31 dBi; 5150 MHz to 5250 MHz: 3.31 dBi.</p> |
|---|




5.2 Test Graph

5.2.1 CSE


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_LCH_5180MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant2_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant2_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant2_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant2_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant2_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5402.760	-54.65	-21.20	33.45	Pass	Peak	7	5402.760	-61.58	-41.20	20.38	Pass	AVG
2	5414.640	-54.70	-21.20	33.50	Pass	Peak	8	5414.640	-61.47	-41.20	20.27	Pass	AVG
3	5424.360	-55.06	-21.20	33.86	Pass	Peak	9	5424.360	-61.26	-41.20	20.06	Pass	AVG
4	5433.540	-53.90	-21.20	32.70	Pass	Peak	10	5433.540	-61.50	-41.20	20.30	Pass	AVG
5	5448.660	-54.28	-21.20	33.08	Pass	Peak	11	5448.660	-61.11	-41.20	19.91	Pass	AVG
6	5459.190	-55.06	-21.20	33.86	Pass	Peak	12	5459.190	-61.52	-41.20	20.32	Pass	AVG

802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5400.060	-55.29	-21.20	34.09	Pass	Peak	7	5400.060	-61.66	-41.20	20.46	Pass	AVG
2	5416.530	-54.88	-21.20	33.68	Pass	Peak	8	5416.530	-61.69	-41.20	20.49	Pass	AVG
3	5424.900	-53.82	-21.20	32.62	Pass	Peak	9	5424.900	-61.32	-41.20	20.12	Pass	AVG
4	5435.160	-55.25	-21.20	34.05	Pass	Peak	10	5435.160	-61.39	-41.20	20.19	Pass	AVG
5	5443.530	-55.96	-21.20	34.76	Pass	Peak	11	5443.530	-61.77	-41.20	20.57	Pass	AVG
6	5454.060	-54.67	-21.20	33.47	Pass	Peak	12	5454.060	-61.36	-41.20	20.16	Pass	AVG


802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant2_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant2_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant2_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant2_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant2_NTNV




802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant2_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant2_NTNV



6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5180.000	5150 to 5250	Pass
						NV	5180.000	5150 to 5250	Pass
						HV	5179.960	5150 to 5250	Pass
					-30	NV	5180.020	5150 to 5250	Pass
					-20	NV	5180.020	5150 to 5250	Pass
					-10	NV	5180.000	5150 to 5250	Pass
					0	NV	5180.020	5150 to 5250	Pass
					10	NV	5179.980	5150 to 5250	Pass
					30	NV	5180.040	5150 to 5250	Pass
					40	NV	5180.120	5150 to 5250	Pass
					50	NV	5180.020	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.040	5150 to 5250	Pass
						HV	5199.940	5150 to 5250	Pass
					-30	NV	5200.020	5150 to 5250	Pass
					-20	NV	5199.960	5150 to 5250	Pass
					-10	NV	5200.020	5150 to 5250	Pass
					0	NV	5200.020	5150 to 5250	Pass
					10	NV	5200.000	5150 to 5250	Pass
					30	NV	5199.940	5150 to 5250	Pass
					40	NV	5200.040	5150 to 5250	Pass
					50	NV	5200.040	5150 to 5250	Pass
		5240	/	/	20	LV	5240.100	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5240.000	5150 to 5250	Pass
					-30	NV	5240.040	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5239.980	5150 to 5250	Pass

					0	NV	5240.000	5150 to 5250	Pass
					10	NV	5240.020	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5240.040	5150 to 5250	Pass
					50	NV	5240.040	5150 to 5250	Pass
		5745	/	/	20	LV	5745.120	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5745.020	5725 to 5850	Pass
					-20	NV	5745.040	5725 to 5850	Pass
					-10	NV	5745.060	5725 to 5850	Pass
					0	NV	5745.020	5725 to 5850	Pass
					10	NV	5745.020	5725 to 5850	Pass
					30	NV	5745.040	5725 to 5850	Pass
					40	NV	5745.020	5725 to 5850	Pass
					50	NV	5745.040	5725 to 5850	Pass
		5785	/	/	20	LV	5785.020	5725 to 5850	Pass
						NV	5785.040	5725 to 5850	Pass
						HV	5785.040	5725 to 5850	Pass
					-30	NV	5785.100	5725 to 5850	Pass
					-20	NV	5785.080	5725 to 5850	Pass
					-10	NV	5785.000	5725 to 5850	Pass
					0	NV	5785.020	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5785.020	5725 to 5850	Pass
					40	NV	5785.040	5725 to 5850	Pass
		5825	/	/	20	LV	5825.040	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5825.000	5725 to 5850	Pass
					-30	NV	5825.060	5725 to 5850	Pass
					-20	NV	5825.060	5725 to 5850	Pass
					-10	NV	5825.080	5725 to 5850	Pass
					0	NV	5825.080	5725 to 5850	Pass
					10	NV	5825.060	5725 to 5850	Pass
					30	NV	5825.060	5725 to 5850	Pass
					40	NV	5825.000	5725 to 5850	Pass

					50	NV	5825.000	5725 to 5850	Pass			
802.11n (HT20)	SISO	5180	/	/	20	LV	5180.000	5150 to 5250	Pass			
						NV	5180.020	5150 to 5250	Pass			
						HV	5180.020	5150 to 5250	Pass			
						-30	NV	5180.060	5150 to 5250	Pass		
					-20	NV	5180.060	5150 to 5250	Pass			
					-10	NV	5180.060	5150 to 5250	Pass			
					0	NV	5180.020	5150 to 5250	Pass			
					10	NV	5180.040	5150 to 5250	Pass			
					30	NV	5179.960	5150 to 5250	Pass			
					40	NV	5180.000	5150 to 5250	Pass			
					50	NV	5180.040	5150 to 5250	Pass			
					5200	/	/	20	LV	5200.020	5150 to 5250	Pass
									NV	5199.940	5150 to 5250	Pass
		HV	5200.040	5150 to 5250					Pass			
		-30	NV	5199.900				5150 to 5250	Pass			
		-20	NV	5199.940				5150 to 5250	Pass			
		-10	NV	5199.960				5150 to 5250	Pass			
		0	NV	5200.000				5150 to 5250	Pass			
		10	NV	5200.040				5150 to 5250	Pass			
		30	NV	5200.060				5150 to 5250	Pass			
		40	NV	5200.000				5150 to 5250	Pass			
		50	NV	5199.980				5150 to 5250	Pass			
		5240	/	/	20	LV	5239.980	5150 to 5250	Pass			
						NV	5240.040	5150 to 5250	Pass			
						HV	5240.020	5150 to 5250	Pass			
					-30	NV	5240.060	5150 to 5250	Pass			
					-20	NV	5240.080	5150 to 5250	Pass			
					-10	NV	5240.060	5150 to 5250	Pass			
					0	NV	5240.000	5150 to 5250	Pass			
					10	NV	5240.100	5150 to 5250	Pass			
					30	NV	5240.060	5150 to 5250	Pass			
					40	NV	5240.060	5150 to 5250	Pass			
					50	NV	5240.040	5150 to 5250	Pass			
		5745	/	/	20	LV	5745.020	5725 to 5850	Pass			
						NV	5745.060	5725 to 5850	Pass			
						HV	5745.020	5725 to 5850	Pass			

					-30	NV	5744.960	5725 to 5850	Pass
					-20	NV	5744.980	5725 to 5850	Pass
					-10	NV	5744.980	5725 to 5850	Pass
					0	NV	5744.980	5725 to 5850	Pass
					10	NV	5745.040	5725 to 5850	Pass
					30	NV	5745.020	5725 to 5850	Pass
					40	NV	5745.020	5725 to 5850	Pass
					50	NV	5745.020	5725 to 5850	Pass
		5785	/	/	20	LV	5784.980	5725 to 5850	Pass
						NV	5785.040	5725 to 5850	Pass
						HV	5784.980	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5785.020	5725 to 5850	Pass
					-10	NV	5785.000	5725 to 5850	Pass
					0	NV	5784.960	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5784.980	5725 to 5850	Pass
					50	NV	5785.060	5725 to 5850	Pass
		5825	/	/	20	LV	5825.020	5725 to 5850	Pass
						NV	5825.000	5725 to 5850	Pass
						HV	5824.980	5725 to 5850	Pass
					-30	NV	5825.040	5725 to 5850	Pass
					-20	NV	5825.060	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.020	5725 to 5850	Pass
					10	NV	5825.020	5725 to 5850	Pass
					30	NV	5824.960	5725 to 5850	Pass
					40	NV	5825.000	5725 to 5850	Pass
					50	NV	5824.980	5725 to 5850	Pass
		802.11n (HT40)	SISO	5190	20	LV	5190.040	5150 to 5250	Pass
						NV	5190.040	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5190.160	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.000	5150 to 5250	Pass

					10	NV	5190.040	5150 to 5250	Pass
					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
					50	NV	5190.040	5150 to 5250	Pass
		5230	/	/	20	LV	5230.080	5150 to 5250	Pass
						NV	5230.160	5150 to 5250	Pass
						HV	5230.080	5150 to 5250	Pass
					-30	NV	5229.960	5150 to 5250	Pass
					-20	NV	5230.160	5150 to 5250	Pass
					-10	NV	5230.160	5150 to 5250	Pass
					0	NV	5230.080	5150 to 5250	Pass
					10	NV	5230.040	5150 to 5250	Pass
					30	NV	5230.040	5150 to 5250	Pass
					40	NV	5230.040	5150 to 5250	Pass
					50	NV	5230.080	5150 to 5250	Pass
		5755	/	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.120	5725 to 5850	Pass
						HV	5755.080	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.040	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.120	5725 to 5850	Pass
					10	NV	5755.040	5725 to 5850	Pass
					30	NV	5755.040	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	/	/	20	LV	5795.000	5725 to 5850	Pass
						NV	5795.080	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
					-30	NV	5795.040	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.080	5725 to 5850	Pass
					0	NV	5795.040	5725 to 5850	Pass
					10	NV	5795.080	5725 to 5850	Pass
					30	NV	5795.000	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.080	5725 to 5850	Pass

802.11ac (VHT20)	SISO	5180	/	/	20	LV	5180.120	5150 to 5250	Pass
						NV	5180.020	5150 to 5250	Pass
						HV	5179.960	5150 to 5250	Pass
					-30	NV	5179.960	5150 to 5250	Pass
					-20	NV	5179.980	5150 to 5250	Pass
					-10	NV	5180.080	5150 to 5250	Pass
					0	NV	5180.040	5150 to 5250	Pass
					10	NV	5180.020	5150 to 5250	Pass
					30	NV	5180.040	5150 to 5250	Pass
					40	NV	5180.060	5150 to 5250	Pass
					50	NV	5180.020	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.020	5150 to 5250	Pass
						HV	5200.060	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.060	5150 to 5250	Pass
					-10	NV	5200.080	5150 to 5250	Pass
					0	NV	5199.980	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.080	5150 to 5250	Pass
					40	NV	5200.020	5150 to 5250	Pass
					50	NV	5200.100	5150 to 5250	Pass
		5240	/	/	20	LV	5240.040	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5240.080	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.040	5150 to 5250	Pass
					0	NV	5240.040	5150 to 5250	Pass
					10	NV	5240.040	5150 to 5250	Pass
					30	NV	5240.020	5150 to 5250	Pass
					40	NV	5240.040	5150 to 5250	Pass
					50	NV	5240.020	5150 to 5250	Pass
		5745	/	/	20	LV	5745.040	5725 to 5850	Pass
						NV	5745.000	5725 to 5850	Pass
						HV	5744.960	5725 to 5850	Pass
					-30	NV	5745.020	5725 to 5850	Pass

					-20	NV	5745.060	5725 to 5850	Pass
					-10	NV	5744.960	5725 to 5850	Pass
					0	NV	5745.020	5725 to 5850	Pass
					10	NV	5745.040	5725 to 5850	Pass
					30	NV	5745.040	5725 to 5850	Pass
					40	NV	5745.060	5725 to 5850	Pass
					50	NV	5745.040	5725 to 5850	Pass
		5785	/	/	20	LV	5785.020	5725 to 5850	Pass
						NV	5784.980	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.000	5725 to 5850	Pass
					-20	NV	5785.020	5725 to 5850	Pass
					-10	NV	5785.040	5725 to 5850	Pass
					0	NV	5785.020	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5785.040	5725 to 5850	Pass
					50	NV	5785.060	5725 to 5850	Pass
		5825	/	/	20	LV	5825.000	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5825.040	5725 to 5850	Pass
					-30	NV	5825.040	5725 to 5850	Pass
					-20	NV	5824.980	5725 to 5850	Pass
					-10	NV	5825.080	5725 to 5850	Pass
					0	NV	5825.020	5725 to 5850	Pass
					10	NV	5825.020	5725 to 5850	Pass
					30	NV	5825.000	5725 to 5850	Pass
					40	NV	5825.020	5725 to 5850	Pass
					50	NV	5825.060	5725 to 5850	Pass
		802.11ac (VHT40)	SISO	5190	20	LV	5190.080	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5190.080	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5190.040	5150 to 5250	Pass
					10	NV	5190.080	5150 to 5250	Pass

					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
					50	NV	5190.160	5150 to 5250	Pass
		5230	/	/	20	LV	5230.080	5150 to 5250	Pass
						NV	5230.040	5150 to 5250	Pass
						HV	5230.040	5150 to 5250	Pass
					-30	NV	5230.080	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.040	5150 to 5250	Pass
					0	NV	5230.000	5150 to 5250	Pass
					10	NV	5230.080	5150 to 5250	Pass
					30	NV	5230.120	5150 to 5250	Pass
					40	NV	5230.080	5150 to 5250	Pass
					50	NV	5230.080	5150 to 5250	Pass
		5755	/	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.120	5725 to 5850	Pass
						HV	5755.080	5725 to 5850	Pass
					-30	NV	5755.080	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.080	5725 to 5850	Pass
					0	NV	5755.120	5725 to 5850	Pass
					10	NV	5755.080	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5755.080	5725 to 5850	Pass
		5795	/	/	20	LV	5795.080	5725 to 5850	Pass
						NV	5795.000	5725 to 5850	Pass
						HV	5795.040	5725 to 5850	Pass
					-30	NV	5795.040	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5795.080	5725 to 5850	Pass
					0	NV	5795.120	5725 to 5850	Pass
					10	NV	5795.080	5725 to 5850	Pass
					30	NV	5795.080	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.040	5725 to 5850	Pass
802.11ac	SISO	5210	/	/	20	LV	5210.075	5150 to 5250	Pass

(VHT80)						NV	5210.075	5150 to 5250	Pass
						HV	5210.075	5150 to 5250	Pass
					-30	NV	5210.075	5150 to 5250	Pass
					-20	NV	5210.075	5150 to 5250	Pass
					-10	NV	5210.075	5150 to 5250	Pass
					0	NV	5210.075	5150 to 5250	Pass
					10	NV	5210.075	5150 to 5250	Pass
					30	NV	5210.075	5150 to 5250	Pass
					40	NV	5210.075	5150 to 5250	Pass
					50	NV	5210.075	5150 to 5250	Pass
					5775	/	/	20	LV
		NV	5775.075	5725 to 5850					Pass
		HV	5775.075	5725 to 5850					Pass
		-30	NV	5775.075				5725 to 5850	Pass
		-20	NV	5775.075				5725 to 5850	Pass
		-10	NV	5775.075				5725 to 5850	Pass
		0	NV	5775.075				5725 to 5850	Pass
		10	NV	5775.075				5725 to 5850	Pass
		30	NV	5775.075				5725 to 5850	Pass
		40	NV	5775.075				5725 to 5850	Pass
		50	NV	5775.075	5725 to 5850	Pass			
802.11ax (HEW20)	SISO	5180	SU	/	20	LV	5180.040	5150 to 5250	Pass
						NV	5180.020	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5180.060	5150 to 5250	Pass
					-20	NV	5180.080	5150 to 5250	Pass
					-10	NV	5180.020	5150 to 5250	Pass
					0	NV	5180.000	5150 to 5250	Pass
					10	NV	5180.020	5150 to 5250	Pass
					30	NV	5180.020	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.040	5150 to 5250	Pass
		5200	SU	/	20	LV	5199.980	5150 to 5250	Pass
						NV	5200.000	5150 to 5250	Pass
						HV	5200.000	5150 to 5250	Pass
					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.020	5150 to 5250	Pass

					-10	NV	5199.980	5150 to 5250	Pass
					0	NV	5199.960	5150 to 5250	Pass
					10	NV	5200.040	5150 to 5250	Pass
					30	NV	5200.000	5150 to 5250	Pass
					40	NV	5200.000	5150 to 5250	Pass
					50	NV	5199.940	5150 to 5250	Pass
		5240	SU	/	20	LV	5240.020	5150 to 5250	Pass
						NV	5240.040	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5240.040	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.000	5150 to 5250	Pass
					0	NV	5239.980	5150 to 5250	Pass
					10	NV	5240.040	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5240.020	5150 to 5250	Pass
					50	NV	5240.060	5150 to 5250	Pass
		5745	SU	/	20	LV	5745.020	5725 to 5850	Pass
						NV	5745.040	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5745.020	5725 to 5850	Pass
					-20	NV	5745.020	5725 to 5850	Pass
					-10	NV	5745.060	5725 to 5850	Pass
					0	NV	5745.040	5725 to 5850	Pass
					10	NV	5744.980	5725 to 5850	Pass
					30	NV	5745.000	5725 to 5850	Pass
					40	NV	5745.040	5725 to 5850	Pass
					50	NV	5745.060	5725 to 5850	Pass
		5785	SU	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.000	5725 to 5850	Pass
						HV	5785.040	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5785.040	5725 to 5850	Pass
					-10	NV	5785.080	5725 to 5850	Pass
					0	NV	5785.020	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.040	5725 to 5850	Pass

		5825	SU	/	40	NV	5785.040	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
					20	LV	5824.980	5725 to 5850	Pass
						NV	5824.920	5725 to 5850	Pass
						HV	5825.020	5725 to 5850	Pass
					-30	NV	5825.000	5725 to 5850	Pass
					-20	NV	5825.020	5725 to 5850	Pass
					-10	NV	5825.040	5725 to 5850	Pass
					0	NV	5825.040	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.000	5725 to 5850	Pass
					40	NV	5824.960	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	LV	5190.080	5150 to 5250	Pass
						NV	5190.080	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5190.080	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass
					-10	NV	5190.040	5150 to 5250	Pass
					0	NV	5190.080	5150 to 5250	Pass
					10	NV	5190.080	5150 to 5250	Pass
					30	NV	5190.040	5150 to 5250	Pass
					40	NV	5190.080	5150 to 5250	Pass
		5230	SU	/	50	NV	5190.080	5150 to 5250	Pass
					20	LV	5230.040	5150 to 5250	Pass
						NV	5230.080	5150 to 5250	Pass
						HV	5230.120	5150 to 5250	Pass
					-30	NV	5230.040	5150 to 5250	Pass
					-20	NV	5230.040	5150 to 5250	Pass
					-10	NV	5230.120	5150 to 5250	Pass
					0	NV	5230.080	5150 to 5250	Pass
					10	NV	5230.080	5150 to 5250	Pass
					30	NV	5230.080	5150 to 5250	Pass
		5755	SU	/	20	LV	5755.080	5725 to 5850	Pass
						NV	5755.120	5725 to 5850	Pass

802.11ax (HEW80)	SISO					HV	5755.120	5725 to 5850	Pass
					-30	NV	5755.080	5725 to 5850	Pass
					-20	NV	5755.040	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.000	5725 to 5850	Pass
					30	NV	5755.120	5725 to 5850	Pass
					40	NV	5755.120	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	SU	/	20	LV	5794.960	5725 to 5850	Pass
						NV	5795.040	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
					-30	NV	5795.080	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.040	5725 to 5850	Pass
					0	NV	5795.080	5725 to 5850	Pass
					10	NV	5795.000	5725 to 5850	Pass
					30	NV	5795.040	5725 to 5850	Pass
					40	NV	5795.080	5725 to 5850	Pass
					50	NV	5795.080	5725 to 5850	Pass
		5210	SU	/	20	LV	5210.150	5150 to 5250	Pass
						NV	5210.075	5150 to 5250	Pass
						HV	5210.075	5150 to 5250	Pass
					-30	NV	5210.075	5150 to 5250	Pass
					-20	NV	5210.075	5150 to 5250	Pass
					-10	NV	5210.150	5150 to 5250	Pass
					0	NV	5210.150	5150 to 5250	Pass
					10	NV	5210.150	5150 to 5250	Pass
					30	NV	5210.150	5150 to 5250	Pass
					40	NV	5210.150	5150 to 5250	Pass
					50	NV	5210.225	5150 to 5250	Pass
		5775	SU	/	20	LV	5775.150	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.150	5725 to 5850	Pass
					-30	NV	5775.150	5725 to 5850	Pass
					-20	NV	5775.150	5725 to 5850	Pass
					-10	NV	5775.150	5725 to 5850	Pass

					0	NV	5775.150	5725 to 5850	Pass
					10	NV	5775.150	5725 to 5850	Pass
					30	NV	5775.150	5725 to 5850	Pass
					40	NV	5775.075	5725 to 5850	Pass
					50	NV	5775.150	5725 to 5850	Pass

5.1.2 Ant2

Ant2									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	LV	5180.020	5150 to 5250	Pass
						NV	5180.040	5150 to 5250	Pass
						HV	5180.100	5150 to 5250	Pass
					-30	NV	5180.020	5150 to 5250	Pass
					-20	NV	5180.080	5150 to 5250	Pass
					-10	NV	5180.000	5150 to 5250	Pass
					0	NV	5180.060	5150 to 5250	Pass
					10	NV	5180.040	5150 to 5250	Pass
					30	NV	5179.940	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.080	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.040	5150 to 5250	Pass
						HV	5200.020	5150 to 5250	Pass
					-30	NV	5200.080	5150 to 5250	Pass
					-20	NV	5200.020	5150 to 5250	Pass
					-10	NV	5199.980	5150 to 5250	Pass
					0	NV	5200.020	5150 to 5250	Pass
					10	NV	5200.000	5150 to 5250	Pass
					30	NV	5200.020	5150 to 5250	Pass
					40	NV	5200.020	5150 to 5250	Pass
					50	NV	5199.980	5150 to 5250	Pass
		5240	/	/	20	LV	5240.040	5150 to 5250	Pass
						NV	5240.020	5150 to 5250	Pass
						HV	5240.020	5150 to 5250	Pass
					-30	NV	5240.020	5150 to 5250	Pass

					-20	NV	5239.900	5150 to 5250	Pass
					-10	NV	5240.020	5150 to 5250	Pass
					0	NV	5240.040	5150 to 5250	Pass
					10	NV	5240.060	5150 to 5250	Pass
					30	NV	5240.040	5150 to 5250	Pass
					40	NV	5240.040	5150 to 5250	Pass
					50	NV	5240.000	5150 to 5250	Pass
		5745	/	/	20	LV	5744.920	5725 to 5850	Pass
						NV	5745.020	5725 to 5850	Pass
						HV	5745.060	5725 to 5850	Pass
					-30	NV	5745.040	5725 to 5850	Pass
					-20	NV	5745.100	5725 to 5850	Pass
					-10	NV	5745.140	5725 to 5850	Pass
					0	NV	5745.020	5725 to 5850	Pass
					10	NV	5745.000	5725 to 5850	Pass
					30	NV	5745.000	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5745.020	5725 to 5850	Pass
		5785	/	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.000	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.040	5725 to 5850	Pass
					-20	NV	5785.040	5725 to 5850	Pass
					-10	NV	5784.980	5725 to 5850	Pass
					0	NV	5785.020	5725 to 5850	Pass
					10	NV	5785.000	5725 to 5850	Pass
					30	NV	5784.980	5725 to 5850	Pass
					40	NV	5785.060	5725 to 5850	Pass
					50	NV	5785.020	5725 to 5850	Pass
		5825	/	/	20	LV	5825.000	5725 to 5850	Pass
						NV	5825.020	5725 to 5850	Pass
						HV	5825.040	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.020	5725 to 5850	Pass
					-10	NV	5825.040	5725 to 5850	Pass
					0	NV	5825.020	5725 to 5850	Pass
					10	NV	5825.020	5725 to 5850	Pass

					30	NV	5824.940	5725 to 5850	Pass
					40	NV	5825.100	5725 to 5850	Pass
					50	NV	5824.980	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	/	/	20	LV	5180.040	5150 to 5250	Pass
						NV	5180.040	5150 to 5250	Pass
						HV	5180.120	5150 to 5250	Pass
					-30	NV	5179.980	5150 to 5250	Pass
					-20	NV	5180.020	5150 to 5250	Pass
					-10	NV	5180.020	5150 to 5250	Pass
					0	NV	5180.040	5150 to 5250	Pass
					10	NV	5179.980	5150 to 5250	Pass
					30	NV	5180.040	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.020	5150 to 5250	Pass
		5200	/	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5199.960	5150 to 5250	Pass
						HV	5200.020	5150 to 5250	Pass
					-30	NV	5200.120	5150 to 5250	Pass
					-20	NV	5200.040	5150 to 5250	Pass
					-10	NV	5199.940	5150 to 5250	Pass
					0	NV	5200.040	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5200.020	5150 to 5250	Pass
					40	NV	5199.980	5150 to 5250	Pass
					50	NV	5200.060	5150 to 5250	Pass
		5240	/	/	20	LV	5240.000	5150 to 5250	Pass
						NV	5239.980	5150 to 5250	Pass
						HV	5240.060	5150 to 5250	Pass
					-30	NV	5239.980	5150 to 5250	Pass
					-20	NV	5240.020	5150 to 5250	Pass
					-10	NV	5240.040	5150 to 5250	Pass
					0	NV	5240.000	5150 to 5250	Pass
					10	NV	5240.060	5150 to 5250	Pass
					30	NV	5239.980	5150 to 5250	Pass
					40	NV	5240.000	5150 to 5250	Pass
					50	NV	5240.040	5150 to 5250	Pass
		5745	/	/	20	LV	5745.040	5725 to 5850	Pass

						NV	5745.020	5725 to 5850	Pass
						HV	5745.020	5725 to 5850	Pass
					-30	NV	5745.020	5725 to 5850	Pass
					-20	NV	5745.060	5725 to 5850	Pass
					-10	NV	5745.000	5725 to 5850	Pass
					0	NV	5745.040	5725 to 5850	Pass
					10	NV	5745.020	5725 to 5850	Pass
					30	NV	5744.980	5725 to 5850	Pass
					40	NV	5745.020	5725 to 5850	Pass
					50	NV	5745.040	5725 to 5850	Pass
		5785	/	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5784.940	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.060	5725 to 5850	Pass
					-20	NV	5785.060	5725 to 5850	Pass
					-10	NV	5785.000	5725 to 5850	Pass
					0	NV	5785.060	5725 to 5850	Pass
					10	NV	5785.080	5725 to 5850	Pass
					30	NV	5785.040	5725 to 5850	Pass
					40	NV	5785.020	5725 to 5850	Pass
					50	NV	5785.000	5725 to 5850	Pass
		5825	/	/	20	LV	5825.020	5725 to 5850	Pass
						NV	5825.040	5725 to 5850	Pass
						HV	5824.980	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.020	5725 to 5850	Pass
					-10	NV	5825.020	5725 to 5850	Pass
					0	NV	5825.040	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.060	5725 to 5850	Pass
					40	NV	5825.020	5725 to 5850	Pass
					50	NV	5825.040	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	LV	5190.120	5150 to 5250	Pass
						NV	5190.040	5150 to 5250	Pass
						HV	5190.080	5150 to 5250	Pass
					-30	NV	5190.160	5150 to 5250	Pass
					-20	NV	5190.040	5150 to 5250	Pass

					-10	NV	5190.080	5150 to 5250	Pass
					0	NV	5189.960	5150 to 5250	Pass
					10	NV	5190.080	5150 to 5250	Pass
					30	NV	5190.040	5150 to 5250	Pass
					40	NV	5190.040	5150 to 5250	Pass
					50	NV	5190.080	5150 to 5250	Pass
		5230	/	/	20	LV	5230.080	5150 to 5250	Pass
						NV	5230.040	5150 to 5250	Pass
						HV	5230.080	5150 to 5250	Pass
					-30	NV	5230.080	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.080	5150 to 5250	Pass
					0	NV	5230.080	5150 to 5250	Pass
					10	NV	5230.080	5150 to 5250	Pass
					30	NV	5230.080	5150 to 5250	Pass
					40	NV	5230.080	5150 to 5250	Pass
					50	NV	5230.040	5150 to 5250	Pass
		5755	/	/	20	LV	5755.000	5725 to 5850	Pass
						NV	5755.080	5725 to 5850	Pass
						HV	5755.080	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.040	5725 to 5850	Pass
					-10	NV	5755.040	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.040	5725 to 5850	Pass
					30	NV	5755.040	5725 to 5850	Pass
					40	NV	5755.040	5725 to 5850	Pass
					50	NV	5755.040	5725 to 5850	Pass
		5795	/	/	20	LV	5795.080	5725 to 5850	Pass
						NV	5795.040	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
					-30	NV	5795.080	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.120	5725 to 5850	Pass
					0	NV	5795.080	5725 to 5850	Pass
					10	NV	5795.040	5725 to 5850	Pass
					30	NV	5795.040	5725 to 5850	Pass

802.11ac (VHT20)	SISO				40	NV	5795.000	5725 to 5850	Pass
					50	NV	5795.080	5725 to 5850	Pass
		5180	/	/	20	LV	5180.000	5150 to 5250	Pass
						NV	5179.980	5150 to 5250	Pass
						HV	5180.000	5150 to 5250	Pass
					-30	NV	5180.060	5150 to 5250	Pass
					-20	NV	5180.040	5150 to 5250	Pass
					-10	NV	5180.020	5150 to 5250	Pass
					0	NV	5180.020	5150 to 5250	Pass
					10	NV	5180.040	5150 to 5250	Pass
					30	NV	5180.000	5150 to 5250	Pass
					40	NV	5180.020	5150 to 5250	Pass
					50	NV	5180.020	5150 to 5250	Pass
		5200	/	/	20	LV	5199.940	5150 to 5250	Pass
						NV	5199.980	5150 to 5250	Pass
						HV	5199.980	5150 to 5250	Pass
					-30	NV	5200.020	5150 to 5250	Pass
					-20	NV	5200.000	5150 to 5250	Pass
					-10	NV	5199.900	5150 to 5250	Pass
					0	NV	5200.000	5150 to 5250	Pass
					10	NV	5200.040	5150 to 5250	Pass
					30	NV	5199.960	5150 to 5250	Pass
					40	NV	5200.040	5150 to 5250	Pass
					50	NV	5199.920	5150 to 5250	Pass
		5240	/	/	20	LV	5240.000	5150 to 5250	Pass
						NV	5240.100	5150 to 5250	Pass
						HV	5239.980	5150 to 5250	Pass
					-30	NV	5240.040	5150 to 5250	Pass
					-20	NV	5240.040	5150 to 5250	Pass
					-10	NV	5240.060	5150 to 5250	Pass
					0	NV	5240.080	5150 to 5250	Pass
					10	NV	5240.000	5150 to 5250	Pass
					30	NV	5240.020	5150 to 5250	Pass
					40	NV	5240.060	5150 to 5250	Pass
					50	NV	5240.020	5150 to 5250	Pass
		5745	/	/	20	LV	5745.020	5725 to 5850	Pass
						NV	5745.060	5725 to 5850	Pass

						HV	5744.980	5725 to 5850	Pass
					-30	NV	5744.960	5725 to 5850	Pass
					-20	NV	5745.020	5725 to 5850	Pass
					-10	NV	5745.020	5725 to 5850	Pass
					0	NV	5745.020	5725 to 5850	Pass
					10	NV	5745.040	5725 to 5850	Pass
					30	NV	5745.000	5725 to 5850	Pass
					40	NV	5745.080	5725 to 5850	Pass
					50	NV	5745.020	5725 to 5850	Pass
		5785	/	/	20	LV	5785.020	5725 to 5850	Pass
						NV	5785.040	5725 to 5850	Pass
						HV	5785.020	5725 to 5850	Pass
					-30	NV	5785.080	5725 to 5850	Pass
					-20	NV	5785.080	5725 to 5850	Pass
					-10	NV	5785.020	5725 to 5850	Pass
					0	NV	5784.980	5725 to 5850	Pass
					10	NV	5785.020	5725 to 5850	Pass
					30	NV	5785.060	5725 to 5850	Pass
					40	NV	5785.060	5725 to 5850	Pass
		5825	/	/	20	LV	5825.020	5725 to 5850	Pass
						NV	5825.040	5725 to 5850	Pass
						HV	5825.040	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.080	5725 to 5850	Pass
					-10	NV	5825.040	5725 to 5850	Pass
					0	NV	5825.000	5725 to 5850	Pass
					10	NV	5825.020	5725 to 5850	Pass
					30	NV	5824.940	5725 to 5850	Pass
					40	NV	5825.020	5725 to 5850	Pass
					50	NV	5824.940	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	LV	5190.080	5150 to 5250	Pass
						NV	5190.040	5150 to 5250	Pass
						HV	5190.040	5150 to 5250	Pass
					-30	NV	5190.040	5150 to 5250	Pass
					-20	NV	5190.000	5150 to 5250	Pass
					-10	NV	5190.080	5150 to 5250	Pass

					0	NV	5190.080	5150 to 5250	Pass
					10	NV	5190.080	5150 to 5250	Pass
					30	NV	5190.080	5150 to 5250	Pass
					40	NV	5190.040	5150 to 5250	Pass
					50	NV	5190.080	5150 to 5250	Pass
		5230	/	/	20	LV	5230.120	5150 to 5250	Pass
						NV	5230.080	5150 to 5250	Pass
						HV	5230.080	5150 to 5250	Pass
					-30	NV	5230.040	5150 to 5250	Pass
					-20	NV	5230.080	5150 to 5250	Pass
					-10	NV	5230.040	5150 to 5250	Pass
					0	NV	5230.080	5150 to 5250	Pass
					10	NV	5230.080	5150 to 5250	Pass
					30	NV	5230.080	5150 to 5250	Pass
					40	NV	5230.080	5150 to 5250	Pass
					50	NV	5230.080	5150 to 5250	Pass
		5755	/	/	20	LV	5755.040	5725 to 5850	Pass
						NV	5755.040	5725 to 5850	Pass
						HV	5755.040	5725 to 5850	Pass
					-30	NV	5755.040	5725 to 5850	Pass
					-20	NV	5755.080	5725 to 5850	Pass
					-10	NV	5755.080	5725 to 5850	Pass
					0	NV	5755.080	5725 to 5850	Pass
					10	NV	5755.040	5725 to 5850	Pass
					30	NV	5755.080	5725 to 5850	Pass
					40	NV	5755.000	5725 to 5850	Pass
		5795	/	/	20	LV	5795.040	5725 to 5850	Pass
						NV	5795.080	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
					-30	NV	5795.080	5725 to 5850	Pass
					-20	NV	5795.040	5725 to 5850	Pass
					-10	NV	5795.080	5725 to 5850	Pass
					0	NV	5795.120	5725 to 5850	Pass
					10	NV	5795.080	5725 to 5850	Pass
					30	NV	5795.120	5725 to 5850	Pass
					40	NV	5795.040	5725 to 5850	Pass

					50	NV	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	/	/	20	LV	5210.075	5150 to 5250	Pass
						NV	5210.075	5150 to 5250	Pass
						HV	5210.075	5150 to 5250	Pass
					-30	NV	5210.075	5150 to 5250	Pass
					-20	NV	5210.075	5150 to 5250	Pass
					-10	NV	5210.075	5150 to 5250	Pass
					0	NV	5210.075	5150 to 5250	Pass
					10	NV	5210.075	5150 to 5250	Pass
					30	NV	5210.075	5150 to 5250	Pass
					40	NV	5210.075	5150 to 5250	Pass
					50	NV	5210.075	5150 to 5250	Pass
		5775	/	/	20	LV	5775.075	5725 to 5850	Pass
						NV	5775.075	5725 to 5850	Pass
						HV	5775.075	5725 to 5850	Pass
					-30	NV	5775.075	5725 to 5850	Pass
					-20	NV	5775.075	5725 to 5850	Pass
					-10	NV	5775.075	5725 to 5850	Pass
					0	NV	5775.075	5725 to 5850	Pass
					10	NV	5775.075	5725 to 5850	Pass
					30	NV	5775.075	5725 to 5850	Pass
					40	NV	5775.075	5725 to 5850	Pass
					50	NV	5775.075	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	LV	5180.020	5150 to 5250	Pass
						NV	5180.080	5150 to 5250	Pass
						HV	5180.020	5150 to 5250	Pass
					-30	NV	5179.960	5150 to 5250	Pass
					-20	NV	5180.040	5150 to 5250	Pass
					-10	NV	5179.980	5150 to 5250	Pass
					0	NV	5180.020	5150 to 5250	Pass
					10	NV	5180.060	5150 to 5250	Pass
					30	NV	5180.020	5150 to 5250	Pass
					40	NV	5180.000	5150 to 5250	Pass
					50	NV	5180.060	5150 to 5250	Pass
		5200	SU	/	20	LV	5200.020	5150 to 5250	Pass
						NV	5200.000	5150 to 5250	Pass
						HV	5200.040	5150 to 5250	Pass

					-30	NV	5200.000	5150 to 5250	Pass
					-20	NV	5200.000	5150 to 5250	Pass
					-10	NV	5199.980	5150 to 5250	Pass
					0	NV	5199.980	5150 to 5250	Pass
					10	NV	5200.020	5150 to 5250	Pass
					30	NV	5199.980	5150 to 5250	Pass
					40	NV	5200.040	5150 to 5250	Pass
					50	NV	5200.000	5150 to 5250	Pass
		5240	SU	/	20	LV	5240.020	5150 to 5250	Pass
						NV	5240.060	5150 to 5250	Pass
						HV	5240.040	5150 to 5250	Pass
					-30	NV	5240.020	5150 to 5250	Pass
					-20	NV	5240.060	5150 to 5250	Pass
					-10	NV	5240.020	5150 to 5250	Pass
					0	NV	5240.040	5150 to 5250	Pass
					10	NV	5240.060	5150 to 5250	Pass
					30	NV	5240.020	5150 to 5250	Pass
					40	NV	5240.000	5150 to 5250	Pass
					50	NV	5240.020	5150 to 5250	Pass
		5745	SU	/	20	LV	5745.040	5725 to 5850	Pass
						NV	5745.040	5725 to 5850	Pass
						HV	5745.040	5725 to 5850	Pass
					-30	NV	5745.000	5725 to 5850	Pass
					-20	NV	5744.960	5725 to 5850	Pass
					-10	NV	5745.080	5725 to 5850	Pass
					0	NV	5745.000	5725 to 5850	Pass
					10	NV	5745.020	5725 to 5850	Pass
					30	NV	5745.020	5725 to 5850	Pass
					40	NV	5744.980	5725 to 5850	Pass
					50	NV	5745.040	5725 to 5850	Pass
		5785	SU	/	20	LV	5785.040	5725 to 5850	Pass
						NV	5785.040	5725 to 5850	Pass
						HV	5785.040	5725 to 5850	Pass
					-30	NV	5785.000	5725 to 5850	Pass
					-20	NV	5785.040	5725 to 5850	Pass
					-10	NV	5785.040	5725 to 5850	Pass
					0	NV	5784.980	5725 to 5850	Pass

802.11ax (HEW40)	SISO				10	NV	5785.000	5725 to 5850	Pass
					30	NV	5785.000	5725 to 5850	Pass
					40	NV	5785.020	5725 to 5850	Pass
					50	NV	5784.980	5725 to 5850	Pass
		5825	SU	/	20	LV	5825.000	5725 to 5850	Pass
						NV	5825.060	5725 to 5850	Pass
						HV	5825.040	5725 to 5850	Pass
					-30	NV	5825.020	5725 to 5850	Pass
					-20	NV	5825.000	5725 to 5850	Pass
					-10	NV	5825.080	5725 to 5850	Pass
					0	NV	5825.060	5725 to 5850	Pass
					10	NV	5825.000	5725 to 5850	Pass
					30	NV	5825.040	5725 to 5850	Pass
					40	NV	5825.000	5725 to 5850	Pass
					50	NV	5825.020	5725 to 5850	Pass
		5190	SU	/	20	LV	5190.120	5150 to 5250	Pass
						NV	5190.000	5150 to 5250	Pass
						HV	5190.040	5150 to 5250	Pass
					-30	NV	5190.120	5150 to 5250	Pass
					-20	NV	5190.080	5150 to 5250	Pass
					-10	NV	5190.000	5150 to 5250	Pass
					0	NV	5190.040	5150 to 5250	Pass
					10	NV	5190.040	5150 to 5250	Pass
					30	NV	5190.040	5150 to 5250	Pass
					40	NV	5190.120	5150 to 5250	Pass
					50	NV	5190.120	5150 to 5250	Pass
		5230	SU	/	20	LV	5230.160	5150 to 5250	Pass
						NV	5230.120	5150 to 5250	Pass
						HV	5230.040	5150 to 5250	Pass
					-30	NV	5230.080	5150 to 5250	Pass
					-20	NV	5230.040	5150 to 5250	Pass
					-10	NV	5230.080	5150 to 5250	Pass
					0	NV	5230.040	5150 to 5250	Pass
					10	NV	5230.040	5150 to 5250	Pass
					30	NV	5230.120	5150 to 5250	Pass
					40	NV	5230.120	5150 to 5250	Pass
					50	NV	5230.080	5150 to 5250	Pass

802.11ax (HEW80)	SISO	5755	SU	/	20	LV	5755.040	5725 to 5850	Pass
						NV	5755.080	5725 to 5850	Pass
						HV	5755.080	5725 to 5850	Pass
					-30	NV	5755.080	5725 to 5850	Pass
					-20	NV	5755.000	5725 to 5850	Pass
					-10	NV	5755.080	5725 to 5850	Pass
					0	NV	5755.040	5725 to 5850	Pass
					10	NV	5755.040	5725 to 5850	Pass
					30	NV	5755.000	5725 to 5850	Pass
					40	NV	5755.120	5725 to 5850	Pass
					50	NV	5755.080	5725 to 5850	Pass
		5795	SU	/	20	LV	5795.080	5725 to 5850	Pass
						NV	5795.160	5725 to 5850	Pass
						HV	5795.080	5725 to 5850	Pass
					-30	NV	5795.000	5725 to 5850	Pass
					-20	NV	5795.080	5725 to 5850	Pass
					-10	NV	5795.040	5725 to 5850	Pass
					0	NV	5795.120	5725 to 5850	Pass
					10	NV	5795.080	5725 to 5850	Pass
					30	NV	5795.080	5725 to 5850	Pass
					40	NV	5795.000	5725 to 5850	Pass
					50	NV	5795.120	5725 to 5850	Pass
		5210	SU	/	20	LV	5210.150	5150 to 5250	Pass
						NV	5210.075	5150 to 5250	Pass
						HV	5210.075	5150 to 5250	Pass
					-30	NV	5210.150	5150 to 5250	Pass
					-20	NV	5210.000	5150 to 5250	Pass
					-10	NV	5210.075	5150 to 5250	Pass
					0	NV	5210.075	5150 to 5250	Pass
					10	NV	5210.150	5150 to 5250	Pass
					30	NV	5210.150	5150 to 5250	Pass
					40	NV	5210.075	5150 to 5250	Pass
					50	NV	5210.150	5150 to 5250	Pass
		5775	SU	/	20	LV	5775.075	5725 to 5850	Pass
						NV	5775.000	5725 to 5850	Pass
						HV	5775.150	5725 to 5850	Pass
					-30	NV	5775.075	5725 to 5850	Pass

					-20	NV	5775.075	5725 to 5850	Pass
					-10	NV	5775.225	5725 to 5850	Pass
					0	NV	5775.075	5725 to 5850	Pass
					10	NV	5775.075	5725 to 5850	Pass
					30	NV	5775.150	5725 to 5850	Pass
					40	NV	5775.000	5725 to 5850	Pass
					50	NV	5775.075	5725 to 5850	Pass



STATEMENT

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--- End of Report ---