


## ANNEX D TEST DATA

### For

|                      |                                       |
|----------------------|---------------------------------------|
| Project No.:         | 8334EU012812W                         |
| Client:              | shen zhen mangmi technology Co., Ltd. |
| Product Description: | Handheld Game Console                 |
| Model No.:           | Pocket Max                            |
| FCC ID:              | 2BO6D-POCKETMAX                       |
| Technology:          | WiFi 2.4G                             |
| Test Engineer:       | <i>Mikoy zhu</i>                      |
| Test Date:           | 2025-10-17                            |

## Test Summary

| Item                                                 | Result |
|------------------------------------------------------|--------|
| Duty Cycle                                           | Pass   |
| Bandwidth                                            | Pass   |
| Maximum Conducted Output Power                       | Pass   |
| Maximum Power Spectral Density                       | Pass   |
| Unwanted Emissions In Non-restricted Frequency Bands | Pass   |



## 1. Duty Cycle

### 1.1 Test Result


#### 1.1.1 Ant1

| Ant1           |         |                 |                      |             |                |                                   |                       |
|----------------|---------|-----------------|----------------------|-------------|----------------|-----------------------------------|-----------------------|
| Mode           | TX Type | Frequency (MHz) | T <sub>on</sub> (ms) | Period (ms) | Duty Cycle (%) | Duty Cycle Correction Factor (dB) | Max. DC Variation (%) |
| 802.11b        | SISO    | 2412            | 8.350                | 8.396       | 99.45          | 0.02                              | 0.04                  |
| 802.11g        | SISO    | 2412            | 0.148                | 0.197       | 75.13          | 1.24                              | 1.01                  |
| 802.11n (HT20) | MIMO    | 2412            | 0.177                | 0.225       | 78.67          | 1.04                              | 0.62                  |
| 802.11n (HT40) | MIMO    | 2422            | 0.180                | 0.229       | 78.60          | 1.05                              | 0.83                  |


Note: All antenna were tested, but only the worst case has been reported in this report.

## 1.2 Test Graph


### 1.2.1 Ant1



802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV



802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV



## 2. Bandwidth

### 2.1 Test Result

#### 2.1.1 OBW

| Mode           | TX Type | Frequency (MHz) | ANT | 99% Occupied Bandwidth (MHz) |       | Verdict |
|----------------|---------|-----------------|-----|------------------------------|-------|---------|
|                |         |                 |     | Result                       | Limit |         |
| 802.11b        | SISO    | 2412            | 1   | 13.348                       | /     | Pass    |
|                |         | 2437            | 1   | 13.396                       | /     | Pass    |
|                |         | 2462            | 1   | 13.400                       | /     | Pass    |
| 802.11g        | SISO    | 2412            | 1   | 17.331                       | /     | Pass    |
|                |         | 2437            | 1   | 17.305                       | /     | Pass    |
|                |         | 2462            | 1   | 17.359                       | /     | Pass    |
| 802.11n (HT20) | MIMO    | 2412            | 1   | 18.303                       | /     | Pass    |
|                |         | 2437            | 1   | 18.361                       | /     | Pass    |
|                |         | 2462            | 1   | 18.393                       | /     | Pass    |
| 802.11n (HT40) | MIMO    | 2422            | 1   | 36.333                       | /     | Pass    |
|                |         | 2437            | 1   | 36.322                       | /     | Pass    |
|                |         | 2452            | 1   | 36.222                       | /     | Pass    |

Note: All antenna were tested, but only the worst case has been reported in this report.


#### 2.1.2 6dB BW

| Mode           | TX Type | Frequency (MHz) | ANT | 6dB Bandwidth (MHz) |            | Verdict |
|----------------|---------|-----------------|-----|---------------------|------------|---------|
|                |         |                 |     | Result              | Limit      |         |
| 802.11b        | SISO    | 2412            | 1   | 10.349              | $\geq 0.5$ | Pass    |
|                |         | 2437            | 1   | 10.351              | $\geq 0.5$ | Pass    |
|                |         | 2462            | 1   | 10.352              | $\geq 0.5$ | Pass    |
| 802.11g        | SISO    | 2412            | 1   | 16.220              | $\geq 0.5$ | Pass    |
|                |         | 2437            | 1   | 16.066              | $\geq 0.5$ | Pass    |
|                |         | 2462            | 1   | 16.065              | $\geq 0.5$ | Pass    |
| 802.11n (HT20) | MIMO    | 2412            | 1   | 16.953              | $\geq 0.5$ | Pass    |
|                |         | 2437            | 1   | 17.088              | $\geq 0.5$ | Pass    |
|                |         | 2462            | 1   | 17.377              | $\geq 0.5$ | Pass    |
| 802.11n (HT40) | MIMO    | 2422            | 1   | 35.757              | $\geq 0.5$ | Pass    |
|                |         | 2437            | 1   | 35.562              | $\geq 0.5$ | Pass    |
|                |         | 2452            | 1   | 35.420              | $\geq 0.5$ | Pass    |


Note: All antenna were tested, but only the worst case has been reported in this report.

## 2.2 Test Graph


### 2.2.1 OBW




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV







## 2.2.2 6dB BW




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV






802.11n(HT40)\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV



802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV



### 3. Maximum Conducted Output Power

#### 3.1 Test Result

##### 3.1.1 Power

| Mode                                                                                                                                                                                                                         | TX Type | Frequency (MHz) | Maximum Peak Conducted Output Power (dBm) |       |       |       | Verdict |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-------------------------------------------|-------|-------|-------|---------|
|                                                                                                                                                                                                                              |         |                 | ANT1                                      | ANT2  | MIMO  | Limit |         |
| 802.11b                                                                                                                                                                                                                      | SISO    | 2412            | 14.55                                     | 15.56 | /     | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | 14.68                                     | 15.71 | /     | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2462            | 14.95                                     | 16.24 | /     | <=30  | Pass    |
| 802.11g                                                                                                                                                                                                                      | SISO    | 2412            | 16.19                                     | 17.03 | /     | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | 16.27                                     | 17.14 | /     | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2462            | 16.57                                     | 17.79 | /     | <=30  | Pass    |
| 802.11n (HT20)                                                                                                                                                                                                               | MIMO    | 2412            | 16.09                                     | 16.83 | 19.49 | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | 16.16                                     | 16.98 | 19.60 | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2462            | 16.49                                     | 17.58 | 20.08 | <=30  | Pass    |
| 802.11n (HT40)                                                                                                                                                                                                               | MIMO    | 2422            | 16.40                                     | 17.32 | 19.89 | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | 16.51                                     | 17.42 | 20.00 | <=30  | Pass    |
|                                                                                                                                                                                                                              |         | 2452            | 16.66                                     | 17.74 | 20.24 | <=30  | Pass    |
| Note1: Antenna Gain: Ant1: 0.18dBi; Ant2: 0.33dBi;<br>Note2: Directional Gain: Correlated (Directional Gain =3.27dBi)<br>Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi |         |                 |                                           |       |       |       |         |

#### 4. Maximum Power Spectral Density


##### 4.1 Test Result

##### 4.1.1 PSD


| Mode                                                                                                                                                                                                                         | TX Type | Frequency (MHz) | Maximum PSD (dBm) |       |       |       | Verdict |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-------------------|-------|-------|-------|---------|
|                                                                                                                                                                                                                              |         |                 | ANT1              | ANT2  | MIMO  | Limit |         |
| 802.11b                                                                                                                                                                                                                      | SISO    | 2412            | 2.60              | 3.58  | /     | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | 2.58              | 3.75  | /     | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2462            | 2.94              | 4.39  | /     | <=8   | Pass    |
| 802.11g                                                                                                                                                                                                                      | SISO    | 2412            | -1.24             | -0.40 | /     | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | -1.15             | -0.25 | /     | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2462            | -0.78             | 0.43  | /     | <=8   | Pass    |
| 802.11n (HT20)                                                                                                                                                                                                               | MIMO    | 2412            | -1.20             | -0.47 | 2.19  | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | -1.15             | -0.35 | 2.28  | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2462            | -0.78             | 0.29  | 2.80  | <=8   | Pass    |
| 802.11n (HT40)                                                                                                                                                                                                               | MIMO    | 2422            | -4.67             | -3.59 | -1.09 | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2437            | -4.50             | -3.45 | -0.93 | <=8   | Pass    |
|                                                                                                                                                                                                                              |         | 2452            | -4.00             | -3.08 | -0.51 | <=8   | Pass    |
| Note1: Antenna Gain: Ant1: 0.18dBi; Ant2: 0.33dBi;<br>Note2: Directional Gain: Correlated (Directional Gain =3.27dBi)<br>Formulas: Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + \dots + 10^{GN/20})^2 / NANT]$ dBi |         |                 |                   |       |       |       |         |

## 4.2 Test Graph


### 4.2.1 PSD




802.11b\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV





802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV










802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV









802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV




802.11n(HT40)\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV



802.11n(HT40)\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV





## 5. Unwanted Emissions In Non-restricted Frequency Bands

### 5.1 Test Result

#### 5.1.1 Ref


| Mode                                                                                                                                            | Tx Type | Frequency (MHz) | ANT | Level of Reference (dBm) |
|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-----|--------------------------|
| 802.11b                                                                                                                                         | SISO    | 2412            | 1   | 2.61                     |
|                                                                                                                                                 |         |                 | 2   | 3.60                     |
|                                                                                                                                                 |         | 2437            | 1   | 2.78                     |
|                                                                                                                                                 |         |                 | 2   | 3.84                     |
|                                                                                                                                                 |         | 2462            | 1   | 3.02                     |
|                                                                                                                                                 |         |                 | 2   | 4.30                     |
| 802.11g                                                                                                                                         | SISO    | 2412            | 1   | -1.25                    |
|                                                                                                                                                 |         |                 | 2   | -0.41                    |
|                                                                                                                                                 |         | 2437            | 1   | -1.16                    |
|                                                                                                                                                 |         |                 | 2   | -0.26                    |
|                                                                                                                                                 |         | 2462            | 1   | -0.78                    |
|                                                                                                                                                 |         |                 | 2   | 0.41                     |
| 802.11n (HT20)                                                                                                                                  | MIMO    | 2412            | 1   | -1.18                    |
|                                                                                                                                                 |         |                 | 2   | -0.45                    |
|                                                                                                                                                 |         | 2437            | 1   | -1.12                    |
|                                                                                                                                                 |         |                 | 2   | -0.29                    |
|                                                                                                                                                 |         | 2462            | 1   | -0.79                    |
|                                                                                                                                                 |         |                 | 2   | 0.33                     |
| 802.11n (HT40)                                                                                                                                  | MIMO    | 2422            | 1   | -4.61                    |
|                                                                                                                                                 |         |                 | 2   | -3.60                    |
|                                                                                                                                                 |         | 2437            | 1   | -4.47                    |
|                                                                                                                                                 |         |                 | 2   | -3.46                    |
|                                                                                                                                                 |         | 2452            | 1   | -4.00                    |
|                                                                                                                                                 |         |                 | 2   | -3.04                    |
| Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level. |         |                 |     |                          |


### 5.1.2 CSE

| Mode                                                                                                                                            | TX Type | Frequency (MHz) | ANT | Level of Reference (dBm) | Limit (dBm) | Verdict |
|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|-----|--------------------------|-------------|---------|
| 802.11b                                                                                                                                         | SISO    | 2412            | 1   | 2.61                     | -17.39      | Pass    |
|                                                                                                                                                 |         |                 | 2   | 3.60                     | -16.40      | Pass    |
|                                                                                                                                                 |         | 2437            | 1   | 2.78                     | -17.22      | Pass    |
|                                                                                                                                                 |         |                 | 2   | 3.84                     | -16.16      | Pass    |
|                                                                                                                                                 |         | 2462            | 1   | 3.02                     | -16.98      | Pass    |
|                                                                                                                                                 |         |                 | 2   | 4.30                     | -15.70      | Pass    |
| 802.11g                                                                                                                                         | SISO    | 2412            | 1   | -1.25                    | -21.25      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -0.41                    | -20.41      | Pass    |
|                                                                                                                                                 |         | 2437            | 1   | -1.16                    | -21.16      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -0.26                    | -20.26      | Pass    |
|                                                                                                                                                 |         | 2462            | 1   | -0.78                    | -20.78      | Pass    |
|                                                                                                                                                 |         |                 | 2   | 0.41                     | -19.59      | Pass    |
| 802.11n (HT20)                                                                                                                                  | MIMO    | 2412            | 1   | -1.18                    | -21.18      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -0.45                    | -20.45      | Pass    |
|                                                                                                                                                 |         | 2437            | 1   | -1.12                    | -21.12      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -0.29                    | -20.29      | Pass    |
|                                                                                                                                                 |         | 2462            | 1   | -0.79                    | -20.79      | Pass    |
|                                                                                                                                                 |         |                 | 2   | 0.33                     | -19.67      | Pass    |
| 802.11n (HT40)                                                                                                                                  | MIMO    | 2422            | 1   | -4.61                    | -24.61      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -3.60                    | -23.60      | Pass    |
|                                                                                                                                                 |         | 2437            | 1   | -4.47                    | -24.47      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -3.46                    | -23.46      | Pass    |
|                                                                                                                                                 |         | 2452            | 1   | -4.00                    | -24.00      | Pass    |
|                                                                                                                                                 |         |                 | 2   | -3.04                    | -23.04      | Pass    |
| Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level. |         |                 |     |                          |             |         |


## 5.2 Test Graph

### 5.2.1 Ref








802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV





802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




















802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV







802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant2 (SISO)\_NTNV




## 5.2.2 CSE




802.11b\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11b\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11b\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11g\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11g\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV







802.11g\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11g\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




802.11n(HT20)\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV





802.11n(HT20)\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV





802.11n(HT20)\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV

















802.11n(HT20)\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




802.11n(HT20)\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV







802.11n(HT20)\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




802.11n(HT20)\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV







802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV




802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV





802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV





802.11n(HT40)\_LCH\_2422MHz\_Ant2 (SISO)\_NTNV














802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant1 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant2 (SISO)\_NTNV




802.11n(HT40)\_HCH\_2452MHz\_Ant2 (SISO)\_NTNV



802.11n(HT40)\_HCH\_2452MHz\_Ant2 (SISO)\_NTNV





----- End of Report -----