





HF RFID Shielded Antenna EA2602-BL-P PCB Picture from bottom view 1 rev 10.03




HF RFID Shielded Antenna EA2602-BL-P PCB Picture from bottom view 2 rev 10.03



HF RFID Shielded Antenna EA2602-BL-P PCB Picture from bottom view 3 rev 10.03



HF RFID Shielded Antenna EA2602-BL-P PCB Picture from top view 1 rev 10.03



HF RFID Shielded Antenna EA2602-BL-P PCB Picture from top view 2 rev 10.03

The antenna specification must include an internal or external antenna:

Product name: **eWitness**

FCC ID Number: **2BO96EW0140100202**

- the antenna model no. of the antenna – (if applicable): **EA2602-BL -P**
  - included in the user manual
- the antenna manufactures: **Andea electronics**
- the type/construction (eg. like dipol, chip ..): **PCB Coil antenna**
- the mounting at the housing or a unique connector type: **Externally mounted, permanently attached, not user-replaceable**
  - the connector/connection type – (if appliable)
- the maximum antenna gains in dBi: **N/A**
- the frequency range of the antenna: **Range 13.110-14.010 MHz, operating frequency 13.56 MHz**
- photos or mechanical drawings of the antenna construction with dimensions
  - Part of internal photos