

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	23.89	0.05	23.94	<=33.01	Pass
			13	23.78	0.05	23.83	<=33.01	Pass
			24	23.80	0.05	23.85	<=33.01	Pass
		12	0	23.03	0.05	23.08	<=33.01	Pass
			6	22.82	0.05	22.87	<=33.01	Pass
			13	22.93	0.05	22.98	<=33.01	Pass
		25	0	22.86	0.05	22.91	<=33.01	Pass
	2535	1	0	23.45	0.05	23.50	<=33.01	Pass
			13	23.72	0.05	23.77	<=33.01	Pass
			24	23.45	0.05	23.50	<=33.01	Pass
		12	0	22.74	0.05	22.79	<=33.01	Pass
			6	22.73	0.05	22.78	<=33.01	Pass
			13	22.68	0.05	22.73	<=33.01	Pass
		25	0	22.69	0.05	22.74	<=33.01	Pass
	2567.5	1	0	23.70	0.05	23.75	<=33.01	Pass
			13	23.66	0.05	23.71	<=33.01	Pass
			24	23.73	0.05	23.78	<=33.01	Pass
		12	0	22.60	0.05	22.65	<=33.01	Pass
			6	22.63	0.05	22.68	<=33.01	Pass
			13	22.60	0.05	22.65	<=33.01	Pass
		25	0	22.51	0.05	22.56	<=33.01	Pass
16QAM	2502.5	1	0	22.79	0.05	22.84	<=33.01	Pass
			13	22.71	0.05	22.76	<=33.01	Pass
			24	22.66	0.05	22.71	<=33.01	Pass
		12	0	22.03	0.05	22.08	<=33.01	Pass
			6	22.00	0.05	22.05	<=33.01	Pass
			13	22.00	0.05	22.05	<=33.01	Pass
		25	0	22.11	0.05	22.16	<=33.01	Pass
	2535	1	0	23.32	0.05	23.37	<=33.01	Pass
			13	23.30	0.05	23.35	<=33.01	Pass
			24	23.29	0.05	23.34	<=33.01	Pass
		12	0	21.68	0.05	21.73	<=33.01	Pass
			6	21.71	0.05	21.76	<=33.01	Pass
			13	21.71	0.05	21.76	<=33.01	Pass
		25	0	21.86	0.05	21.91	<=33.01	Pass
	2567.5	1	0	23.06	0.05	23.11	<=33.01	Pass
			13	23.04	0.05	23.09	<=33.01	Pass
			24	23.07	0.05	23.12	<=33.01	Pass
		12	0	21.55	0.05	21.60	<=33.01	Pass
			6	21.61	0.05	21.66	<=33.01	Pass
			13	21.62	0.05	21.67	<=33.01	Pass
		25	0	21.57	0.05	21.62	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B7_10MHz_EIRP

Band: 7 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2505	1	0	23.98	0.05	24.03	<=33.01	Pass
			25	23.84	0.05	23.89	<=33.01	Pass
			49	23.89	0.05	23.94	<=33.01	Pass
		25	0	22.85	0.05	22.90	<=33.01	Pass
			13	22.97	0.05	23.02	<=33.01	Pass
			25	22.92	0.05	22.97	<=33.01	Pass
		50	0	22.86	0.05	22.91	<=33.01	Pass
			0	23.67	0.05	23.72	<=33.01	Pass
			25	23.72	0.05	23.77	<=33.01	Pass
	2535	1	49	23.77	0.05	23.82	<=33.01	Pass
			0	22.72	0.05	22.77	<=33.01	Pass
			13	22.73	0.05	22.78	<=33.01	Pass
		25	25	22.82	0.05	22.87	<=33.01	Pass
			0	22.78	0.05	22.83	<=33.01	Pass
			0	23.58	0.05	23.63	<=33.01	Pass
		25	25	23.59	0.05	23.64	<=33.01	Pass
			49	23.57	0.05	23.62	<=33.01	Pass
			0	22.50	0.05	22.55	<=33.01	Pass
	2565	25	13	22.60	0.05	22.65	<=33.01	Pass
			25	22.52	0.05	22.57	<=33.01	Pass
			0	22.64	0.05	22.69	<=33.01	Pass
16QAM	2505	1	0	23.95	0.05	24.00	<=33.01	Pass
			25	23.89	0.05	23.94	<=33.01	Pass
			49	23.86	0.05	23.91	<=33.01	Pass
		25	0	22.05	0.05	22.10	<=33.01	Pass
			13	21.91	0.05	21.96	<=33.01	Pass
			25	22.01	0.05	22.06	<=33.01	Pass
		50	0	21.93	0.05	21.98	<=33.01	Pass
			0	22.77	0.05	22.82	<=33.01	Pass
			25	22.78	0.05	22.83	<=33.01	Pass
	2535	1	49	22.80	0.05	22.85	<=33.01	Pass
			0	21.86	0.05	21.91	<=33.01	Pass
			13	21.92	0.05	21.97	<=33.01	Pass
		25	25	21.89	0.05	21.94	<=33.01	Pass
			0	21.75	0.05	21.80	<=33.01	Pass
			0	23.77	0.05	23.82	<=33.01	Pass
		25	25	23.83	0.05	23.88	<=33.01	Pass
			49	23.78	0.05	23.83	<=33.01	Pass
			0	21.65	0.05	21.70	<=33.01	Pass
	2565	25	13	21.63	0.05	21.68	<=33.01	Pass
			25	21.67	0.05	21.72	<=33.01	Pass
			0	21.69	0.05	21.74	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B7_15MHz_EIRP

Band: 7 / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	23.93	0.05	23.98	<=33.01	Pass
			38	23.81	0.05	23.86	<=33.01	Pass
			74	23.82	0.05	23.87	<=33.01	Pass
		36	0	22.86	0.05	22.91	<=33.01	Pass
			18	22.88	0.05	22.93	<=33.01	Pass
			39	22.90	0.05	22.95	<=33.01	Pass
		75	0	22.87	0.05	22.92	<=33.01	Pass
	2535	1	0	23.54	0.05	23.59	<=33.01	Pass
			38	23.56	0.05	23.61	<=33.01	Pass
			74	23.59	0.05	23.64	<=33.01	Pass
		36	0	22.68	0.05	22.73	<=33.01	Pass
			18	22.61	0.05	22.66	<=33.01	Pass
			39	22.64	0.05	22.69	<=33.01	Pass
		75	0	22.61	0.05	22.66	<=33.01	Pass
	2562.5	1	0	23.72	0.05	23.77	<=33.01	Pass
			38	23.55	0.05	23.60	<=33.01	Pass
			74	23.57	0.05	23.62	<=33.01	Pass
		36	0	22.52	0.05	22.57	<=33.01	Pass
			18	22.60	0.05	22.65	<=33.01	Pass
			39	22.59	0.05	22.64	<=33.01	Pass
		75	0	22.50	0.05	22.55	<=33.01	Pass
16QAM	2507.5	1	0	23.86	0.05	23.91	<=33.01	Pass
			38	23.87	0.05	23.92	<=33.01	Pass
			74	23.81	0.05	23.86	<=33.01	Pass
		36	0	21.98	0.05	22.03	<=33.01	Pass
			18	22.00	0.05	22.05	<=33.01	Pass
			39	22.04	0.05	22.09	<=33.01	Pass
		75	0	21.95	0.05	22.00	<=33.01	Pass
	2535	1	0	23.56	0.05	23.61	<=33.01	Pass
			38	23.54	0.05	23.59	<=33.01	Pass
			74	23.52	0.05	23.57	<=33.01	Pass
		36	0	21.80	0.05	21.85	<=33.01	Pass
			18	21.74	0.05	21.79	<=33.01	Pass
			39	21.70	0.05	21.75	<=33.01	Pass
		75	0	21.77	0.05	21.82	<=33.01	Pass
	2562.5	1	0	23.31	0.05	23.36	<=33.01	Pass
			38	23.41	0.05	23.46	<=33.01	Pass
			74	23.44	0.05	23.49	<=33.01	Pass
		36	0	21.63	0.05	21.68	<=33.01	Pass
			18	21.76	0.05	21.81	<=33.01	Pass
			39	21.69	0.05	21.74	<=33.01	Pass
		75	0	21.70	0.05	21.75	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	24.02	0.05	24.07	<=33.01	Pass
			50	23.86	0.05	23.91	<=33.01	Pass
			99	23.86	0.05	23.91	<=33.01	Pass
		50	0	22.83	0.05	22.88	<=33.01	Pass
			25	22.89	0.05	22.94	<=33.01	Pass
			50	22.92	0.05	22.97	<=33.01	Pass
		100	0	22.96	0.05	23.01	<=33.01	Pass
			0	23.61	0.05	23.66	<=33.01	Pass
			50	23.57	0.05	23.62	<=33.01	Pass
	2535	1	99	23.56	0.05	23.61	<=33.01	Pass
			0	22.75	0.05	22.80	<=33.01	Pass
			25	22.68	0.05	22.73	<=33.01	Pass
		50	50	22.64	0.05	22.69	<=33.01	Pass
			0	22.75	0.05	22.80	<=33.01	Pass
			0	23.73	0.05	23.78	<=33.01	Pass
		100	50	23.76	0.05	23.81	<=33.01	Pass
			99	23.77	0.05	23.82	<=33.01	Pass
			0	22.48	0.05	22.53	<=33.01	Pass
16QAM	2510	1	25	22.43	0.05	22.48	<=33.01	Pass
			50	22.55	0.05	22.60	<=33.01	Pass
			0	22.52	0.05	22.57	<=33.01	Pass
		50	0	23.47	0.05	23.52	<=33.01	Pass
			50	23.35	0.05	23.40	<=33.01	Pass
			99	23.32	0.05	23.37	<=33.01	Pass
		100	0	22.00	0.05	22.05	<=33.01	Pass
			25	21.99	0.05	22.04	<=33.01	Pass
			50	21.93	0.05	21.98	<=33.01	Pass
	2535	1	0	21.99	0.05	22.04	<=33.01	Pass
			0	23.75	0.05	23.80	<=33.01	Pass
			50	23.59	0.05	23.64	<=33.01	Pass
		50	99	23.68	0.05	23.73	<=33.01	Pass
			0	21.65	0.05	21.70	<=33.01	Pass
			25	21.79	0.05	21.84	<=33.01	Pass
		100	50	21.63	0.05	21.68	<=33.01	Pass
			0	21.74	0.05	21.79	<=33.01	Pass
			0	23.47	0.05	23.52	<=33.01	Pass
	2560	1	50	23.49	0.05	23.54	<=33.01	Pass
			99	23.50	0.05	23.55	<=33.01	Pass
			0	21.75	0.05	21.80	<=33.01	Pass
		50	25	21.72	0.05	21.77	<=33.01	Pass
			50	21.71	0.05	21.76	<=33.01	Pass
			0	21.54	0.05	21.59	<=33.01	Pass
		100	0					

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	3.27	32.029	0.0128	-2.5 to 2.5	Pass
					3.85	15.550	0.0062	-2.5 to 2.5	Pass
					4.43	-6.108	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	-1.116	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-14.691	-0.0059	-2.5 to 2.5	Pass
				-10	3.85	-37.723	-0.0151	-2.5 to 2.5	Pass
				0	3.85	0.300	0.0001	-2.5 to 2.5	Pass
				10	3.85	-13.933	-0.0056	-2.5 to 2.5	Pass
				30	3.85	-24.762	-0.0099	-2.5 to 2.5	Pass
				40	3.85	-48.437	-0.0194	-2.5 to 2.5	Pass
				50	3.85	-20.628	-0.0082	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	29.855	0.0118	-2.5 to 2.5	Pass
					3.85	13.146	0.0052	-2.5 to 2.5	Pass
					4.43	27.723	0.0109	-2.5 to 2.5	Pass
				-30	3.85	47.836	0.0189	-2.5 to 2.5	Pass
				-20	3.85	3.262	0.0013	-2.5 to 2.5	Pass
				-10	3.85	13.261	0.0052	-2.5 to 2.5	Pass
				0	3.85	24.805	0.0098	-2.5 to 2.5	Pass
				10	3.85	34.633	0.0137	-2.5 to 2.5	Pass
				30	3.85	6.137	0.0024	-2.5 to 2.5	Pass
				40	3.85	21.887	0.0086	-2.5 to 2.5	Pass
				50	3.85	-3.862	-0.0015	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	21.086	0.0082	-2.5 to 2.5	Pass
					3.85	42.858	0.0167	-2.5 to 2.5	Pass
					4.43	32.115	0.0125	-2.5 to 2.5	Pass
				-30	3.85	14.591	0.0057	-2.5 to 2.5	Pass
				-20	3.85	-15.378	-0.0060	-2.5 to 2.5	Pass
				-10	3.85	-32.873	-0.0128	-2.5 to 2.5	Pass
				0	3.85	-21.873	-0.0085	-2.5 to 2.5	Pass
				10	3.85	-30.327	-0.0118	-2.5 to 2.5	Pass
				30	3.85	-18.325	-0.0071	-2.5 to 2.5	Pass
				40	3.85	-38.452	-0.0150	-2.5 to 2.5	Pass
16QAM	2502.5	25	0	20	3.27	-27.437	-0.0110	-2.5 to 2.5	Pass
					3.85	-28.639	-0.0114	-2.5 to 2.5	Pass
					4.43	-30.670	-0.0123	-2.5 to 2.5	Pass
				-30	3.85	-19.970	-0.0080	-2.5 to 2.5	Pass
				-20	3.85	-8.054	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	8.583	0.0034	-2.5 to 2.5	Pass
				0	3.85	25.320	0.0101	-2.5 to 2.5	Pass
				10	3.85	41.585	0.0166	-2.5 to 2.5	Pass
				30	3.85	26.293	0.0105	-2.5 to 2.5	Pass
				40	3.85	20.957	0.0084	-2.5 to 2.5	Pass
				50	3.85	19.183	0.0077	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-11.544	-0.0046	-2.5 to 2.5	Pass
					3.85	-4.363	-0.0017	-2.5 to 2.5	Pass
					4.43	21.687	0.0086	-2.5 to 2.5	Pass
				-30	3.85	7.839	0.0031	-2.5 to 2.5	Pass
				-20	3.85	36.149	0.0143	-2.5 to 2.5	Pass
				-10	3.85	30.026	0.0118	-2.5 to 2.5	Pass

				0	3.85	49.939	0.0197	-2.5 to 2.5	Pass
				10	3.85	14.205	0.0056	-2.5 to 2.5	Pass
				30	3.85	10.800	0.0043	-2.5 to 2.5	Pass
				40	3.85	31.672	0.0125	-2.5 to 2.5	Pass
				50	3.85	17.567	0.0069	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-35.462	-0.0138	-2.5 to 2.5	Pass
					3.85	-39.940	-0.0156	-2.5 to 2.5	Pass
					4.43	-40.298	-0.0157	-2.5 to 2.5	Pass
				-30	3.85	-31.786	-0.0124	-2.5 to 2.5	Pass
				-20	3.85	-31.443	-0.0122	-2.5 to 2.5	Pass
				-10	3.85	11.673	0.0045	-2.5 to 2.5	Pass
				0	3.85	22.817	0.0089	-2.5 to 2.5	Pass
				10	3.85	28.338	0.0110	-2.5 to 2.5	Pass
				30	3.85	31.886	0.0124	-2.5 to 2.5	Pass
				40	3.85	31.514	0.0123	-2.5 to 2.5	Pass
				50	3.85	38.538	0.0150	-2.5 to 2.5	Pass

2.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2505	50	0	20	3.27	31.428	0.0125	-2.5 to 2.5	Pass
					3.85	33.917	0.0135	-2.5 to 2.5	Pass
					4.43	-26.608	-0.0106	-2.5 to 2.5	Pass
				-30	3.85	-29.769	-0.0119	-2.5 to 2.5	Pass
				-20	3.85	-18.511	-0.0074	-2.5 to 2.5	Pass
				-10	3.85	-39.268	-0.0157	-2.5 to 2.5	Pass
				0	3.85	-22.116	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-10.471	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-14.420	-0.0058	-2.5 to 2.5	Pass
				40	3.85	-19.798	-0.0079	-2.5 to 2.5	Pass
				50	3.85	-32.101	-0.0128	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	6.824	0.0027	-2.5 to 2.5	Pass
					3.85	21.143	0.0083	-2.5 to 2.5	Pass
					4.43	25.549	0.0101	-2.5 to 2.5	Pass
				-30	3.85	36.535	0.0144	-2.5 to 2.5	Pass
				-20	3.85	-3.247	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	-10.242	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-6.337	-0.0025	-2.5 to 2.5	Pass
				10	3.85	4.277	0.0017	-2.5 to 2.5	Pass
				30	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				40	3.85	9.999	0.0039	-2.5 to 2.5	Pass
				50	3.85	17.509	0.0069	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	52.629	0.0205	-2.5 to 2.5	Pass
					3.85	-15.907	-0.0062	-2.5 to 2.5	Pass
					4.43	-6.795	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-42.114	-0.0164	-2.5 to 2.5	Pass
				-20	3.85	-35.777	-0.0139	-2.5 to 2.5	Pass
				-10	3.85	-12.474	-0.0049	-2.5 to 2.5	Pass
				0	3.85	4.463	0.0017	-2.5 to 2.5	Pass
				10	3.85	-34.962	-0.0136	-2.5 to 2.5	Pass
				30	3.85	-37.966	-0.0148	-2.5 to 2.5	Pass
				40	3.85	-8.554	-0.0033	-2.5 to 2.5	Pass
				50	3.85	-25.191	-0.0098	-2.5 to 2.5	Pass
16QAM	2505	50	0	20	3.27	7.854	0.0031	-2.5 to 2.5	Pass
					3.85	14.820	0.0059	-2.5 to 2.5	Pass
					4.43	24.662	0.0098	-2.5 to 2.5	Pass

				-30	3.85	-3.405	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	7.210	0.0029	-2.5 to 2.5	Pass
				-10	3.85	31.028	0.0124	-2.5 to 2.5	Pass
				0	3.85	51.041	0.0204	-2.5 to 2.5	Pass
				10	3.85	34.304	0.0137	-2.5 to 2.5	Pass
				30	3.85	47.421	0.0189	-2.5 to 2.5	Pass
				40	3.85	-3.319	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-3.963	-0.0016	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	36.950	0.0146	-2.5 to 2.5	Pass
					3.85	10.586	0.0042	-2.5 to 2.5	Pass
					4.43	27.466	0.0108	-2.5 to 2.5	Pass
				-30	3.85	34.060	0.0134	-2.5 to 2.5	Pass
				-20	3.85	-6.394	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	45.991	0.0181	-2.5 to 2.5	Pass
				0	3.85	10.471	0.0041	-2.5 to 2.5	Pass
				10	3.85	26.450	0.0104	-2.5 to 2.5	Pass
				30	3.85	19.240	0.0076	-2.5 to 2.5	Pass
				40	3.85	-12.989	-0.0051	-2.5 to 2.5	Pass
				50	3.85	-14.806	-0.0058	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	31.686	0.0124	-2.5 to 2.5	Pass
					3.85	10.057	0.0039	-2.5 to 2.5	Pass
					4.43	1.774	0.0007	-2.5 to 2.5	Pass
				-30	3.85	23.689	0.0092	-2.5 to 2.5	Pass
				-20	3.85	14.648	0.0057	-2.5 to 2.5	Pass
				-10	3.85	19.970	0.0078	-2.5 to 2.5	Pass
				0	3.85	8.998	0.0035	-2.5 to 2.5	Pass
				10	3.85	33.731	0.0132	-2.5 to 2.5	Pass
				30	3.85	-9.627	-0.0038	-2.5 to 2.5	Pass
				40	3.85	3.891	0.0015	-2.5 to 2.5	Pass
				50	3.85	5.994	0.0023	-2.5 to 2.5	Pass

2.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	3.27	26.722	0.0107	-2.5 to 2.5	Pass
					3.85	14.992	0.0060	-2.5 to 2.5	Pass
					4.43	-18.225	-0.0073	-2.5 to 2.5	Pass
				-30	3.85	-22.087	-0.0088	-2.5 to 2.5	Pass
				-20	3.85	-23.475	-0.0094	-2.5 to 2.5	Pass
				-10	3.85	-34.189	-0.0136	-2.5 to 2.5	Pass
				0	3.85	-6.695	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-16.050	-0.0064	-2.5 to 2.5	Pass
				30	3.85	-37.265	-0.0149	-2.5 to 2.5	Pass
				40	3.85	-39.539	-0.0158	-2.5 to 2.5	Pass
				50	3.85	-34.947	-0.0139	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	36.349	0.0143	-2.5 to 2.5	Pass
					3.85	12.746	0.0050	-2.5 to 2.5	Pass
					4.43	39.010	0.0154	-2.5 to 2.5	Pass
				-30	3.85	11.158	0.0044	-2.5 to 2.5	Pass
				-20	3.85	-18.082	-0.0071	-2.5 to 2.5	Pass
				-10	3.85	-1.345	-0.0005	-2.5 to 2.5	Pass
				0	3.85	10.586	0.0042	-2.5 to 2.5	Pass
				10	3.85	12.860	0.0051	-2.5 to 2.5	Pass
				30	3.85	14.834	0.0059	-2.5 to 2.5	Pass
				40	3.85	19.212	0.0076	-2.5 to 2.5	Pass
				50	3.85	-3.161	-0.0012	-2.5 to 2.5	Pass

	2562.5	75	0	20	3.27	6.781	0.0026	-2.5 to 2.5	Pass
					3.85	-22.230	-0.0087	-2.5 to 2.5	Pass
					4.43	-41.084	-0.0160	-2.5 to 2.5	Pass
				-30	3.85	-27.051	-0.0106	-2.5 to 2.5	Pass
				-20	3.85	-36.049	-0.0141	-2.5 to 2.5	Pass
				-10	3.85	-18.754	-0.0073	-2.5 to 2.5	Pass
				0	3.85	-37.193	-0.0145	-2.5 to 2.5	Pass
				10	3.85	-42.071	-0.0164	-2.5 to 2.5	Pass
				30	3.85	-42.644	-0.0166	-2.5 to 2.5	Pass
				40	3.85	-15.292	-0.0060	-2.5 to 2.5	Pass
				50	3.85	-36.292	-0.0142	-2.5 to 2.5	Pass
16QAM	2507.5	75	0	20	3.27	-31.543	-0.0126	-2.5 to 2.5	Pass
					3.85	-20.013	-0.0080	-2.5 to 2.5	Pass
					4.43	-7.682	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	12.546	0.0050	-2.5 to 2.5	Pass
				-20	3.85	32.272	0.0129	-2.5 to 2.5	Pass
				-10	3.85	15.793	0.0063	-2.5 to 2.5	Pass
				0	3.85	25.449	0.0101	-2.5 to 2.5	Pass
				10	3.85	32.101	0.0128	-2.5 to 2.5	Pass
				30	3.85	35.276	0.0141	-2.5 to 2.5	Pass
				40	3.85	14.834	0.0059	-2.5 to 2.5	Pass
				50	3.85	15.306	0.0061	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	-1.073	-0.0004	-2.5 to 2.5	Pass
					3.85	2.933	0.0012	-2.5 to 2.5	Pass
					4.43	-3.233	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	36.693	0.0145	-2.5 to 2.5	Pass
				-20	3.85	29.640	0.0117	-2.5 to 2.5	Pass
				-10	3.85	42.186	0.0166	-2.5 to 2.5	Pass
				0	3.85	32.229	0.0127	-2.5 to 2.5	Pass
				10	3.85	5.679	0.0022	-2.5 to 2.5	Pass
				30	3.85	34.118	0.0135	-2.5 to 2.5	Pass
				40	3.85	29.125	0.0115	-2.5 to 2.5	Pass
				50	3.85	47.393	0.0187	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-11.044	-0.0043	-2.5 to 2.5	Pass
					3.85	-4.792	-0.0019	-2.5 to 2.5	Pass
					4.43	7.825	0.0031	-2.5 to 2.5	Pass
				-30	3.85	11.230	0.0044	-2.5 to 2.5	Pass
				-20	3.85	-22.016	-0.0086	-2.5 to 2.5	Pass
				-10	3.85	9.699	0.0038	-2.5 to 2.5	Pass
				0	3.85	29.569	0.0115	-2.5 to 2.5	Pass
				10	3.85	18.010	0.0070	-2.5 to 2.5	Pass
				30	3.85	29.669	0.0116	-2.5 to 2.5	Pass
				40	3.85	-12.832	-0.0050	-2.5 to 2.5	Pass
				50	3.85	7.539	0.0029	-2.5 to 2.5	Pass

2.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	3.27	23.961	0.0095	-2.5 to 2.5	Pass
					3.85	8.812	0.0035	-2.5 to 2.5	Pass
					4.43	-25.864	-0.0103	-2.5 to 2.5	Pass
				-30	3.85	-38.953	-0.0155	-2.5 to 2.5	Pass
				-20	3.85	-2.146	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-19.898	-0.0079	-2.5 to 2.5	Pass
				0	3.85	-21.172	-0.0084	-2.5 to 2.5	Pass
				10	3.85	-28.038	-0.0112	-2.5 to 2.5	Pass

				30	3.85	1.202	0.0005	-2.5 to 2.5	Pass
				40	3.85	-18.640	-0.0074	-2.5 to 2.5	Pass
				50	3.85	-19.999	-0.0080	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	3.977	0.0016	-2.5 to 2.5	Pass
					3.85	15.450	0.0061	-2.5 to 2.5	Pass
					4.43	-13.418	-0.0053	-2.5 to 2.5	Pass
				-30	3.85	-13.318	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-8.512	-0.0034	-2.5 to 2.5	Pass
				-10	3.85	-8.297	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-8.569	-0.0034	-2.5 to 2.5	Pass
				10	3.85	1.373	0.0005	-2.5 to 2.5	Pass
				30	3.85	-37.665	-0.0149	-2.5 to 2.5	Pass
				40	3.85	-18.497	-0.0073	-2.5 to 2.5	Pass
				50	3.85	8.211	0.0032	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	1.731	0.0007	-2.5 to 2.5	Pass
					3.85	-26.765	-0.0105	-2.5 to 2.5	Pass
					4.43	-14.176	-0.0055	-2.5 to 2.5	Pass
				-30	3.85	-30.942	-0.0121	-2.5 to 2.5	Pass
				-20	3.85	-5.078	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-25.492	-0.0100	-2.5 to 2.5	Pass
				0	3.85	-40.441	-0.0158	-2.5 to 2.5	Pass
				10	3.85	-30.956	-0.0121	-2.5 to 2.5	Pass
				30	3.85	-11.544	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-20.885	-0.0082	-2.5 to 2.5	Pass
				50	3.85	-46.148	-0.0180	-2.5 to 2.5	Pass
16QAM	2510	100	0	20	3.27	31.285	0.0125	-2.5 to 2.5	Pass
					3.85	23.704	0.0094	-2.5 to 2.5	Pass
					4.43	8.926	0.0036	-2.5 to 2.5	Pass
				-30	3.85	6.280	0.0025	-2.5 to 2.5	Pass
				-20	3.85	23.561	0.0094	-2.5 to 2.5	Pass
				-10	3.85	38.252	0.0152	-2.5 to 2.5	Pass
				0	3.85	8.683	0.0035	-2.5 to 2.5	Pass
				10	3.85	36.635	0.0146	-2.5 to 2.5	Pass
				30	3.85	14.763	0.0059	-2.5 to 2.5	Pass
				40	3.85	16.294	0.0065	-2.5 to 2.5	Pass
				50	3.85	19.526	0.0078	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	4.807	0.0019	-2.5 to 2.5	Pass
					3.85	40.340	0.0159	-2.5 to 2.5	Pass
					4.43	43.631	0.0172	-2.5 to 2.5	Pass
				-30	3.85	25.792	0.0102	-2.5 to 2.5	Pass
				-20	3.85	45.304	0.0179	-2.5 to 2.5	Pass
				-10	3.85	1.001	0.0004	-2.5 to 2.5	Pass
				0	3.85	31.142	0.0123	-2.5 to 2.5	Pass
				10	3.85	14.434	0.0057	-2.5 to 2.5	Pass
				30	3.85	3.176	0.0013	-2.5 to 2.5	Pass
				40	3.85	27.308	0.0108	-2.5 to 2.5	Pass
				50	3.85	48.165	0.0190	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	23.918	0.0093	-2.5 to 2.5	Pass
					3.85	-5.078	-0.0020	-2.5 to 2.5	Pass
					4.43	36.564	0.0143	-2.5 to 2.5	Pass
				-30	3.85	22.931	0.0090	-2.5 to 2.5	Pass
				-20	3.85	26.879	0.0105	-2.5 to 2.5	Pass
				-10	3.85	10.586	0.0041	-2.5 to 2.5	Pass
				0	3.85	29.912	0.0117	-2.5 to 2.5	Pass
				10	3.85	19.984	0.0078	-2.5 to 2.5	Pass
				30	3.85	3.705	0.0014	-2.5 to 2.5	Pass
				40	3.85	26.407	0.0103	-2.5 to 2.5	Pass
				50	3.85	-23.189	-0.0091	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	25	0	Refer To Test Graph		Pass
16QAM	2535	25	0	Refer To Test Graph		Pass

3.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	50	0	Refer To Test Graph		Pass
16QAM	2535	50	0	Refer To Test Graph		Pass

3.1.3 B7_15MHz


Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	75	0	Refer To Test Graph		Pass
16QAM	2535	75	0	Refer To Test Graph		Pass

3.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	Refer To Test Graph		Pass
16QAM	2535	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B7_5MHz




3.2.2 B7_10MHz



3.2.3 B7_15MHz



3.2.4 B7_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band7_OBW

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	4.560	/	Pass
		2535	25	0	4.574	/	Pass
		2567.5	25	0	4.571	/	Pass
	16QAM	2502.5	25	0	4.579	/	Pass
		2535	25	0	4.585	/	Pass
		2567.5	25	0	4.574	/	Pass
10	QPSK	2505	50	0	9.089	/	Pass
		2535	50	0	9.095	/	Pass
		2565	50	0	9.053	/	Pass
	16QAM	2505	50	0	9.060	/	Pass
		2535	50	0	9.093	/	Pass
		2565	50	0	9.088	/	Pass
15	QPSK	2507.5	75	0	13.591	/	Pass
		2535	75	0	13.660	/	Pass
		2562.5	75	0	13.575	/	Pass
	16QAM	2507.5	75	0	13.649	/	Pass
		2535	75	0	13.673	/	Pass
		2562.5	75	0	13.619	/	Pass
20	QPSK	2510	100	0	18.106	/	Pass
		2535	100	0	18.206	/	Pass
		2560	100	0	18.188	/	Pass
	16QAM	2510	100	0	18.219	/	Pass
		2535	100	0	18.259	/	Pass
		2560	100	0	18.184	/	Pass


4.1.2 Band7_XDB

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	5.039	/	Pass
		2535	25	0	5.209	/	Pass
		2567.5	25	0	5.059	/	Pass
	16QAM	2502.5	25	0	5.075	/	Pass
		2535	25	0	5.102	/	Pass
		2567.5	25	0	5.079	/	Pass
10	QPSK	2505	50	0	10.021	/	Pass
		2535	50	0	10.170	/	Pass
		2565	50	0	10.024	/	Pass
	16QAM	2505	50	0	10.026	/	Pass
		2535	50	0	10.123	/	Pass
		2565	50	0	10.011	/	Pass
15	QPSK	2507.5	75	0	15.244	/	Pass
		2535	75	0	15.315	/	Pass
		2562.5	75	0	15.212	/	Pass


20	16QAM	2507.5	75	0	15.203	/	Pass
		2535	75	0	15.266	/	Pass
		2562.5	75	0	15.171	/	Pass
	QPSK	2510	100	0	19.997	/	Pass
		2535	100	0	20.126	/	Pass
		2560	100	0	20.047	/	Pass
	16QAM	2510	100	0	20.150	/	Pass
		2535	100	0	20.301	/	Pass
		2560	100	0	20.137	/	Pass

4.2 Test Graph


4.2.1 Band7_OBW




Band7 5MHz QPSK HCH 2567.5MHz RB 25 0 NTV




Band7 5MHz 16QAM LCH 2502.5MHz RB 25 0 NTV




Band7 5MHz 16QAM MCH 2535MHz RB 25 0 NTV




Band7 5MHz 16QAM HCH 2567.5MHz RB 25 0 NTV




Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTNV




Band7 10MHz QPSK MCH 2535MHz RB 50 0 NTNV




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTNV




Band7 10MHz 16QAM LCH 2505MHz RB 50 0 NTNV




Band7 10MHz 16QAM MCH 2535MHz RB 50 0 NTNV




Band7 10MHz 16QAM HCH 2565MHz RB 50 0 NTNV




Band7 15MHz QPSK LCH 2507.5MHz RB 75 0 NTV




Band7 15MHz QPSK MCH 2535MHz RB 75 0 NTV




Band7 15MHz QPSK HCH 2562.5MHz RB 75 0 NTNV




Band7 15MHz 16QAM LCH 2507.5MHz RB 75 0 NTNV




Band7 15MHz 16QAM MCH 2535MHz RB 75 0 NTNV




Band7 15MHz 16QAM HCH 2562.5MHz RB 75 0 NTNV




Band7 20MHz QPSK LCH 2510MHz RB 100 0 NTV




Band7 20MHz QPSK MCH 2535MHz RB 100 0 NTV




Band7 20MHz QPSK HCH 2560MHz RB 100 0 NTV




Band7 20MHz 16QAM LCH 2510MHz RB 100 0 NTV



Band7 20MHz 16QAM MCH 2535MHz RB 100 0 NTNV




Band7 20MHz 16QAM HCH 2560MHz RB 100 0 NTNV




4.2.2 Band7_XDB


Band7 5MHz QPSK LCH 2502.5MHz RB 25 0 NTNV




Band7 5MHz QPSK MCH 2535MHz RB 25 0 NTNV




Band7 5MHz QPSK HCH 2567.5MHz RB 25 0 NTV




Band7 5MHz 16QAM LCH 2502.5MHz RB 25 0 NTV




Band7 5MHz 16QAM MCH 2535MHz RB 25 0 NTV




Band7 5MHz 16QAM HCH 2567.5MHz RB 25 0 NTV




Band7 10MHz QPSK LCH 2505MHz RB 50 0 NTN




Band7 10MHz QPSK MCH 2535MHz RB 50 0 NTN




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTNV




Band7 10MHz 16QAM LCH 2505MHz RB 50 0 NTNV




Band7 10MHz 16QAM MCH 2535MHz RB 50 0 NTNV




Band7 10MHz 16QAM HCH 2565MHz RB 50 0 NTNV




Band7 15MHz QPSK LCH 2507.5MHz RB 75 0 NTNV




Band7 15MHz QPSK MCH 2535MHz RB 75 0 NTNV




Band7 15MHz QPSK HCH 2562.5MHz RB 75 0 NTNV




Band7 15MHz 16QAM LCH 2507.5MHz RB 75 0 NTNV




Band7 15MHz 16QAM MCH 2535MHz RB 75 0 NTNV




Band7 15MHz 16QAM HCH 2562.5MHz RB 75 0 NTNV




Band7 20MHz QPSK LCH 2510MHz RB 100 0 NTNV




Band7 20MHz QPSK MCH 2535MHz RB 100 0 NTNV




Band7 20MHz QPSK HCH 2560MHz RB 100 0 NTV




Band7 20MHz 16QAM LCH 2510MHz RB 100 0 NTV



Band7 20MHz 16QAM MCH 2535MHz RB 100 0 NTNV



Band7 20MHz 16QAM HCH 2560MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	4.80	<=13	Pass
	2535	25	0	4.24	<=13	Pass
	2567.5	25	0	4.80	<=13	Pass
16QAM	2502.5	25	0	5.53	<=13	Pass
	2535	25	0	5.06	<=13	Pass
	2567.5	25	0	5.49	<=13	Pass

5.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	5.01	<=13	Pass
	2535	50	0	4.31	<=13	Pass
	2565	50	0	5.01	<=13	Pass
16QAM	2505	50	0	5.72	<=13	Pass
	2535	50	0	5.11	<=13	Pass
	2565	50	0	5.80	<=13	Pass

5.1.3 B7_15MHz


Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	5.02	<=13	Pass
	2535	75	0	4.78	<=13	Pass
	2562.5	75	0	5.08	<=13	Pass
16QAM	2507.5	75	0	5.97	<=13	Pass
	2535	75	0	5.68	<=13	Pass
	2562.5	75	0	6.04	<=13	Pass

5.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	5.62	<=13	Pass
	2535	100	0	5.69	<=13	Pass
	2560	100	0	5.72	<=13	Pass
16QAM	2510	100	0	6.59	<=13	Pass
	2535	100	0	6.40	<=13	Pass
	2560	100	0	6.58	<=13	Pass

5.2 Test Graph


5.2.1 B7_5MHz




Band7 5MHz QPSK HCH 2567.5MHz RB 25 0 NTV




Band7 5MHz 16QAM LCH 2502.5MHz RB 25 0 NTV



Band7 5MHz 16QAM MCH 2535MHz RB 25 0 NTNV




Band7 5MHz 16QAM HCH 2567.5MHz RB 25 0 NTNV




5.2.2 B7_10MHz


Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7 10MHz QPSK HCH 2565MHz RB 50 0 NTN




Band7 10MHz 16QAM LCH 2505MHz RB 50 0 NTN



Band7 10MHz 16QAM MCH 2535MHz RB 50 0 NTNV




Band7 10MHz 16QAM HCH 2565MHz RB 50 0 NTNV




5.2.3 B7_15MHz


Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7 15MHz QPSK HCH 2562.5MHz RB 75 0 NTNV




Band7 15MHz 16QAM LCH 2507.5MHz RB 75 0 NTNV



Band7 15MHz 16QAM MCH 2535MHz RB 75 0 NTNV




Band7 15MHz 16QAM HCH 2562.5MHz RB 75 0 NTNV




5.2.4 B7_20MHz


Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7 20MHz QPSK HCH 2560MHz RB 100 0 NTNV




Band7 20MHz 16QAM LCH 2510MHz RB 100 0 NTNV



Band7 20MHz 16QAM MCH 2535MHz RB 100 0 NTNV



Band7 20MHz 16QAM HCH 2560MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2502.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2567.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
16QAM	2502.5	1	0	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2567.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2505	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2565	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	2505	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2565	1	0	Refer To Test Graph	Pass
			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2507.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2562.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
16QAM	2507.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

	2535	1	0	Refer To Test Graph	Pass
	2562.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	2510	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 B7_5MHz

