Appendix A: Restricted Band

Mode:	DH5-2402

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	44.07	74.00	29.93	41.96	54.00	12.04	150	9	Horizontal	PASS
2	2340.08	6.89	46.06	74.00	27.94	41.84	54.00	12.16	150	112	Horizontal	PASS
3	2350.08	6.91	44.76	74.00	29.24	42.17	54.00	11.83	150	314	Horizontal	PASS
4	2375.28	7.26	47.31	74.00	26.69	45.37	54.00	8.63	150	118	Horizontal	PASS
5	2382.24	7.36	47.30	74.00	26.70	42.48	54.00	11.52	150	83	Horizontal	PASS
6	2390	7.73	45.71	74.00	28.29	42.63	54.00	11.37	150	83	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	45.06	74.00	28.94	42.38	54.00	11.62	150	235	Vertical	PASS
2	2334.64	6.88	45.96	74.00	28.04	41.48	54.00	12.52	150	220	Vertical	PASS
3	2368.56	7.17	50.05	74.00	23.95	47.66	54.00	6.34	150	190	Vertical	PASS
4	2375.36	7.26	49.68	74.00	24.32	46.66	54.00	7.34	150	124	Vertical	PASS
5	2381.84	7.36	50.29	74.00	23.71	47.28	54.00	6.72	150	118	Vertical	PASS
6	2390	7.73	48.69	74.00	25.31	46.35	54.00	7.65	150	232	Vertical	PASS

Mode:	DH5-2480

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	43.08	74.00	30.92	40.48	54.00	13.52	150	212	Horizontal	PASS
2	2487.559	6.56	45.52	74.00	28.48	40.74	54.00	13.26	150	280	Horizontal	PASS
3	2488.8955	6.56	44.96	74.00	29.04	42.42	54.00	11.58	150	273	Horizontal	PASS
4	2491.1395	6.56	45.09	74.00	28.91	42.45	54.00	11.55	150	0	Horizontal	PASS
5	2495.809	6.57	45.70	74.00	28.30	41.28	54.00	12.72	150	0	Horizontal	PASS
6	2500	6.58	43.67	74.00	30.33	40.79	54.00	13.21	150	164	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	43.77	74.00	30.23	40.80	54.00	13.20	150	21	Vertical	PASS
2	2486.932	6.56	44.50	74.00	29.50	41.34	54.00	12.66	150	123	Vertical	PASS
3	2490.265	6.56	44.26	74.00	29.74	41.65	54.00	12.35	150	176	Vertical	PASS
4	2493.5485	6.56	46.11	74.00	27.89	42.83	54.00	11.17	150	323	Vertical	PASS
5	2497.2115	6.58	45.56	74.00	28.44	40.83	54.00	13.17	150	306	Vertical	PASS
6	2500	6.58	43.93	74.00	30.07	40.60	54.00	13.40	150	250	Vertical	PASS

Mode:	2DH5-2402

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.52	43.27	74.00	30.73	41.08	54.00	12.92	150	102	Horizontal	PASS
2	2322.48	6.49	45.75	74.00	28.25	42.54	54.00	11.46	150	117	Horizontal	PASS
3	2340.32	6.44	44.33	74.00	29.67	40.10	54.00	13.90	150	68	Horizontal	PASS
4	2366.48	6.41	45.28	74.00	28.72	43.18	54.00	10.82	150	275	Horizontal	PASS
5	2375.6	6.40	45.71	74.00	28.29	41.66	54.00	12.34	150	117	Horizontal	PASS
6	2390	6.40	44.48	74.00	29.52	41.92	54.00	12.08	150	242	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.52	46.28	74.00	27.72	42.97	54.00	11.03	150	214	Vertical	PASS
2	2343.6	6.44	46.62	74.00	27.38	44.13	54.00	9.87	150	82	Vertical	PASS
3	2362.16	6.41	47.48	74.00	26.52	44.88	54.00	9.12	150	208	Vertical	PASS
4	2375.68	6.40	48.49	74.00	25.51	45.17	54.00	8.83	150	58	Vertical	PASS
5	2381.68	6.40	49.56	74.00	24.44	46.50	54.00	7.50	150	223	Vertical	PASS
6	2390	6.40	49.59	74.00	24.41	46.72	54.00	7.28	150	82	Vertical	PASS

Mode:	2DH5-2480

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	54.38	74.00	19.62	47.71	54.00	6.29	150	20	Horizontal	PASS
2	2483.5495	6.54	62.26	74.00	11.74	46.17	54.00	7.83	150	324	Horizontal	PASS
3	2484.0115	6.55	58.28	74.00	15.72	44.53	54.00	9.47	150	324	Horizontal	PASS
4	2484.424	6.55	56.33	74.00	17.67	45.21	54.00	8.79	150	95	Horizontal	PASS
5	2484.6715	6.55	55.24	74.00	18.76	43.97	54.00	10.03	150	322	Horizontal	PASS
6	2500	6.58	44.00	74.00	30.00	41.64	54.00	12.36	150	35	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	69.69	74.00	4.31	44.65	54.00	9.35	150	226	Vertical	PASS
2	2483.896	6.55	66.37	74.00	7.63	45.46	54.00	8.54	150	67	Vertical	PASS
3	2484.358	6.55	64.12	74.00	9.88	45.42	54.00	8.58	150	207	Vertical	PASS
4	2484.985	6.55	59.80	74.00	14.20	45.11	54.00	8.89	150	70	Vertical	PASS
5	2485.447	6.55	57.04	74.00	16.96	40.19	54.00	13.81	150	224	Vertical	PASS
6	2500	6.58	46.04	74.00	27.96	38.85	54.00	15.15	150	250	Vertical	PASS

Mode:	3DH5-2402

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	45.13	74.00	28.87	42.29	54.00	11.71	150	335	Horizontal	PASS
2	2331.92	6.87	52.04	74.00	21.96	47.16	54.00	6.84	150	323	Horizontal	PASS
3	2341.84	6.89	50.93	74.00	23.07	49.87	54.00	4.13	150	323	Horizontal	PASS
4	2345.36	6.90	52.45	74.00	21.55	50.69	54.00	3.31	150	323	Horizontal	PASS
5	2388.64	7.51	51.18	74.00	22.82	47.00	54.00	7.00	150	323	Horizontal	PASS
6	2390	7.73	45.85	74.00	28.15	43.82	54.00	10.18	150	326	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.82	45.49	74.00	28.51	41.79	54.00	12.21	150	247	Vertical	PASS
2	2341.28	6.89	47.09	74.00	26.91	42.21	54.00	11.79	150	55	Vertical	PASS
3	2375.04	7.26	49.40	74.00	24.60	47.60	54.00	6.40	150	22	Vertical	PASS
4	2382.24	7.36	49.30	74.00	24.70	47.36	54.00	6.64	150	107	Vertical	PASS
5	2388.24	7.47	49.61	74.00	24.39	47.25	54.00	6.75	150	235	Vertical	PASS
6	2390	7.73	48.62	74.00	25.38	46.03	54.00	7.97	150	211	Vertical	PASS

Mode:	3DH5-2480

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	61.15	74.00	12.85	42.46	54.00	11.54	150	315	Horizontal	PASS
2	2483.566	6.54	61.24	74.00	12.76	41.58	54.00	12.42	150	133	Horizontal	PASS
3	2483.863	6.55	60.14	74.00	13.86	44.33	54.00	9.67	150	317	Horizontal	PASS
4	2484.8695	6.55	54.60	74.00	19.40	42.24	54.00	11.76	150	317	Horizontal	PASS
5	2485.348	6.55	52.79	74.00	21.21	45.08	54.00	8.92	150	317	Horizontal	PASS
6	2500	6.58	44.29	74.00	29.71	41.59	54.00	12.41	150	211	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	6.54	68.36	74.00	5.64	43.98	54.00	10.02	150	55	Vertical	PASS
2	2483.9785	6.55	66.16	74.00	7.84	43.14	54.00	10.86	150	208	Vertical	PASS
3	2484.358	6.55	63.04	74.00	10.96	44.19	54.00	9.81	150	74	Vertical	PASS
4	2485.4635	6.55	57.90	74.00	16.10	44.06	54.00	9.94	150	235	Vertical	PASS
5	2486.074	6.55	54.94	74.00	19.06	43.23	54.00	10.77	150	228	Vertical	PASS
6	2500	6.58	46.16	74.00	27.84	43.17	54.00	10.83	150	220	Vertical	PASS

Appendix B: Spurious emissions

1. The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.
2. During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.
3. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	32.9106	-16.49	36.88	40.00	3.12	100	295	Vertical	PASS
2	36.7914	-16.31	36.82	40.00	3.18	100	307	Vertical	PASS
3	57.5535	-16.87	28.06	40.00	11.94	100	74	Vertical	PASS
4	75.9872	-19.60	29.38	40.00	10.62	100	65	Vertical	PASS
5	99.6599	-19.97	25.63	43.50	17.87	100	113	Vertical	PASS
6	499.9620	-11.81	31.63	46.00	14.37	100	354	Vertical	PASS



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	31.7463	-16.59	31.75	40.00	8.25	100	348	Horizontal	PASS
2	37.3735	-16.29	29.62	40.00	10.38	100	348	Horizontal	PASS
3	77.1514	-19.71	28.99	40.00	11.01	100	195	Horizontal	PASS
4	101.6003	-19.63	27.98	43.50	15.52	100	327	Horizontal	PASS
5	229.4719	-19.20	29.98	46.00	16.02	100	251	Horizontal	PASS
6	960.2220	-1.67	41.65	54.00	12.35	100	151	Horizontal	PASS

Mode:	DH5-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.27	6.33	74.00	23.73	150	122	Horizontal
2	2178	52.79	6.52	74.00	21.21	150	197	Horizontal
3	4803	46.18	-13.23	74.00	27.82	150	327	Horizontal
4	7206	48.35	-9.97	74.00	25.65	150	288	Horizontal
5	9609	52.65	-6.55	74.00	21.35	150	276	Horizontal
6	12408	49.51	-1.88	74.00	24.49	150	48	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	52.72	6.33	74.00	21.28	150	119	Vertical
2	2178	51.87	6.52	74.00	22.13	150	240	Vertical
3	3951	44.18	-16.05	74.00	29.82	150	67	Vertical
4	4743	48.00	-13.42	74.00	26.00	150	179	Vertical
5	7206	47.87	-9.97	74.00	26.13	150	10	Vertical
6	9609	47.47	-6.55	74.00	26.53	150	187	Vertical

Mode:	DH5-2441

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.98	6.33	74.00	23.02	150	126	Horizontal
2	4881	44.07	-13.44	74.00	29.93	150	282	Horizontal
3	6039	44.11	-11.27	74.00	29.89	150	59	Horizontal
4	7323	49.70	-9.78	74.00	24.30	150	270	Horizontal
5	9765	50.54	-6.34	74.00	23.46	150	261	Horizontal
6	11547	48.39	-3.06	74.00	25.61	150	300	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	51.06	6.33	74.00	22.94	150	74	Vertical
2	3522	41.43	-17.14	74.00	32.57	150	28	Vertical
3	4740	48.48	-13.44	74.00	25.52	150	132	Vertical
4	7323	48.52	-9.78	74.00	25.48	150	352	Vertical
5	9765	49.38	-6.34	74.00	24.62	150	211	Vertical
6	12894	49.71	-0.92	74.00	24.29	150	342	Vertical

Mode:	DH5-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.98	6.33	74.00	23.02	150	142	Horizontal
2	4959	45.65	-13.68	74.00	28.35	150	330	Horizontal
3	7440	51.87	-10.00	74.00	22.13	150	351	Horizontal
4	9921	50.97	-6.08	74.00	23.03	150	303	Horizontal
5	11580	48.95	-3.17	74.00	25.05	150	306	Horizontal
6	13797	49.65	-0.28	74.00	24.35	150	213	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.43	6.33	74.00	23.57	150	75	Vertical
2	4746	46.80	-13.41	74.00	27.20	150	208	Vertical
3	6990	44.53	-10.24	74.00	29.47	150	49	Vertical
4	7440	47.84	-10.00	74.00	26.16	150	23	Vertical
5	9921	49.40	-6.08	74.00	24.60	150	192	Vertical
6	11955	49.21	-2.49	74.00	24.79	150	10	Vertical

Mode:	2DH5-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.25	6.33	74.00	23.75	150	140	Horizontal
2	4803	44.43	-13.23	74.00	29.57	150	276	Horizontal
3	5433	43.95	-12.18	74.00	30.05	150	360	Horizontal
4	7206	48.95	-9.97	74.00	25.05	150	294	Horizontal
5	9609	49.35	-6.55	74.00	24.65	150	355	Horizontal
6	12549	49.17	-1.47	74.00	24.83	150	81	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.31	6.33	74.00	23.69	150	71	Vertical
2	3954	45.87	-16.05	74.00	28.13	150	130	Vertical
3	4803	44.84	-13.23	74.00	29.16	150	70	Vertical
4	7206	49.41	-9.97	74.00	24.59	150	344	Vertical
5	9813	46.06	-6.33	74.00	27.94	150	112	Vertical
6	11493	48.82	-2.94	74.00	25.18	150	159	Vertical

Mode:	2DH5-2441

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1782	45.38	3.60	74.00	28.62	150	151	Horizontal
2	1920	51.03	6.33	74.00	22.97	150	141	Horizontal
3	4740	43.67	-13.44	74.00	30.33	150	241	Horizontal
4	7323	52.38	-9.78	74.00	21.62	150	269	Horizontal
5	7686	44.65	-9.49	74.00	29.35	150	340	Horizontal
6	9765	48.45	-6.34	74.00	25.55	150	304	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.44	6.33	74.00	23.56	150	74	Vertical
2	3942	46.38	-16.05	74.00	27.62	150	208	Vertical
3	4293	42.13	-15.33	74.00	31.87	150	4	Vertical
4	7323	50.11	-9.78	74.00	23.89	150	314	Vertical
5	9765	47.65	-6.34	74.00	26.35	150	216	Vertical
6	13152	49.45	-0.74	74.00	24.55	150	360	Vertical

Mode:	2DH5-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1782	44.58	3.60	74.00	29.42	150	235	Horizontal
2	1920	50.39	6.33	74.00	23.61	150	141	Horizontal
3	2178	53.57	6.52	74.00	20.43	150	201	Horizontal
4	4959	45.35	-13.68	74.00	28.65	150	338	Horizontal
5	7440	52.06	-10.00	74.00	21.94	150	275	Horizontal
6	10701	47.45	-4.91	74.00	26.55	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	51.29	6.33	74.00	22.71	150	229	Vertical
2	3942	43.47	-16.05	74.00	30.53	150	219	Vertical
3	5250	45.60	-12.49	74.00	28.40	150	105	Vertical
4	7440	47.33	-10.00	74.00	26.67	150	354	Vertical
5	9921	47.55	-6.08	74.00	26.45	150	160	Vertical
6	11889	48.56	-2.39	74.00	25.44	150	69	Vertical

Mode:	3DH5-2402

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	51.34	6.33	74.00	22.66	150	142	Horizontal
2	4338	43.55	-15.19	74.00	30.45	150	308	Horizontal
3	4803	44.58	-13.23	74.00	29.42	150	206	Horizontal
4	7206	51.95	-9.97	74.00	22.05	150	290	Horizontal
5	9609	51.88	-6.55	74.00	22.12	150	276	Horizontal
6	12735	49.51	-1.25	74.00	24.49	150	109	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	50.26	6.33	74.00	23.74	150	80	Vertical
2	3936	43.00	-16.04	74.00	31.00	150	212	Vertical
3	5256	47.66	-12.50	74.00	26.34	150	170	Vertical
4	7206	52.25	-9.97	74.00	21.75	150	322	Vertical
5	9015	45.95	-7.71	74.00	28.05	150	4	Vertical
6	11478	48.82	-3.00	74.00	25.18	150	103	Vertical

Mode:	3DH5-2441

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920	51.21	6.33	74.00	22.79	150	143	Horizontal
2	3909	42.92	-16.03	74.00	31.08	150	33	Horizontal
3	4881	45.96	-13.44	74.00	28.04	150	302	Horizontal
4	7323	51.76	-9.78	74.00	22.24	150	260	Horizontal
5	9765	50.09	-6.34	74.00	23.91	150	326	Horizontal
6	12048	48.98	-2.55	74.00	25.02	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1438	40.58	0.53	74.00	33.42	150	0	Vertical
2	1920	50.72	6.33	74.00	23.28	150	78	Vertical
3	4935	44.31	-13.61	74.00	29.69	150	110	Vertical
4	7323	52.36	-9.78	74.00	21.64	150	360	Vertical
5	9765	49.58	-6.34	74.00	24.42	150	196	Vertical
6	11334	49.32	-3.11	74.00	24.68	150	7	Vertical

Mode:	3DH5-2480

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	40.82	0.54	74.00	33.18	150	277	Horizontal
2	1920	50.68	6.33	74.00	23.32	150	145	Horizontal
3	2178	50.76	6.52	74.00	23.24	150	253	Horizontal
4	7440	53.76	-10.00	74.00	20.24	150	315	Horizontal
5	9921	50.56	-6.08	74.00	23.44	150	318	Horizontal
6	13221	50.92	-0.76	74.00	23.08	150	257	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1440	40.59	0.54	74.00	33.41	150	59	Vertical
2	1920	51.01	6.33	74.00	22.99	150	73	Vertical
3	5259	47.66	-12.51	74.00	26.34	150	108	Vertical
4	7440	49.53	-10.00	74.00	24.47	150	7	Vertical
5	9921	47.52	-6.08	74.00	26.48	150	135	Vertical
6	11898	50.45	-2.36	74.00	23.55	150	34	Vertical