Appendix A: Transmitter Radiated Spurious Emissions

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	33.2987	-16.49	36.53	40.00	3.47	100	345	Vertical	PASS
2	36.9854	-16.29	35.64	40.00	4.36	100	295	Vertical	PASS
3	75.7932	-19.57	29.39	40.00	10.61	100	74	Vertical	PASS
4	99.6599	-19.97	25.85	43.50	17.65	100	94	Vertical	PASS
5	141.5723	-16.69	25.48	43.50	18.02	100	327	Vertical	PASS
6	499.9620	-11.81	31.28	46.00	14.72	100	357	Vertical	PASS



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	35.2390	-16.40	30.05	40.00	9.95	100	348	Horizontal	PASS
2	39.7019	-16.18	27.05	40.00	12.95	100	348	Horizontal	PASS
3	78.1216	-19.79	29.27	40.00	10.73	100	159	Horizontal	PASS
4	99.6599	-19.97	28.60	43.50	14.90	100	0	Horizontal	PASS
5	230.2480	-19.14	29.55	46.00	16.45	100	274	Horizontal	PASS
6	960.2220	-1.67	40.61	54.00	13.39	100	156	Horizontal	PASS

Mode:	11A-5180

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	50.35	6.70	68.23	17.88	150	232	Horizontal
2	3066.46	46.37	9.48	68.23	21.86	150	274	Horizontal
3	4190.90	48.41	12.17	74.00	25.59	150	359	Horizontal
4	7765.67	45.08	-9.57	68.23	23.15	150	139	Horizontal
5	11057.2	47.09	-3.74	74.00	26.91	150	281	Horizontal
6	13623.2	49.96	-0.59	68.23	18.27	150	68	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.92	6.57	68.23	16.31	150	119	Vertical
2	2176.91	47.08	6.70	68.23	21.15	150	126	Vertical
3	2811.59	46.47	8.89	74.00	27.53	150	14	Vertical
4	6908.31	46.90	-10.11	68.23	21.33	150	127	Vertical
5	8656.00	46.40	-8.67	68.23	21.83	150	141	Vertical
6	11198.1	48.37	-2.83	74.00	25.63	150	217	Vertical

Mode:	11A-5200

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	52.81	6.70	68.23	15.42	150	205	Horizontal
2	3136.43	47.38	9.36	68.23	20.85	150	333	Horizontal
3	3821.08	48.49	11.33	74.00	25.51	150	114	Horizontal
4	7852.61	45.68	-9.42	68.23	22.55	150	238	Horizontal
5	9885.08	46.50	-6.09	68.23	21.73	150	317	Horizontal
6	12442.1	49.30	-1.74	74.00	24.70	150	233	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.59	6.57	68.23	16.64	150	122	Vertical
2	2176.91	48.76	6.70	68.23	19.47	150	107	Vertical
3	2821.58	46.31	8.82	74.00	27.69	150	218	Vertical
4	6932.30	47.43	-10.07	68.23	20.80	150	160	Vertical
5	8904.82	46.02	-7.60	68.23	22.21	150	19	Vertical
6	10397.7	48.22	-5.49	68.23	20.01	150	99	Vertical

Mode:	11A-5240

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	51.92	6.70	68.23	16.31	150	248	Horizontal
2	2776.61	46.33	8.52	74.00	27.67	150	220	Horizontal
3	3903.54	48.56	11.84	74.00	25.44	150	110	Horizontal
4	7636.77	45.80	-9.72	74.00	28.20	150	115	Horizontal
5	10733.4	47.21	-4.50	74.00	26.79	150	204	Horizontal
6	12580.0	49.05	-1.56	74.00	24.95	150	126	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.63	6.57	68.23	16.60	150	123	Vertical
2	2176.91	47.75	6.70	68.23	20.48	150	152	Vertical
3	3311.34	47.59	10.37	68.23	20.64	150	137	Vertical
4	6986.26	48.22	-10.02	68.23	20.01	150	196	Vertical
5	10481.6	49.28	-5.22	68.23	18.95	150	30	Vertical
6	11273.0	48.91	-2.58	74.00	25.09	150	115	Vertical

Mode:	11A-5260

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.79	6.57	68.23	19.44	150	122	Horizontal
2	2176.91	51.99	6.70	68.23	16.24	150	235	Horizontal
3	3033.98	47.68	9.32	68.23	20.55	150	318	Horizontal
4	7013.24	45.77	-10.05	68.23	22.46	150	62	Horizontal
5	9624.28	47.30	-6.18	68.23	20.93	150	178	Horizontal
6	11341.9	49.14	-2.78	74.00	24.86	150	43	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.30	6.57	68.23	16.93	150	122	Vertical
2	2179.41	48.56	6.67	68.23	19.67	150	245	Vertical
3	3328.83	48.33	10.17	68.23	19.90	150	122	Vertical
4	7013.24	49.47	-10.05	68.23	18.76	150	149	Vertical
5	11318.0	49.92	-2.61	74.00	24.08	150	0	Vertical
6	12699.9	50.90	-1.23	74.00	23.10	150	160	Vertical

Mode:	11A-5280

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	51.20	6.70	68.23	17.03	150	200	Horizontal
2	2551.72	46.33	7.83	68.23	21.90	150	325	Horizontal
3	3326.33	47.44	10.19	68.23	20.79	150	179	Horizontal
4	7040.21	45.74	-10.12	68.23	22.49	150	39	Horizontal
5	9816.13	46.78	-6.09	68.23	21.45	150	339	Horizontal
6	11252.0	48.50	-2.65	74.00	25.50	150	69	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	52.32	6.57	68.23	15.91	150	122	Vertical
2	3098.95	46.96	9.62	68.23	21.27	150	137	Vertical
3	4205.89	49.53	12.16	74.00	24.47	150	346	Vertical
4	7040.21	48.99	-10.12	68.23	19.24	150	169	Vertical
5	10562.5	49.82	-4.46	68.23	18.41	150	56	Vertical
6	15047.2	50.80	1.07	68.23	17.43	150	225	Vertical

Mode:	11A-5320

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.57	6.57	68.23	19.66	150	181	Horizontal
2	2179.41	52.91	6.67	68.23	15.32	150	206	Horizontal
3	3048.97	47.15	9.41	68.23	21.08	150	189	Horizontal
4	8152.38	46.34	-9.23	74.00	27.66	150	63	Horizontal
5	10640.5	50.27	-4.22	74.00	23.73	150	30	Horizontal
6	13332.5	50.21	-0.52	74.00	23.79	150	30	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.83	6.57	68.23	16.40	150	119	Vertical
2	2179.41	49.12	6.67	68.23	19.11	150	191	Vertical
3	3313.84	47.54	10.35	68.23	20.69	150	324	Vertical
4	7094.17	49.34	-10.25	68.23	18.89	150	132	Vertical
5	10643.5	50.61	-4.23	74.00	23.39	150	51	Vertical
6	13083.6	50.04	-0.89	68.23	18.19	150	102	Vertical

Mode:	11A-5500

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.24	6.45	68.23	19.99	150	124	Horizontal
2	2179.41	50.72	6.63	68.23	17.51	150	266	Horizontal
3	3351.32	47.32	9.83	74.00	26.68	150	83	Horizontal
4	7333.99	47.76	-9.44	74.00	26.24	150	88	Horizontal
5	11225.0	48.30	-2.73	74.00	25.70	150	91	Horizontal
6	12939.7	49.61	-1.09	68.23	18.62	150	52	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.44	6.45	68.23	16.79	150	120	Vertical
2	2176.91	48.50	6.66	68.23	19.73	150	230	Vertical
3	3443.77	46.81	9.49	68.23	21.42	150	351	Vertical
4	8644.01	46.04	-8.68	68.23	22.19	150	230	Vertical
5	11207.0	50.28	-2.79	74.00	23.72	150	281	Vertical
6	15323.0	51.65	2.56	68.23	16.58	150	70	Vertical

Mode:	11A-5600

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.57	6.45	68.23	18.66	150	126	Horizontal
2	2179.41	52.02	6.63	68.23	16.21	150	252	Horizontal
3	3318.84	47.53	10.19	68.23	20.70	150	336	Horizontal
4	7453.90	46.64	-9.70	74.00	27.36	150	337	Horizontal
5	11192.1	49.54	-2.88	74.00	24.46	150	24	Horizontal
6	14354.7	49.99	0.48	68.23	18.24	150	92	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.58	6.45	68.23	16.65	150	136	Vertical
2	2176.91	49.40	6.66	68.23	18.83	150	136	Vertical
3	3833.58	50.03	11.31	74.00	23.97	150	56	Vertical
4	8212.34	46.65	-9.04	74.00	27.35	150	85	Vertical
5	11198.1	50.16	-2.83	74.00	23.84	150	297	Vertical
6	15565.8	52.66	3.03	74.00	21.34	150	46	Vertical

Mode:	11A-5700

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2179.21	51.02	6.74	68.23	17.21	150	198	Horizontal
2	3599.70	47.50	9.94	68.23	20.73	150	308	Horizontal
3	4194.40	48.89	12.19	74.00	25.11	150	60	Horizontal
4	9250.96	46.57	-7.01	68.23	21.66	150	201	Horizontal
5	11491.0	48.91	-2.85	74.00	25.09	150	292	Horizontal
6	13311.1	49.28	-0.38	74.00	24.72	150	10	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	52.02	6.71	68.23	16.21	150	119	Vertical
2	2807.89	47.65	8.91	74.00	26.35	150	144	Vertical
3	4483.25	49.05	13.11	68.23	19.18	150	151	Vertical
4	9490.24	47.46	-6.46	74.00	26.54	150	78	Vertical
5	11155.0	48.08	-3.42	74.00	25.92	150	9	Vertical
6	13428.2	50.09	-0.86	68.23	18.14	150	185	Vertical

Mode:	11A-5745

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2179.21	52.78	6.74	68.23	15.45	150	203	Horizontal
2	3314.24	47.18	10.26	68.23	21.05	150	150	Horizontal
3	4221.58	49.23	12.14	74.00	24.77	150	254	Horizontal
4	8935.31	46.48	-7.61	68.23	21.75	150	280	Horizontal
5	12091.7	49.23	-2.08	74.00	24.77	150	164	Horizontal
6	13733.6	49.64	-0.48	68.23	18.59	150	183	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	51.31	6.71	68.23	16.92	150	119	Vertical
2	2610.79	46.85	8.14	68.23	21.38	150	207	Vertical
3	3847.77	48.48	11.42	74.00	25.52	150	19	Vertical
4	9877.16	46.53	-6.01	68.23	21.70	150	104	Vertical
5	11967.0	49.53	-2.48	74.00	24.47	150	321	Vertical
6	14586.4	51.46	1.08	68.23	16.77	150	329	Vertical

Mode:	11A-5785

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	48.51	6.71	68.23	19.72	150	141	Horizontal
2	2179.21	49.26	6.74	68.23	18.97	150	267	Horizontal
3	3123.93	47.90	9.49	68.23	20.33	150	215	Horizontal
4	8930.22	45.94	-7.62	68.23	22.29	150	4	Horizontal
5	11312.8	48.25	-3.10	74.00	25.75	150	334	Horizontal
6	12990.3	49.90	-1.01	68.23	18.33	150	180	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	51.41	6.71	68.23	16.82	150	121	Vertical
2	2179.21	49.65	6.74	68.23	18.58	150	178	Vertical
3	3861.36	49.07	11.50	74.00	24.93	150	4	Vertical
4	9887.34	46.68	-6.01	68.23	21.55	150	115	Vertical
5	11381.5	49.33	-3.18	74.00	24.67	150	292	Vertical
6	15309.3	51.10	2.35	68.23	17.13	150	257	Vertical

Mode:	11A-5825

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	48.26	6.71	68.23	19.97	150	315	Horizontal
2	2804.49	46.19	8.93	74.00	27.81	150	49	Horizontal
3	3490.95	48.30	9.90	68.23	19.93	150	232	Horizontal
4	9024.40	47.35	-7.46	74.00	26.65	150	160	Horizontal
5	12231.7	49.13	-2.03	74.00	24.87	150	350	Horizontal
6	14082.4	50.40	0.29	68.23	17.83	150	276	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	53.19	6.71	68.23	15.04	150	128	Vertical
2	2179.21	48.72	6.74	68.23	19.51	150	184	Vertical
3	3287.05	47.89	10.24	68.23	20.34	150	245	Vertical
4	9978.98	46.94	-5.76	68.23	21.29	150	291	Vertical
5	12086.6	48.83	-2.11	74.00	25.17	150	54	Vertical
6	15278.8	51.42	2.20	68.23	16.81	150	264	Vertical

Mode:	11N20-5180-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.29	5.58	68.23	18.94	150	136	Horizontal
2	2176.91	46.02	6.20	68.23	22.21	150	298	Horizontal
3	2941.52	47.41	8.51	68.23	20.82	150	107	Horizontal
4	7513.86	44.33	-11.59	74.00	29.67	150	82	Horizontal
5	11063.2	47.27	-5.59	74.00	26.73	150	256	Horizontal
6	12915.8	47.85	-3.00	68.23	20.38	150	253	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.67	5.58	68.23	18.56	150	202	Vertical
2	2994.00	51.46	8.59	68.23	16.77	150	165	Vertical
3	3948.52	50.11	10.89	74.00	23.89	150	123	Vertical
4	6905.32	50.47	-12.15	68.23	17.76	150	154	Vertical
5	8754.93	44.43	-10.25	68.23	23.80	150	331	Vertical
6	10937.2	47.86	-5.99	74.00	26.14	150	244	Vertical

Mode:	11N20-5200-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.92	5.58	68.23	19.31	150	94	Horizontal
2	2179.41	48.88	6.21	68.23	19.35	150	16	Horizontal
3	3213.89	46.63	8.98	68.23	21.60	150	109	Horizontal
4	8245.31	45.45	-10.79	74.00	28.55	150	124	Horizontal
5	11027.2	47.79	-5.70	74.00	26.21	150	164	Horizontal
6	14318.7	50.28	-0.35	68.23	17.95	150	353	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.73	5.58	68.23	18.50	150	196	Vertical
2	2419.29	49.13	7.06	68.23	19.10	150	141	Vertical
3	3196.40	47.23	8.90	68.23	21.00	150	77	Vertical
4	6932.30	49.36	-12.09	68.23	18.87	150	196	Vertical
5	9195.60	46.27	-9.22	74.00	27.73	150	156	Vertical
6	11440.9	48.99	-4.97	74.00	25.01	150	202	Vertical

Mode:	11N20-5240-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.29	5.58	68.23	18.94	150	131	Horizontal
2	2176.91	47.72	6.20	68.23	20.51	150	339	Horizontal
3	3816.09	47.76	10.39	74.00	26.24	150	218	Horizontal
4	6608.54	45.74	-11.46	68.23	22.49	150	272	Horizontal
5	10478.6	47.72	-6.57	68.23	20.51	150	4	Horizontal
6	14774.4	49.78	-1.45	68.23	18.45	150	246	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.47	5.58	68.23	18.76	150	204	Vertical
2	2941.52	46.67	8.51	68.23	21.56	150	171	Vertical
3	4208.39	48.96	11.77	74.00	25.04	150	38	Vertical
4	6986.26	48.85	-11.26	68.23	19.38	150	186	Vertical
5	10481.6	48.75	-6.57	68.23	19.48	150	77	Vertical
6	14306.7	50.03	-0.06	68.23	18.20	150	220	Vertical

Mode:	11N20-5260-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.14	5.58	68.23	19.09	150	128	Horizontal
2	2179.41	52.39	6.21	68.23	15.84	150	197	Horizontal
3	3216.39	47.01	8.99	68.23	21.22	150	187	Horizontal
4	8961.77	45.17	-9.41	68.23	23.06	150	151	Horizontal
5	11839.6	47.97	-4.55	74.00	26.03	150	65	Horizontal
6	14363.7	49.55	-0.94	68.23	18.68	150	214	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.78	5.58	68.23	19.45	150	178	Vertical
2	2651.67	46.49	7.67	68.23	21.74	150	351	Vertical
3	3823.58	49.15	10.42	74.00	24.85	150	236	Vertical
4	7013.24	48.76	-11.18	68.23	19.47	150	121	Vertical
5	10517.6	47.42	-6.54	68.23	20.81	150	41	Vertical
6	13020.7	48.46	-3.33	68.23	19.77	150	107	Vertical

Mode:	11N20-5280-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.69	5.58	68.23	19.54	150	98	Horizontal
2	2179.41	51.21	6.21	68.23	17.02	150	193	Horizontal
3	3436.28	47.45	9.53	68.23	20.78	150	50	Horizontal
4	8218.33	44.73	-10.52	74.00	29.27	150	66	Horizontal
5	11030.2	48.15	-5.69	74.00	25.85	150	277	Horizontal
6	15152.1	49.77	0.27	68.23	18.46	150	143	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.01	5.58	68.23	19.22	150	179	Vertical
2	2631.68	46.96	7.66	68.23	21.27	150	28	Vertical
3	3701.14	47.17	10.47	74.00	26.83	150	321	Vertical
4	7040.21	49.61	-11.63	68.23	18.62	150	133	Vertical
5	10562.5	48.29	-6.61	68.23	19.94	150	60	Vertical
6	13098.6	49.41	-2.81	68.23	18.82	150	76	Vertical

Mode:	11N20-5320-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.82	5.58	68.23	18.41	150	122	Horizontal
2	2176.91	48.62	6.20	68.23	19.61	150	148	Horizontal
3	3808.59	48.40	10.36	74.00	25.60	150	0	Horizontal
4	7094.17	44.83	-11.54	68.23	23.40	150	146	Horizontal
5	12690.9	48.60	-3.47	74.00	25.40	150	4	Horizontal
6	15320.0	49.93	-0.01	68.23	18.30	150	151	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.54	5.58	68.23	18.69	150	196	Vertical
2	2421.78	47.94	7.07	68.23	20.29	150	80	Vertical
3	3346.32	47.36	9.44	74.00	26.64	150	69	Vertical
4	7094.17	49.44	-11.54	68.23	18.79	150	192	Vertical
5	9153.63	45.49	-9.12	74.00	28.51	150	136	Vertical
6	12807.8	48.36	-3.77	68.23	19.87	150	93	Vertical

Mode:	11N20-5500-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.77	5.42	68.23	19.46	150	103	Horizontal
2	2179.41	49.32	6.11	68.23	18.91	150	208	Horizontal
3	3251.37	47.44	8.98	68.23	20.79	150	161	Horizontal
4	7333.99	46.79	-11.63	74.00	27.21	150	86	Horizontal
5	10262.8	46.02	-7.30	68.23	22.21	150	184	Horizontal
6	12837.8	47.96	-3.73	68.23	20.27	150	249	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.20	5.42	68.23	17.03	150	232	Vertical
2	2179.41	51.13	6.11	68.23	17.10	150	154	Vertical
3	3173.91	47.62	8.75	68.23	20.61	150	339	Vertical
4	7333.99	44.96	-11.63	74.00	29.04	150	271	Vertical
5	10892.3	46.85	-6.02	74.00	27.15	150	308	Vertical
6	11950.5	48.07	-4.75	74.00	25.93	150	142	Vertical

Mode:	11N20-5580-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.68	5.42	68.23	19.55	150	163	Horizontal
2	2179.41	51.68	6.11	68.23	16.55	150	196	Horizontal
3	3848.57	49.05	10.34	74.00	24.95	150	77	Horizontal
4	7870.59	45.25	-11.26	68.23	22.98	150	72	Horizontal
5	11440.9	48.45	-4.97	74.00	25.55	150	256	Horizontal
6	12810.8	48.79	-3.77	68.23	19.44	150	15	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.81	5.42	68.23	17.42	150	194	Vertical
2	2179.41	48.72	6.11	68.23	19.51	150	133	Vertical
3	3948.52	49.59	10.85	74.00	24.41	150	57	Vertical
4	8982.76	45.46	-9.27	68.23	22.77	150	332	Vertical
5	11413.9	48.17	-5.23	74.00	25.83	150	198	Vertical
6	14471.6	50.34	-1.27	74.00	23.66	150	11	Vertical

Mode:	11N20-5700-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1883.55	45.23	5.54	68.23	23.00	150	140	Horizontal
2	2777.31	46.16	8.02	74.00	27.84	150	282	Horizontal
3	3820.58	48.36	10.45	74.00	25.64	150	247	Horizontal
4	10017.1	45.60	-7.88	68.23	22.63	150	166	Horizontal
5	13255.1	49.36	-2.24	74.00	24.64	150	360	Horizontal
6	15910.1	50.37	-0.58	74.00	23.63	150	4	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2118.04	46.06	6.00	68.23	22.17	150	238	Vertical
2	2801.09	46.80	8.09	74.00	27.20	150	220	Vertical
3	4201.19	49.20	11.69	74.00	24.80	150	177	Vertical
4	9714.25	46.54	-8.24	68.23	21.69	150	358	Vertical
5	11371.4	47.72	-5.70	74.00	26.28	150	68	Vertical
6	13797.3	48.65	-2.53	68.23	19.58	150	327	Vertical

Mode:	11N20-5745-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	49.38	6.71	68.23	18.85	150	249	Horizontal
2	2179.21	49.41	6.74	68.23	18.82	150	121	Horizontal
3	3123.93	45.99	9.49	68.23	22.24	150	222	Horizontal
4	10078.2	46.96	-5.96	68.23	21.27	150	140	Horizontal
5	11312.8	48.51	-3.10	74.00	25.49	150	304	Horizontal
6	14293.6	50.74	0.82	68.23	17.49	150	29	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	49.59	6.71	68.23	18.64	150	30	Vertical
2	2298.15	44.58	7.07	74.00	29.42	150	114	Vertical
3	3304.04	47.25	10.38	68.23	20.98	150	240	Vertical
4	9564.06	46.67	-6.42	68.23	21.56	150	119	Vertical
5	12262.3	49.21	-1.95	74.00	24.79	150	179	Vertical
6	15591.9	52.48	3.67	74.00	21.52	150	168	Vertical

Mode:	11N20-5785-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.11	6.71	68.23	18.12	150	289	Horizontal
2	3834.18	49.76	11.36	74.00	24.24	150	113	Horizontal
3	4938.63	50.75	14.18	74.00	23.25	150	260	Horizontal
4	11735.4	48.84	-2.66	74.00	25.16	150	198	Horizontal
5	13774.3	50.27	-0.35	68.23	17.96	150	301	Horizontal
6	15609.7	51.93	3.58	74.00	22.07	150	332	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.25	6.71	68.23	17.98	150	22	Vertical
2	2179.21	49.57	6.74	68.23	18.66	150	200	Vertical
3	9136.41	46.74	-7.09	74.00	27.26	150	32	Vertical
4	11572.4	48.42	-2.99	74.00	25.58	150	85	Vertical
5	13153.2	49.59	-0.64	68.23	18.64	150	295	Vertical
6	15520.6	51.72	2.57	74.00	22.28	150	40	Vertical

Mode:	11N20-5825-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2179.21	50.40	6.74	68.23	17.83	150	216	Horizontal
2	3800.19	48.93	11.22	74.00	25.07	150	177	Horizontal
3	9177.14	46.11	-6.72	74.00	27.89	150	85	Horizontal
4	12132.5	49.80	-2.07	74.00	24.20	150	275	Horizontal
5	13026.0	50.06	-0.92	68.23	18.17	150	104	Horizontal
6	15665.7	52.55	2.29	74.00	21.45	150	15	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.60	6.71	68.23	17.63	150	29	Vertical
2	3711.84	48.29	10.69	74.00	25.71	150	270	Vertical
3	9966.25	46.50	-5.80	68.23	21.73	150	313	Vertical
4	11160.1	48.61	-3.43	74.00	25.39	150	138	Vertical
5	13308.5	49.73	-0.36	74.00	24.27	150	175	Vertical
6	15627.5	52.49	3.17	74.00	21.51	150	60	Vertical

Mode:	11N40-5190-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.96	5.58	68.23	18.27	150	112	Horizontal
2	2179.41	49.80	6.21	68.23	18.43	150	210	Horizontal
3	2836.58	46.48	8.25	74.00	27.52	150	130	Horizontal
4	8976.76	46.30	-9.31	68.23	21.93	150	171	Horizontal
5	11419.9	47.50	-5.17	74.00	26.50	150	226	Horizontal
6	13413.4	49.34	-2.77	68.23	18.89	150	299	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.67	5.58	68.23	17.56	150	218	Vertical
2	2496.75	48.78	7.65	74.00	25.22	150	188	Vertical
3	6920.30	48.07	-12.11	68.23	20.16	150	115	Vertical
4	9666.25	46.05	-8.05	68.23	22.18	150	210	Vertical
5	12619.0	48.21	-3.99	74.00	25.79	150	343	Vertical
6	15296.0	49.94	-0.14	68.23	18.29	150	25	Vertical

Mode:	11N40-5230-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.62	5.58	68.23	19.61	150	100	Horizontal
2	2176.91	48.47	6.20	68.23	19.76	150	6	Horizontal
3	3356.32	47.51	9.45	74.00	26.49	150	111	Horizontal
4	7612.79	44.52	-11.46	74.00	29.48	150	190	Horizontal
5	10469.6	47.26	-6.58	68.23	20.97	150	99	Horizontal
6	13098.6	49.18	-2.81	68.23	19.05	150	232	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.48	5.58	68.23	17.75	150	209	Vertical
2	2176.91	48.38	6.20	68.23	19.85	150	138	Vertical
3	3808.59	47.96	10.36	74.00	26.04	150	95	Vertical
4	6986.26	49.48	-11.26	68.23	18.75	150	186	Vertical
5	10220.8	47.10	-7.37	68.23	21.13	150	153	Vertical
6	13467.3	49.59	-2.59	68.23	18.64	150	68	Vertical

Mode:	11N40-5270-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	47.74	5.58	68.23	20.49	150	102	Horizontal
2	2176.91	47.24	6.20	68.23	20.99	150	249	Horizontal
3	3538.73	47.58	9.73	68.23	20.65	150	306	Horizontal
4	6905.32	45.04	-12.15	68.23	23.19	150	197	Horizontal
5	10955.2	47.08	-5.96	74.00	26.92	150	49	Horizontal
6	12771.9	48.59	-3.48	68.23	19.64	150	111	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.52	5.58	68.23	17.71	150	180	Vertical
2	2541.72	46.27	7.45	68.23	21.96	150	139	Vertical
3	7040.21	49.27	-11.63	68.23	18.96	150	185	Vertical
4	8958.78	46.40	-9.43	68.23	21.83	150	345	Vertical
5	10550.5	47.36	-6.54	68.23	20.87	150	54	Vertical
6	12696.9	48.68	-3.43	74.00	25.32	150	356	Vertical

Mode:	11N40-5310-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.03	5.58	68.23	20.20	150	102	Horizontal
2	2179.41	50.29	6.21	68.23	17.94	150	209	Horizontal
3	3413.79	46.79	9.51	68.23	21.44	150	272	Horizontal
4	8200.34	45.11	-10.34	74.00	28.89	150	288	Horizontal
5	11620.7	48.20	-4.69	74.00	25.80	150	331	Horizontal
6	15685.7	51.69	0.35	74.00	22.31	150	356	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.78	5.58	68.23	17.45	150	209	Vertical
2	2369.31	46.22	6.73	74.00	27.78	150	29	Vertical
3	3173.91	46.75	8.85	68.23	21.48	150	325	Vertical
4	7094.17	50.40	-11.54	68.23	17.83	150	199	Vertical
5	8467.14	45.52	-10.46	74.00	28.48	150	235	Vertical
6	11773.6	49.65	-4.54	74.00	24.35	150	308	Vertical

Mode:	11N40-5510-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.08	5.42	68.23	18.15	150	100	Horizontal
2	2179.41	49.66	6.11	68.23	18.57	150	192	Horizontal
3	2844.07	45.83	8.05	74.00	28.17	150	321	Horizontal
4	7360.97	46.26	-11.34	74.00	27.74	150	115	Horizontal
5	8976.76	45.08	-9.31	68.23	23.15	150	356	Horizontal
6	12762.9	48.37	-3.39	68.23	19.86	150	258	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.85	5.42	68.23	17.38	150	214	Vertical
2	2179.41	46.44	6.11	68.23	21.79	150	116	Vertical
3	2754.12	47.06	7.81	74.00	26.94	150	9	Vertical
4	9066.7	45.40	-9.49	74.00	28.60	150	117	Vertical
5	10034.9	47.24	-7.35	68.23	20.99	150	75	Vertical
6	11536.8	47.98	-5.21	74.00	26.02	150	155	Vertical

Mode:	11N40-5590-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.54	5.42	68.23	19.69	150	102	Horizontal
2	2179.41	49.44	6.11	68.23	18.79	150	204	Horizontal
3	2519.24	48.96	7.38	68.23	19.27	150	227	Horizontal
4	7429.92	44.54	-11.26	74.00	29.46	150	320	Horizontal
5	10025.9	46.07	-7.32	68.23	22.16	150	251	Horizontal
6	11018.2	47.58	-5.71	74.00	26.42	150	33	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.99	5.42	68.23	17.24	150	207	Vertical
2	2511.74	45.55	7.40	68.23	22.68	150	4	Vertical
3	4300.84	48.50	11.65	74.00	25.50	150	192	Vertical
4	8470.14	44.87	-10.47	74.00	29.13	150	21	Vertical
5	11210.0	48.25	-5.49	74.00	25.75	150	206	Vertical
6	12079.4	48.25	-4.48	74.00	25.75	150	38	Vertical

Mode:	11N40-5670-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1954.92	44.61	5.54	68.23	23.62	150	76	Horizontal
2	3110.34	48.12	8.88	68.23	20.11	150	268	Horizontal
3	4163.81	49.81	11.57	74.00	24.19	150	164	Horizontal
4	11040.4	46.95	-5.82	74.00	27.05	150	177	Horizontal
5	12623.8	47.93	-3.88	74.00	26.07	150	256	Horizontal
6	14303.8	49.42	-0.26	68.23	18.81	150	159	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1954.92	45.74	5.54	68.23	22.49	150	28	Vertical
2	2787.50	46.56	8.06	74.00	27.44	150	12	Vertical
3	3854.57	49.33	10.56	74.00	24.67	150	336	Vertical
4	9734.61	45.90	-8.08	68.23	22.33	150	231	Vertical
5	11343.3	48.23	-5.77	74.00	25.77	150	65	Vertical
6	14311.5	50.21	-0.44	68.23	18.02	150	164	Vertical

Mode:	11N40-5755-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.41	6.71	68.23	17.82	150	248	Horizontal
2	2179.21	49.92	6.74	68.23	18.31	150	216	Horizontal
3	2804.49	46.11	8.93	74.00	27.89	150	300	Horizontal
4	8937.85	46.09	-7.60	68.23	22.14	150	206	Horizontal
5	12323.4	49.21	-1.83	74.00	24.79	150	310	Horizontal
6	14879.1	50.43	1.15	68.23	17.80	150	74	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.05	6.71	68.23	18.18	150	166	Vertical
2	2420.48	44.99	7.02	68.23	23.24	150	273	Vertical
3	3939.53	48.94	11.81	74.00	25.06	150	239	Vertical
4	9454.60	46.50	-6.63	74.00	27.50	150	97	Vertical
5	12567.8	49.15	-1.45	74.00	24.85	150	80	Vertical
6	13463.8	49.38	-0.91	68.23	18.85	150	206	Vertical

Mode:	11N40-5795-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.55	6.71	68.23	17.68	150	291	Horizontal
2	2179.21	48.25	6.74	68.23	19.98	150	115	Horizontal
3	3331.23	47.23	10.07	68.23	21.00	150	281	Horizontal
4	9609.88	47.23	-6.39	68.23	21.00	150	200	Horizontal
5	11793.9	48.86	-2.74	74.00	25.14	150	243	Horizontal
6	14739.1	50.22	0.78	68.23	18.01	150	44	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.79	6.71	68.23	17.44	150	29	Vertical
2	2179.21	48.63	6.74	68.23	19.60	150	156	Vertical
3	3874.96	48.48	11.58	74.00	25.52	150	61	Vertical
4	10335.3	46.95	-5.38	68.23	21.28	150	61	Vertical
5	13736.2	49.63	-0.48	68.23	18.60	150	77	Vertical
6	15594.4	52.50	3.72	74.00	21.50	150	253	Vertical

Mode:	11AC20-5180-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.79	5.58	68.23	19.44	150	153	Horizontal
2	2179.41	48.91	6.21	68.23	19.32	150	4	Horizontal
3	2799.10	47.01	8.12	74.00	26.99	150	346	Horizontal
4	7061.20	44.45	-11.73	68.23	23.78	150	115	Horizontal
5	10358.7	47.97	-7.19	68.23	20.26	150	143	Horizontal
6	13098.6	48.52	-2.81	68.23	19.71	150	333	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.12	5.58	68.23	20.11	150	104	Vertical
2	2176.91	51.29	6.20	68.23	16.94	150	193	Vertical
3	2959.02	47.67	8.57	68.23	20.56	150	198	Vertical
4	7178.11	44.23	-11.86	68.23	24.00	150	57	Vertical
5	10361.7	47.66	-7.16	68.23	20.57	150	141	Vertical
6	13404.4	48.66	-2.82	68.23	19.57	150	189	Vertical

Mode:	11AC20-5200-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.73	5.58	68.23	19.50	150	104	Horizontal
2	2179.41	49.51	6.21	68.23	18.72	150	82	Horizontal
3	3051.47	47.24	8.82	68.23	20.99	150	290	Horizontal
4	7891.58	44.91	-11.00	68.23	23.32	150	154	Horizontal
5	10397.7	47.12	-6.72	68.23	21.11	150	125	Horizontal
6	11920.5	48.78	-4.60	74.00	25.22	150	60	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.22	5.58	68.23	19.01	150	103	Vertical
2	2176.91	51.94	6.20	68.23	16.29	150	187	Vertical
3	2944.02	46.40	8.53	68.23	21.83	150	100	Vertical
4	6932.30	45.95	-12.09	68.23	22.28	150	148	Vertical
5	9429.42	46.17	-8.49	74.00	27.83	150	321	Vertical
6	12226.3	48.40	-4.60	74.00	25.60	150	329	Vertical

Mode:	11AC20-5240-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.74	5.58	68.23	19.49	150	106	Horizontal
2	2176.91	50.69	6.20	68.23	17.54	150	174	Horizontal
3	3603.69	47.58	10.04	74.00	26.42	150	132	Horizontal
4	9441.41	45.62	-8.25	74.00	28.38	150	125	Horizontal
5	10478.6	47.98	-6.57	68.23	20.25	150	140	Horizontal
6	13986.0	48.90	-1.40	68.23	19.33	150	224	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.17	5.58	68.23	19.06	150	102	Vertical
2	2176.91	49.32	6.20	68.23	18.91	150	9	Vertical
3	3408.79	46.84	9.50	68.23	21.39	150	270	Vertical
4	7894.57	44.74	-10.96	68.23	23.49	150	100	Vertical
5	10481.6	48.24	-6.57	68.23	19.99	150	131	Vertical
6	13092.6	48.15	-2.89	68.23	20.08	150	100	Vertical

Mode:	11AC20-5260-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.56	5.58	68.23	19.67	150	112	Horizontal
2	2179.41	51.01	6.21	68.23	17.22	150	194	Horizontal
3	2524.23	48.24	7.55	68.23	19.99	150	82	Horizontal
4	3708.64	48.20	10.47	74.00	25.80	150	167	Horizontal
5	7250.06	45.22	-11.50	74.00	28.78	150	292	Horizontal
6	10520.6	49.38	-6.55	68.23	18.85	150	116	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.82	5.58	68.23	19.41	150	164	Vertical
2	2179.41	51.15	6.21	68.23	17.08	150	198	Vertical
3	3133.93	47.18	8.83	68.23	21.05	150	146	Vertical
4	7549.83	44.65	-11.41	74.00	29.35	150	224	Vertical
5	9321.50	45.36	-8.93	74.00	28.64	150	296	Vertical
6	10520.6	48.98	-6.55	68.23	19.25	150	134	Vertical

Mode:	11AC20-5280-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.62	5.58	68.23	18.61	150	106	Horizontal
2	2179.41	49.55	6.21	68.23	18.68	150	338	Horizontal
3	4218.39	50.05	11.78	74.00	23.95	150	295	Horizontal
4	7897.57	44.18	-10.92	68.23	24.05	150	178	Horizontal
5	10562.5	47.89	-6.61	68.23	20.34	150	149	Horizontal
6	14495.6	50.55	-1.26	74.00	23.45	150	149	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.81	5.58	68.23	19.42	150	102	Vertical
2	2176.91	49.13	6.20	68.23	19.10	150	156	Vertical
3	2829.08	47.44	8.23	74.00	26.56	150	129	Vertical
4	8356.23	45.24	-10.66	74.00	28.76	150	121	Vertical
5	10556.5	48.02	-6.58	68.23	20.21	150	72	Vertical
6	14006.9	49.52	-1.27	68.23	18.71	150	84	Vertical

Mode:	11AC20-5320-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.55	5.58	68.23	19.68	150	104	Horizontal
2	2179.41	48.95	6.21	68.23	19.28	150	341	Horizontal
3	3113.94	47.18	8.88	68.23	21.05	150	309	Horizontal
4	8985.76	44.87	-9.25	68.23	23.36	150	157	Horizontal
5	10634.5	47.40	-6.75	74.00	26.60	150	123	Horizontal
6	13188.6	48.20	-2.69	68.23	20.03	150	314	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	47.97	5.58	68.23	20.26	150	105	Vertical
2	2179.41	51.41	6.21	68.23	16.82	150	177	Vertical
3	2664.16	45.75	7.70	68.23	22.48	150	57	Vertical
4	7094.17	45.01	-11.54	68.23	23.22	150	48	Vertical
5	8748.93	46.19	-10.29	68.23	22.04	150	79	Vertical
6	10637.5	48.52	-6.73	74.00	25.48	150	123	Vertical

Mode:	11AC20-5500-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.05	5.42	68.23	19.18	150	353	Horizontal
2	2179.41	50.31	6.11	68.23	17.92	150	203	Horizontal
3	3003.99	46.38	8.57	68.23	21.85	150	8	Horizontal
4	7333.99	47.35	-11.63	74.00	26.65	150	89	Horizontal
5	8967.77	45.45	-9.37	68.23	22.78	150	95	Horizontal
6	13167.6	48.45	-2.32	68.23	19.78	150	334	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.98	5.42	68.23	19.25	150	108	Vertical
2	2179.41	51.65	6.11	68.23	16.58	150	193	Vertical
3	2989.00	46.12	8.53	68.23	22.11	150	254	Vertical
4	7333.99	47.70	-11.63	74.00	26.30	150	90	Vertical
5	9999.00	46.11	-7.20	68.23	22.12	150	297	Vertical
6	11282.0	48.55	-5.38	74.00	25.45	150	297	Vertical

Mode:	11AC20-5580-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.39	5.42	68.23	19.84	150	103	Horizontal
2	2176.91	51.89	6.10	68.23	16.34	150	189	Horizontal
3	3243.87	47.11	8.95	68.23	21.12	150	122	Horizontal
4	7055.20	44.85	-11.76	68.23	23.38	150	51	Horizontal
5	11204.0	48.45	-5.49	74.00	25.55	150	46	Horizontal
6	15152.1	50.62	0.27	68.23	17.61	150	199	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.24	5.42	68.23	17.99	150	106	Vertical
2	2176.91	50.90	6.10	68.23	17.33	150	190	Vertical
3	3021.48	46.61	8.61	68.23	21.62	150	168	Vertical
4	7756.68	45.00	-11.29	68.23	23.23	150	331	Vertical
5	9078.69	46.30	-9.54	74.00	27.70	150	313	Vertical
6	11848.6	48.31	-4.52	74.00	25.69	150	41	Vertical

Mode:	11AC20-5700-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1700.05	43.33	3.13	74.00	30.67	150	205	Horizontal
2	2226.78	45.28	6.34	74.00	28.72	150	318	Horizontal
3	3575.91	47.85	9.87	68.23	20.38	150	195	Horizontal
4	10149.5	46.42	-7.38	68.23	21.81	150	214	Horizontal
5	12611.0	47.63	-3.98	74.00	26.37	150	295	Horizontal
6	14298.7	49.71	-0.17	68.23	18.52	150	7	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1785.00	44.73	4.50	68.23	23.50	150	314	Vertical
2	2583.60	45.88	7.56	68.23	22.35	150	327	Vertical
3	3110.34	48.22	8.88	68.23	20.01	150	243	Vertical
4	9212.77	45.97	-8.75	68.23	22.26	150	279	Vertical
5	11407.0	47.17	-5.52	74.00	26.83	150	29	Vertical
6	14329.3	49.70	-0.85	68.23	18.53	150	80	Vertical

Mode:	11AC40-5190-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.44	5.58	68.23	19.79	150	101	Horizontal
2	2179.41	51.36	6.21	68.23	16.87	150	191	Horizontal
3	2919.04	47.67	8.37	68.23	20.56	150	125	Horizontal
4	7819.63	44.78	-11.28	68.23	23.45	150	178	Horizontal
5	11165.1	47.12	-5.48	74.00	26.88	150	69	Horizontal
6	13170.6	49.08	-2.37	68.23	19.15	150	283	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	50.48	6.20	68.23	17.75	150	203	Vertical
2	2731.63	47.59	7.86	74.00	26.41	150	341	Vertical
3	3256.37	47.44	9.20	68.23	20.79	150	68	Vertical
4	7741.69	45.43	-11.29	74.00	28.57	150	228	Vertical
5	9993.00	47.22	-7.21	68.23	21.01	150	200	Vertical
6	13167.6	48.82	-2.32	68.23	19.41	150	280	Vertical

Mode:	11AC40-5230-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.86	5.58	68.23	19.37	150	90	Horizontal
2	2176.91	48.63	6.20	68.23	19.60	150	194	Horizontal
3	3538.73	48.51	9.73	68.23	19.72	150	90	Horizontal
4	8979.76	46.03	-9.29	68.23	22.20	150	296	Horizontal
5	11728.7	48.21	-4.50	74.00	25.79	150	273	Horizontal
6	15155.1	49.81	0.20	68.23	18.42	150	164	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.73	5.58	68.23	19.50	150	0	Vertical
2	2179.41	49.43	6.21	68.23	18.80	150	6	Vertical
3	4240.87	49.11	11.81	74.00	24.89	150	12	Vertical
4	6596.55	46.30	-11.42	68.23	21.93	150	99	Vertical
5	8976.76	45.99	-9.31	68.23	22.24	150	93	Vertical
6	13953.0	49.46	-1.93	68.23	18.77	150	104	Vertical

Mode:	11AC40-5270-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.63	5.58	68.23	19.60	150	108	Horizontal
2	2179.41	47.80	6.21	68.23	20.43	150	138	Horizontal
3	3078.96	46.53	8.87	68.23	21.70	150	213	Horizontal
4	7181.11	44.61	-11.89	68.23	23.62	150	86	Horizontal
5	10541.5	46.83	-6.54	68.23	21.40	150	102	Horizontal
6	12696.9	48.72	-3.43	74.00	25.28	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.92	5.58	68.23	19.31	150	266	Vertical
2	2176.91	48.21	6.20	68.23	20.02	150	171	Vertical
3	2751.62	46.70	7.91	74.00	27.30	150	124	Vertical
4	7954.53	44.75	-10.79	68.23	23.48	150	36	Vertical
5	10544.5	46.87	-6.53	68.23	21.36	150	113	Vertical
6	11614.7	47.73	-4.74	74.00	26.27	150	121	Vertical

Mode:	11AC40-5310-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	48.72	5.58	68.23	19.51	150	108	Horizontal
2	2176.91	49.96	6.20	68.23	18.27	150	184	Horizontal
3	2789.10	46.25	8.08	74.00	27.75	150	312	Horizontal
4	7879.59	45.64	-11.15	68.23	22.59	150	37	Horizontal
5	10616.5	48.43	-6.82	74.00	25.57	150	143	Horizontal
6	13149.6	49.49	-2.02	68.23	18.74	150	212	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.08	5.58	68.23	19.15	150	110	Vertical
2	2179.41	49.67	6.21	68.23	18.56	150	6	Vertical
3	2909.04	46.26	8.31	68.23	21.97	150	246	Vertical
4	7079.19	45.31	-11.63	68.23	22.92	150	55	Vertical
5	9435.42	45.48	-8.37	74.00	28.52	150	58	Vertical
6	11752.6	48.27	-4.40	74.00	25.73	150	348	Vertical

Mode:	11AC40-5510-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.46	5.42	68.23	17.77	150	202	Horizontal
2	2176.91	48.59	6.10	68.23	19.64	150	266	Horizontal
3	3836.08	47.94	10.33	74.00	26.06	150	142	Horizontal
4	7906.57	45.20	-10.87	68.23	23.03	150	125	Horizontal
5	10022.9	46.49	-7.30	68.23	21.74	150	317	Horizontal
6	12921.8	48.33	-3.00	68.23	19.90	150	83	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.59	5.42	68.23	16.64	150	208	Vertical
2	2179.41	48.59	6.11	68.23	19.64	150	133	Vertical
3	2969.01	46.42	8.48	68.23	21.81	150	173	Vertical
4	7106.17	45.15	-11.52	68.23	23.08	150	118	Vertical
5	9999.00	46.53	-7.20	68.23	21.70	150	175	Vertical
6	11782.6	49.26	-4.60	74.00	24.74	150	178	Vertical

Mode:	11AC40-5590-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1922.03	50.67	5.41	68.23	17.56	150	208	Horizontal
2	2179.41	49.19	6.11	68.23	19.04	150	144	Horizontal
3	2764.11	47.03	7.83	74.00	26.97	150	34	Horizontal
4	7912.56	45.14	-10.85	68.23	23.09	150	60	Horizontal
5	9987.00	46.38	-7.22	68.23	21.85	150	72	Horizontal
6	11779.6	48.28	-4.58	74.00	25.72	150	86	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.36	5.42	68.23	16.87	150	185	Vertical
2	2179.41	47.38	6.11	68.23	20.85	150	103	Vertical
3	3953.52	50.48	10.86	74.00	23.52	150	185	Vertical
4	8931.80	45.38	-9.52	68.23	22.85	150	69	Vertical
5	9918.06	47.20	-7.73	68.23	21.03	150	210	Vertical
6	13146.6	49.79	-2.06	68.23	18.44	150	284	Vertical

Mode:	11AC40-5670-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2304.94	45.09	6.54	68.23	23.14	150	149	Horizontal
2	2974.41	47.99	8.58	68.23	20.24	150	82	Horizontal
3	3891.95	48.78	10.78	74.00	25.22	150	356	Horizontal
4	10129.1	45.86	-7.37	68.23	22.37	150	112	Horizontal
5	11908.5	47.72	-4.49	74.00	26.28	150	130	Horizontal
6	13224.5	48.91	-2.12	68.23	19.32	150	7	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1859.77	45.25	5.29	68.23	22.98	150	151	Vertical
2	2508.84	46.29	7.61	68.23	21.94	150	321	Vertical
3	3212.29	47.93	8.94	68.23	20.30	150	348	Vertical
4	9795.70	47.06	-7.80	68.23	21.17	150	298	Vertical
5	11898.3	48.22	-4.39	74.00	25.78	150	261	Vertical
6	14291.1	49.29	-0.21	68.23	18.94	150	79	Vertical

Mode:	11AC80-5210-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.41	5.58	68.23	16.82	150	210	Horizontal
2	2176.91	47.34	6.20	68.23	20.89	150	185	Horizontal
3	3418.79	47.20	9.51	68.23	21.03	150	105	Horizontal
4	6947.28	47.82	-12.05	68.23	20.41	150	74	Horizontal
5	9165.62	45.19	-9.15	74.00	28.81	150	253	Horizontal
6	13542.3	48.87	-2.42	68.23	19.36	150	275	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.09	5.58	68.23	18.14	150	206	Vertical
2	2176.91	48.44	6.20	68.23	19.79	150	173	Vertical
3	2819.09	46.39	8.19	74.00	27.61	150	56	Vertical
4	6947.28	48.57	-12.05	68.23	19.66	150	189	Vertical
5	10442.6	48.76	-6.60	68.23	19.47	150	117	Vertical
6	14396.7	49.47	-0.56	68.23	18.76	150	39	Vertical

Mode:	11AC80-5290-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.50	5.58	68.23	17.73	150	208	Horizontal
2	2176.91	47.33	6.20	68.23	20.90	150	235	Horizontal
3	3008.99	47.13	8.63	68.23	21.10	150	282	Horizontal
4	7052.21	48.47	-11.78	68.23	19.76	150	192	Horizontal
5	8287.28	44.75	-10.79	74.00	29.25	150	155	Horizontal
6	11410.9	47.74	-5.25	74.00	26.26	150	174	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.20	5.58	68.23	18.03	150	206	Vertical
2	2176.91	47.85	6.20	68.23	20.38	150	159	Vertical
3	2976.51	46.13	8.58	68.23	22.10	150	65	Vertical
4	7052.21	49.25	-11.78	68.23	18.98	150	152	Vertical
5	9654.25	45.78	-8.12	68.23	22.45	150	223	Vertical
6	12136.3	47.63	-4.58	74.00	26.37	150	349	Vertical

Mode:	11AC80-5530-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.62	5.42	68.23	17.61	150	202	Horizontal
2	2176.91	50.73	6.10	68.23	17.50	150	157	Horizontal
3	3311.34	47.53	9.26	68.23	20.70	150	200	Horizontal
4	8194.35	45.93	-10.43	74.00	28.07	150	250	Horizontal
5	9552.33	45.65	-7.66	68.23	22.58	150	84	Horizontal
6	11294.0	48.23	-5.33	74.00	25.77	150	95	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.23	5.42	68.23	17.00	150	210	Vertical
2	2526.73	48.13	7.35	68.23	20.10	150	197	Vertical
3	3748.62	47.64	10.32	74.00	26.36	150	68	Vertical
4	7109.16	45.28	-11.52	68.23	22.95	150	114	Vertical
5	9891.08	45.78	-7.87	68.23	22.45	150	209	Vertical
6	12957.7	48.07	-3.02	68.23	20.16	150	40	Vertical

Mode:	11AC80-5690-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1931.13	45.12	5.57	68.23	23.11	150	102	Horizontal
2	3198.70	47.60	8.88	68.23	20.63	150	337	Horizontal
3	4221.58	49.01	11.73	74.00	24.99	150	174	Horizontal
4	9828.79	45.16	-7.96	68.23	23.07	150	192	Horizontal
5	10195.3	46.31	-7.98	68.23	21.92	150	341	Horizontal
6	13542.7	49.23	-2.34	68.23	19.00	150	300	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1856.37	43.96	5.25	68.23	24.27	150	236	Vertical
2	3008.39	47.51	8.64	68.23	20.72	150	144	Vertical
3	4948.82	50.37	13.72	74.00	23.63	150	37	Vertical
4	9457.15	45.60	-8.76	74.00	28.40	150	326	Vertical
5	11391.7	47.41	-5.59	74.00	26.59	150	203	Vertical
6	13247.4	48.69	-2.17	68.23	19.54	150	262	Vertical

Mode:	11AC80-5610-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.94	5.42	68.23	16.29	150	248	Horizontal
2	2176.91	50.66	6.10	68.23	17.57	150	272	Horizontal
3	3328.83	46.76	9.31	68.23	21.47	150	69	Horizontal
4	8194.35	44.19	-10.43	74.00	29.81	150	55	Horizontal
5	11557.8	47.47	-5.19	74.00	26.53	150	136	Horizontal
6	13494.3	49.31	-2.61	68.23	18.92	150	102	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.60	5.42	68.23	17.63	150	356	Vertical
2	2179.41	49.07	6.11	68.23	19.16	150	247	Vertical
3	3833.58	48.58	10.33	74.00	25.42	150	343	Vertical
4	4943.02	51.64	13.56	74.00	22.36	150	267	Vertical
5	7951.53	44.02	-10.76	68.23	24.21	150	143	Vertical
6	11240.0	49.03	-5.52	74.00	24.97	150	118	Vertical

Mode:	11AC20-5745-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1934.53	44.37	5.56	68.23	23.86	150	158	Horizontal
2	2729.73	47.54	7.87	74.00	26.46	150	46	Horizontal
3	4360.91	49.41	11.62	74.00	24.59	150	332	Horizontal
4	10029.8	44.98	-7.81	68.23	23.25	150	359	Horizontal
5	11195.7	47.41	-5.36	74.00	26.59	150	163	Horizontal
6	15670.8	51.63	0.63	74.00	22.37	150	174	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2067.06	45.12	5.73	68.23	23.11	150	192	Vertical
2	3365.21	47.76	9.47	68.23	20.47	150	69	Vertical
3	4262.36	49.14	11.79	74.00	24.86	150	147	Vertical
4	9833.89	45.99	-7.99	68.23	22.24	150	316	Vertical
5	11893.2	47.28	-4.41	74.00	26.72	150	26	Vertical
6	14288.5	49.15	-0.22	68.23	19.08	150	12	Vertical

Mode:	11AC20-5785-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2767.11	46.79	7.99	74.00	27.21	150	1	Horizontal
2	4102.64	49.08	11.50	74.00	24.92	150	351	Horizontal
3	4928.43	50.94	13.45	74.00	23.06	150	14	Horizontal
4	9650.61	46.59	-8.16	68.23	21.64	150	71	Horizontal
5	11389.2	48.07	-5.61	74.00	25.93	150	128	Horizontal
6	15663.1	50.78	0.71	74.00	23.22	150	77	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2352.52	47.07	6.58	74.00	26.93	150	165	Vertical
2	3120.53	47.37	8.87	68.23	20.86	150	23	Vertical
3	4595.40	50.23	12.36	74.00	23.77	150	353	Vertical
4	10895.3	46.18	-6.56	74.00	27.82	150	346	Vertical
5	11569.9	48.62	-5.25	74.00	25.38	150	194	Vertical
6	14364.9	49.35	-1.36	68.23	18.88	150	45	Vertical

Mode:	11AC20-5825-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1954.92	45.58	5.54	68.23	22.65	150	291	Horizontal
2	2481.65	48.07	7.51	68.23	20.16	150	21	Horizontal
3	3698.25	47.73	10.35	74.00	26.27	150	192	Horizontal
4	4238.58	49.16	11.77	74.00	24.84	150	284	Horizontal
5	9788.07	46.01	-7.83	68.23	22.22	150	96	Horizontal
6	12695.0	48.17	-3.84	74.00	25.83	150	93	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2128.23	44.92	6.06	68.23	23.31	150	331	Vertical
2	2855.47	46.26	8.28	74.00	27.74	150	221	Vertical
3	4014.29	49.55	11.34	74.00	24.45	150	307	Vertical
4	10223.3	46.15	-7.81	68.23	22.08	150	181	Vertical
5	11272.1	47.87	-5.69	74.00	26.13	150	15	Vertical
6	13479.1	49.02	-2.60	68.23	19.21	150	322	Vertical

Mode:	11AC40-5755-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1934.53	45.63	5.56	68.23	22.60	150	95	Horizontal
2	2692.35	46.84	7.74	74.00	27.16	150	232	Horizontal
3	3599.70	48.30	9.98	68.23	19.93	150	35	Horizontal
4	9721.88	45.35	-8.18	68.23	22.88	150	57	Horizontal
5	11442.6	47.97	-5.35	74.00	26.03	150	298	Horizontal
6	12919.0	48.25	-3.22	68.23	19.98	150	31	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2152.02	45.40	6.20	68.23	22.83	150	236	Vertical
2	2804.49	47.05	8.11	74.00	26.95	150	0	Vertical
3	3885.15	48.38	10.74	74.00	25.62	150	135	Vertical
4	8950.58	45.12	-9.32	68.23	23.11	150	117	Vertical
5	11343.3	47.14	-5.77	74.00	26.86	150	360	Vertical
6	12735.8	47.95	-3.30	68.23	20.28	150	203	Vertical

Mode:	11AC40-5795-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2128.23	47.30	6.06	68.23	20.93	150	249	Horizontal
2	3477.36	47.93	9.50	68.23	20.30	150	125	Horizontal
3	4262.36	49.07	11.79	74.00	24.93	150	16	Horizontal
4	9765.16	45.54	-7.90	68.23	22.69	150	206	Horizontal
5	13260.1	48.17	-2.30	74.00	25.83	150	313	Horizontal
6	15681.0	50.24	0.52	74.00	23.76	150	81	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1829.18	43.95	5.02	68.23	24.28	150	254	Vertical
2	2620.98	46.64	7.65	68.23	21.59	150	54	Vertical
3	4021.08	48.46	11.37	74.00	25.54	150	130	Vertical
4	9146.59	45.13	-9.66	74.00	28.87	150	72	Vertical
5	12542.3	47.35	-4.39	74.00	26.65	150	157	Vertical
6	14301.3	49.01	-0.20	68.23	19.22	150	30	Vertical

Mode:	11AC80-5775-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	45.10	6.71	68.23	23.13	150	202	Horizontal
2	2801.09	44.59	8.95	74.00	29.41	150	352	Horizontal
3	3776.41	47.28	11.10	74.00	26.72	150	297	Horizontal
4	9961.16	46.09	-5.82	68.23	22.14	150	338	Horizontal
5	11167.7	48.25	-3.44	74.00	25.75	150	127	Horizontal
6	13191.4	49.65	-0.64	68.23	18.58	150	23	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.33	6.71	68.23	17.90	150	316	Vertical
2	3307.44	47.57	10.33	68.23	20.66	150	117	Vertical
3	9487.69	46.94	-6.47	74.00	27.06	150	38	Vertical
4	11307.7	49.46	-3.10	74.00	24.54	150	238	Vertical
5	12557.6	50.35	-1.41	74.00	23.65	150	305	Vertical
6	14347.1	50.79	0.65	68.23	17.44	150	161	Vertical

Mode:	11AX20-5180-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1782.10	43.81	4.43	68.23	24.42	150	281	Horizontal
2	1919.54	50.04	5.58	68.23	18.19	150	209	Horizontal
3	2176.91	50.89	6.20	68.23	17.34	150	149	Horizontal
4	6905.32	47.68	-12.15	68.23	20.55	150	203	Horizontal
5	10355.7	48.71	-7.23	68.23	19.52	150	89	Horizontal
6	14423.6	50.50	-0.88	68.23	17.73	150	188	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.02	5.58	68.23	18.21	150	204	Vertical
2	2179.41	47.34	6.21	68.23	20.89	150	136	Vertical
3	2931.53	46.21	8.45	68.23	22.02	150	0	Vertical
4	7477.89	47.48	-11.60	74.00	26.52	150	100	Vertical
5	10361.7	48.36	-7.16	68.23	19.87	150	97	Vertical
6	13152.6	48.94	-2.06	68.23	19.29	150	135	Vertical

Mode:	11AX20-5200-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.24	5.58	68.23	17.99	150	213	Horizontal
2	2176.91	47.47	6.20	68.23	20.76	150	299	Horizontal
3	2981.50	47.09	8.58	68.23	21.14	150	253	Horizontal
4	6932.30	48.11	-12.09	68.23	20.12	150	117	Horizontal
5	10397.7	47.55	-6.72	68.23	20.68	150	58	Horizontal
6	12813.8	48.30	-3.76	68.23	19.93	150	262	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.67	5.58	68.23	17.56	150	211	Vertical
2	2176.91	49.42	6.20	68.23	18.81	150	191	Vertical
3	6932.30	48.30	-12.09	68.23	19.93	150	138	Vertical
4	9435.42	45.66	-8.37	74.00	28.34	150	296	Vertical
5	10403.6	48.98	-6.68	68.23	19.25	150	107	Vertical
6	13596.3	49.36	-2.54	68.23	18.87	150	148	Vertical

Mode:	11AX20-5240-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.27	5.58	68.23	17.96	150	208	Horizontal
2	2176.91	48.90	6.20	68.23	19.33	150	300	Horizontal
3	3176.41	47.43	8.85	68.23	20.80	150	120	Horizontal
4	6986.26	47.98	-11.26	68.23	20.25	150	100	Horizontal
5	8985.76	44.99	-9.25	68.23	23.24	150	51	Horizontal
6	10487.6	50.34	-6.57	68.23	17.89	150	111	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.28	5.58	68.23	17.95	150	203	Vertical
2	2176.91	47.71	6.20	68.23	20.52	150	186	Vertical
3	3356.32	48.40	9.45	74.00	25.60	150	320	Vertical
4	6986.26	47.66	-11.26	68.23	20.57	150	101	Vertical
5	10475.6	49.96	-6.57	68.23	18.27	150	104	Vertical
6	12696.9	48.35	-3.43	74.00	25.65	150	34	Vertical

Mode:	11AX20-5260-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.84	5.58	68.23	17.39	150	164	Horizontal
2	2179.41	50.49	6.21	68.23	17.74	150	164	Horizontal
3	2921.53	46.94	8.38	68.23	21.29	150	74	Horizontal
4	8176.36	45.69	-10.74	74.00	28.31	150	94	Horizontal
5	9015.73	45.72	-9.24	74.00	28.28	150	189	Horizontal
6	11773.6	48.26	-4.54	74.00	25.74	150	319	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.79	5.58	68.23	18.44	150	259	Vertical
2	2176.91	48.85	6.20	68.23	19.38	150	178	Vertical
3	3236.38	47.20	9.09	68.23	21.03	150	311	Vertical
4	7013.24	49.25	-11.18	68.23	18.98	150	182	Vertical
5	10991.2	47.00	-5.80	74.00	27.00	150	214	Vertical
6	12831.8	48.12	-3.74	68.23	20.11	150	141	Vertical

Mode:	11AX20-5280-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.74	5.58	68.23	17.49	150	161	Horizontal
2	2176.91	48.39	6.20	68.23	19.84	150	148	Horizontal
3	2811.59	46.24	8.16	74.00	27.76	150	46	Horizontal
4	7040.21	46.21	-11.63	68.23	22.02	150	77	Horizontal
5	10559.5	46.81	-6.60	68.23	21.42	150	19	Horizontal
6	11881.5	47.81	-4.50	74.00	26.19	150	332	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.35	5.58	68.23	17.88	150	258	Vertical
2	2176.91	50.33	6.20	68.23	17.90	150	105	Vertical
3	3808.59	48.00	10.36	74.00	26.00	150	291	Vertical
4	7040.21	48.44	-11.63	68.23	19.79	150	164	Vertical
5	8215.33	44.85	-10.49	74.00	29.15	150	57	Vertical
6	10562.5	46.27	-6.61	68.23	21.96	150	111	Vertical

Mode:	11AX20-5320-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.41	5.58	68.23	18.82	150	164	Horizontal
2	2176.91	48.62	6.20	68.23	19.61	150	113	Horizontal
3	3346.32	47.40	9.44	74.00	26.60	150	67	Horizontal
4	7094.17	45.81	-11.54	68.23	22.42	150	104	Horizontal
5	8431.17	44.10	-10.46	74.00	29.90	150	84	Horizontal
6	11503.8	47.84	-5.05	74.00	26.16	150	101	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.27	5.58	68.23	17.96	150	262	Vertical
2	2176.91	47.31	6.20	68.23	20.92	150	173	Vertical
3	2794.10	46.46	8.10	74.00	27.54	150	220	Vertical
4	7094.17	49.37	-11.54	68.23	18.86	150	194	Vertical
5	8476.14	45.73	-10.49	74.00	28.27	150	244	Vertical
6	11773.6	47.51	-4.54	74.00	26.49	150	244	Vertical

Mode:	11AX20-5500-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1922.03	50.09	5.41	68.23	18.14	150	165	Horizontal
2	2179.41	49.14	6.11	68.23	19.09	150	151	Horizontal
3	3021.48	46.22	8.61	68.23	22.01	150	248	Horizontal
4	4205.89	48.75	11.51	74.00	25.25	150	65	Horizontal
5	7333.99	46.02	-11.63	74.00	27.98	150	60	Horizontal
6	10463.6	46.38	-6.58	68.23	21.85	150	249	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.44	5.42	68.23	16.79	150	258	Vertical
2	2176.91	50.43	6.10	68.23	17.80	150	94	Vertical
3	2981.50	47.73	8.51	68.23	20.50	150	81	Vertical
4	7333.99	48.04	-11.63	74.00	25.96	150	205	Vertical
5	11000.2	50.09	-5.76	74.00	23.91	150	84	Vertical
6	13434.4	48.41	-2.66	68.23	19.82	150	305	Vertical

Mode:	11AX20-5580-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.85	5.42	68.23	17.38	150	166	Horizontal
2	2754.12	46.10	7.81	74.00	27.90	150	154	Horizontal
3	2984.00	47.25	8.52	68.23	20.98	150	339	Horizontal
4	7438.92	46.49	-11.38	74.00	27.51	150	81	Horizontal
5	9102.67	46.40	-9.61	74.00	27.60	150	54	Horizontal
6	11743.6	48.29	-4.41	74.00	25.71	150	281	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.26	5.42	68.23	17.97	150	270	Vertical
2	2551.72	45.69	7.29	68.23	22.54	150	82	Vertical
3	3426.28	47.13	9.34	68.23	21.10	150	123	Vertical
4	7399.95	44.87	-10.86	74.00	29.13	150	204	Vertical
5	10184.8	46.34	-7.40	68.23	21.89	150	297	Vertical
6	11102.1	48.42	-5.47	74.00	25.58	150	346	Vertical

Mode:	11AX20-5700-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1897.15	45.14	5.69	68.23	23.09	150	197	Horizontal
2	2508.84	45.90	7.61	68.23	22.33	150	101	Horizontal
3	3242.87	47.16	9.12	68.23	21.07	150	167	Horizontal
4	9553.88	46.45	-8.50	68.23	21.78	150	356	Horizontal
5	11786.3	47.34	-4.72	74.00	26.66	150	216	Horizontal
6	14311.5	49.67	-0.44	68.23	18.56	150	336	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2067.06	45.65	5.73	68.23	22.58	150	258	Vertical
2	2852.07	46.77	8.28	74.00	27.23	150	35	Vertical
3	3847.77	48.46	10.52	74.00	25.54	150	94	Vertical
4	9846.61	45.26	-8.06	68.23	22.97	150	189	Vertical
5	11282.3	46.73	-5.63	74.00	27.27	150	74	Vertical
6	14255.5	50.40	-0.38	68.23	17.83	150	60	Vertical

Mode:	11AX20-5745-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	49.13	6.71	68.23	19.10	150	196	Horizontal
2	2811.29	47.32	8.88	74.00	26.68	150	206	Horizontal
3	3310.84	47.82	10.30	68.23	20.41	150	308	Horizontal
4	9169.50	45.94	-6.79	74.00	28.06	150	240	Horizontal
5	11516.4	48.74	-2.86	74.00	25.26	150	178	Horizontal
6	13135.4	48.93	-0.64	68.23	19.30	150	65	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	49.88	6.71	68.23	18.35	150	317	Vertical
2	2563.21	45.32	7.92	68.23	22.91	150	235	Vertical
3	3331.23	48.10	10.07	68.23	20.13	150	308	Vertical
4	11007.3	47.25	-3.89	74.00	26.75	150	301	Vertical
5	12748.5	49.04	-1.17	68.23	19.19	150	136	Vertical
6	15322.0	51.89	2.28	68.23	16.34	150	231	Vertical

Mode:	11AX20-5785-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	49.69	6.71	68.23	18.54	150	204	Horizontal
2	2889.45	46.89	8.30	74.00	27.11	150	145	Horizontal
3	4829.88	51.06	14.58	74.00	22.94	150	316	Horizontal
4	11147.3	48.20	-3.41	74.00	25.80	150	8	Horizontal
5	12145.2	49.78	-2.08	74.00	24.22	150	195	Horizontal
6	14606.7	50.40	1.14	68.23	17.83	150	99	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.37	6.71	68.23	17.86	150	309	Vertical
2	2855.47	46.91	8.59	74.00	27.09	150	102	Vertical
3	3868.16	47.87	11.55	74.00	26.13	150	234	Vertical
4	9658.24	46.53	-6.19	68.23	21.70	150	62	Vertical
5	11284.8	48.39	-3.15	74.00	25.61	150	302	Vertical
6	13509.6	50.90	-0.90	68.23	17.33	150	168	Vertical

Mode:	11AX20-5825-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2179.21	48.80	6.74	68.23	19.43	150	296	Horizontal
2	3069.56	47.38	9.52	68.23	20.85	150	317	Horizontal
3	4761.91	50.31	14.57	74.00	23.69	150	226	Horizontal
4	10696.8	46.96	-4.61	74.00	27.04	150	9	Horizontal
5	12061.2	49.22	-2.22	74.00	24.78	150	274	Horizontal
6	14530.4	50.06	0.82	68.23	18.17	150	167	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.26	6.71	68.23	17.97	150	310	Vertical
2	3096.75	46.83	9.65	68.23	21.40	150	63	Vertical
3	4167.21	50.45	12.21	74.00	23.55	150	258	Vertical
4	9642.97	46.30	-6.24	68.23	21.93	150	319	Vertical
5	11289.9	49.80	-3.13	74.00	24.20	150	286	Vertical
6	14795.1	51.33	0.45	68.23	16.90	150	117	Vertical

Mode:	11AX40-5190-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.29	5.58	68.23	17.94	150	164	Horizontal
2	2179.41	51.30	6.21	68.23	16.93	150	196	Horizontal
3	3523.73	48.04	9.66	68.23	20.19	150	107	Horizontal
4	6920.30	45.92	-12.11	68.23	22.31	150	58	Horizontal
5	9687.23	46.52	-7.93	68.23	21.71	150	178	Horizontal
6	14303.7	50.03	0.02	68.23	18.20	150	163	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.33	5.58	68.23	17.90	150	255	Vertical
2	3361.31	48.06	9.45	68.23	20.17	150	346	Vertical
3	6920.30	48.26	-12.11	68.23	19.97	150	161	Vertical
4	9582.31	45.59	-7.92	68.23	22.64	150	239	Vertical
5	11416.9	46.87	-5.20	74.00	27.13	150	82	Vertical
6	14306.7	49.36	-0.06	68.23	18.87	150	312	Vertical

Mode:	11AX40-5230-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.21	5.58	68.23	18.02	150	158	Horizontal
2	3051.47	47.48	8.82	68.23	20.75	150	242	Horizontal
3	6974.26	46.45	-11.52	68.23	21.78	150	71	Horizontal
4	9594.30	45.55	-8.02	68.23	22.68	150	242	Horizontal
5	11279.0	48.29	-5.40	74.00	25.71	150	227	Horizontal
6	14498.6	49.27	-1.25	74.00	24.73	150	344	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.26	5.58	68.23	17.97	150	260	Vertical
2	2779.11	47.65	8.03	74.00	26.35	150	104	Vertical
3	3661.16	47.60	10.04	74.00	26.40	150	295	Vertical
4	6974.26	50.07	-11.52	68.23	18.16	150	165	Vertical
5	9225.58	45.94	-9.20	68.23	22.29	150	73	Vertical
6	11593.8	47.68	-4.92	74.00	26.32	150	26	Vertical

Mode:	11AX40-5270-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.60	5.58	68.23	17.63	150	156	Horizontal
2	2176.91	50.70	6.20	68.23	17.53	150	176	Horizontal
3	3171.41	46.91	8.84	68.23	21.32	150	136	Horizontal
4	7025.23	46.91	-11.38	68.23	21.32	150	72	Horizontal
5	9399.45	46.60	-9.09	74.00	27.40	150	331	Horizontal
6	13167.6	48.51	-2.32	68.23	19.72	150	221	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.36	5.58	68.23	17.87	150	264	Vertical
2	2179.41	45.76	6.21	68.23	22.47	150	106	Vertical
3	3361.31	47.45	9.45	68.23	20.78	150	180	Vertical
4	7025.23	49.73	-11.38	68.23	18.50	150	169	Vertical
5	9372.47	45.34	-9.04	74.00	28.66	150	211	Vertical
6	12175.3	47.19	-4.59	74.00	26.81	150	106	Vertical

Mode:	11AX40-5310-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	51.00	5.58	68.23	17.23	150	159	Horizontal
2	2176.91	49.61	6.20	68.23	18.62	150	203	Horizontal
3	2934.03	47.28	8.47	68.23	20.95	150	336	Horizontal
4	8068.44	45.06	-11.39	74.00	28.94	150	291	Horizontal
5	11860.6	48.35	-4.51	74.00	25.65	150	174	Horizontal
6	14411.6	50.07	-0.70	68.23	18.16	150	305	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.06	5.58	68.23	18.17	150	256	Vertical
2	2176.91	51.07	6.20	68.23	17.16	150	94	Vertical
3	3653.67	47.73	9.95	74.00	26.27	150	246	Vertical
4	7079.19	49.14	-11.63	68.23	19.09	150	191	Vertical
5	9336.49	45.97	-8.97	74.00	28.03	150	150	Vertical
6	11788.6	48.01	-4.64	74.00	25.99	150	334	Vertical

Mode:	11AX40-5510-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.77	5.42	68.23	17.46	150	160	Horizontal
2	2176.91	50.19	6.10	68.23	18.04	150	199	Horizontal
3	3066.46	47.58	8.71	68.23	20.65	150	248	Horizontal
4	4598.20	49.23	12.30	74.00	24.77	150	356	Horizontal
5	7345.99	45.65	-11.52	74.00	28.35	150	64	Horizontal
6	11512.8	47.61	-5.09	74.00	26.39	150	7	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.62	5.42	68.23	18.61	150	258	Vertical
2	2539.23	47.11	7.31	68.23	21.12	150	128	Vertical
3	3183.90	47.12	8.76	68.23	21.11	150	0	Vertical
4	7345.99	48.36	-11.52	74.00	25.64	150	197	Vertical
5	8946.78	46.62	-9.50	68.23	21.61	150	108	Vertical
6	9708.21	46.81	-7.90	68.23	21.42	150	335	Vertical

Mode:	11AX40-5590-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.87	5.42	68.23	18.36	150	158	Horizontal
2	2176.91	50.07	6.10	68.23	18.16	150	178	Horizontal
3	2539.23	46.92	7.31	68.23	21.31	150	153	Horizontal
4	7453.90	45.75	-11.54	74.00	28.25	150	82	Horizontal
5	9153.63	45.06	-9.12	74.00	28.94	150	170	Horizontal
6	11692.7	48.24	-4.62	74.00	25.76	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	50.50	5.42	68.23	17.73	150	266	Vertical
2	2176.91	47.42	6.10	68.23	20.81	150	104	Vertical
3	3003.99	47.37	8.57	68.23	20.86	150	332	Vertical
4	7696.72	45.19	-11.14	74.00	28.81	150	219	Vertical
5	9999.00	46.41	-7.20	68.23	21.82	150	207	Vertical
6	11186.1	47.64	-5.48	74.00	26.36	150	59	Vertical

Mode:	11AX40-5670-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2053.47	45.57	5.67	68.23	22.66	150	7	Horizontal
2	2692.35	46.51	7.74	74.00	27.49	150	215	Horizontal
3	3599.70	47.53	9.98	68.23	20.70	150	326	Horizontal
4	10090.9	45.48	-7.42	68.23	22.75	150	22	Horizontal
5	12908.9	47.65	-3.15	68.23	20.58	150	0	Horizontal
6	14390.4	48.90	-1.42	68.23	19.33	150	74	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2186.00	45.79	6.28	68.23	22.44	150	180	Vertical
2	2580.20	47.45	7.55	68.23	20.78	150	135	Vertical
3	3439.98	47.19	9.55	68.23	21.04	150	98	Vertical
4	9711.70	45.10	-8.26	68.23	23.13	150	115	Vertical
5	11452.8	47.18	-5.35	74.00	26.82	150	186	Vertical
6	13216.9	48.59	-2.12	68.23	19.64	150	250	Vertical

Mode:	11AX40-5755-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.38	6.71	68.23	17.85	150	198	Horizontal
2	3049.17	46.89	9.42	68.23	21.34	150	67	Horizontal
3	3854.57	49.60	11.46	74.00	24.40	150	332	Horizontal
4	11310.3	48.80	-3.10	74.00	25.20	150	333	Horizontal
5	12073.9	49.08	-2.16	74.00	24.92	150	210	Horizontal
6	15136.2	51.03	1.88	68.23	17.20	150	213	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	51.62	6.71	68.23	16.61	150	311	Vertical
2	2801.09	47.04	8.95	74.00	26.96	150	215	Vertical
3	3806.99	48.68	11.25	74.00	25.32	150	265	Vertical
4	11211.0	48.00	-3.44	74.00	26.00	150	2	Vertical
5	12094.3	49.49	-2.07	74.00	24.51	150	75	Vertical
6	15586.8	53.28	3.59	74.00	20.72	150	342	Vertical

Mode:	11AX40-5795-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.13	6.71	68.23	18.10	150	200	Horizontal
2	2179.21	50.35	6.74	68.23	17.88	150	276	Horizontal
3	2804.49	46.38	8.93	74.00	27.62	150	229	Horizontal
4	10806.2	47.34	-4.74	74.00	26.66	150	146	Horizontal
5	12743.4	48.94	-1.17	68.23	19.29	150	101	Horizontal
6	15482.4	51.54	2.17	74.00	22.46	150	184	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	51.52	6.71	68.23	16.71	150	310	Vertical
2	2529.23	46.16	7.61	68.23	22.07	150	94	Vertical
3	3096.75	47.95	9.65	68.23	20.28	150	82	Vertical
4	9146.59	47.63	-7.01	74.00	26.37	150	0	Vertical
5	11149.9	47.80	-3.42	74.00	26.20	150	16	Vertical
6	13855.8	49.71	-0.56	68.23	18.52	150	232	Vertical

Mode:	11AX80-5210-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.72	5.58	68.23	18.51	150	163	Horizontal
2	2179.41	51.69	6.21	68.23	16.54	150	188	Horizontal
3	2821.58	46.61	8.19	74.00	27.39	150	228	Horizontal
4	6947.28	45.95	-12.05	68.23	22.28	150	66	Horizontal
5	10151.8	46.21	-7.17	68.23	22.02	150	105	Horizontal
6	13140.6	48.31	-2.16	68.23	19.92	150	27	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.79	5.58	68.23	18.44	150	248	Vertical
2	2176.91	47.48	6.20	68.23	20.75	150	181	Vertical
3	3218.89	47.74	9.01	68.23	20.49	150	243	Vertical
4	6947.28	48.68	-12.05	68.23	19.55	150	144	Vertical
5	8988.75	45.06	-9.23	68.23	23.17	150	46	Vertical
6	11291.0	47.58	-5.34	74.00	26.42	150	308	Vertical

Mode:	11AX80-5290-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	41.44	6.70	68.23	26.79	150	336	Horizontal
2	2821.58	42.34	8.82	74.00	31.66	150	32	Horizontal
3	3546.22	44.84	9.99	68.23	23.39	150	117	Horizontal
4	7052.21	45.91	-10.15	68.23	22.32	150	168	Horizontal
5	9465.40	45.80	-6.79	74.00	28.20	150	313	Horizontal
6	11201.0	48.96	-2.82	74.00	25.04	150	308	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	47.22	6.57	68.23	21.01	150	318	Vertical
2	3088.95	44.75	9.57	68.23	23.48	150	350	Vertical
3	3908.54	47.50	11.84	74.00	26.50	150	9	Vertical
4	7052.21	49.14	-10.15	68.23	19.09	150	266	Vertical
5	8476.14	44.83	-9.11	74.00	29.17	150	177	Vertical
6	11303.0	48.77	-2.51	74.00	25.23	150	35	Vertical

Mode:	11AX80-5530-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2176.91	47.38	6.66	68.23	20.85	150	290	Horizontal
2	3301.34	45.72	10.37	68.23	22.51	150	96	Horizontal
3	3801.09	48.31	11.21	74.00	25.69	150	290	Horizontal
4	7372.97	47.29	-9.48	74.00	26.71	150	180	Horizontal
5	9459.40	46.13	-6.83	74.00	27.87	150	230	Horizontal
6	11662.7	48.82	-2.86	74.00	25.18	150	297	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.28	6.45	68.23	18.95	150	306	Vertical
2	3118.94	46.14	9.41	68.23	22.09	150	301	Vertical
3	3828.58	49.13	11.30	74.00	24.87	150	200	Vertical
4	7372.97	47.51	-9.48	74.00	26.49	150	311	Vertical
5	8281.28	45.85	-8.87	74.00	28.15	150	200	Vertical
6	11264.0	49.05	-2.61	74.00	24.95	150	111	Vertical

Mode:	11AX80-5610-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.52	6.45	68.23	18.71	150	202	Horizontal
2	2176.91	48.44	6.66	68.23	19.79	150	264	Horizontal
3	3036.48	45.98	9.23	68.23	22.25	150	22	Horizontal
4	7313.01	45.68	-9.41	74.00	28.32	150	327	Horizontal
5	10016.9	47.57	-6.09	68.23	20.66	150	298	Horizontal
6	12592.0	49.32	-1.58	74.00	24.68	150	83	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1919.54	49.87	6.45	68.23	18.36	150	36	Vertical
2	2429.28	45.21	6.90	68.23	23.02	150	318	Vertical
3	3653.67	47.08	10.32	74.00	26.92	150	220	Vertical
4	7235.07	45.06	-9.80	68.23	23.17	150	14	Vertical
5	9744.19	46.42	-5.98	68.23	21.81	150	101	Vertical
6	11291.0	49.49	-2.52	74.00	24.51	150	300	Vertical

Mode:	11AX80-5690-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	48.89	6.71	68.23	19.34	150	54	Horizontal
2	2338.93	45.56	6.99	74.00	28.44	150	252	Horizontal
3	3715.24	47.08	10.72	74.00	26.92	150	182	Horizontal
4	9189.86	47.22	-6.59	74.00	26.78	150	305	Horizontal
5	11373.9	49.26	-3.17	74.00	24.74	150	52	Horizontal
6	12784.1	49.65	-1.21	68.23	18.58	150	360	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	51.03	6.71	68.23	17.20	150	310	Vertical
2	2474.86	46.90	7.24	68.23	21.33	150	56	Vertical
3	3052.57	47.22	9.44	68.23	21.01	150	272	Vertical
4	9642.97	46.59	-6.24	68.23	21.64	150	70	Vertical
5	11391.7	48.97	-3.19	74.00	25.03	150	164	Vertical
6	13351.8	49.86	-0.59	74.00	24.14	150	15	Vertical

Mode:	11AX80-5775-MIMO

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	49.73	6.71	68.23	18.50	150	200	Horizontal
2	2801.09	46.42	8.95	74.00	27.58	150	64	Horizontal
3	3854.57	49.08	11.46	74.00	24.92	150	244	Horizontal
4	9981.53	47.14	-5.76	68.23	21.09	150	116	Horizontal
5	12661.9	50.02	-1.30	74.00	23.98	150	30	Horizontal
6	14306.4	51.77	0.83	68.23	16.46	150	206	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1920.93	50.93	6.71	68.23	17.30	150	313	Vertical
2	3096.75	48.21	9.65	68.23	20.02	150	106	Vertical
3	3983.70	48.98	11.82	74.00	25.02	150	108	Vertical
4	9179.68	46.03	-6.69	74.00	27.97	150	20	Vertical
5	11160.1	49.52	-3.43	74.00	24.48	150	107	Vertical
6	14907.1	51.73	1.29	68.23	16.50	150	150	Vertical

Out of Band

Mode:	11A-5180



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.33	68.23	21.90	45.16	54.00	8.84	150	343	Horizontal	PASS
2	4774.0807	16.51	48.80	74.00	25.20	47.81	54.00	6.19	150	332	Horizontal	PASS
3	4797.2022	16.63	48.58	74.00	25.42	47.97	54.00	6.03	150	54	Horizontal	PASS
4	4915.018	16.31	49.53	74.00	24.47	47.38	54.00	6.62	150	102	Horizontal	PASS
5	4984.3825	16.28	49.30	74.00	24.70	46.37	54.00	7.63	150	307	Horizontal	PASS
6	5150	18.89	48.98	74.00	25.02	49.02	54.00	4.98	150	174	Horizontal	PASS

Mode:	11A-5180



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	44.01	68.23	24.22	42.76	54.00	11.24	150	170	Vertical	PASS
2	4956.5847	16.29	53.82	74.00	20.18	46.88	54.00	7.12	150	252	Vertical	PASS
3	4984.6423	16.28	52.51	74.00	21.49	50.90	54.00	3.10	150	54	Vertical	PASS
4	5086.3509	16.37	53.21	74.00	20.79	47.22	54.00	6.78	150	24	Vertical	PASS
5	5137.2702	17.67	53.07	74.00	20.93	49.80	54.00	4.20	150	56	Vertical	PASS
6	5150	18.89	52.38	74.00	21.62	49.43	54.00	4.57	150	250	Vertical	PASS

Mode:	11A-5320



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	53.27	68.23	14.96	48.15	54.00	5.85	150	250	Horizontal	PASS
2	5352.52	18.99	57.03	74.00	16.97	49.91	54.00	4.09	150	229	Horizontal	PASS
3	5355.64	18.74	55.19	74.00	18.81	47.98	54.00	6.02	150	214	Horizontal	PASS
4	5417.2	18.12	54.65	74.00	19.35	50.85	54.00	3.15	150	320	Horizontal	PASS
5	5454.4	18.04	52.52	74.00	21.48	47.54	54.00	6.46	150	329	Horizontal	PASS
6	5460	18.03	50.11	74.00	23.89	47.38	54.00	6.62	150	123	Horizontal	PASS

Mode:	11A-5320



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	61.46	68.23	6.77	50.60	54.00	3.40	150	221	Vertical	PASS
2	5350.48	19.18	64.48	74.00	9.52	50.57	54.00	3.43	150	228	Vertical	PASS
3	5353.24	18.92	64.64	74.00	9.36	50.23	54.00	3.77	150	250	Vertical	PASS
4	5359.12	18.70	62.57	74.00	11.43	49.61	54.00	4.39	150	231	Vertical	PASS
5	5411.92	18.13	58.54	74.00	15.46	51.67	54.00	2.33	150	52	Vertical	PASS
6	5460	18.03	53.82	74.00	20.18	48.83	54.00	5.17	150	286	Vertical	PASS

Mode:	11A-5500



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	48.23	68.23	20.00	45.10	54.00	8.90	150	169	Horizontal	PASS
2	5401.36	18.43	52.95	74.00	21.05	46.19	54.00	7.81	150	205	Horizontal	PASS
3	5407.84	18.54	53.43	74.00	20.57	48.33	54.00	5.67	150	315	Horizontal	PASS
4	5411.68	18.62	52.34	74.00	21.66	49.14	54.00	4.86	150	200	Horizontal	PASS
5	5450.68	19.33	54.48	74.00	19.52	50.02	54.00	3.98	150	318	Horizontal	PASS
6	5460	19.51	52.63	74.00	21.37	49.22	54.00	4.78	150	126	Horizontal	PASS

Mode:	11A-5500



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	52.42	68.23	15.81	48.52	54.00	5.48	150	109	Vertical	PASS
2	5397.64	18.38	56.57	74.00	17.43	50.61	54.00	3.39	150	73	Vertical	PASS
3	5407.96	18.55	58.14	74.00	15.86	51.29	54.00	2.71	150	68	Vertical	PASS
4	5411.2	18.61	56.97	74.00	17.03	50.61	54.00	3.39	150	90	Vertical	PASS
5	5441.92	19.17	56.15	74.00	17.85	50.15	54.00	3.85	150	80	Vertical	PASS
6	5460	19.51	54.25	74.00	19.75	50.11	54.00	3.89	150	140	Vertical	PASS

Mode:	11A-5745



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5669.15	57.14	16.91	82.43	25.29	150	240	Horizontal
2	5698.20	56.83	16.96	103.88	47.05	150	124	Horizontal
3	5727.06	66.68	16.88	122.20	55.52	150	198	Horizontal
4	5766.79	65.82	16.76	122.20	56.38	150	200	Horizontal
5	5783.09	57.07	16.71	122.20	65.13	150	210	Horizontal
6	5828.26	56.60	16.76	122.20	65.60	150	290	Horizontal

Mode:	11A-5745



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5680.58	58.53	16.93	90.88	32.35	150	100	Vertical
2	5706.82	59.93	16.94	107.11	47.18	150	122	Vertical
3	5723.31	70.41	16.89	118.36	47.95	150	270	Vertical
4	5758.92	81.06	16.78	122.20	41.14	150	278	Vertical
5	5771.66	68.15	16.75	122.20	54.05	150	147	Vertical
6	5788.53	60.22	16.69	122.20	61.98	150	356	Vertical

Mode:	11A-5785



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5681.52	57.32	16.93	91.58	34.26	150	53	Horizontal
2	5738.86	57.27	16.84	122.20	64.93	150	360	Horizontal
3	5768.85	69.60	16.75	122.20	52.60	150	193	Horizontal
4	5800.14	73.69	16.66	122.20	48.51	150	217	Horizontal
5	5811.01	58.44	16.70	122.20	63.76	150	201	Horizontal
6	5838.38	57.88	16.80	122.20	64.32	150	90	Horizontal

Mode:	11A-5785



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5689.20	60.65	16.94	97.25	36.60	150	88	Vertical
2	5720.31	58.18	16.90	111.52	53.34	150	98	Vertical
3	5768.85	78.62	16.75	122.20	43.58	150	210	Vertical
4	5802.21	79.96	16.66	122.20	42.24	150	196	Vertical
5	5812.70	65.14	16.71	122.20	57.06	150	43	Vertical
6	5839.50	59.50	16.80	122.20	62.70	150	274	Vertical

Mode:	11A-5825



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5745.05	56.13	16.82	122.20	66.07	150	250	Horizontal
2	5771.47	56.34	16.75	122.20	65.86	150	270	Horizontal
3	5809.14	72.74	16.69	122.20	49.46	150	197	Horizontal
4	5842.69	73.61	16.81	122.20	48.59	150	332	Horizontal
5	5855.24	60.73	16.86	110.73	50.00	150	209	Horizontal
6	5879.42	56.97	17.00	101.92	44.95	150	212	Horizontal

Mode:	11A-5825



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5754.61	58.28	16.80	122.20	63.92	150	20	Vertical
2	5779.72	58.24	16.72	122.20	63.96	150	92	Vertical
3	5809.89	80.89	16.69	122.20	41.31	150	289	Vertical
4	5837.63	83.66	16.80	122.20	38.54	150	206	Vertical
5	5862.74	64.54	16.90	108.63	44.09	150	271	Vertical
6	5878.11	59.33	16.99	102.89	43.56	150	34	Vertical

Mode:	11N20-5180-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.95	68.23	22.28	44.97	54.00	9.03	150	209	Horizontal	PASS
2	4574.3006	14.18	47.52	74.00	26.48	45.89	54.00	8.11	150	11	Horizontal	PASS
3	4622.492	14.45	47.87	74.00	26.13	47.41	54.00	6.59	150	72	Horizontal	PASS
4	4736.0212	15.25	47.86	74.00	26.14	46.82	54.00	7.18	150	211	Horizontal	PASS
5	4939.4384	15.66	51.00	74.00	23.00	49.01	54.00	4.99	150	178	Horizontal	PASS
6	5150	18.01	48.10	74.00	25.90	48.19	54.00	5.81	150	171	Horizontal	PASS

Mode:	11N20-5180-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.98	68.23	22.25	44.98	54.00	9.02	150	153	Vertical	PASS
2	4948.4013	15.89	51.85	74.00	22.15	49.90	54.00	4.10	150	35	Vertical	PASS
3	4964.5084	15.79	51.92	74.00	22.08	49.52	54.00	4.48	150	170	Vertical	PASS
4	4992.1763	15.53	52.33	74.00	21.67	48.52	54.00	5.48	150	184	Vertical	PASS
5	5090.7674	15.79	53.72	74.00	20.28	46.90	54.00	7.10	150	184	Vertical	PASS
6	5150	18.01	52.74	74.00	21.26	48.60	54.00	5.40	150	206	Vertical	PASS

Mode:	11N20-5320-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	55.34	68.23	12.89	48.47	54.00	5.53	150	220	Horizontal	PASS
2	5351.08	17.94	57.60	74.00	16.40	50.16	54.00	3.84	150	220	Horizontal	PASS
3	5377	16.84	54.23	74.00	19.77	49.58	54.00	4.42	150	220	Horizontal	PASS
4	5407.96	16.86	53.32	74.00	20.68	48.50	54.00	5.50	150	236	Horizontal	PASS
5	5417.56	16.85	54.40	74.00	19.60	50.15	54.00	3.85	150	113	Horizontal	PASS
6	5460	16.74	48.54	74.00	25.46	46.05	54.00	7.95	150	220	Horizontal	PASS

Mode:	11N20-5320-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	66.33	68.23	1.90	51.99	54.00	2.01	150	156	Vertical	PASS
2	5350.84	17.96	65.14	74.00	8.86	51.54	54.00	2.46	150	3	Vertical	PASS
3	5358.76	17.20	62.53	74.00	11.47	47.54	54.00	6.46	150	133	Vertical	PASS
4	5367.28	16.95	59.17	74.00	14.83	47.81	54.00	6.19	150	355	Vertical	PASS
5	5420.68	16.85	58.39	74.00	15.61	46.99	54.00	7.01	150	329	Vertical	PASS
6	5460	16.74	53.29	74.00	20.71	48.87	54.00	5.13	150	146	Vertical	PASS

Mode:	11N20-5500-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.00	68.23	22.23	43.77	54.00	10.23	150	136	Horizontal	PASS
2	5395.84	16.67	51.90	74.00	22.10	46.67	54.00	7.33	150	117	Horizontal	PASS
3	5403.52	16.73	52.15	74.00	21.85	49.12	54.00	4.88	150	239	Horizontal	PASS
4	5406.64	16.78	52.53	74.00	21.47	50.76	54.00	3.24	150	106	Horizontal	PASS
5	5434.6	17.32	52.95	74.00	21.05	50.09	54.00	3.91	150	239	Horizontal	PASS
6	5460	17.72	52.54	74.00	21.46	49.63	54.00	4.37	150	244	Horizontal	PASS

Mode:	11N20-5500-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	50.13	68.23	18.10	48.93	54.00	5.07	150	155	Vertical	PASS
2	5398.6	16.71	57.36	74.00	16.64	49.11	54.00	4.89	150	318	Vertical	PASS
3	5405.44	16.78	57.18	74.00	16.82	49.00	54.00	5.00	150	321	Vertical	PASS
4	5439.04	17.45	56.99	74.00	17.01	48.39	54.00	5.61	150	321	Vertical	PASS
5	5446.72	17.03	55.84	74.00	18.16	48.22	54.00	5.78	150	305	Vertical	PASS
6	5460	17.72	54.78	74.00	19.22	49.94	54.00	4.06	150	321	Vertical	PASS

Mode:	11N20-5745-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5664.65	57.58	16.34	79.10	21.52	150	300	Horizontal
2	5684.33	56.65	16.21	93.65	37.00	150	112	Horizontal
3	5730.99	69.92	16.02	122.20	52.28	150	107	Horizontal
4	5764.73	71.31	15.89	122.20	50.89	150	240	Horizontal
5	5778.22	57.21	15.82	122.20	64.99	150	112	Horizontal
6	5822.07	56.29	15.80	122.20	65.91	150	311	Horizontal

Mode:	11N20-5745-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5665.40	56.10	16.34	79.66	23.56	150	356	Vertical
2	5706.25	55.73	16.09	106.95	51.22	150	114	Vertical
3	5727.06	67.91	16.03	122.20	54.29	150	315	Vertical
4	5764.35	62.14	15.89	122.20	60.06	150	107	Vertical
5	5793.21	56.12	15.75	122.20	66.08	150	332	Vertical
6	5814.39	56.28	15.78	122.20	65.92	150	200	Vertical

Mode:	11N20-5785-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5688.08	56.22	16.19	96.42	40.20	150	214	Horizontal
2	5701.76	56.33	16.10	105.69	49.36	150	256	Horizontal
3	5769.60	72.76	15.87	122.20	49.44	150	256	Horizontal
4	5800.71	67.68	15.72	122.20	54.52	150	104	Horizontal
5	5829.19	56.36	15.84	122.20	65.84	150	354	Horizontal
6	5850.74	56.85	15.93	120.49	63.64	150	276	Horizontal

Mode:	11N20-5785-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5689.20	60.48	16.18	97.25	36.77	150	15	Vertical
2	5709.44	59.71	16.08	107.85	48.14	150	5	Vertical
3	5768.85	76.52	15.87	122.20	45.68	150	356	Vertical
4	5805.58	74.99	15.74	122.20	47.21	150	196	Vertical
5	5831.63	60.99	15.84	122.20	61.21	150	184	Vertical
6	5863.68	59.58	16.07	108.37	48.79	150	356	Vertical

Mode:	11N20-5825-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5711.50	55.23	16.08	108.42	53.19	150	342	Horizontal
2	5728.93	56.50	16.02	122.20	65.70	150	251	Horizontal
3	5808.95	72.10	15.76	122.20	50.10	150	114	Horizontal
4	5840.81	68.70	15.88	122.20	53.50	150	112	Horizontal
5	5864.43	56.35	16.09	108.16	51.81	150	237	Horizontal
6	5881.67	57.04	16.29	100.25	43.21	150	148	Horizontal

Mode:	11N20-5825-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5702.88	57.09	16.10	106.01	48.92	150	30	Vertical
2	5729.12	61.59	16.02	122.20	60.61	150	5	Vertical
3	5799.21	64.41	15.72	122.20	57.79	150	196	Vertical
4	5847.00	75.90	15.90	122.20	46.30	150	218	Vertical
5	5852.24	62.59	15.95	117.07	54.48	150	204	Vertical
6	5891.97	60.51	16.41	92.61	32.10	150	10	Vertical

Mode:	11N40-5190-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	14.21	44.64	68.23	23.59	44.58	54.00	9.42	150	213	Horizontal	PASS
2	4656.1351	14.73	49.65	74.00	24.35	45.22	54.00	8.78	150	74	Horizontal	PASS
3	4751.9984	15.51	48.44	74.00	25.56	47.60	54.00	6.40	150	349	Horizontal	PASS
4	4941.257	15.71	51.32	74.00	22.68	48.28	54.00	5.72	150	109	Horizontal	PASS
5	5102.9776	15.85	50.05	74.00	23.95	49.62	54.00	4.38	150	53	Horizontal	PASS
6	5150.0000	18.01	49.85	74.00	24.15	49.11	54.00	4.89	150	300	Horizontal	PASS

Mode:	11N40-5190-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.74	68.23	23.49	43.21	54.00	10.79	150	350	Vertical	PASS
2	4966.197	15.78	53.87	74.00	20.13	50.32	54.00	3.68	150	312	Vertical	PASS
3	4985.5516	15.60	53.63	74.00	20.37	50.22	54.00	3.78	150	155	Vertical	PASS
4	5086.8705	15.78	52.47	74.00	21.53	47.32	54.00	6.68	150	157	Vertical	PASS
5	5149.0907	17.78	57.20	74.00	16.80	49.61	54.00	4.39	150	133	Vertical	PASS
6	5150	18.01	54.70	74.00	19.30	50.53	54.00	3.47	150	305	Vertical	PASS

Mode:	11N40-5310-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.09	68.23	19.14	46.55	54.00	7.45	150	45	Horizontal	PASS
2	5361.52	17.12	52.53	74.00	21.47	49.73	54.00	4.27	150	117	Horizontal	PASS
3	5376.76	16.85	50.92	74.00	23.08	45.61	54.00	8.39	150	112	Horizontal	PASS
4	5398.36	16.80	51.21	74.00	22.79	45.56	54.00	8.44	150	228	Horizontal	PASS
5	5416.48	16.85	50.96	74.00	23.04	49.86	54.00	4.14	150	232	Horizontal	PASS
6	5460	16.74	47.39	74.00	26.61	44.52	54.00	9.48	150	334	Horizontal	PASS

Mode:	11N40-5310-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	54.24	68.23	13.99	49.22	54.00	4.78	150	309	Vertical	PASS
2	5356.12	17.43	56.77	74.00	17.23	49.72	54.00	4.28	150	189	Vertical	PASS
3	5381.32	16.88	55.42	74.00	18.58	49.37	54.00	4.63	150	309	Vertical	PASS
4	5394.04	16.83	56.03	74.00	17.97	50.81	54.00	3.19	150	332	Vertical	PASS
5	5415.52	16.85	55.30	74.00	18.70	50.12	54.00	3.88	150	45	Vertical	PASS
6	5460	16.74	49.98	74.00	24.02	47.53	54.00	6.47	150	65	Vertical	PASS

Mode:	11N40-5510-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.65	68.23	21.58	43.27	54.00	10.73	150	323	Horizontal	PASS
2	5422.72	17.06	48.96	74.00	25.04	48.38	54.00	5.62	150	306	Horizontal	PASS
3	5428.84	17.50	50.03	74.00	23.97	47.26	54.00	6.74	150	237	Horizontal	PASS
4	5445.88	17.05	51.60	74.00	22.40	49.04	54.00	4.96	150	237	Horizontal	PASS
5	5455.84	17.24	52.85	74.00	21.15	49.48	54.00	4.52	150	237	Horizontal	PASS
6	5460	17.72	49.16	74.00	24.84	45.59	54.00	8.41	150	306	Horizontal	PASS

Mode:	11N40-5510-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.69	68.23	20.54	44.84	54.00	9.16	150	190	Vertical	PASS
2	5423.2	17.10	54.08	74.00	19.92	50.29	54.00	3.71	150	346	Vertical	PASS
3	5430.16	17.56	54.16	74.00	19.84	51.00	54.00	3.00	150	315	Vertical	PASS
4	5436.88	17.36	56.33	74.00	17.67	49.86	54.00	4.14	150	325	Vertical	PASS
5	5456.44	17.31	54.88	74.00	19.12	50.21	54.00	3.79	150	39	Vertical	PASS
6	5460	17.72	54.68	74.00	19.32	48.73	54.00	5.27	150	59	Vertical	PASS

Mode:	11N40-5755-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5661.28	57.52	16.36	76.60	19.08	150	46	Horizontal
2	5703.44	56.08	16.10	106.17	50.09	150	331	Horizontal
3	5721.06	68.23	16.05	113.23	45.00	150	246	Horizontal
4	5794.15	65.99	15.75	122.20	56.21	150	44	Horizontal
5	5837.44	55.82	15.86	122.20	66.38	150	142	Horizontal
6	5853.56	57.59	15.96	114.08	56.49	150	105	Horizontal

Mode:	11N40-5755-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672.33	61.02	16.29	84.79	23.77	150	339	Vertical
2	5707.94	64.11	16.09	107.43	43.32	150	320	Vertical
3	5723.68	77.28	16.04	119.21	41.93	150	39	Vertical
4	5794.90	73.43	15.74	122.20	48.77	150	144	Vertical
5	5814.20	64.29	15.78	122.20	57.91	150	192	Vertical
6	5842.31	61.92	15.88	122.20	60.28	150	205	Vertical

Mode:	11N40-5795-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5709.82	56.33	16.08	107.95	51.62	150	109	Horizontal
2	5722.18	56.55	16.04	115.79	59.24	150	256	Horizontal
3	5774.85	71.25	15.84	122.20	50.95	150	274	Horizontal
4	5837.25	70.18	15.86	122.20	52.02	150	111	Horizontal
5	5850.93	59.89	15.93	120.06	60.17	150	321	Horizontal
6	5884.10	57.63	16.32	98.44	40.81	150	301	Horizontal

Mode:	11N40-5795-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5704.38	59.20	16.10	106.43	47.23	150	140	Vertical
2	5767.72	76.68	15.87	122.20	45.52	150	309	Vertical
3	5774.85	80.30	15.84	122.20	41.90	150	336	Vertical
4	5838.19	78.62	15.88	122.20	43.58	150	123	Vertical
5	5859.55	64.17	16.03	109.52	45.35	150	29	Vertical
6	5883.92	62.56	16.32	98.58	36.02	150	160	Vertical

Mode:	11AC20-5180-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.02	68.23	23.21	44.18	54.00	9.82	150	8	Horizontal	PASS
2	4758.753	15.42	48.12	74.00	25.88	46.48	54.00	7.52	150	261	Horizontal	PASS
3	4944.1147	15.78	50.37	74.00	23.63	49.54	54.00	4.46	150	198	Horizontal	PASS
4	5003.8669	15.48	48.98	74.00	25.02	48.50	54.00	5.50	150	60	Horizontal	PASS
5	5075.9592	15.76	49.95	74.00	24.05	49.36	54.00	4.64	150	225	Horizontal	PASS
6	5150	18.01	49.06	74.00	24.94	47.51	54.00	6.49	150	236	Horizontal	PASS

Mode:	11AC20-5180-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.62	68.23	23.61	43.64	54.00	10.36	150	341	Vertical	PASS
2	4944.2446	15.78	51.90	74.00	22.10	51.63	54.00	2.37	150	101	Vertical	PASS
3	4985.6815	15.59	53.50	74.00	20.50	51.19	54.00	2.81	150	154	Vertical	PASS
4	5022.9616	15.57	52.37	74.00	21.63	51.70	54.00	2.30	150	326	Vertical	PASS
5	5089.8581	15.79	53.96	74.00	20.04	53.10	54.00	0.90	150	306	Vertical	PASS
6	5150	18.01	51.74	74.00	22.26	50.77	54.00	3.23	150	0	Vertical	PASS

Mode:	11AC20-5320-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	51.34	68.23	16.89	47.49	54.00	6.51	150	111	Horizontal	PASS
2	5350.72	17.97	60.23	74.00	13.77	49.05	54.00	4.95	150	236	Horizontal	PASS
3	5351.68	17.89	59.54	74.00	14.46	49.72	54.00	4.28	150	272	Horizontal	PASS
4	5357.08	17.34	56.16	74.00	17.84	48.91	54.00	5.09	150	233	Horizontal	PASS
5	5373.28	16.85	52.36	74.00	21.64	46.86	54.00	7.14	150	232	Horizontal	PASS
6	5460	16.74	48.57	74.00	25.43	46.36	54.00	7.64	150	110	Horizontal	PASS

Mode:	11AC20-5320-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	55.39	68.23	12.84	47.01	54.00	6.99	150	144	Vertical	PASS
2	5352.04	17.86	60.57	74.00	13.43	49.36	54.00	4.64	150	8	Vertical	PASS
3	5353.48	17.69	58.63	74.00	15.37	49.12	54.00	4.88	150	167	Vertical	PASS
4	5356.96	17.35	57.28	74.00	16.72	48.12	54.00	5.88	150	120	Vertical	PASS
5	5373.04	16.87	56.72	74.00	17.28	46.90	54.00	7.10	150	329	Vertical	PASS
6	5460	16.74	51.99	74.00	22.01	45.59	54.00	8.41	150	3	Vertical	PASS

Mode:	11AC20-5500-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	48.50	68.23	19.73	45.49	54.00	8.51	150	325	Horizontal	PASS
2	5396.44	16.68	51.76	74.00	22.24	45.26	54.00	8.74	150	329	Horizontal	PASS
3	5403.52	16.73	52.66	74.00	21.34	47.40	54.00	6.60	150	327	Horizontal	PASS
4	5411.2	16.93	52.48	74.00	21.52	48.17	54.00	5.83	150	320	Horizontal	PASS
5	5443.72	17.26	53.02	74.00	20.98	48.59	54.00	5.41	150	327	Horizontal	PASS
6	5460	17.72	51.23	74.00	22.77	48.43	54.00	5.57	150	122	Horizontal	PASS

Mode:	11AC20-5500-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	16.08	51.52	68.23	16.71	49.14	54.00	4.86	150	284	Vertical	PASS
2	5398.6	16.71	56.88	74.00	17.12	49.07	54.00	4.93	150	46	Vertical	PASS
3	5405.08	16.77	56.20	74.00	17.80	49.11	54.00	4.89	150	46	Vertical	PASS
4	5411.44	16.95	57.20	74.00	16.80	50.73	54.00	3.27	150	41	Vertical	PASS
5	5422.84	17.07	55.32	74.00	18.68	49.79	54.00	4.21	150	231	Vertical	PASS
6	5460.0000	17.72	53.11	74.00	20.89	50.65	54.00	3.35	150	124	Vertical	PASS

Mode:	11AC20-5745-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5694.26	55.78	16.15	100.98	45.20	150	360	Horizontal
2	5712.63	57.91	16.07	108.74	50.83	150	70	Horizontal
3	5730.06	69.08	16.02	122.20	53.12	150	342	Horizontal
4	5757.98	71.18	15.92	122.20	51.02	150	194	Horizontal
5	5763.98	64.12	15.89	122.20	58.08	150	196	Horizontal
6	5777.66	56.54	15.83	122.20	65.66	150	65	Horizontal

Mode:	11AC20-5745-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5685.08	58.30	16.21	94.20	35.90	150	130	Vertical
2	5697.26	59.13	16.12	103.19	44.06	150	46	Vertical
3	5720.87	70.02	16.05	112.80	42.78	150	213	Vertical
4	5762.85	76.03	15.90	122.20	46.17	150	249	Vertical
5	5782.15	61.68	15.81	122.20	60.52	150	144	Vertical
6	5801.46	59.27	15.72	122.20	62.93	150	288	Vertical

Mode:	11AC20-5785-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5705.32	55.39	16.09	106.69	51.30	150	239	Horizontal
2	5728.56	56.00	16.02	122.20	66.20	150	44	Horizontal
3	5767.72	66.40	15.87	122.20	55.80	150	325	Horizontal
4	5799.21	73.84	15.72	122.20	48.36	150	350	Horizontal
5	5808.20	64.80	15.76	122.20	57.40	150	325	Horizontal
6	5832.00	56.42	15.84	122.20	65.78	150	335	Horizontal

Mode:	11AC20-5785-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5691.82	59.82	16.16	99.18	39.36	150	60	Vertical
2	5739.80	59.49	15.99	122.20	62.71	150	248	Vertical
3	5769.22	78.62	15.87	122.20	43.58	150	295	Vertical
4	5801.27	79.53	15.72	122.20	42.67	150	131	Vertical
5	5809.33	65.61	15.76	122.20	56.59	150	58	Vertical
6	5825.26	60.57	15.82	122.20	61.63	150	258	Vertical

Mode:	11AC20-5825-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5682.83	56.04	16.23	92.54	36.50	150	186	Horizontal
2	5745.98	56.49	15.97	122.20	65.71	150	130	Horizontal
3	5766.22	55.67	15.88	122.20	66.53	150	117	Horizontal
4	5841.94	72.58	15.88	122.20	49.62	150	130	Horizontal
5	5868.92	57.38	16.14	106.90	49.52	150	208	Horizontal
6	5907.34	57.87	16.52	81.25	23.38	150	64	Horizontal

Mode:	11AC20-5825-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5733.62	60.23	16.01	122.20	61.97	150	100	Vertical
2	5761.16	59.40	15.91	122.20	62.80	150	100	Vertical
3	5805.02	79.97	15.74	122.20	42.23	150	274	Vertical
4	5838.38	85.19	15.88	122.20	37.01	150	294	Vertical
5	5845.68	70.98	15.90	122.20	51.22	150	324	Vertical
6	5872.67	60.77	16.18	105.85	45.08	150	69	Vertical

Mode:	11AC40-5190-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.15	68.23	23.08	44.89	54.00	9.11	150	325	Horizontal	PASS
2	4571.4428	14.18	47.20	74.00	26.80	46.87	54.00	7.13	150	186	Horizontal	PASS
3	4723.9408	15.01	48.27	74.00	25.73	48.09	54.00	5.91	150	13	Horizontal	PASS
4	4939.6982	15.67	49.92	74.00	24.08	49.43	54.00	4.57	150	44	Horizontal	PASS
5	5032.1843	15.61	50.38	74.00	23.62	49.62	54.00	4.38	150	251	Horizontal	PASS
6	5150	18.01	49.67	74.00	24.33	48.76	54.00	5.24	150	98	Horizontal	PASS

Mode:	11AC40-5190-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.47	68.23	22.76	44.03	54.00	9.97	150	272	Vertical	PASS
2	5115.4476	15.94	57.07	74.00	16.93	49.03	54.00	4.97	150	77	Vertical	PASS
3	5132.3341	16.37	60.39	74.00	13.61	49.99	54.00	4.01	150	331	Vertical	PASS
4	5142.0763	16.88	60.04	74.00	13.96	49.76	54.00	4.24	150	324	Vertical	PASS
5	5147.6619	17.43	62.46	74.00	11.54	50.68	54.00	3.32	150	24	Vertical	PASS
6	5150	18.01	55.66	74.00	18.34	49.24	54.00	4.76	150	174	Vertical	PASS

Mode:	11AC40-5310-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.74	68.23	18.49	46.29	54.00	7.71	150	241	Horizontal	PASS
2	5374	16.79	52.18	74.00	21.82	47.36	54.00	6.64	150	210	Horizontal	PASS
3	5388.16	16.81	50.83	74.00	23.17	46.85	54.00	7.15	150	210	Horizontal	PASS
4	5405.32	16.86	51.92	74.00	22.08	45.29	54.00	8.71	150	329	Horizontal	PASS
5	5412.16	16.85	51.16	74.00	22.84	49.06	54.00	4.94	150	327	Horizontal	PASS
6	5460	16.74	48.54	74.00	25.46	46.00	54.00	8.00	150	81	Horizontal	PASS

Mode:	11AC40-5310-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	18.02	55.51	68.23	12.72	49.87	54.00	4.13	150	46	Vertical	PASS
2	5379.4	16.83	56.36	74.00	17.64	49.56	54.00	4.44	150	58	Vertical	PASS
3	5399.2	16.83	56.52	74.00	17.48	49.76	54.00	4.24	150	46	Vertical	PASS
4	5409.04	16.85	56.30	74.00	17.70	49.95	54.00	4.05	150	46	Vertical	PASS
5	5416.48	16.85	56.94	74.00	17.06	49.69	54.00	4.31	150	39	Vertical	PASS
6	5460.0000	16.74	50.24	74.00	23.76	48.49	54.00	5.51	150	89	Vertical	PASS

Mode:	11AC40-5510-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.73	68.23	22.50	43.45	54.00	10.55	150	72	Horizontal	PASS
2	5424.4	17.19	56.60	74.00	17.40	49.47	54.00	4.53	150	322	Horizontal	PASS
3	5441.8	17.40	56.99	74.00	17.01	49.58	54.00	4.42	150	183	Horizontal	PASS
4	5446.72	17.03	57.83	74.00	16.17	49.59	54.00	4.41	150	336	Horizontal	PASS
5	5454.52	17.26	60.75	74.00	13.25	50.83	54.00	3.17	150	351	Horizontal	PASS
6	5460	17.72	50.53	74.00	23.47	46.15	54.00	7.85	150	224	Horizontal	PASS

Mode:	11AC40-5510-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	16.08	49.34	68.23	18.89	44.61	54.00	9.39	150	51	Vertical	PASS
2	5419.36	16.98	60.73	74.00	13.27	48.04	54.00	5.96	150	58	Vertical	PASS
3	5433.16	17.33	61.98	74.00	12.02	49.38	54.00	4.62	150	46	Vertical	PASS
4	5444.08	17.23	62.01	74.00	11.99	49.58	54.00	4.42	150	39	Vertical	PASS
5	5452.96	17.22	62.89	74.00	11.11	50.87	54.00	3.13	150	171	Vertical	PASS
6	5457.64	17.49	64.48	74.00	9.52	50.94	54.00	3.06	150	156	Vertical	PASS

Mode:	11AC40-5755-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5679.27	60.73	16.25	89.91	29.18	150	202	Horizontal
2	5713.19	62.64	16.07	108.90	46.26	150	336	Horizontal
3	5721.06	66.83	16.05	113.23	46.40	150	136	Horizontal
4	5786.65	70.91	15.78	122.20	51.29	150	143	Horizontal
5	5805.02	62.84	15.74	122.20	59.36	150	143	Horizontal
6	5815.32	59.47	15.78	122.20	62.73	150	49	Horizontal

Mode:	11AC40-5755-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5696.51	63.72	16.13	102.63	38.91	150	212	Vertical
2	5707.75	69.82	16.09	107.37	37.55	150	56	Vertical
3	5721.25	73.76	16.05	113.66	39.90	150	76	Vertical
4	5786.09	80.17	15.79	122.20	42.03	150	298	Vertical
5	5799.40	68.06	15.72	122.20	54.14	150	229	Vertical
6	5831.63	64.78	15.84	122.20	57.42	150	132	Vertical

Mode:	11AC40-5795-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5730.43	59.92	16.02	122.20	62.28	150	147	Horizontal
2	5752.17	65.89	15.95	122.20	56.31	150	132	Horizontal
3	5765.66	70.12	15.88	122.20	52.08	150	147	Horizontal
4	5824.32	68.22	15.82	122.20	53.98	150	55	Horizontal
5	5855.06	56.45	15.98	110.78	54.33	150	134	Horizontal
6	5880.92	59.18	16.28	100.80	41.62	150	38	Horizontal

Mode:	11AC40-5795-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5685.45	60.73	16.21	94.48	33.75	150	114	Vertical
2	5729.31	66.36	16.02	122.20	55.84	150	69	Vertical
3	5759.48	78.21	15.91	122.20	43.99	150	331	Vertical
4	5825.82	80.32	15.82	122.20	41.88	150	233	Vertical
5	5855.06	63.76	15.98	110.78	47.02	150	293	Vertical
6	5891.97	62.30	16.41	92.61	30.31	150	271	Vertical

Mode:	11AC80-5210-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.54	68.23	22.69	44.10	54.00	9.90	150	51	Horizontal	PASS
2	4947.492	15.87	49.54	74.00	24.46	48.84	54.00	5.16	150	343	Horizontal	PASS
3	5033.0935	15.62	49.23	74.00	24.77	48.97	54.00	5.03	150	140	Horizontal	PASS
4	5138.0496	16.50	53.38	74.00	20.62	48.20	54.00	5.80	150	354	Horizontal	PASS
5	5149.7402	17.94	53.80	74.00	20.20	48.48	54.00	5.52	150	30	Horizontal	PASS
6	5150	18.01	50.17	74.00	23.83	48.95	54.00	5.05	150	30	Horizontal	PASS

Mode:	11AC80-5210-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	14.21	44.45	68.23	23.78	43.50	54.00	10.50	150	68	Vertical	PASS
2	4936.191	15.58	51.59	74.00	22.41	48.81	54.00	5.19	150	253	Vertical	PASS
3	5108.5631	15.90	54.79	74.00	19.21	49.52	54.00	4.48	150	36	Vertical	PASS
4	5128.5671	16.24	56.46	74.00	17.54	49.73	54.00	4.27	150	8	Vertical	PASS
5	5142.2062	16.88	57.85	74.00	16.15	49.31	54.00	4.69	150	66	Vertical	PASS
6	5149.6103	17.91	60.34	74.00	13.66	50.41	54.00	3.59	150	36	Vertical	PASS

Mode:	11AC80-5290-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	51.06	68.23	17.17	48.04	54.00	5.96	150	324	Horizontal	PASS
2	5356	17.44	53.70	74.00	20.30	49.25	54.00	4.75	150	324	Horizontal	PASS
3	5368.24	16.91	52.99	74.00	21.01	49.23	54.00	4.77	150	226	Horizontal	PASS
4	5384.8	16.78	51.43	74.00	22.57	44.51	54.00	9.49	150	229	Horizontal	PASS
5	5452.36	16.81	50.58	74.00	23.42	48.88	54.00	5.12	150	360	Horizontal	PASS
6	5460	16.74	48.45	74.00	25.55	46.26	54.00	7.74	150	343	Horizontal	PASS

Mode:	11AC80-5290-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	18.02	55.14	68.23	13.09	51.05	54.00	2.95	150	302	Vertical	PASS
2	5363.92	17.14	56.56	74.00	17.44	50.30	54.00	3.70	150	247	Vertical	PASS
3	5377.96	16.82	56.32	74.00	17.68	49.40	54.00	4.60	150	224	Vertical	PASS
4	5389.48	16.79	55.24	74.00	18.76	49.92	54.00	4.08	150	224	Vertical	PASS
5	5396.32	16.89	55.50	74.00	18.50	50.22	54.00	3.78	150	38	Vertical	PASS
6	5460.0000	16.74	50.89	74.00	23.11	46.97	54.00	7.03	150	57	Vertical	PASS

Mode:	11AC80-5530-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.23	68.23	21.00	44.66	54.00	9.34	150	110	Horizontal	PASS
2	5409.64	16.81	50.65	74.00	23.35	47.56	54.00	6.44	150	327	Horizontal	PASS
3	5421.52	16.99	51.23	74.00	22.77	48.95	54.00	5.05	150	330	Horizontal	PASS
4	5437.24	17.38	52.05	74.00	21.95	49.36	54.00	4.64	150	316	Horizontal	PASS
5	5453.92	17.27	52.26	74.00	21.74	48.94	54.00	5.06	150	327	Horizontal	PASS
6	5460	17.72	51.08	74.00	22.92	46.70	54.00	7.30	150	64	Horizontal	PASS

Mode:	11AC80-5530-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	16.08	50.04	68.23	18.19	47.97	54.00	6.03	150	56	Vertical	PASS
2	5436.16	17.31	56.16	74.00	17.84	48.39	54.00	5.61	150	44	Vertical	PASS
3	5442.28	17.37	56.72	74.00	17.28	48.52	54.00	5.48	150	56	Vertical	PASS
4	5452.12	17.19	56.34	74.00	17.66	49.52	54.00	4.48	150	65	Vertical	PASS
5	5457.76	17.50	56.90	74.00	17.10	49.02	54.00	4.98	150	53	Vertical	PASS
6	5460.0000	17.72	56.95	74.00	17.05	48.94	54.00	5.06	150	178	Vertical	PASS

Mode:	11AC80-5775-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5690.89	59.13	16.17	98.49	39.36	150	356	Horizontal
2	5705.88	62.04	16.09	106.85	44.81	150	336	Horizontal
3	5728.18	64.38	16.03	122.20	57.82	150	60	Horizontal
4	5832.57	63.46	15.86	122.20	58.74	150	230	Horizontal
5	5837.81	62.64	15.88	122.20	59.56	150	356	Horizontal
6	5868.74	59.20	16.13	106.95	47.75	150	192	Horizontal

Mode:	11AC80-5775-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5687.51	67.27	16.20	96.00	28.73	150	117	Vertical
2	5710.19	69.74	16.08	108.06	38.32	150	102	Vertical
3	5727.43	72.01	16.03	122.20	50.19	150	52	Vertical
4	5824.51	77.18	15.82	122.20	45.02	150	289	Vertical
5	5850.93	71.75	15.93	120.06	48.31	150	266	Vertical
6	5868.36	69.49	16.13	107.06	37.57	150	292	Vertical

Mode:	11AX20-5180-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	44.19	68.23	24.04	42.65	54.00	11.35	150	264	Horizontal	PASS
2	4722.512	16.19	48.97	74.00	25.03	44.60	54.00	9.40	150	269	Horizontal	PASS
3	4936.7106	16.30	51.16	74.00	22.84	44.16	54.00	9.84	150	345	Horizontal	PASS
4	4960.8713	16.29	50.76	74.00	23.24	49.41	54.00	4.59	150	35	Horizontal	PASS
5	5012.6998	16.27	49.74	74.00	24.26	49.03	54.00	4.97	150	147	Horizontal	PASS
6	5150	18.89	50.00	74.00	24.00	49.66	54.00	4.34	150	177	Horizontal	PASS

Mode:	11AX20-5180-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.97	46.05	68.23	22.18	43.99	54.00	10.01	150	240	Vertical	PASS
2	4925.6695	16.31	52.20	74.00	21.80	45.67	54.00	8.33	150	29	Vertical	PASS
3	4982.3042	16.28	52.41	74.00	21.59	44.90	54.00	9.10	150	60	Vertical	PASS
4	5076.219	16.34	52.51	74.00	21.49	45.97	54.00	8.03	150	360	Vertical	PASS
5	5139.6083	17.75	53.00	74.00	21.00	48.55	54.00	5.45	150	261	Vertical	PASS
6	5150	18.89	51.77	74.00	22.23	49.70	54.00	4.30	150	191	Vertical	PASS

Mode:	11AX20-5320-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	50.60	68.23	17.63	47.93	54.00	6.07	150	238	Horizontal	PASS
2	5352.4	18.99	53.11	74.00	20.89	47.80	54.00	6.20	150	236	Horizontal	PASS
3	5367.88	18.59	52.83	74.00	21.17	49.84	54.00	4.16	150	325	Horizontal	PASS
4	5407.84	18.14	52.29	74.00	21.71	48.99	54.00	5.01	150	322	Horizontal	PASS
5	5414.44	18.13	52.74	74.00	21.26	47.47	54.00	6.53	150	322	Horizontal	PASS
6	5460	18.03	47.97	74.00	26.03	45.49	54.00	8.51	150	181	Horizontal	PASS

Mode:	11AX20-5320-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	19.23	55.45	68.23	12.78	50.21	54.00	3.79	150	97	Vertical	PASS
2	5352.76	18.97	58.69	74.00	15.31	49.85	54.00	4.15	150	271	Vertical	PASS
3	5368.84	18.57	58.55	74.00	15.45	49.47	54.00	4.53	150	227	Vertical	PASS
4	5410.48	18.14	57.28	74.00	16.72	48.16	54.00	5.84	150	81	Vertical	PASS
5	5417.56	18.12	56.72	74.00	17.28	49.08	54.00	4.92	150	242	Vertical	PASS
6	5460	18.03	52.21	74.00	21.79	49.43	54.00	4.57	150	237	Vertical	PASS

Mode:	11AX20-5500-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	48.81	68.23	19.42	46.71	54.00	7.29	150	286	Horizontal	PASS
2	5405.2	18.50	53.68	74.00	20.32	50.94	54.00	3.06	150	327	Horizontal	PASS
3	5426.56	18.89	52.64	74.00	21.36	50.03	54.00	3.97	150	210	Horizontal	PASS
4	5442.88	19.19	54.94	74.00	19.06	50.76	54.00	3.24	150	325	Horizontal	PASS
5	5452.12	19.36	54.41	74.00	19.59	49.03	54.00	4.97	150	325	Horizontal	PASS
6	5460	19.51	50.64	74.00	23.36	48.42	54.00	5.58	150	317	Horizontal	PASS

Mode:	11AX20-5500-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	52.04	68.23	16.19	48.39	54.00	5.61	150	78	Vertical	PASS
2	5371.36	18.10	55.00	74.00	19.00	48.16	54.00	5.84	150	76	Vertical	PASS
3	5395.96	18.36	57.74	74.00	16.26	50.68	54.00	3.32	150	57	Vertical	PASS
4	5410.84	18.60	59.27	74.00	14.73	50.89	54.00	3.11	150	85	Vertical	PASS
5	5455.12	19.42	58.11	74.00	15.89	49.72	54.00	4.28	150	54	Vertical	PASS
6	5460	19.51	54.64	74.00	19.36	49.82	54.00	4.18	150	57	Vertical	PASS

Mode:	11AX20-5745-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5660.53	57.65	16.90	76.04	18.39	150	73	Horizontal
2	5695.01	57.35	16.95	101.53	44.18	150	194	Horizontal
3	5725	63.15	16.88	122.20	59.05	150	199	Horizontal
4	5742.99	105.21	16.83	122.20	16.99	150	337	Horizontal
5	5763.23	62.30	16.77	122.20	59.90	150	191	Horizontal
6	5785.71	56.76	16.70	122.20	65.44	150	186	Horizontal

Mode:	11AX20-5745-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5680.95	58.26	16.93	91.16	32.90	150	115	Vertical
2	5721.43	64.44	16.90	114.08	49.64	150	224	Vertical
3	5747.30	112.36	16.82	122.20	9.84	150	115	Vertical
4	5754.98	94.93	16.80	122.20	27.27	150	130	Vertical
5	5761.73	74.41	16.77	122.20	47.79	150	137	Vertical
6	5801.46	59.12	16.66	122.20	63.08	150	97	Vertical

Mode:	11AX20-5785-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5714.88	58.31	16.92	109.37	51.06	150	321	Horizontal
2	5726.87	60.71	16.88	122.20	61.49	150	326	Horizontal
3	5761.16	62.87	16.78	122.20	59.33	150	199	Horizontal
4	5798.27	75.53	16.67	122.20	46.67	150	204	Horizontal
5	5805.95	71.67	16.68	122.20	50.53	150	136	Horizontal
6	5832.94	60.57	16.78	122.20	61.63	150	61	Horizontal

Mode:	11AX20-5785-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5681.33	64.92	16.93	91.44	26.52	150	102	Vertical
2	5735.11	68.95	16.85	122.20	53.25	150	38	Vertical
3	5762.29	78.24	16.77	122.20	43.96	150	87	Vertical
4	5801.64	82.08	16.66	122.20	40.12	150	28	Vertical
5	5817.20	73.90	16.72	122.20	48.30	150	205	Vertical
6	5834.82	71.89	16.78	122.20	50.31	150	92	Vertical

Mode:	11AX20-5825-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5735.30	56.90	16.85	122.20	65.30	150	148	Horizontal
2	5753.48	56.55	16.80	122.20	65.65	150	59	Horizontal
3	5805.02	64.15	16.68	122.20	58.05	150	342	Horizontal
4	5844.94	67.05	16.82	122.20	55.15	150	203	Horizontal
5	5881.85	57.54	17.01	100.11	42.57	150	193	Horizontal
6	5904.34	57.46	17.11	83.46	26.00	150	285	Horizontal

Mode:	11AX20-5825-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5726.87	60.63	16.88	122.20	61.57	150	66	Vertical
2	5755.73	59.05	16.79	122.20	63.15	150	277	Vertical
3	5796.58	61.36	16.67	122.20	60.84	150	74	Vertical
4	5842.50	81.35	16.81	122.20	40.85	150	287	Vertical
5	5863.11	59.83	16.90	108.52	48.69	150	69	Vertical
6	5902.66	60.08	17.12	84.71	24.63	150	64	Vertical

Mode:	11AX40-5190-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.25	68.23	22.98	44.80	54.00	9.20	150	250	Horizontal	PASS
2	4737.9696	15.30	48.01	74.00	25.99	47.13	54.00	6.87	150	273	Horizontal	PASS
3	4857.474	15.02	48.39	74.00	25.61	47.79	54.00	6.21	150	360	Horizontal	PASS
4	4963.5991	15.80	50.69	74.00	23.31	50.07	54.00	3.93	150	53	Horizontal	PASS
5	5094.7942	15.80	49.89	74.00	24.11	48.23	54.00	5.77	150	92	Horizontal	PASS
6	5150	18.01	51.29	74.00	22.71	50.78	54.00	3.22	150	62	Horizontal	PASS

Mode:	11AX40-5190-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	43.96	68.23	24.27	43.78	54.00	10.22	150	231	Vertical	PASS
2	4966.8465	15.77	51.69	74.00	22.31	50.93	54.00	3.07	150	307	Vertical	PASS
3	5090.3777	15.79	51.51	74.00	22.49	49.01	54.00	4.99	150	147	Vertical	PASS
4	5109.3425	15.89	52.59	74.00	21.41	51.00	54.00	3.00	150	140	Vertical	PASS
5	5146.7526	17.28	57.15	74.00	16.85	50.03	54.00	3.97	150	327	Vertical	PASS
6	5150	18.01	56.39	74.00	17.61	50.09	54.00	3.91	150	318	Vertical	PASS

Mode:	11AX40-5310-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	53.40	68.23	14.83	46.61	54.00	7.39	150	159	Horizontal	PASS
2	5353.72	17.66	57.21	74.00	16.79	49.77	54.00	4.23	150	142	Horizontal	PASS
3	5360.92	17.11	61.30	74.00	12.70	48.11	54.00	5.89	150	231	Horizontal	PASS
4	5373.28	16.85	58.10	74.00	15.90	48.51	54.00	5.49	150	126	Horizontal	PASS
5	5384.92	16.78	57.26	74.00	16.74	46.52	54.00	7.48	150	126	Horizontal	PASS
6	5458.84	16.75	52.25	74.00	21.75	47.82	54.00	6.18	150	262	Horizontal	PASS

Mode:	11AX40-5310-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	59.82	68.23	8.41	48.48	54.00	5.52	150	360	Vertical	PASS
2	5351.56	17.90	64.78	74.00	9.22	50.85	54.00	3.15	150	146	Vertical	PASS
3	5354.68	17.56	64.92	74.00	9.08	49.91	54.00	4.09	150	214	Vertical	PASS
4	5355.52	17.48	65.56	74.00	8.44	49.97	54.00	4.03	150	153	Vertical	PASS
5	5363.44	17.14	65.40	74.00	8.60	49.25	54.00	4.75	150	139	Vertical	PASS
6	5460.16	16.74	57.62	68.23	10.61	46.81	53.33	6.52	150	57	Vertical	PASS

Mode:	11AX40-5510-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	48.26	68.23	19.97	43.94	54.00	10.06	150	135	Horizontal	PASS
2	5418.76	17.01	51.46	74.00	22.54	48.47	54.00	5.53	150	236	Horizontal	PASS
3	5421.4	16.98	53.09	74.00	20.91	51.25	54.00	2.75	150	236	Horizontal	PASS
4	5439.64	17.46	51.97	74.00	22.03	49.28	54.00	4.72	150	257	Horizontal	PASS
5	5444.68	17.17	52.30	74.00	21.70	49.30	54.00	4.70	150	266	Horizontal	PASS
6	5460	17.72	51.00	74.00	23.00	50.04	54.00	3.96	150	42	Horizontal	PASS

Mode:	11AX40-5510-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	49.89	68.23	18.34	47.57	54.00	6.43	150	4	Vertical	PASS
2	5398	16.71	54.77	74.00	19.23	47.57	54.00	6.43	150	42	Vertical	PASS
3	5415.88	17.13	55.95	74.00	18.05	48.53	54.00	5.47	150	320	Vertical	PASS
4	5421.28	16.98	56.50	74.00	17.50	48.94	54.00	5.06	150	317	Vertical	PASS
5	5427.76	17.43	56.69	74.00	17.31	49.25	54.00	4.75	150	320	Vertical	PASS
6	5459.44	17.67	58.53	74.00	15.47	49.45	54.00	4.55	150	30	Vertical	PASS

Mode:	11AX40-5755-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5669.71	56.99	16.91	82.85	25.86	150	214	Horizontal
2	5685.45	56.33	16.94	94.48	38.15	150	328	Horizontal
3	5719.19	58.73	16.90	110.57	51.84	150	152	Horizontal
4	5783.47	66.15	16.71	122.20	56.05	150	214	Horizontal
5	5807.64	56.98	16.69	122.20	65.22	150	345	Horizontal
6	5835.19	56.95	16.78	122.20	65.25	150	152	Horizontal

Mode:	11AX40-5755-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5675.89	60.75	16.92	87.42	26.67	150	64	Vertical
2	5695.01	66.59	16.95	101.53	34.94	150	77	Vertical
3	5713.00	70.70	16.92	108.84	38.14	150	57	Vertical
4	5782.53	75.14	16.71	122.20	47.06	150	299	Vertical
5	5807.64	68.38	16.69	122.20	53.82	150	353	Vertical
6	5826.94	67.99	16.75	122.20	54.21	150	69	Vertical

Mode:	11AX40-5795-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5697.07	56.63	16.95	103.05	46.42	150	143	Horizontal
2	5722.75	56.52	16.89	117.07	60.55	150	204	Horizontal
3	5756.48	66.23	16.79	122.20	55.97	150	200	Horizontal
4	5824.88	65.31	16.75	122.20	56.89	150	41	Horizontal
5	5838.75	58.95	16.80	122.20	63.25	150	222	Horizontal
6	5866.67	57.03	16.93	107.53	50.50	150	163	Horizontal

Mode:	11AX40-5795-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5728.93	65.38	16.87	122.20	56.82	150	74	Vertical
2	5759.48	71.99	16.78	122.20	50.21	150	151	Vertical
3	5787.21	110.86	16.70	122.20	11.34	150	49	Vertical
4	5830.88	74.50	16.77	122.20	47.70	150	303	Vertical
5	5838.00	73.52	16.80	122.20	48.68	150	88	Vertical
6	5855.24	68.60	16.86	110.73	42.13	150	74	Vertical

Mode:	11AX80-5210-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.52	68.23	23.71	43.63	54.00	10.37	150	76	Horizontal	PASS
2	4949.3106	15.91	50.59	74.00	23.41	48.92	54.00	5.08	150	152	Horizontal	PASS
3	5042.3161	15.66	50.53	74.00	23.47	50.21	54.00	3.79	150	61	Horizontal	PASS
4	5103.757	15.91	49.82	74.00	24.18	46.51	54.00	7.49	150	237	Horizontal	PASS
5	5125.3197	16.20	51.63	74.00	22.37	50.72	54.00	3.28	150	333	Horizontal	PASS
6	5150	18.01	50.45	74.00	23.55	49.70	54.00	4.30	150	255	Horizontal	PASS

Mode:	11AX80-5210-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.24	68.23	22.99	42.80	54.00	11.20	150	137	Vertical	PASS
2	4986.201	15.59	52.05	74.00	21.95	45.92	54.00	8.08	150	92	Vertical	PASS
3	5004.3865	15.48	52.18	74.00	21.82	48.26	54.00	5.74	150	152	Vertical	PASS
4	5141.4269	16.79	58.89	74.00	15.11	48.81	54.00	5.19	150	309	Vertical	PASS
5	5147.1423	17.34	59.91	74.00	14.09	49.90	54.00	4.10	150	196	Vertical	PASS
6	5150	18.01	59.00	74.00	15.00	49.91	54.00	4.09	150	146	Vertical	PASS

Mode:	11AX80-5290-MIMO



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	50.34	68.23	17.89	47.12	54.00	6.88	150	11	Horizontal	PASS
2	5350.12	18.01	57.68	74.00	16.32	50.77	54.00	3.23	150	114	Horizontal	PASS
3	5363.92	17.14	53.29	74.00	20.71	47.91	54.00	6.09	150	107	Horizontal	PASS
4	5377.36	16.83	51.99	74.00	22.01	47.14	54.00	6.86	150	123	Horizontal	PASS
5	5398.48	16.81	53.35	74.00	20.65	47.11	54.00	6.89	150	121	Horizontal	PASS
6	5460	16.74	47.86	74.00	26.14	44.44	54.00	9.56	150	94	Horizontal	PASS

Mode:	11AX80-5290-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350.0000	18.02	55.25	68.23	12.98	48.57	54.00	5.43	150	170	Vertical	PASS
2	5356.84	17.36	61.58	74.00	12.42	50.10	54.00	3.90	150	0	Vertical	PASS
3	5359.36	17.15	61.44	74.00	12.56	49.78	54.00	4.22	150	301	Vertical	PASS
4	5361.76	17.13	61.38	74.00	12.62	49.56	54.00	4.44	150	144	Vertical	PASS
5	5368.84	16.92	60.75	74.00	13.25	49.06	54.00	4.94	150	189	Vertical	PASS
6	5460.0000	16.74	49.77	74.00	24.23	47.84	54.00	6.16	150	34	Vertical	PASS

Mode:	11AX80-5530-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	47.84	68.23	20.39	44.02	54.00	9.98	150	325	Horizontal	PASS
2	5443.24	19.20	52.35	74.00	21.65	46.89	54.00	7.11	150	329	Horizontal	PASS
3	5444.68	19.22	53.01	74.00	20.99	47.90	54.00	6.10	150	228	Horizontal	PASS
4	5448.76	19.30	53.77	74.00	20.23	48.93	54.00	5.07	150	322	Horizontal	PASS
5	5453.8	19.39	53.76	74.00	20.24	49.05	54.00	4.95	150	356	Horizontal	PASS
6	5460	19.51	51.20	74.00	22.80	46.85	54.00	7.15	150	264	Horizontal	PASS

Mode:	11AX80-5530-MIMO



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	17.87	50.17	68.23	18.06	47.72	54.00	6.28	150	77	Vertical	PASS
2	5417.68	18.73	56.18	74.00	17.82	47.81	54.00	6.19	150	98	Vertical	PASS
3	5441.32	19.16	57.12	74.00	16.88	48.30	54.00	5.70	150	67	Vertical	PASS
4	5448.88	19.30	58.29	74.00	15.71	48.72	54.00	5.28	150	273	Vertical	PASS
5	5453.44	19.38	58.33	74.00	15.67	49.08	54.00	4.92	150	77	Vertical	PASS
6	5460	19.51	54.85	74.00	19.15	49.84	54.00	4.16	150	91	Vertical	PASS

Mode:	11AX80-5775-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5680.77	57.48	16.93	91.02	33.54	150	213	Horizontal
2	5703.44	59.78	16.95	106.17	46.39	150	213	Horizontal
3	5717.87	62.06	16.91	110.21	48.15	150	144	Horizontal
4	5838.00	63.09	16.80	122.20	59.11	150	201	Horizontal
5	5856.37	58.70	16.87	110.42	51.72	150	284	Horizontal
6	5899.66	57.96	17.11	86.93	28.97	150	191	Horizontal

Mode:	11AX80-5775-MIMO



NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5694.26	63.92	16.95	100.98	37.06	150	334	Vertical
2	5705.88	66.10	16.94	106.85	40.75	150	113	Vertical
3	5720.12	69.07	16.90	111.09	42.02	150	27	Vertical
4	5820.76	73.85	16.73	122.20	48.35	150	296	Vertical
5	5833.69	73.02	16.78	122.20	49.18	150	223	Vertical
6	5846.06	70.78	16.82	122.20	51.42	150	272	Vertical