



Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



Appendix H: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Frequency[MHz]	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-60.05	2.00	0.03	37.18	≤54	PASS
				AV	2321.970	-58.93	2.00	0.03	38.30	≤54	PASS
				AV	2390.000	-59.59	2.00	0.03	37.64	≤54	PASS
				Peak	2310.000	-50.74	2.00	0.00	46.46	≤74	PASS
				Peak	2375.920	-48.68	2.00	0.00	48.52	≤74	PASS
				Peak	2390.000	-51.74	2.00	0.00	45.46	≤74	PASS
		High	2462	AV	2483.500	-59.46	2.00	0.02	37.76	≤54	PASS
				AV	2488.950	-58.62	2.00	0.02	38.60	≤54	PASS
				AV	2500.000	-58.96	2.00	0.02	38.26	≤54	PASS
				Peak	2483.500	-51.77	2.00	0.00	45.43	≤74	PASS
				Peak	2493.240	-49.44	2.00	0.00	47.76	≤74	PASS
				Peak	2500.000	-52.34	2.00	0.00	44.86	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-60.18	2.00	1.25	38.27	≤54	PASS
				AV	2382.290	-59.07	2.00	1.25	39.38	≤54	PASS
				AV	2390.000	-59.78	2.00	1.25	38.67	≤54	PASS
				Peak	2310.000	-52.83	2.00	0.00	44.37	≤74	PASS
				Peak	2384.110	-47.83	2.00	0.00	49.37	≤74	PASS
				Peak	2390.000	-51.97	2.00	0.00	45.23	≤74	PASS
		High	2462	AV	2483.500	-59.67	2.00	1.03	38.56	≤54	PASS
				AV	2488.510	-58.75	2.00	1.03	39.48	≤54	PASS
				AV	2500.000	-59.58	2.00	1.03	38.65	≤54	PASS
				Peak	2483.500	-50.46	2.00	0.00	46.74	≤74	PASS
				Peak	2495.440	-48.99	2.00	0.00	48.21	≤74	PASS
				Peak	2500.000	-52.62	2.00	0.00	44.58	≤74	PASS
11N20SISO	Ant1	Low	2412	AV	2310.000	-59.7	2.00	1.12	38.62	≤54	PASS
				AV	2344.850	-59.03	2.00	1.12	39.29	≤54	PASS
				AV	2390.000	-59.94	2.00	1.12	38.38	≤54	PASS
				Peak	2310.000	-51.75	2.00	0.00	45.45	≤74	PASS
				Peak	2336.140	-48.59	2.00	0.00	48.61	≤74	PASS
				Peak	2390.000	-52.22	2.00	0.00	44.98	≤74	PASS
		High	2462	AV	2483.500	-59.41	2.00	1.06	38.85	≤54	PASS
				AV	2499.730	-58.86	2.00	1.06	39.40	≤54	PASS
				AV	2500.000	-59.29	2.00	1.06	38.97	≤54	PASS
				Peak	2483.500	-51.12	2.00	0.00	46.08	≤74	PASS
				Peak	2487.520	-48.64	2.00	0.00	48.56	≤74	PASS
				Peak	2500.000	-51.91	2.00	0.00	45.29	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


11B_Ant1_Low_2412_AV




11B_Ant1_Low_2412_Peak




11B_Ant1_High_2462_AV




11B_Ant1_High_2462_Peak




11G_Ant1_Low_2412_AV




11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV




11G_Ant1_High_2462_Peak



11N20SISO_Ant1_Low_2412_AV



11N20SISO_Ant1_Low_2412_Peak



11N20SISO_Ant1_High_2462_AV



11N20SISO_Ant1_High_2462_Peak

