

Appendix: Bluetooth Classic

Contents

Dwell Time 3

Duty Cycle 13

Maximum Peak Conducted Output Power 19

-20dB Bandwidth 20

Occupied Channel Bandwidth 26

Carrier Frequencies Separation 32

Band Edge 38


Band Edge(Hopping) 45

Conducted RF Spurious Emission 52


Number of Hopping Channel 62

Dwell Time


Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2402	Ant1	0.374	117.062	313	31600	400	Pass
NVNT	1-DH3	2402	Ant1	1.63	251.02	154	31600	400	Pass
NVNT	1-DH5	2402	Ant1	2.878	316.58	110	31600	400	Pass
NVNT	2-DH1	2402	Ant1	0.383	119.879	313	31600	400	Pass
NVNT	2-DH3	2402	Ant1	1.635	259.965	159	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.883	314.247	109	31600	400	Pass
NVNT	3-DH1	2402	Ant1	0.383	121.028	316	31600	400	Pass
NVNT	3-DH3	2402	Ant1	1.634	233.662	143	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.885	323.12	112	31600	400	Pass





Date: 29 JUL 2025 10:34:38





Date: 29 JUL 2025 10:35:10




















Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	76.8	1.15	0.35
NVNT	1-DH5	2441	Ant1	76.8	1.15	0.35
NVNT	1-DH5	2480	Ant1	76.8	1.15	0.35
NVNT	2-DH5	2402	Ant1	76.91	1.14	0.35
NVNT	2-DH5	2441	Ant1	76.91	1.14	0.35
NVNT	2-DH5	2480	Ant1	76.96	1.14	0.35
NVNT	3-DH5	2402	Ant1	77.01	1.13	0.35
NVNT	3-DH5	2441	Ant1	77	1.14	0.35
NVNT	3-DH5	2480	Ant1	76.93	1.14	0.35