







Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-46.71	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-60.27	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-56.1	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-58.39	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-51.35	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-59.88	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-52.69	-20	Pass
NVNT	1-DH5	2441	Ant1	-47.52	-20	Pass
NVNT	1-DH5	2480	Ant1	-44.44	-20	Pass
NVNT	2-DH5	2402	Ant1	-51.37	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.58	-20	Pass
NVNT	2-DH5	2480	Ant1	-35.44	-20	Pass
NVNT	3-DH5	2402	Ant1	-51.28	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.82	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.02	-20	Pass

