Appendix C

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: Driving Recorder

Trade Mark: N/A

Test Model: W5

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Emiya lin
Supervised by:	Simba Haung

Contents

Page

COVER PAGE

1 Duty Cycle 3
1.1 Test Result 3
1.2 Test Graphs 4
2 Maximum Conducted Output Power 13
2.1 Test Result 13
3 -6dB Bandwidth 14
3.1 Test Result 14
3.2 Test Graphs 15
4 Maximum Power Spectral Density Level 24
4.1 Test Result 24
4.2 Test Graphs 25
5 Band Edge 34
5.1 Test Result 34
5.2 Test Graphs 35
6 Conducted RF Spurious Emission 47
6.1 Test Result 47
6.2 Test Graphs 48
7 Restrict Band 66
7.1 Test Result 66
7.2 Test Graphs 68

1 Duty Cycle

1.1 Test Result

Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor	1/T (kHz)
b	2412	Ant1	99.61	0.02	0.12
b	2437	Ant1	99.59	0.02	0.12
b	2462	Ant1	99.6	0.02	0.12
g	2412	Ant1	86.83	0.61	4.76
g	2437	Ant1	86.92	0.61	4.76
g	2462	Ant1	86.86	0.61	4.55
n20	2412	Ant1	87.58	0.58	4.35
n20	2437	Ant1	87.61	0.57	4.35
n20	2462	Ant1	87.6	0.57	4.17
n40	2422	Ant1	88.07	0.55	4
n40	2437	Ant1	88.03	0.55	4.17
n40	2452	Ant1	88.02	0.55	4.17
ax20	2412	Ant1	86.41	0.63	4.35
ax20	2437	Ant1	87.12	0.6	4.35
ax20	2462	Ant1	87.05	0.6	4.35
ax40	2422	Ant1	86.77	0.62	4.35
ax40	2437	Ant1	87.01	0.6	4.35
ax40	2452	Ant1	87.04	0.6	4.35

1.2 Test Graphs

Test Graphs
b 2412MHz Ant1



b 2437MHz Ant1



Test Graphs

b 2462MHz Ant1



g 2412MHz Ant1



Test Graphs

g 2437MHz Ant1



g 2462MHz Ant1



Test Graphs

n20 2412MHz Ant1



n20 2437MHz Ant1



Test Graphs

n20 2462MHz Ant1



n40 2422MHz Ant1



Test Graphs

n40 2437MHz Ant1



n40 2452MHz Ant1



Test Graphs

ax20 2412MHz Ant1



ax20 2437MHz Ant1



Test Graphs

ax20 2462MHz Ant1



ax40 2422MHz Ant1



Test Graphs

ax40 2437MHz Ant1



ax40 2452MHz Ant1



2 Maximum Conducted Output Power

2.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
b	2412	Ant1	13.51	30	Pass
b	2437	Ant1	13.41	30	Pass
b	2462	Ant1	13.46	30	Pass
g	2412	Ant1	13.17	30	Pass
g	2437	Ant1	13.18	30	Pass
g	2462	Ant1	13.14	30	Pass
n20	2412	Ant1	12.69	30	Pass
n20	2437	Ant1	12.63	30	Pass
n20	2462	Ant1	12.61	30	Pass
n40	2422	Ant1	12.48	30	Pass
n40	2437	Ant1	12.49	30	Pass
n40	2452	Ant1	12.39	30	Pass
ax20	2412	Ant1	12.98	30	Pass
ax20	2437	Ant1	12.97	30	Pass
ax20	2462	Ant1	12.84	30	Pass
ax40	2422	Ant1	12.57	30	Pass
ax40	2437	Ant1	12.44	30	Pass
ax40	2452	Ant1	12.33	30	Pass

3 -6dB Bandwidth

3.1 Test Result

Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
b	2412	Ant1	10.08	0.5	Pass
b	2437	Ant1	9.906	0.5	Pass
b	2462	Ant1	9.921	0.5	Pass
g	2412	Ant1	15.111	0.5	Pass
g	2437	Ant1	15.027	0.5	Pass
g	2462	Ant1	15.102	0.5	Pass
n20	2412	Ant1	15.114	0.5	Pass
n20	2437	Ant1	15.114	0.5	Pass
n20	2462	Ant1	15.108	0.5	Pass
n40	2422	Ant1	35.082	0.5	Pass
n40	2437	Ant1	35.07	0.5	Pass
n40	2452	Ant1	33.84	0.5	Pass
ax20	2412	Ant1	15.108	0.5	Pass
ax20	2437	Ant1	15.108	0.5	Pass
ax20	2462	Ant1	15.117	0.5	Pass
ax40	2422	Ant1	35.052	0.5	Pass
ax40	2437	Ant1	30.078	0.5	Pass
ax40	2452	Ant1	35.076	0.5	Pass

3.2 Test Graphs

Test Graphs

b 2412MHz Ant1



b 2437MHz Ant1



b 2462MHz Ant1



g 2412MHz Ant1



g 2437MHz Ant1



g 2462MHz Ant1



n20 2412MHz Ant1



n20 2437MHz Ant1



n20 2462MHz Ant1



n40 2422MHz Ant1



n40 2437MHz Ant1



n40 2452MHz Ant1



ax20 2412MHz Ant1



ax20 2437MHz Ant1



ax20 2462MHz Ant1



ax40 2422MHz Ant1



ax40 2437MHz Ant1



ax40 2452MHz Ant1



4 Maximum Power Spectral Density Level

4.1 Test Result

Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3-100kHz)	Limit (dBm/3kHz)	Verdict
b	2412	Ant1	-13.76	≤8	Pass
b	2437	Ant1	-13.82	≤8	Pass
b	2462	Ant1	-13.85	≤8	Pass
g	2412	Ant1	-17.72	≤8	Pass
g	2437	Ant1	-18.07	≤8	Pass
g	2462	Ant1	-18.18	≤8	Pass
n20	2412	Ant1	-17.47	≤8	Pass
n20	2437	Ant1	-17.85	≤8	Pass
n20	2462	Ant1	-17.75	≤8	Pass
n40	2422	Ant1	-21.51	≤8	Pass
n40	2437	Ant1	-21.43	≤8	Pass
n40	2452	Ant1	-22.09	≤8	Pass
ax20	2412	Ant1	-4.81	≤8	Pass
ax20	2437	Ant1	-4.89	≤8	Pass
ax20	2462	Ant1	-4.8	≤8	Pass
ax40	2422	Ant1	-8.79	≤8	Pass
ax40	2437	Ant1	-8.69	≤8	Pass
ax40	2452	Ant1	-8.89	≤8	Pass

4.2 Test Graphs

Test Graphs
b 2412MHz Ant1

b 2437MHz Ant1


b 2462MHz Ant1



g 2412MHz Ant1



g 2437MHz Ant1



g 2462MHz Ant1



n20 2412MHz Ant1



n20 2437MHz Ant1



n20 2462MHz Ant1



n40 2422MHz Ant1



n40 2437MHz Ant1



n40 2452MHz Ant1



ax20 2412MHz Ant1



ax20 2437MHz Ant1



ax20 2462MHz Ant1



ax40 2422MHz Ant1



ax40 2437MHz Ant1



ax40 2452MHz Ant1



5 Band Edge

5.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-54.73	-20	Pass
b	2462	Ant1	-54.04	-20	Pass
g	2412	Ant1	-51.86	-20	Pass
g	2462	Ant1	-52.7	-20	Pass
n20	2412	Ant1	-51.7	-20	Pass
n20	2462	Ant1	-52.36	-20	Pass
n40	2422	Ant1	-46.87	-20	Pass
n40	2452	Ant1	-48.95	-20	Pass
ax20	2412	Ant1	-50.62	-20	Pass
ax20	2462	Ant1	-51.57	-20	Pass
ax40	2422	Ant1	-46.65	-20	Pass
ax40	2452	Ant1	-45.91	-20	Pass

5.2 Test Graphs

Test Graphs

b 2412MHz Ant1 Ref



b 2412MHz Ant1 Emission



b 2462MHz Ant1 Ref



b 2462MHz Ant1 Emission



g 2412MHz Ant1 Ref



g 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.41446 GHz	-2.80 dBm		
M2		1	2.4 GHz	-34.61 dBm		
M3		1	2.39 GHz	-60.03 dBm		
M4		1	2.3482 GHz	-55.04 dBm		

g 2462MHz Ant1 Ref



g 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.46443 GHz	-3.03 dBm		
M2		1	2.4835 GHz	-59.27 dBm		
M3		1	2.5 GHz	-59.23 dBm		
M4		1	2.4849 GHz	-56.15 dBm		

n20 2412MHz Ant1 Ref



n20 2412MHz Ant1 Emission



n20 2462MHz Ant1 Ref



n20 2462MHz Ant1 Emission



Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.46443 GHz	-3.56 dBm		
M2		1	2.4835 GHz	-59.40 dBm		
M3		1	2.5 GHz	-60.26 dBm		
M4		1	2.4917 GHz	-56.42 dBm		

n40 2422MHz Ant1 Ref



n40 2422MHz Ant1 Emission



n40 2452MHz Ant1 Ref



n40 2452MHz Ant1 Emission

ax20 2412MHz Ant1 Ref



ax20 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.41446 GHz	-4.76 dBm		
M2		1	2.4 GHz	-37.88 dBm		
M3		1	2.39 GHz	-58.92 dBm		
M4		1	2.3443 GHz	-55.45 dBm		

ax20 2462MHz Ant1 Ref



ax20 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.46074 GHz	-5.10 dBm		
M2		1	2.4835 GHz	-58.27 dBm		
M3		1	2.5 GHz	-57.50 dBm		
M4		1	2.4845 GHz	-56.47 dBm		

ax40 2422MHz Ant1 Ref



ax40 2422MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.41699 GHz	-8.74 dBm		
M2		1	2.4 GHz	-38.91 dBm		
M3		1	2.39 GHz	-59.38 dBm		
M4		1	2.3719 GHz	-55.99 dBm		

ax40 2452MHz Ant1 Ref



ax40 2452MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45701 GHz	-8.92 dBm		
M2		1	2.4835 GHz	-58.92 dBm		
M3		1	2.5 GHz	-58.88 dBm		
M4		1	2.4896 GHz	-54.95 dBm		

6 Conducted RF Spurious Emission

6.1 Test Result

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-42.67	-20	Pass
b	2437	Ant1	-42.7	-20	Pass
b	2462	Ant1	-42.99	-20	Pass
g	2412	Ant1	-40.59	-20	Pass
g	2437	Ant1	-40.17	-20	Pass
g	2462	Ant1	-39.44	-20	Pass
n20	2412	Ant1	-39.32	-20	Pass
n20	2437	Ant1	-39.42	-20	Pass
n20	2462	Ant1	-39.72	-20	Pass
n40	2422	Ant1	-35.6	-20	Pass
n40	2437	Ant1	-34.68	-20	Pass
n40	2452	Ant1	-34.56	-20	Pass
ax20	2412	Ant1	-38.44	-20	Pass
ax20	2437	Ant1	-38.47	-20	Pass
ax20	2462	Ant1	-38.44	-20	Pass
ax40	2422	Ant1	-34.83	-20	Pass
ax40	2437	Ant1	-34.71	-20	Pass
ax40	2452	Ant1	-34.4	-20	Pass

6.2 Test Graphs

Test Graphs

b 2412MHz Ant1 Ref

b 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	0.33 dBm		
M2		1	19.3266 GHz	-43.27 dBm		
M3		1	4.8475 GHz	-53.00 dBm		
M4		1	7.0446 GHz	-50.21 dBm		
M5		1	9.7974 GHz	-49.62 dBm		

b 2437MHz Ant1 Ref



b 2437MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-1.40 dBm		
M2		1	25.653 GHz	-43.24 dBm		
M3		1	4.9534 GHz	-53.38 dBm		
M4		1	7.3622 GHz	-49.93 dBm		
M5		1	9.8239 GHz	-49.42 dBm		

b 2462MHz Ant1 Ref



b 2462MHz Ant1 Emission



g 2412MHz Ant1 Ref



g 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-2.61 dBm		
M2		1	17.0502 GHz	-43.47 dBm		
M3		1	4.6358 GHz	-53.29 dBm		
M4		1	7.2828 GHz	-49.53 dBm		
M5		1	9.5327 GHz	-49.55 dBm		

g 2437MHz Ant1 Ref



g 2437MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-2.98 dBm		
M2		1	16.2561 GHz	-43.25 dBm		
M3		1	4.9534 GHz	-53.22 dBm		
M4		1	7.2298 GHz	-50.27 dBm		
M5		1	9.7974 GHz	-49.02 dBm		

g 2462MHz Ant1 Ref



g 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45 GHz	-2.93 dBm		
M2		1	19.3531 GHz	-42.54 dBm		
M3		1	4.9799 GHz	-52.98 dBm		
M4		1	7.2563 GHz	-50.63 dBm		
M5		1	9.8504 GHz	-48.53 dBm		

n20 2412MHz Ant1 Ref



n20 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.397 GHz	-3.82 dBm		
M2		1	19.3266 GHz	-42.82 dBm		
M3		1	4.9534 GHz	-53.42 dBm		
M4		1	7.0446 GHz	-49.55 dBm		
M5		1	9.4533 GHz	-49.21 dBm		

n20 2437MHz Ant1 Ref



n20 2437MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-4.02 dBm		
M2		1	20.0149 GHz	-43.11 dBm		
M3		1	4.8475 GHz	-52.59 dBm		
M4		1	7.2563 GHz	-50.16 dBm		
M5		1	9.8504 GHz	-49.37 dBm		

n20 2462MHz Ant1 Ref



n20 2462MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45 GHz	-7.29 dBm		
M2		1	16.2826 GHz	-43.62 dBm		
M3		1	5.0328 GHz	-53.09 dBm		
M4		1	7.2298 GHz	-49.57 dBm		
M5		1	9.7974 GHz	-48.60 dBm		

n40 2422MHz Ant1 Ref



n40 2422MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-8.33 dBm		
M2		1	20.0943 GHz	-43.65 dBm		
M3		1	4.9534 GHz	-52.46 dBm		
M4		1	7.3622 GHz	-50.51 dBm		
M5		1	9.8504 GHz	-49.65 dBm		

n40 2437MHz Ant1 Ref



n40 2437MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-9.62 dBm		
M2		1	19.3266 GHz	-42.52 dBm		
M3		1	4.9269 GHz	-53.22 dBm		
M4		1	7.4945 GHz	-50.42 dBm		
M5		1	9.9033 GHz	-49.03 dBm		

n40 2452MHz Ant1 Ref



n40 2452MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.45 GHz	-10.04 dBm		
M2		1	19.3266 GHz	-43.35 dBm		
M3		1	4.7152 GHz	-52.83 dBm		
M4		1	7.521 GHz	-50.21 dBm		
M5		1	9.9827 GHz	-49.79 dBm		

ax20 2412MHz Ant1 Ref



ax20 2412MHz Ant1 Emission



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.423 GHz	-4.35 dBm		
M2		1	19.0355 GHz	-43.32 dBm		
M3		1	4.9799 GHz	-52.78 dBm		
M4		1	7.0446 GHz	-49.88 dBm		
M5		1	9.8239 GHz	-50.46 dBm		