


Test_Mode	GFSK Transmitting	Test_Frequency	2480MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18891.5157	-26.28	58.86	32.58	74.00	41.42	PASS	Vertical	PK
2	19720.4688	-25.38	57.29	31.91	74.00	42.09	PASS	Vertical	PK
3	21152.6061	-25.81	57.28	31.47	74.00	42.53	PASS	Vertical	PK
4	22616.3647	-25.00	53.91	28.91	74.00	45.09	PASS	Vertical	PK
5	24012.4605	-21.98	50.62	28.64	74.00	45.36	PASS	Vertical	PK
6	25577.5431	-20.79	46.25	25.46	74.00	48.54	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1395.493	12.81	36.62	49.43	74.00	24.57	PASS	Horizontal	PK
2	1655.1103	13.88	35.38	49.26	74.00	24.74	PASS	Horizontal	PK
3	4804.1203	-8.60	55.48	46.88	74.00	27.12	PASS	Horizontal	PK
4	7496.2998	-2.32	44.82	42.50	74.00	31.50	PASS	Horizontal	PK
5	9607.4405	1.38	46.26	47.64	74.00	26.36	PASS	Horizontal	PK
6	13669.7113	7.37	42.52	49.89	74.00	24.11	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Ant	/	Test_Date	2026/3/5

Test Graph




Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1296.8198	12.06	36.91	48.97	74.00	25.03	PASS	Vertical	PK
2	1672.1781	14.03	35.27	49.30	74.00	24.70	PASS	Vertical	PK
3	4804.1203	-8.60	57.75	49.15	74.00	24.85	PASS	Vertical	PK
4	6637.2425	-3.96	50.01	46.05	74.00	27.95	PASS	Vertical	PK
5	9608.4406	1.37	47.36	48.73	74.00	25.27	PASS	Vertical	PK
6	13714.7143	7.24	43.61	50.85	74.00	23.15	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18611.0044	-26.67	59.68	33.01	74.00	40.99	PASS	Horizontal	PK
2	20002.3401	-24.63	56.77	32.14	74.00	41.86	PASS	Horizontal	PK
3	21170.2868	-25.79	57.15	31.36	74.00	42.64	PASS	Horizontal	PK
4	22124.025	-25.56	54.38	28.82	74.00	45.18	PASS	Horizontal	PK
5	22835.3334	-25.16	52.90	27.74	74.00	46.26	PASS	Horizontal	PK
6	24273.931	-22.28	48.94	26.66	74.00	47.34	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2402MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18818.7528	-26.29	60.11	33.82	74.00	40.18	PASS	Vertical	PK
2	20405.9362	-25.50	57.63	32.13	74.00	41.87	PASS	Vertical	PK
3	21132.2053	-25.83	57.41	31.58	74.00	42.42	PASS	Vertical	PK
4	22085.9434	-25.64	54.39	28.75	74.00	45.25	PASS	Vertical	PK
5	23667.6867	-22.81	50.81	28.00	74.00	46.00	PASS	Vertical	PK
6	24755.7302	-21.94	47.81	25.87	74.00	48.13	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1366.6911	12.69	36.27	48.96	74.00	25.04	PASS	Horizontal	PK
2	1963.5309	14.62	36.43	51.05	74.00	22.95	PASS	Horizontal	PK
3	4882.1255	-8.36	57.53	49.17	74.00	24.83	PASS	Horizontal	PK
4	7654.3103	-2.22	46.31	44.09	74.00	29.91	PASS	Horizontal	PK
5	10249.4833	1.98	43.37	45.35	74.00	28.65	PASS	Horizontal	PK
6	13688.7126	7.30	43.81	51.11	74.00	22.89	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1399.8933	12.77	36.61	49.38	74.00	24.62	PASS	Vertical	PK
2	1975.3984	14.56	35.80	50.36	74.00	23.64	PASS	Vertical	PK
3	4882.1255	-8.36	59.40	51.04	74.00	22.96	PASS	Vertical	PK
4	6636.2424	-3.96	49.59	45.63	74.00	28.37	PASS	Vertical	PK
5	9763.4509	1.24	45.61	46.85	74.00	27.15	PASS	Vertical	PK
6	13680.712	7.34	43.64	50.98	74.00	23.02	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18826.233	-26.29	59.24	32.95	74.00	41.05	PASS	Horizontal	PK
2	20412.3965	-25.52	56.93	31.41	74.00	42.59	PASS	Horizontal	PK
3	21762.2505	-25.57	56.03	30.46	74.00	43.54	PASS	Horizontal	PK
4	22706.8083	-25.03	53.96	28.93	74.00	45.07	PASS	Horizontal	PK
5	24030.8212	-22.05	50.36	28.31	74.00	45.69	PASS	Horizontal	PK
6	25808.0723	-20.82	48.29	27.47	74.00	46.53	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2441MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18843.5737	-26.29	58.96	32.67	74.00	41.33	PASS	Vertical	PK
2	20410.0164	-25.51	58.19	32.68	74.00	41.32	PASS	Vertical	PK
3	21785.0314	-25.54	56.36	30.82	74.00	43.18	PASS	Vertical	PK
4	22682.6673	-25.02	54.25	29.23	74.00	44.77	PASS	Vertical	PK
5	24077.7431	-22.22	50.94	28.72	74.00	45.28	PASS	Vertical	PK
6	24995.7798	-22.14	47.57	25.43	74.00	48.57	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1442.9629	13.16	36.28	49.44	74.00	24.56	PASS	Horizontal	PK
2	1900.8601	14.62	35.58	50.20	74.00	23.80	PASS	Horizontal	PK
3	4960.1307	-8.05	58.14	50.09	74.00	23.91	PASS	Horizontal	PK
4	6978.2652	-3.21	45.70	42.49	74.00	31.51	PASS	Horizontal	PK
5	9057.4038	0.18	45.57	45.75	74.00	28.25	PASS	Horizontal	PK
6	12438.6292	3.74	44.76	48.50	74.00	25.50	PASS	Horizontal	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1193.6129	11.58	37.03	48.61	74.00	25.39	PASS	Vertical	PK
2	1545.103	13.48	36.07	49.55	74.00	24.45	PASS	Vertical	PK
3	4960.1307	-8.05	61.90	53.85	74.00	20.15	PASS	Vertical	PK
4	7990.3327	-1.37	46.73	45.36	74.00	28.64	PASS	Vertical	PK
5	9920.4614	1.49	44.60	46.09	74.00	27.91	PASS	Vertical	PK
6	13122.6748	6.27	42.91	49.18	74.00	24.82	PASS	Vertical	PK

Test_Mode	π /4DQPSK Transmitting	Test_Frequency	2480MHz
Ant	/	Test_Date	2026/3/5


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18597.4039	-26.69	59.20	32.51	74.00	41.49	PASS	Horizontal	PK
2	19630.0252	-25.53	57.94	32.41	74.00	41.59	PASS	Horizontal	PK
3	20400.836	-25.48	57.50	32.02	74.00	41.98	PASS	Horizontal	PK
4	21785.0314	-25.54	56.55	31.01	74.00	42.99	PASS	Horizontal	PK
5	22793.1717	-25.04	53.09	28.05	74.00	45.95	PASS	Horizontal	PK
6	24133.5053	-22.41	49.37	26.96	74.00	47.04	PASS	Horizontal	PK

Test_Mode	$\pi/4$ DQPSK Transmitting	Test_Frequency	2480MHz
Ant	/	Test_Date	2026/3/5

Test Graph



Suspected List

NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18905.4562	-26.28	59.08	32.80	74.00	41.20	PASS	Vertical	PK
2	21116.9047	-25.86	57.74	31.88	74.00	42.12	PASS	Vertical	PK
3	22091.3837	-25.63	54.24	28.61	74.00	45.39	PASS	Vertical	PK
4	23349.094	-23.74	52.26	28.52	74.00	45.48	PASS	Vertical	PK
5	24292.9717	-22.20	48.54	26.34	74.00	47.66	PASS	Vertical	PK
6	25383.0553	-21.40	46.52	25.12	74.00	48.88	PASS	Vertical	PK

Remark:


- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. As the PK values are all below 54dBμV/m. So, only the peak measurements were shown in the report.

Restricted bands:

Test plot as follows:

Test_Mode	GFSK Transmitting	Test_Frequency	2402MHz
Ant	/	Test_Date	2026/3/5

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2390	15.96	36.31	52.27	74.00	21.73	PASS	Horizontal	PK
2	2390	15.96	27.00	42.96	54.00	11.04	PASS	Horizontal	AV