


Digital Shield Wallet User Manual

Structure



1. Power/Off button: press 2s to turn on or off.
2. Display: 3.1 inch TFT-LCD color display
3. Reset : used for device reset
4. USB type-C for charging and data communication.
5. Camera : used for air gapped transactions on devices

Product Description

Digital Shield Pro is a new hardware cold wallet for blockchain asset management and playing DEFI/NFT via Bluetooth connection, which is the easiest, most usable, and secure.

Features:

- Built-in ST MCU + SE security chip;
- Private key offline storage;
- Offline transaction signature;
- AirGap support;

Providing users with the highest level of security protection and experience.

Support chains & currencies:

BTC, ETH, BSC, TRON, MATIC, HECO, DOT, EOS, KSM, LTC, BCH, DOGE, BNB, and EVM parachains, layer2 solutions and substrate parallel chains, etc.

OMNI, ERC20, ERC721, BEP20, TRC10, TRC20, HRC20, etc.

Firmware updating supported for adding new features.

Reminders

- a) When setting the PIN code, it is not recommended to use too simple or consecutive numbers.
- b) Prepare the Digital Shield steel edition mnemonic box or write down the mnemonic words with pen and paper.
- c) It is recommended to create a new wallet when using Digital Shield Pro for the first time.
- d) Keep your mnemonics back-ups in a safe place, as assets cannot be recovered if they are inadvertently lost or stolen.
- e) To ensure security, the mnemonic would not be reviewed again after a wallet is created or restored.
- f) Please do not import your mnemonic to any networked environment to avoid the risk of accidental loss of assets.

Download APP & Connection

Digital Shield Pro supports Bluetooth and USB connections. You may use Digital Shield Pro with companion APP Digital Shield Wallet downloaded from Google Play or iOS APP Store.

Connect Digital Shield Pro to a phone through Bluetooth

1. Make sure you have either created or restored a wallet on your Digital Shield Pro.
2. Launch the official mobile application Digital Shield Wallet in an Android or iOS phone and select Hardware. Turn on your Digital Shield Pro and put it next to your phone.
3. Your Digital Shield Pro will be found and shown in the searching page. Select your device to pair.
4. A random 6-digit PIN will be displayed on Digital Shield Pro. Use it to pair the wallet. When you finished, your device will be connected to your phone through Bluetooth.

Parameters

Product Name: Digital Shield Wallet
Product Model: Digital Shield Pro
Product colour: Black
Size: 83.22*51.64*8.55
Screen: 3.1 inch TFT-LCD color screen, 800*480 pixels
Material: aluminum alloy
Connection: Bluetooth, USB HID Type-C
Battery: 620mAh 3.7V Li-ion polymer battery
Operating Temperature: 0°C-40°C
Compatible systems: Android, iOS, PC
System language: English and Chinese

FCC Compliance Statement

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.