




802.11be(EHT80) HCH 6545MHz SU / Ant2 NTN




802.11be(EHT80) HCH 6545MHz SU / MIMO NTN




802.11be(EHT160) HCH 6505MHz SU / Ant1 NTN



802.11be(EHT160) HCH 6505MHz SU / Ant2 NTN



802.11be(EHT160) HCH 6505MHz SU / MIMO NTV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	5955	SU	/	20	102	5955.020	5925 to 6425	Pass
							120	5955.020	5925 to 6425	Pass
							138	5955.020	5925 to 6425	Pass
						-30	120	5955.020	5925 to 6425	Pass
						-20	120	5955.040	5925 to 6425	Pass
						-10	120	5955.000	5925 to 6425	Pass
						0	120	5955.000	5925 to 6425	Pass
						10	120	5955.020	5925 to 6425	Pass
						30	120	5955.040	5925 to 6425	Pass
						40	120	5955.020	5925 to 6425	Pass
						50	120	5955.040	5925 to 6425	Pass
			6175	SU	/	20	102	6175.000	5925 to 6425	Pass
							120	6175.020	5925 to 6425	Pass
							138	6175.020	5925 to 6425	Pass
						-30	120	6175.000	5925 to 6425	Pass
						-20	120	6175.000	5925 to 6425	Pass
						-10	120	6175.000	5925 to 6425	Pass
						0	120	6175.020	5925 to 6425	Pass
						10	120	6175.000	5925 to 6425	Pass
						30	120	6175.020	5925 to 6425	Pass
						40	120	6175.020	5925 to 6425	Pass
						50	120	6175.020	5925 to 6425	Pass
			6415	SU	/	20	102	6415.000	5925 to 6425	Pass
							120	6415.000	5925 to 6425	Pass
							138	6415.000	5925 to 6425	Pass
						-30	120	6414.980	5925 to 6425	Pass
						-20	120	6414.960	5925 to 6425	Pass
						-10	120	6415.000	5925 to 6425	Pass
						0	120	6415.000	5925 to 6425	Pass
						10	120	6415.000	5925 to 6425	Pass
						30	120	6415.020	5925 to 6425	Pass
						40	120	6415.000	5925 to 6425	Pass
						50	120	6415.020	5925 to 6425	Pass
	802.11be (EHT40)	MIMO	5965	SU	/	20	102	5965.000	5925 to 6425	Pass
							120	5965.040	5925 to 6425	Pass
							138	5965.000	5925 to 6425	Pass
						-30	120	5965.040	5925 to 6425	Pass
						-20	120	5965.040	5925 to 6425	Pass
						-10	120	5965.040	5925 to 6425	Pass
						0	120	5965.080	5925 to 6425	Pass
						10	120	5965.040	5925 to 6425	Pass
						30	120	5965.040	5925 to 6425	Pass
						40	120	5965.040	5925 to 6425	Pass
						50	120	5965.000	5925 to 6425	Pass
			6165	SU	/	20	102	6165.000	5925 to 6425	Pass
							120	6165.040	5925 to 6425	Pass
							138	6165.000	5925 to 6425	Pass
						-30	120	6165.000	5925 to 6425	Pass
						-20	120	6165.040	5925 to 6425	Pass
						-10	120	6165.080	5925 to 6425	Pass

	802.11be (EHT80)	MIMO	6405	SU	/	0	120	6165.080	5925 to 6425	Pass
						10	120	6165.040	5925 to 6425	Pass
						30	120	6165.040	5925 to 6425	Pass
						40	120	6165.000	5925 to 6425	Pass
						50	120	6165.080	5925 to 6425	Pass
			5985	SU	/	20	102	6405.000	5925 to 6425	Pass
							120	6405.000	5925 to 6425	Pass
							138	6405.080	5925 to 6425	Pass
						-30	120	6405.080	5925 to 6425	Pass
						-20	120	6405.040	5925 to 6425	Pass
						-10	120	6405.040	5925 to 6425	Pass
						0	120	6405.040	5925 to 6425	Pass
						10	120	6405.040	5925 to 6425	Pass
						30	120	6405.080	5925 to 6425	Pass
						40	120	6405.040	5925 to 6425	Pass
						50	120	6405.080	5925 to 6425	Pass
			6145	SU	/	20	102	5985.000	5925 to 6425	Pass
							120	5985.075	5925 to 6425	Pass
							138	5985.075	5925 to 6425	Pass
						-30	120	5985.000	5925 to 6425	Pass
						-20	120	5985.000	5925 to 6425	Pass
						-10	120	5985.000	5925 to 6425	Pass
						0	120	5985.000	5925 to 6425	Pass
						10	120	5985.075	5925 to 6425	Pass
						30	120	5985.075	5925 to 6425	Pass
						40	120	5985.000	5925 to 6425	Pass
						50	120	5985.000	5925 to 6425	Pass
			6385	SU	/	20	102	6145.000	5925 to 6425	Pass
							120	6145.000	5925 to 6425	Pass
							138	6144.925	5925 to 6425	Pass
						-30	120	6145.000	5925 to 6425	Pass
						-20	120	6145.000	5925 to 6425	Pass
						-10	120	6145.000	5925 to 6425	Pass
						0	120	6145.000	5925 to 6425	Pass
						10	120	6145.000	5925 to 6425	Pass
						30	120	6144.925	5925 to 6425	Pass
						40	120	6145.000	5925 to 6425	Pass
						50	120	6144.925	5925 to 6425	Pass
802.11be (EHT160)	MIMO	MIMO	6025	SU	/	20	102	6385.000	5925 to 6425	Pass
							120	6385.075	5925 to 6425	Pass
							138	6385.075	5925 to 6425	Pass
						-30	120	6385.000	5925 to 6425	Pass
						-20	120	6385.000	5925 to 6425	Pass
						-10	120	6385.000	5925 to 6425	Pass
						0	120	6385.075	5925 to 6425	Pass
						10	120	6385.075	5925 to 6425	Pass
						30	120	6385.000	5925 to 6425	Pass
						40	120	6385.000	5925 to 6425	Pass
						50	120	6385.075	5925 to 6425	Pass
			6025	SU	/	20	102	6025.000	5925 to 6425	Pass
							120	6025.000	5925 to 6425	Pass
							138	6025.075	5925 to 6425	Pass
						-30	120	6025.000	5925 to 6425	Pass
						-20	120	6025.075	5925 to 6425	Pass
						-10	120	6025.075	5925 to 6425	Pass
						0	120	6025.000	5925 to 6425	Pass
						10	120	6025.000	5925 to 6425	Pass
						30	120	6025.075	5925 to 6425	Pass
						40	120	6025.000	5925 to 6425	Pass

					50	120	6025.075	5925 to 6425	Pass
						102	6185.000	5925 to 6425	Pass
					20	120	6185.000	5925 to 6425	Pass
						138	6185.000	5925 to 6425	Pass
					-30	120	6185.075	5925 to 6425	Pass
					-20	120	6185.000	5925 to 6425	Pass
					-10	120	6185.000	5925 to 6425	Pass
					0	120	6185.000	5925 to 6425	Pass
					10	120	6185.000	5925 to 6425	Pass
					30	120	6185.000	5925 to 6425	Pass
					40	120	6185.000	5925 to 6425	Pass
					50	120	6185.000	5925 to 6425	Pass
						102	6345.000	5925 to 6425	Pass
					20	120	6345.000	5925 to 6425	Pass
						138	6345.000	5925 to 6425	Pass
					-30	120	6345.000	5925 to 6425	Pass
					-20	120	6345.000	5925 to 6425	Pass
					-10	120	6345.000	5925 to 6425	Pass
					0	120	6345.000	5925 to 6425	Pass
					10	120	6345.000	5925 to 6425	Pass
					30	120	6345.000	5925 to 6425	Pass
					40	120	6345.000	5925 to 6425	Pass
					50	120	6345.000	5925 to 6425	Pass

5.1.2 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6435	SU	/	20	102	6435.040	6425 to 6525	Pass
							120	6435.060	6425 to 6525	Pass
							138	6435.060	6425 to 6525	Pass
						-30	120	6435.040	6425 to 6525	Pass
						-20	120	6435.060	6425 to 6525	Pass
						-10	120	6435.040	6425 to 6525	Pass
						0	120	6435.000	6425 to 6525	Pass
						10	120	6435.040	6425 to 6525	Pass
						30	120	6435.040	6425 to 6525	Pass
						40	120	6435.040	6425 to 6525	Pass
						50	120	6435.040	6425 to 6525	Pass
			6475	SU	/	20	102	6475.040	6425 to 6525	Pass
							120	6475.060	6425 to 6525	Pass
							138	6475.020	6425 to 6525	Pass
						-30	120	6475.020	6425 to 6525	Pass
						-20	120	6475.040	6425 to 6525	Pass
						-10	120	6475.020	6425 to 6525	Pass
						0	120	6475.060	6425 to 6525	Pass
						10	120	6475.000	6425 to 6525	Pass
						30	120	6475.040	6425 to 6525	Pass
						40	120	6475.060	6425 to 6525	Pass
						50	120	6475.020	6425 to 6525	Pass
			6515	SU	/	20	102	6515.020	6425 to 6525	Pass
							120	6515.020	6425 to 6525	Pass
							138	6515.060	6425 to 6525	Pass
						-30	120	6515.000	6425 to 6525	Pass
						-20	120	6515.040	6425 to 6525	Pass
						-10	120	6515.040	6425 to 6525	Pass
						0	120	6515.040	6425 to 6525	Pass

						10	120	6515.040	6425 to 6525	Pass
						30	120	6515.040	6425 to 6525	Pass
						40	120	6515.040	6425 to 6525	Pass
						50	120	6515.040	6425 to 6525	Pass
	802.11be (EHT40)	MIMO	6445	SU	/	20	102	6445.000	6425 to 6525	Pass
							120	6445.000	6425 to 6525	Pass
							138	6445.040	6425 to 6525	Pass
						-30	120	6445.080	6425 to 6525	Pass
						-20	120	6445.000	6425 to 6525	Pass
						-10	120	6445.040	6425 to 6525	Pass
						0	120	6445.000	6425 to 6525	Pass
						10	120	6445.040	6425 to 6525	Pass
						30	120	6445.080	6425 to 6525	Pass
						40	120	6445.040	6425 to 6525	Pass
						50	120	6445.000	6425 to 6525	Pass
			6485	SU	/	20	102	6485.000	6425 to 6525	Pass
							120	6485.000	6425 to 6525	Pass
							138	6485.000	6425 to 6525	Pass
						-30	120	6485.000	6425 to 6525	Pass
						-20	120	6484.960	6425 to 6525	Pass
						-10	120	6485.000	6425 to 6525	Pass
						0	120	6485.040	6425 to 6525	Pass
						10	120	6485.000	6425 to 6525	Pass
						30	120	6485.040	6425 to 6525	Pass
						40	120	6485.000	6425 to 6525	Pass
						50	120	6484.960	6425 to 6525	Pass
	802.11be (EHT80)	MIMO	6465	SU	/	20	102	6464.925	6425 to 6525	Pass
							120	6464.925	6425 to 6525	Pass
							138	6465.000	6425 to 6525	Pass
						-30	120	6465.000	6425 to 6525	Pass
						-20	120	6465.000	6425 to 6525	Pass
						-10	120	6465.000	6425 to 6525	Pass
						0	120	6465.000	6425 to 6525	Pass
						10	120	6465.000	6425 to 6525	Pass
						30	120	6465.000	6425 to 6525	Pass
						40	120	6465.000	6425 to 6525	Pass
						50	120	6464.925	6425 to 6525	Pass

5.1.3 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6535	SU	/	20	102	6535.020	6525 to 6875	Pass
							120	6535.020	6525 to 6875	Pass
							138	6535.020	6525 to 6875	Pass
						-30	120	6535.040	6525 to 6875	Pass
						-20	120	6535.080	6525 to 6875	Pass
						-10	120	6535.040	6525 to 6875	Pass
						0	120	6535.040	6525 to 6875	Pass
						10	120	6535.080	6525 to 6875	Pass
			6695	SU	/	20	30	6535.040	6525 to 6875	Pass
							40	6535.060	6525 to 6875	Pass
							50	6535.000	6525 to 6875	Pass
						-30	102	6695.040	6525 to 6875	Pass
							120	6695.040	6525 to 6875	Pass
							138	6695.000	6525 to 6875	Pass

						-20	120	6695.040	6525 to 6875	Pass
						-10	120	6695.080	6525 to 6875	Pass
						0	120	6695.040	6525 to 6875	Pass
						10	120	6695.060	6525 to 6875	Pass
						30	120	6695.060	6525 to 6875	Pass
						40	120	6695.060	6525 to 6875	Pass
						50	120	6695.040	6525 to 6875	Pass
			6855	SU	/	20	102	6855.060	6525 to 6875	Pass
							120	6855.060	6525 to 6875	Pass
							138	6855.060	6525 to 6875	Pass
						-30	120	6855.080	6525 to 6875	Pass
						-20	120	6855.060	6525 to 6875	Pass
						-10	120	6855.060	6525 to 6875	Pass
						0	120	6855.080	6525 to 6875	Pass
						10	120	6855.080	6525 to 6875	Pass
						30	120	6855.060	6525 to 6875	Pass
						40	120	6855.060	6525 to 6875	Pass
						50	120	6855.080	6525 to 6875	Pass
	802.11be (EHT40)	MIMO	6565	SU	/	20	102	6565.000	6525 to 6875	Pass
							120	6565.040	6525 to 6875	Pass
							138	6565.000	6525 to 6875	Pass
						-30	120	6565.000	6525 to 6875	Pass
						-20	120	6565.000	6525 to 6875	Pass
						-10	120	6565.040	6525 to 6875	Pass
						0	120	6565.040	6525 to 6875	Pass
						10	120	6565.040	6525 to 6875	Pass
						30	120	6565.040	6525 to 6875	Pass
						40	120	6565.040	6525 to 6875	Pass
						50	120	6565.040	6525 to 6875	Pass
			6685	SU	/	20	102	6685.000	6525 to 6875	Pass
							120	6685.040	6525 to 6875	Pass
							138	6685.040	6525 to 6875	Pass
						-30	120	6685.040	6525 to 6875	Pass
						-20	120	6685.080	6525 to 6875	Pass
						-10	120	6685.040	6525 to 6875	Pass
						0	120	6685.040	6525 to 6875	Pass
						10	120	6685.040	6525 to 6875	Pass
						30	120	6685.000	6525 to 6875	Pass
						40	120	6685.040	6525 to 6875	Pass
						50	120	6685.080	6525 to 6875	Pass
			6845	SU	/	20	102	6844.960	6525 to 6875	Pass
							120	6845.040	6525 to 6875	Pass
							138	6845.040	6525 to 6875	Pass
						-30	120	6845.040	6525 to 6875	Pass
						-20	120	6845.000	6525 to 6875	Pass
						-10	120	6845.040	6525 to 6875	Pass
						0	120	6845.040	6525 to 6875	Pass
						10	120	6845.040	6525 to 6875	Pass
						30	120	6845.040	6525 to 6875	Pass
						40	120	6845.040	6525 to 6875	Pass
						50	120	6845.040	6525 to 6875	Pass
	802.11be (EHT80)	MIMO	6625	SU	/	20	102	6625.075	6525 to 6875	Pass
							120	6625.000	6525 to 6875	Pass
							138	6625.075	6525 to 6875	Pass
						-30	120	6625.075	6525 to 6875	Pass
						-20	120	6625.075	6525 to 6875	Pass
						-10	120	6625.075	6525 to 6875	Pass
						0	120	6625.075	6525 to 6875	Pass
						10	120	6625.075	6525 to 6875	Pass

						30	120	6625.000	6525 to 6875	Pass
						40	120	6625.075	6525 to 6875	Pass
						50	120	6625.075	6525 to 6875	Pass
			6705	SU	/	20	102	6704.925	6525 to 6875	Pass
							120	6705.075	6525 to 6875	Pass
							138	6705.075	6525 to 6875	Pass
						-30	120	6705.000	6525 to 6875	Pass
						-20	120	6705.075	6525 to 6875	Pass
						-10	120	6705.000	6525 to 6875	Pass
						0	120	6705.075	6525 to 6875	Pass
						10	120	6705.000	6525 to 6875	Pass
						30	120	6705.000	6525 to 6875	Pass
						40	120	6705.000	6525 to 6875	Pass
						50	120	6705.075	6525 to 6875	Pass
			6785	SU	/	20	102	6785.150	6525 to 6875	Pass
							120	6785.075	6525 to 6875	Pass
							138	6785.075	6525 to 6875	Pass
						-30	120	6785.075	6525 to 6875	Pass
						-20	120	6785.150	6525 to 6875	Pass
						-10	120	6785.075	6525 to 6875	Pass
						0	120	6785.150	6525 to 6875	Pass
						10	120	6785.075	6525 to 6875	Pass
						30	120	6785.150	6525 to 6875	Pass
						40	120	6785.150	6525 to 6875	Pass
						50	120	6785.150	6525 to 6875	Pass
	802.11be (EHT160)	MIMO	6665	SU	/	20	102	6665.000	6525 to 6875	Pass
							120	6665.000	6525 to 6875	Pass
							138	6665.075	6525 to 6875	Pass
						-30	120	6665.075	6525 to 6875	Pass
						-20	120	6665.000	6525 to 6875	Pass
						-10	120	6665.075	6525 to 6875	Pass
						0	120	6665.000	6525 to 6875	Pass
						10	120	6665.000	6525 to 6875	Pass
						30	120	6665.000	6525 to 6875	Pass
						40	120	6665.000	6525 to 6875	Pass
						50	120	6665.000	6525 to 6875	Pass

5.1.4 Ant1

Ant1										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6895	SU	/	20	102	6894.980	6875 to 7125	Pass
							120	6895.020	6875 to 7125	Pass
							138	6895.040	6875 to 7125	Pass
						-30	120	6895.000	6875 to 7125	Pass
						-20	120	6895.020	6875 to 7125	Pass
						-10	120	6895.000	6875 to 7125	Pass
						0	120	6895.040	6875 to 7125	Pass
						10	120	6895.020	6875 to 7125	Pass
						30	120	6895.000	6875 to 7125	Pass
						40	120	6895.020	6875 to 7125	Pass
						50	120	6895.040	6875 to 7125	Pass
			6995	SU	/	20	102	6995.000	6875 to 7125	Pass
							120	6995.020	6875 to 7125	Pass
							138	6994.980	6875 to 7125	Pass
						-30	120	6995.020	6875 to 7125	Pass
						-20	120	6995.020	6875 to 7125	Pass

						-10	120	6995.020	6875 to 7125	Pass
						0	120	6995.060	6875 to 7125	Pass
						10	120	6995.020	6875 to 7125	Pass
						30	120	6995.020	6875 to 7125	Pass
						40	120	6995.020	6875 to 7125	Pass
						50	120	6995.020	6875 to 7125	Pass
			7115	SU	/	20	102	7115.040	6875 to 7125	Pass
							120	7115.020	6875 to 7125	Pass
							138	7115.020	6875 to 7125	Pass
						-30	120	7115.020	6875 to 7125	Pass
						-20	120	7115.020	6875 to 7125	Pass
						-10	120	7115.020	6875 to 7125	Pass
						0	120	7115.020	6875 to 7125	Pass
						10	120	7115.020	6875 to 7125	Pass
						30	120	7115.040	6875 to 7125	Pass
						40	120	7115.020	6875 to 7125	Pass
						50	120	7115.020	6875 to 7125	Pass
	802.11be (EHT40)	MIMO	6925	SU	/	20	102	6925.000	6875 to 7125	Pass
							120	6925.040	6875 to 7125	Pass
							138	6925.040	6875 to 7125	Pass
						-30	120	6925.040	6875 to 7125	Pass
						-20	120	6924.960	6875 to 7125	Pass
						-10	120	6925.040	6875 to 7125	Pass
						0	120	6925.040	6875 to 7125	Pass
						10	120	6925.040	6875 to 7125	Pass
						30	120	6925.000	6875 to 7125	Pass
						40	120	6925.040	6875 to 7125	Pass
						50	120	6925.000	6875 to 7125	Pass
			7005	SU	/	20	102	7005.000	6875 to 7125	Pass
							120	7005.040	6875 to 7125	Pass
							138	7005.040	6875 to 7125	Pass
						-30	120	7005.000	6875 to 7125	Pass
						-20	120	7005.000	6875 to 7125	Pass
						-10	120	7005.000	6875 to 7125	Pass
						0	120	7005.040	6875 to 7125	Pass
						10	120	7005.040	6875 to 7125	Pass
						30	120	7005.040	6875 to 7125	Pass
						40	120	7005.040	6875 to 7125	Pass
						50	120	7005.040	6875 to 7125	Pass
			7085	SU	/	20	102	7085.000	6875 to 7125	Pass
							120	7085.000	6875 to 7125	Pass
							138	7085.040	6875 to 7125	Pass
						-30	120	7085.040	6875 to 7125	Pass
						-20	120	7085.040	6875 to 7125	Pass
						-10	120	7085.040	6875 to 7125	Pass
						0	120	7085.000	6875 to 7125	Pass
						10	120	7085.040	6875 to 7125	Pass
						30	120	7085.040	6875 to 7125	Pass
						40	120	7084.960	6875 to 7125	Pass
						50	120	7085.000	6875 to 7125	Pass
	802.11be (EHT80)	MIMO	6945	SU	/	20	102	6945.000	6875 to 7125	Pass
							120	6945.000	6875 to 7125	Pass
							138	6944.925	6875 to 7125	Pass
						-30	120	6945.000	6875 to 7125	Pass
						-20	120	6944.925	6875 to 7125	Pass
						-10	120	6945.000	6875 to 7125	Pass
						0	120	6944.925	6875 to 7125	Pass
						10	120	6945.000	6875 to 7125	Pass
						30	120	6945.000	6875 to 7125	Pass

			7025	SU	/	40	120	6944.925	6875 to 7125	Pass
						50	120	6945.075	6875 to 7125	Pass
						20	102	7025.000	6875 to 7125	Pass
							120	7025.000	6875 to 7125	Pass
							138	7024.925	6875 to 7125	Pass
						-30	120	7025.000	6875 to 7125	Pass
						-20	120	7025.075	6875 to 7125	Pass
						-10	120	7025.000	6875 to 7125	Pass
						0	120	7024.925	6875 to 7125	Pass
						10	120	7025.000	6875 to 7125	Pass
	802.11be (EHT160)	MIMO	6985	SU	/	30	120	7024.925	6875 to 7125	Pass
						40	120	7025.075	6875 to 7125	Pass
						50	120	7025.075	6875 to 7125	Pass
						20	102	6985.000	6875 to 7125	Pass
							120	6985.000	6875 to 7125	Pass
							138	6985.000	6875 to 7125	Pass
						-30	120	6985.000	6875 to 7125	Pass
						-20	120	6985.075	6875 to 7125	Pass
						-10	120	6985.000	6875 to 7125	Pass
						0	120	6985.000	6875 to 7125	Pass
						10	120	6985.000	6875 to 7125	Pass
						30	120	6985.000	6875 to 7125	Pass
						40	120	6985.000	6875 to 7125	Pass
						50	120	6985.000	6875 to 7125	Pass

5.1.5 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6875	SU	/	20	102	6875.000	6525 to 7125	Pass
							120	6875.000	6525 to 7125	Pass
							138	6875.040	6525 to 7125	Pass
						-30	120	6875.000	6525 to 7125	Pass
						-20	120	6875.020	6525 to 7125	Pass
						-10	120	6875.020	6525 to 7125	Pass
						0	120	6875.040	6525 to 7125	Pass
						10	120	6875.040	6525 to 7125	Pass
						30	120	6875.000	6525 to 7125	Pass
						40	120	6875.020	6525 to 7125	Pass
						50	120	6875.020	6525 to 7125	Pass
	802.11be (EHT40)	MIMO	6885	SU	/	20	102	6885.040	6525 to 7125	Pass
							120	6885.000	6525 to 7125	Pass
							138	6885.040	6525 to 7125	Pass
						-30	120	6885.040	6525 to 7125	Pass
						-20	120	6885.040	6525 to 7125	Pass
						-10	120	6885.040	6525 to 7125	Pass
						0	120	6885.040	6525 to 7125	Pass
						10	120	6885.040	6525 to 7125	Pass
						30	120	6885.040	6525 to 7125	Pass
						40	120	6885.040	6525 to 7125	Pass
						50	120	6885.040	6525 to 7125	Pass
	802.11be (EHT80)	MIMO	6865	SU	/	20	102	6864.925	6525 to 7125	Pass
							120	6865.000	6525 to 7125	Pass
							138	6864.925	6525 to 7125	Pass
						-30	120	6864.925	6525 to 7125	Pass
						-20	120	6865.075	6525 to 7125	Pass
						-10	120	6864.925	6525 to 7125	Pass

						0	120	6865.075	6525 to 7125	Pass
						10	120	6865.000	6525 to 7125	Pass
						30	120	6865.075	6525 to 7125	Pass
						40	120	6865.000	6525 to 7125	Pass
						50	120	6865.000	6525 to 7125	Pass
	802.11be (EHT160)	MIMO	6825	SU	/	20	102	6825.000	6525 to 7125	Pass
							120	6825.000	6525 to 7125	Pass
							138	6825.000	6525 to 7125	Pass
						-30	120	6825.075	6525 to 7125	Pass
						-20	120	6825.000	6525 to 7125	Pass
						-10	120	6825.000	6525 to 7125	Pass
						0	120	6825.075	6525 to 7125	Pass
						10	120	6825.075	6525 to 7125	Pass
						30	120	6825.000	6525 to 7125	Pass
						40	120	6825.075	6525 to 7125	Pass
						50	120	6825.075	6525 to 7125	Pass

5.1.6 Ant1

Ant1										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT40)	MIMO	6525	SU	/	20	102	6525.000	6425 to 6875	Pass
							120	6524.960	6425 to 6875	Pass
							138	6525.000	6425 to 6875	Pass
						-30	120	6525.040	6425 to 6875	Pass
						-20	120	6525.040	6425 to 6875	Pass
						-10	120	6525.040	6425 to 6875	Pass
						0	120	6525.000	6425 to 6875	Pass
						10	120	6525.040	6425 to 6875	Pass
						30	120	6525.000	6425 to 6875	Pass
						40	120	6525.000	6425 to 6875	Pass
						50	120	6525.040	6425 to 6875	Pass
	802.11be (EHT80)	MIMO	6545	SU	/	20	102	6545.000	6425 to 6875	Pass
							120	6545.000	6425 to 6875	Pass
							138	6544.925	6425 to 6875	Pass
						-30	120	6545.000	6425 to 6875	Pass
						-20	120	6544.925	6425 to 6875	Pass
						-10	120	6545.000	6425 to 6875	Pass
						0	120	6544.925	6425 to 6875	Pass
						10	120	6545.000	6425 to 6875	Pass
						30	120	6545.000	6425 to 6875	Pass
						40	120	6545.000	6425 to 6875	Pass
						50	120	6544.925	6425 to 6875	Pass
	802.11be (EHT160)	MIMO	6505	SU	/	20	102	6505.000	6425 to 6875	Pass
							120	6505.000	6425 to 6875	Pass
							138	6504.925	6425 to 6875	Pass
						-30	120	6504.925	6425 to 6875	Pass
						-20	120	6505.000	6425 to 6875	Pass
						-10	120	6504.925	6425 to 6875	Pass
						0	120	6505.000	6425 to 6875	Pass
						10	120	6505.000	6425 to 6875	Pass
						30	120	6504.925	6425 to 6875	Pass
						40	120	6504.925	6425 to 6875	Pass
						50	120	6505.000	6425 to 6875	Pass

6. Emission Mask

6.1 Test Result

6.1.1 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	5955	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6175	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6415	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	5965	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6165	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6405	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	5985	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6145	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6385	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6025	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6185	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6345	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass

6.1.2 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6435	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6475	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6515	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6445	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6485	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6465	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass

6.1.3 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6535	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6695	SU	/	1	Refer To Test Graph		Pass

			6855	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
	802.11be (EHT40)	MIMO	6565	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
			6685	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
			6845	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
	802.11be (EHT80)	MIMO	6625	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
			6705	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
			6785	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass
	802.11be (EHT160)	MIMO	6665	SU	/	2	Refer To Test Graph	Pass
						1	Refer To Test Graph	Pass

6.1.4 EMask

ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6895	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			6995	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			7115	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6925	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			7005	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			7085	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6945	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
			7025	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6985	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass

6.1.5 EMask

ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6875	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6885	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6865	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6825	SU	/	1	Refer To Test Graph		Pass
						2	Refer To Test Graph		Pass


6.1.6 EMask

ENV	Mode	Tx	Frequency	RU	RU	ANT	Test Result	Limit	Verdict
-----	------	----	-----------	----	----	-----	-------------	-------	---------


		Type	(MHz)		Pos			
NTNV	802.11be (EHT40)	MIMO	6525	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
	802.11be (EHT80)	MIMO	6545	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass
	802.11be (EHT160)	MIMO	6505	SU	/	1	Refer To Test Graph	Pass
						2	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 EMask




802.11be(EHT20) MCH 6175MHz SU / Ant1 NTN




802.11be(EHT20) MCH 6175MHz SU / Ant2 NTN




802.11be(EHT20) HCH 6415MHz SU / Ant1 NTN




802.11be(EHT20) HCH 6415MHz SU / Ant2 NTN




802.11be(EHT40) LCH 5965MHz SU / Ant1 NTN




802.11be(EHT40) LCH 5965MHz SU / Ant2 NTN




802.11be(EHT40) MCH 6165MHz SU / Ant1 NTN




802.11be(EHT40) MCH 6165MHz SU / Ant2 NTN




802.11be(EHT40) HCH 6405MHz SU / Ant1 NTN




802.11be(EHT40) HCH 6405MHz SU / Ant2 NTN




802.11be(EHT80) LCH 5985MHz SU / Ant1 NTN




802.11be(EHT80) LCH 5985MHz SU / Ant2 NTN




802.11be(EHT80) MCH 6145MHz SU / Ant1 NTN




802.11be(EHT80) MCH 6145MHz SU / Ant2 NTN




802.11be(EHT80) HCH 6385MHz SU / Ant1 NTN




802.11be(EHT80) HCH 6385MHz SU / Ant2 NTN




802.11be(EHT160) LCH 6025MHz SU / Ant1 NTN




802.11be(EHT160) LCH 6025MHz SU / Ant2 NTN




802.11be(EHT160) MCH 6185MHz SU / Ant1 NTN




802.11be(EHT160) MCH 6185MHz SU / Ant2 NTN



802.11be(EHT160) HCH 6345MHz SU / Ant1 NTN




802.11be(EHT160) HCH 6345MHz SU / Ant2 NTN




6.2.2 EMask


802.11be(EHT20)_LCH_6435MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_LCH_6435MHz_SU_/_Ant2_NTNV




802.11be(EHT20) MCH 6475MHz SU / Ant1 NTN




802.11be(EHT20) MCH 6475MHz SU / Ant2 NTN




802.11be(EHT20) HCH 6515MHz SU / Ant1 NTN




802.11be(EHT20) HCH 6515MHz SU / Ant2 NTN




802.11be(EHT40) LCH 6445MHz SU / Ant1 NTN




802.11be(EHT40) LCH 6445MHz SU / Ant2 NTN




802.11be(EHT40) MCH 6485MHz SU / Ant1 NTN




802.11be(EHT40) MCH 6485MHz SU / Ant2 NTN



802.11be(EHT80) LCH 6465MHz SU / Ant1 NTN




802.11be(EHT80) LCH 6465MHz SU / Ant2 NTN




6.2.3 EMask


802.11be(EHT20)_LCH_6535MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_LCH_6535MHz_SU_/_Ant2_NTNV




802.11be(EHT20) MCH 6695MHz SU / Ant1 NTN




802.11be(EHT20) MCH 6695MHz SU / Ant2 NTN




802.11be(EHT20) HCH 6855MHz SU / Ant1 NTN




802.11be(EHT20) HCH 6855MHz SU / Ant2 NTN




802.11be(EHT40) LCH 6565MHz SU / Ant1 NTN




802.11be(EHT40) LCH 6565MHz SU / Ant2 NTN




802.11be(EHT40) MCH 6685MHz SU / Ant1 NTN




802.11be(EHT40) MCH 6685MHz SU / Ant2 NTN




802.11be(EHT40) HCH 6845MHz SU / Ant1 NTN




802.11be(EHT40) HCH 6845MHz SU / Ant2 NTN




802.11be(EHT80) LCH 6625MHz SU / Ant1 NTN




802.11be(EHT80) LCH 6625MHz SU / Ant2 NTN




802.11be(EHT80) MCH 6705MHz SU / Ant1 NTN




802.11be(EHT80) MCH 6705MHz SU / Ant2 NTN




802.11be(EHT80) HCH 6785MHz SU / Ant1 NTNV




802.11be(EHT80) HCH 6785MHz SU / Ant2 NTNV



802.11be(EHT160) MCH 6665MHz SU / Ant1 NTN




802.11be(EHT160) MCH 6665MHz SU / Ant2 NTN




6.2.4 EMask


802.11be(EHT20)_LCH_6895MHz_SU_/_Ant1_NTNV




802.11be(EHT20)_LCH_6895MHz_SU_/_Ant2_NTNV




802.11be(EHT20) MCH 6995MHz SU / Ant1 NTN




802.11be(EHT20) MCH 6995MHz SU / Ant2 NTN




802.11be(EHT20) HCH 7115MHz SU / Ant1 NTN




802.11be(EHT20) HCH 7115MHz SU / Ant2 NTN




802.11be(EHT40) LCH 6925MHz SU / Ant1 NTN




802.11be(EHT40) LCH 6925MHz SU / Ant2 NTN




802.11be(EHT40) MCH 7005MHz SU / Ant1 NTN




802.11be(EHT40) MCH 7005MHz SU / Ant2 NTN




802.11be(EHT40) HCH 7085MHz SU / Ant1 NTN




802.11be(EHT40) HCH 7085MHz SU / Ant2 NTN




802.11be(EHT80) LCH 6945MHz SU / Ant1 NTN




802.11be(EHT80) LCH 6945MHz SU / Ant2 NTN




802.11be(EHT80) HCH 7025MHz SU / Ant1 NTN




802.11be(EHT80) HCH 7025MHz SU / Ant2 NTN



802.11be(EHT160) MCH 6985MHz SU / Ant1 NTN




802.11be(EHT160) MCH 6985MHz SU / Ant2 NTN




6.2.5 EMask


802.11be(EHT20)_HCH_6875MHz_SU / Ant1_NTNV




802.11be(EHT20)_HCH_6875MHz_SU / Ant2_NTNV




802.11be(EHT40) HCH 6885MHz SU / Ant1 NTN




802.11be(EHT40) HCH 6885MHz SU / Ant2 NTN




802.11be(EHT80) HCH 6865MHz SU / Ant1 NTN



802.11be(EHT80) HCH 6865MHz SU / Ant2 NTN



802.11be(EHT160) HCH 6825MHz SU / Ant1 NTN



802.11be(EHT160) HCH 6825MHz SU / Ant2 NTN

