






Date: 22.JUL.2026 21:52:56

11AC40SISO_Ant1_5310




Date: 22.JUL.2026 21:53:28

11AC40SISO_Ant1_5510




Date: 22.JUL.2026 21:54:01


11AC40SISO_Ant1_5550



11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5755




Date: 22.JUL.2026 21:56:19

11AC40SISO_Ant1_5795




Date: 22.JUL.2026 21:56:50

11AC80SISO_Ant1_5210




Date: 22.JUL.2026 21:57:25


11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5530




11AC80SISO_Ant1_5610




Date: 22.JUL.2026 21:58:52

11AC80SISO_Ant1_5775




Date: 22.JUL.2026 21:59:18

11AX20SISO_Ant1_5180




Date: 22.JUL.2026 22:00:07

11AX20SISO_Ant1_5200




Date: 22.JUL.2026 22:00:38

11AX20SISO_Ant1_5240




Date: 22.JUL.2026 22:01:07

11AX20SISO_Ant1_5260




Date: 22.JUL.2026 22:01:36

11AX20SISO_Ant1_5280




Date: 22.JUL.2026 22:02:04

11AX20SISO_Ant1_5320




Date: 22.JUL.2026 22:02:33


11AX20SISO_Ant1_5500



11AX20SISO_Ant1_5600




11AX20SISO_Ant1_5700




Date: 22.JUL.2026 22:04:07

11AX20SISO_Ant1_5745




Date: 22.JUL.2026 22:04:41

11AX20SISO_Ant1_5785




Date: 22.JUL.2026 22:05:07

11AX20SISO_Ant1_5825



Date: 22.JUL.2026 22:05:33


11AX40SISO_Ant1_5190




Date: 22.JUL.2026 19:40:42

11AX40SISO_Ant1_5230


11AX40SISO_Ant1_5510




11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670




11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795




11AX80SISO_Ant1_5210




Date: 22.JUL.2026 22:06:17

11AX80SISO_Ant1_5290




Date: 22.JUL.2026 22:06:40


11AX80SISO_Ant1_5530



11AX80SISO_Ant1_5610



11AX80SISO_Ant1_5775



Appendix C: Maximum conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Channel Power [dBm]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	11.94	1.2	13.14	≤23.98	PASS
		5200	11.88	1.18	13.06	≤23.98	PASS
		5240	12.36	1.2	13.56	≤23.98	PASS
		5260	12.41	1.2	13.61	≤23.98	PASS
		5280	12.39	1.2	13.59	≤23.98	PASS
		5320	12.12	1.18	13.3	≤23.98	PASS
		5500	12.31	1.18	13.49	≤23.98	PASS
		5600	11.57	4.53	16.1	≤23.98	PASS
		5700	12.32	1.2	13.52	≤23.98	PASS
		5745	14.24	1.18	15.42	≤30.00	PASS
		5785	14.77	1.2	15.97	≤30.00	PASS
		5825	14.63	1.18	15.81	≤30.00	PASS
11N20SI SO	Ant1	5180	11.03	1.59	12.62	≤23.98	PASS
		5200	11.05	1.59	12.64	≤23.98	PASS
		5240	11.64	1.62	13.26	≤23.98	PASS
		5260	11.75	1.62	13.37	≤23.98	PASS
		5280	11.88	1.59	13.47	≤23.98	PASS
		5320	11.53	1.62	13.15	≤23.98	PASS
		5500	12.16	1.59	13.75	≤23.98	PASS
		5600	11.49	1.63	13.12	≤23.98	PASS
		5700	12.81	1.59	14.4	≤23.98	PASS
		5745	12.18	1.59	13.77	≤30.00	PASS
		5785	12.66	1.62	14.28	≤30.00	PASS
		5825	12.70	1.62	14.32	≤30.00	PASS
11N40SI SO	Ant1	5190	10.20	2.74	12.94	≤23.98	PASS
		5230	10.75	2.82	13.57	≤23.98	PASS
		5270	11.04	2.78	13.82	≤23.98	PASS
		5310	10.75	2.78	13.53	≤23.98	PASS
		5510	9.57	2.82	12.39	≤23.98	PASS
		5550	9.57	2.74	12.31	≤23.98	PASS
		5670	10.53	2.78	13.31	≤23.98	PASS
		5755	12.79	2.82	15.61	≤30.00	PASS
		5795	13.07	2.74	15.81	≤30.00	PASS
11AC20S ISO	Ant1	5180	11.45	1.59	13.04	≤23.98	PASS
		5200	11.38	1.62	13	≤23.98	PASS
		5240	11.83	1.59	13.42	≤23.98	PASS

		5260	11.98	1.58	13.56	≤23.98	PASS
		5280	12.04	1.58	13.62	≤23.98	PASS
		5320	11.81	1.62	13.43	≤23.98	PASS
		5500	11.91	1.58	13.49	≤23.98	PASS
		5600	11.27	1.59	12.86	≤23.98	PASS
		5700	11.90	1.58	13.48	≤23.98	PASS
		5745	14.07	1.58	15.65	≤30.00	PASS
		5785	15.21	0.53	15.74	≤30.00	PASS
		5825	14.38	0.53	14.91	≤30.00	PASS
11AC40S ISO	Ant1	5190	7.34	0.35	7.69	≤23.98	PASS
		5230	7.74	0.35	8.09	≤23.98	PASS
		5270	7.97	0.35	8.32	≤23.98	PASS
		5310	7.71	0.35	8.06	≤23.98	PASS
		5510	8.01	0.35	8.36	≤23.98	PASS
		5550	6.69	0.43	7.12	≤23.98	PASS
		5670	7.04	0.35	7.39	≤23.98	PASS
		5755	9.19	0.43	9.62	≤30.00	PASS
		5795	9.78	0.35	10.13	≤30.00	PASS
11AC80S ISO	Ant1	5210	5.43	0.67	6.1	≤23.98	PASS
		5290	5.81	0.82	6.63	≤23.98	PASS
		5530	3.27	0.82	4.09	≤23.98	PASS
		5610	4.78	0.67	5.45	≤23.98	PASS
		5775	4.71	0.67	5.38	≤30.00	PASS
11AX20S ISO	Ant1	5180	8.81	0.21	9.02	≤23.98	PASS
		5200	8.56	0.21	8.77	≤23.98	PASS
		5240	8.92	0.21	9.13	≤23.98	PASS
		5260	9.17	0.25	9.42	≤23.98	PASS
		5280	9.15	0.25	9.4	≤23.98	PASS
		5320	9.05	0.21	9.26	≤23.98	PASS
		5500	8.85	0.21	9.06	≤23.98	PASS
		5600	8.26	0.21	8.47	≤23.98	PASS
		5700	8.80	0.21	9.01	≤23.98	PASS
		5745	8.28	0.21	8.49	≤30.00	PASS
		5785	8.89	0.21	9.1	≤30.00	PASS
		5825	8.87	0.21	9.08	≤30.00	PASS
11AX40S ISO	Ant1	5190	11.86	0.44	12.3	≤23.98	PASS
		5230	12.60	0.45	13.05	≤23.98	PASS
		5270	12.67	0.45	13.12	≤23.98	PASS
		5310	12.39	0.44	12.83	≤23.98	PASS
		5510	11.78	0.44	12.22	≤23.98	PASS
		5550	11.39	0.44	11.83	≤23.98	PASS
		5670	12.31	0.44	12.75	≤23.98	PASS
		5755	14.56	0.44	15	≤30.00	PASS

		5795	13.76	0.45	14.21	≤30.00	PASS
11AX80S ISO	Ant1	5210	9.86	0.84	10.7	≤23.98	PASS
		5290	10.07	0.69	10.76	≤23.98	PASS
		5530	7.61	0.69	8.3	≤23.98	PASS
		5610	8.57	0.69	9.26	≤23.98	PASS
		5775	9.74	0.69	10.43	≤30.00	PASS

Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RawData [dBm/MHz]	DC Factor [dBm]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	1.72	1.2	2.92	≤11.00	PASS
		5200	1.16	1.18	2.34	≤11.00	PASS
		5240	2.55	1.2	3.75	≤11.00	PASS
		5260	2.67	1.2	3.87	≤11.00	PASS
		5280	2.25	1.2	3.45	≤11.00	PASS
		5320	2.09	1.18	3.27	≤11.00	PASS
		5500	2.63	1.18	3.81	≤11.00	PASS
		5600	-0.81	4.53	3.72	≤11.00	PASS
		5700	2.37	1.2	3.57	≤11.00	PASS
		5745	2.34	1.18	3.52	≤30.00	PASS
		5785	2.68	1.2	3.88	≤30.00	PASS
		5825	2.08	1.18	3.26	≤30.00	PASS
11N20SISO	Ant1	5180	0.74	1.59	2.33	≤11.00	PASS
		5200	1.34	1.59	2.93	≤11.00	PASS
		5240	1.34	1.62	2.96	≤11.00	PASS
		5260	1.58	1.62	3.2	≤11.00	PASS
		5280	1.67	1.59	3.26	≤11.00	PASS
		5320	1.54	1.62	3.16	≤11.00	PASS
		5500	2.28	1.59	3.87	≤11.00	PASS
		5600	0.77	1.63	2.4	≤11.00	PASS
		5700	2.32	1.59	3.91	≤11.00	PASS
		5745	-0.58	1.59	1.01	≤30.00	PASS
		5785	-0.09	1.62	1.53	≤30.00	PASS
		5825	-0.03	1.62	1.59	≤30.00	PASS
11N40SISO	Ant1	5190	-1.69	2.74	1.05	≤11.00	PASS
		5230	-2.39	2.82	0.43	≤11.00	PASS
		5270	-2.44	2.78	0.34	≤11.00	PASS
		5310	-1.39	2.78	1.39	≤11.00	PASS
		5510	-2.89	2.82	-0.07	≤11.00	PASS
		5550	-3.32	2.74	-0.58	≤11.00	PASS
		5670	-3.25	2.78	-0.47	≤11.00	PASS
		5755	-2.96	2.82	-0.14	≤30.00	PASS
		5795	-2.56	2.74	0.18	≤30.00	PASS
11AC20SISO	Ant1	5180	0.63	1.59	2.22	≤11.00	PASS
		5200	0.84	1.62	2.46	≤11.00	PASS
		5240	1.61	1.59	3.2	≤11.00	PASS

		5260	1.75	1.58	3.33	≤11.00	PASS
		5280	2.01	1.58	3.59	≤11.00	PASS
		5320	1.45	1.62	3.07	≤11.00	PASS
		5500	1.73	1.58	3.31	≤11.00	PASS
		5600	1.42	1.59	3.01	≤11.00	PASS
		5700	2.02	1.58	3.6	≤11.00	PASS
		5745	0.88	1.58	2.46	≤30.00	PASS
		5785	2.53	0.53	3.06	≤30.00	PASS
		5825	1.21	0.53	1.74	≤30.00	PASS
11AC40SISO	Ant1	5190	-5.66	0.35	-5.31	≤11.00	PASS
		5230	-5.78	0.35	-5.43	≤11.00	PASS
		5270	-5.21	0.35	-4.86	≤11.00	PASS
		5310	-5.37	0.35	-5.02	≤11.00	PASS
		5510	-5.17	0.35	-4.82	≤11.00	PASS
		5550	-6.89	0.43	-6.46	≤11.00	PASS
		5670	-6.13	0.35	-5.78	≤11.00	PASS
		5755	-5.37	0.43	-4.94	≤30.00	PASS
		5795	-6.08	0.35	-5.73	≤30.00	PASS
11AC80SISO	Ant1	5210	-8.9	0.67	-8.23	≤11.00	PASS
		5290	-8.93	0.82	-8.11	≤11.00	PASS
		5530	-7.40	0.82	-6.58	≤11.00	PASS
		5610	-8.41	0.67	-7.74	≤11.00	PASS
		5775	-14.43	0.67	-13.76	≤30.00	PASS
11AX20SISO	Ant1	5180	-2.43	0.21	-2.22	≤11.00	PASS
		5200	-3.63	0.21	-3.42	≤11.00	PASS
		5240	-2.23	0.21	-2.02	≤11.00	PASS
		5260	-2.86	0.25	-2.61	≤11.00	PASS
		5280	-2.65	0.25	-2.4	≤11.00	PASS
		5320	-3.15	0.21	-2.94	≤11.00	PASS
		5500	-2.54	0.21	-2.33	≤11.00	PASS
		5600	-2.93	0.21	-2.72	≤11.00	PASS
		5700	-2.16	0.21	-1.95	≤11.00	PASS
		5745	-5.4	0.21	-5.19	≤30.00	PASS
		5785	-4.85	0.21	-4.64	≤30.00	PASS
		5825	-5.97	0.21	-5.76	≤30.00	PASS
11AX40SISO	Ant1	5190	-2.67	0.44	-2.23	≤11.00	PASS
		5230	-1.81	0.45	-1.36	≤11.00	PASS
		5270	-1.6	0.45	-1.15	≤11.00	PASS
		5310	-2.19	0.44	-1.75	≤11.00	PASS
		5510	-2.54	0.44	-2.1	≤11.00	PASS
		5550	-3.08	0.44	-2.64	≤11.00	PASS
		5670	-2.26	0.44	-1.82	≤11.00	PASS
		5755	-3.15	0.44	-2.71	≤30.00	PASS