




11AC40SISO\_Ant1\_5550




11AC40SISO\_Ant1\_5670




11AC40SISO\_Ant1\_5755




11AC40SISO\_Ant1\_5795



11AC80SISO\_Ant1\_5210




11AC80SISO\_Ant1\_5290




Date: 22.JUL.2026 18:33:52

11AC80SISO\_Ant1\_5530




Date: 23.JUL.2026 03:34:37


11AC80SISO\_Ant1\_5610



11AC80SISO\_Ant1\_5775



11AX20SISO\_Ant1\_5180




11AX20SISO\_Ant1\_5200




Date: 22.JUL.2026 18:59:53

11AX20SISO\_Ant1\_5240




Date: 22.JUL.2026 19:02:20


11AX20SISO\_Ant1\_5260




11AX20SISO\_Ant1\_5280




11AX20SISO\_Ant1\_5320




11AX20SISO\_Ant1\_5500




11AX20SISO\_Ant1\_5600




11AX20SISO\_Ant1\_5700



11AX20SISO\_Ant1\_5745



11AX20SISO\_Ant1\_5785




11AX20SISO\_Ant1\_5825




11AX40SISO\_Ant1\_5190




11AX40SISO\_Ant1\_5230




11AX40SISO\_Ant1\_5270



11AX40SISO\_Ant1\_5310




11AX40SISO\_Ant1\_5510




Date: 22.JUL.2026 19:54:58

11AX40SISO\_Ant1\_5550




Date: 22.JUL.2026 19:58:10


11AX40SISO\_Ant1\_5670




11AX40SISO\_Ant1\_5755



11AX40SISO\_Ant1\_5795




11AX80SISO\_Ant1\_5210




Date: 22.JUL.2026 20:16:04

11AX80SISO\_Ant1\_5290




Date: 22.JUL.2026 20:19:51


11AX80SISO\_Ant1\_5530



11AX80SISO\_Ant1\_5610



11AX80SISO\_Ant1\_5775



## Appendix E: Band edge measurements

### Test Result B1/2/3

| TestMode   | Antenna | Channel Name | Freq(MHz) | Result[dBm] | Antenna Gain (dBi) | EIRP (dBm) | Limit[dBm] | Verdict |
|------------|---------|--------------|-----------|-------------|--------------------|------------|------------|---------|
| 11A        | Ant1    | Low          | 5180      | -43.06      | 5.5                | -37.56     | ≤-27       | PASS    |
|            |         | High         | 5320      | -43.52      | 5.5                | -38.02     | ≤-27       | PASS    |
|            |         | Low          | 5500      | -42.86      | 5.5                | -37.36     | ≤-27       | PASS    |
|            |         | High         | 5700      | -42.4       | 5.5                | -36.9      | ≤-27       | PASS    |
| 11N20SISO  | Ant1    | Low          | 5180      | -44.23      | 5.5                | -38.73     | ≤-27       | PASS    |
|            |         | High         | 5320      | -43.1       | 5.5                | -37.6      | ≤-27       | PASS    |
|            |         | Low          | 5500      | -42.44      | 5.5                | -36.94     | ≤-27       | PASS    |
|            |         | High         | 5700      | -40.67      | 5.5                | -35.17     | ≤-27       | PASS    |
| 11N40SISO  | Ant1    | Low          | 5190      | -39.57      | 5.5                | -34.07     | ≤-27       | PASS    |
|            |         | High         | 5310      | -39.82      | 5.5                | -34.32     | ≤-27       | PASS    |
|            |         | Low          | 5510      | -41.46      | 5.5                | -35.96     | ≤-27       | PASS    |
|            |         | High         | 5670      | -43.03      | 5.5                | -37.53     | ≤-27       | PASS    |
| 11AC20SISO | Ant1    | Low          | 5180      | -42.95      | 5.5                | -37.45     | ≤-27       | PASS    |
|            |         | High         | 5320      | -43.2       | 5.5                | -37.7      | ≤-27       | PASS    |
|            |         | Low          | 5500      | -42.98      | 5.5                | -37.48     | ≤-27       | PASS    |
|            |         | High         | 5700      | -38.89      | 5.5                | -33.39     | ≤-27       | PASS    |
| 11AC40SISO | Ant1    | Low          | 5190      | -35         | 5.5                | -29.5      | ≤-27       | PASS    |
|            |         | High         | 5310      | -36.24      | 5.5                | -30.74     | ≤-27       | PASS    |
|            |         | Low          | 5510      | -43.73      | 5.5                | -38.23     | ≤-27       | PASS    |
|            |         | High         | 5670      | -40.85      | 5.5                | -35.35     | ≤-27       | PASS    |
| 11AC80SISO | Ant1    | Low          | 5210      | -33.1       | 5.5                | -27.6      | ≤-27       | PASS    |
|            |         | High         | 5290      | -43.88      | 5.5                | -38.38     | ≤-27       | PASS    |
|            |         | Low          | 5530      | -34.86      | 5.5                | -29.36     | ≤-27       | PASS    |
|            |         | High         | 5610      | -41.22      | 5.5                | -35.72     | ≤-27       | PASS    |
| 11AX20SISO | Ant1    | Low          | 5180      | -41.92      | 5.5                | -36.42     | ≤-27       | PASS    |
|            |         | High         | 5320      | -40.5       | 5.5                | -35        | ≤-27       | PASS    |
|            |         | Low          | 5500      | -40.21      | 5.5                | -34.71     | ≤-27       | PASS    |
|            |         | High         | 5700      | -37.58      | 5.5                | -32.08     | ≤-27       | PASS    |
| 11AX40SISO | Ant1    | Low          | 5190      | -39.98      | 5.5                | -34.48     | ≤-27       | PASS    |
|            |         | High         | 5310      | -37.21      | 5.5                | -31.71     | ≤-27       | PASS    |
|            |         | Low          | 5510      | -38.37      | 5.5                | -32.87     | ≤-27       | PASS    |
|            |         | High         | 5670      | -43.84      | 5.5                | -38.34     | ≤-27       | PASS    |
| 11AX80SISO | Ant1    | Low          | 5210      | -34.02      | 5.5                | -28.52     | ≤-27       | PASS    |
|            |         | High         | 5290      | -44.76      | 5.5                | -39.26     | ≤-27       | PASS    |
|            |         | Low          | 5530      | -37.05      | 5.5                | -31.55     | ≤-27       | PASS    |


|  |  |      |      |        |     |        |      |      |
|--|--|------|------|--------|-----|--------|------|------|
|  |  | High | 5610 | -42.68 | 5.5 | -37.18 | ≤-27 | PASS |
|--|--|------|------|--------|-----|--------|------|------|


## Test Result B4

| TestMode    | Antenna | Channel Name | Freq(MHz) | FreqRange [MHz] | Result [dBm] | Antenna Gain (dBi) | EIRP (dBm) | Limit [dBm] | Verdict |
|-------------|---------|--------------|-----------|-----------------|--------------|--------------------|------------|-------------|---------|
| 11A         | Ant1    | Low          | 5745      | 5645~5650       | -45.32       | 5.5                | -39.82     | ≤-27        | PASS    |
|             |         |              |           | 5650~5700       | -47.69       | 5.5                | -42.19     | ≤-26.51     | PASS    |
|             |         |              |           | 5700~5720       | -36.19       | 5.5                | -30.69     | ≤15.55      | PASS    |
|             |         |              |           | 5720~5725       | -30.62       | 5.5                | -25.12     | ≤21.30      | PASS    |
|             |         | High         | 5825      | 5850~5855       | -43.59       | 5.5                | -38.09     | ≤15.65      | PASS    |
|             |         |              |           | 5855~5875       | -42.56       | 5.5                | -37.06     | ≤11.77      | PASS    |
|             |         |              |           | 5875~5925       | -44.56       | 5.5                | -39.06     | ≤-26.44     | PASS    |
|             |         |              |           | 5925~5935       | -43.79       | 5.5                | -38.29     | ≤-27        | PASS    |
| 11N20 SISO  | Ant1    | Low          | 5745      | 5645~5650       | -46.02       | 5.5                | -40.52     | ≤-27        | PASS    |
|             |         |              |           | 5650~5700       | -46.74       | 5.5                | -41.24     | ≤-26.75     | PASS    |
|             |         |              |           | 5700~5720       | -40.5        | 5.5                | -35        | ≤15.41      | PASS    |
|             |         |              |           | 5720~5725       | -40.74       | 5.5                | -35.24     | ≤15.98      | PASS    |
|             |         | High         | 5825      | 5850~5855       | -42.82       | 5.5                | -37.32     | ≤15.65      | PASS    |
|             |         |              |           | 5855~5875       | -44.16       | 5.5                | -38.66     | ≤10.68      | PASS    |
|             |         |              |           | 5875~5925       | -45.77       | 5.5                | -40.27     | ≤-26.87     | PASS    |
|             |         |              |           | 5925~5935       | -43.25       | 5.5                | -37.75     | ≤-27        | PASS    |
| 11N40 SISO  | Ant1    | Low          | 5755      | 5645~5650       | -45.71       | 5.5                | -40.21     | ≤-27        | PASS    |
|             |         |              |           | 5650~5700       | -46.53       | 5.5                | -41.03     | ≤-26.79     | PASS    |
|             |         |              |           | 5700~5720       | -37.22       | 5.5                | -31.72     | ≤13.66      | PASS    |
|             |         |              |           | 5720~5725       | -38.36       | 5.5                | -32.86     | ≤15.90      | PASS    |
|             |         | High         | 5795      | 5850~5855       | -41.91       | 5.5                | -36.41     | ≤17.48      | PASS    |
|             |         |              |           | 5855~5875       | -42.2        | 5.5                | -36.7      | ≤10.27      | PASS    |
|             |         |              |           | 5875~5925       | -46.57       | 5.5                | -41.07     | ≤-26.97     | PASS    |
|             |         |              |           | 5925~5935       | -44.77       | 5.5                | -39.27     | ≤-27        | PASS    |
| 11AC20 SISO | Ant1    | Low          | 5745      | 5645~5650       | -45.01       | 5.5                | -39.51     | ≤-27        | PASS    |
|             |         |              |           | 5650~5700       | -46.89       | 5.5                | -41.39     | ≤-26.75     | PASS    |
|             |         |              |           | 5700~5720       | -38.21       | 5.5                | -32.71     | ≤14.67      | PASS    |
|             |         |              |           | 5720~5725       | -34.96       | 5.5                | -29.46     | ≤17.88      | PASS    |
|             |         | High         | 5825      | 5850~5855       | -42.59       | 5.5                | -37.09     | ≤15.65      | PASS    |
|             |         |              |           | 5855~5875       | -43.82       | 5.5                | -38.32     | ≤10.46      | PASS    |
|             |         |              |           | 5875~5925       | -43.57       | 5.5                | -38.07     | ≤-26.87     | PASS    |
|             |         |              |           | 5925~5935       | -43.22       | 5.5                | -37.72     | ≤-27        | PASS    |
| 11AC40 SISO | Ant1    | Low          | 5755      | 5645~5650       | -43.97       | 5.5                | -38.47     | ≤-27        | PASS    |
|             |         |              |           | 5650~5700       | -47.21       | 5.5                | -41.71     | ≤-26.94     | PASS    |
|             |         |              |           | 5700~5720       | -32.87       | 5.5                | -27.37     | ≤11.86      | PASS    |
|             |         |              |           | 5720~5725       | -32.63       | 5.5                | -27.13     | ≤16.34      | PASS    |


|                |      |      |      |           |        |     |        |         |      |
|----------------|------|------|------|-----------|--------|-----|--------|---------|------|
|                |      | High | 5795 | 5850~5855 | -40.76 | 5.5 | -35.26 | ≤15.85  | PASS |
|                |      |      |      | 5855~5875 | -42.6  | 5.5 | -37.1  | ≤10.34  | PASS |
|                |      |      |      | 5875~5925 | -43.23 | 5.5 | -37.73 | ≤-25.55 | PASS |
|                |      |      |      | 5925~5935 | -44.07 | 5.5 | -38.57 | ≤-27    | PASS |
| 11AC8<br>0SISO | Ant1 | Low  | 5775 | 5645~5650 | -45.85 | 5.5 | -40.35 | ≤-27    | PASS |
|                |      |      |      | 5650~5700 | -45.65 | 5.5 | -40.15 | ≤-26.38 | PASS |
|                |      |      |      | 5700~5720 | -37.52 | 5.5 | -32.02 | ≤10.01  | PASS |
|                |      |      |      | 5720~5725 | -42.63 | 5.5 | -37.13 | ≤15.67  | PASS |
|                |      | High | 5775 | 5850~5855 | -34.76 | 5.5 | -29.26 | ≤17.81  | PASS |
|                |      |      |      | 5855~5875 | -37.98 | 5.5 | -32.48 | ≤11.37  | PASS |
|                |      |      |      | 5875~5925 | -43.25 | 5.5 | -37.75 | ≤-25.87 | PASS |
|                |      |      |      | 5925~5935 | -44.26 | 5.5 | -38.76 | ≤-27    | PASS |
| 11AX2<br>0SISO | Ant1 | Low  | 5745 | 5645~5650 | -46.84 | 5.5 | -41.34 | ≤-27    | PASS |
|                |      |      |      | 5650~5700 | -46.71 | 5.5 | -41.21 | ≤-25.15 | PASS |
|                |      |      |      | 5700~5720 | -45.32 | 5.5 | -39.82 | ≤10.23  | PASS |
|                |      |      |      | 5720~5725 | -40.46 | 5.5 | -34.96 | ≤18.26  | PASS |
|                |      | High | 5825 | 5850~5855 | -41.8  | 5.5 | -36.3  | ≤16.54  | PASS |
|                |      |      |      | 5855~5875 | -43.66 | 5.5 | -38.16 | ≤11.06  | PASS |
|                |      |      |      | 5875~5925 | -44.35 | 5.5 | -38.85 | ≤-26.87 | PASS |
|                |      |      |      | 5925~5935 | -44.66 | 5.5 | -39.16 | ≤-27    | PASS |
| 11AX4<br>0SISO | Ant1 | Low  | 5755 | 5645~5650 | -45.13 | 5.5 | -39.63 | ≤-27    | PASS |
|                |      |      |      | 5650~5700 | -45.96 | 5.5 | -40.46 | ≤-26.94 | PASS |
|                |      |      |      | 5700~5720 | -39.09 | 5.5 | -33.59 | ≤11.25  | PASS |
|                |      |      |      | 5720~5725 | -38.17 | 5.5 | -32.67 | ≤15.90  | PASS |
|                |      | High | 5795 | 5850~5855 | -44.73 | 5.5 | -39.23 | ≤15.85  | PASS |
|                |      |      |      | 5855~5875 | -41.63 | 5.5 | -36.13 | ≤11.88  | PASS |
|                |      |      |      | 5875~5925 | -45.36 | 5.5 | -39.86 | ≤-25.91 | PASS |
|                |      |      |      | 5925~5935 | -44.78 | 5.5 | -39.28 | ≤-27    | PASS |
| 11AX8<br>0SISO | Ant1 | Low  | 5775 | 5645~5650 | -44.26 | 5.5 | -38.76 | ≤-27    | PASS |
|                |      |      |      | 5650~5700 | -46    | 5.5 | -40.5  | ≤-26.88 | PASS |
|                |      |      |      | 5700~5720 | -39.5  | 5.5 | -34.0  | ≤10.20  | PASS |
|                |      |      |      | 5720~5725 | -38.44 | 5.5 | -32.94 | ≤15.67  | PASS |
|                |      | High | 5775 | 5850~5855 | -39.03 | 5.5 | -33.53 | ≤15.98  | PASS |
|                |      |      |      | 5855~5875 | -30.52 | 5.5 | -25.02 | ≤13.92  | PASS |
|                |      |      |      | 5875~5925 | -45.52 | 5.5 | -40.02 | ≤-26.27 | PASS |
|                |      |      |      | 5925~5935 | -44.03 | 5.5 | -38.53 | ≤-27    | PASS |

Test Graphs B1/2/3







### 11A\_Ant1\_High\_5700




### 11N20ISO\_Ant1\_Low\_5180




# 11N20SISO\_Ant1\_High\_5320




# 11N20SISO\_Ant1\_Low\_5500



# 11N20SISO\_Ant1\_High\_5700



### 11N40SISO\_Ant1\_Low\_5190



### 11N40SISO\_Ant1\_High\_5310

