



11AX40SISO_Ant1_5510_30~5460




Date: 22.JUL.2026 19:56:27

11AX40SISO_Ant1_5510_5735~40000




Date: 22.JUL.2026 19:56:35


11AX40SISO_Ant1_5550_30~5460




11AX40SISO_Ant1_5550_5735~40000



11AX40SISO_Ant1_5670_30~5460




11AX40SISO_Ant1_5670_5735~40000




Date: 22.JUL.2026 20:01:23

11AX40SISO_Ant1_5755_30~5650




Date: 22.JUL.2026 20:05:09


11AX40SISO_Ant1_5755_5925~40000




11AX40SISO_Ant1_5795_30~5650




11AX40SISO_Ant1_5795_5925~40000




11AX80SISO_Ant1_5210_30~5140




11AX80SISO_Ant1_5210_5360~40000




11AX80SISO_Ant1_5290_30~5140




11AX80SISO_Ant1_5290_5360~40000



11AX80SISO_Ant1_5530_30~5460




11AX80SISO_Ant1_5530_5735~40000




Date: 22.JUL.2026 20:28:33

11AX80SISO_Ant1_5610_30~5460




Date: 22.JUL.2026 20:31:29


11AX80SISO_Ant1_5610_5735~40000



11AX80SISO_Ant1_5775_30~5650



11AX80SISO_Ant1_5775_5925~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-66.74	5.5	1.20	-63.54	≤-41.20	PASS
				AV	5148.261	-56.68	5.5	1.20	-53.48	≤-41.20	PASS
				AV	5150.000	-57.3	5.5	1.20	-54.1	≤-41.20	PASS
				Peak	4500.000	-55.86	5.5	0.00	-53.86	≤-27.00	PASS
				Peak	5139.130	-44.72	5.5	0.00	-42.72	≤-27.00	PASS
				Peak	5150.000	-46.02	5.5	0.00	-44.02	≤-27.00	PASS
		High	5320	AV	5350.000	-56.56	5.5	1.18	-53.38	≤-41.20	PASS
				AV	5356.348	-56.02	5.5	1.18	-52.84	≤-41.20	PASS
				AV	5460.000	-62.94	5.5	1.18	-59.76	≤-41.20	PASS
				Peak	5350.000	-43.03	5.5	0.00	-41.03	≤-27.00	PASS
				Peak	5350.087	-43.15	5.5	0.00	-41.15	≤-27.00	PASS
				Peak	5460.000	-51.28	5.5	0.00	-49.28	≤-27.00	PASS
		Low	5500	AV	5350.000	-61.25	5.5	1.18	-58.07	≤-41.20	PASS
				AV	5458.565	-55.82	5.5	1.18	-52.64	≤-41.20	PASS
				AV	5460.000	-56.74	5.5	1.18	-53.56	≤-41.20	PASS
				Peak	5350.000	-50.56	5.5	0.00	-48.56	≤-27.00	PASS
				Peak	5458.261	-43.51	5.5	0.00	-41.51	≤-27.00	PASS
				Peak	5460.000	-44.2	5.5	0.00	-42.2	≤-27.00	PASS
			5745	Peak	5650.000	-50.97	5.5	0.00	-48.97	≤-27.00	PASS
				Peak	5700.000	-44.58	5.5	0.00	-42.58	≤10.00	PASS
				Peak	5720.000	-30.92	5.5	0.00	-28.92	≤15.60	PASS
				Peak	5725.000	-31.58	5.5	0.00	-29.58	≤27.00	PASS
		High	5825	Peak	5850.000	-35.87	5.5	0.00	-33.87	≤27.00	PASS
				Peak	5855.000	-40.42	5.5	0.00	-38.42	≤15.60	PASS
				Peak	5875.000	-46.13	5.5	0.00	-44.13	≤10.00	PASS
				Peak	5925.000	-48.26	5.5	0.00	-46.26	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-66.95	5.5	1.59	-63.36	≤-41.20	PASS
				AV	5148.261	-56.7	5.5	1.59	-53.11	≤-41.20	PASS
				AV	5150.000	-57.41	5.5	1.59	-53.82	≤-41.20	PASS
				Peak	4500.000	-56.16	5.5	0.00	-54.16	≤-27.00	PASS
				Peak	5146.232	-45.15	5.5	0.00	-43.15	≤-27.00	PASS
				Peak	5150.000	-45.33	5.5	0.00	-43.33	≤-27.00	PASS
		High	5320	AV	5350.000	-56.73	5.5	1.62	-53.11	≤-41.20	PASS
				AV	5356.580	-56.44	5.5	1.62	-52.82	≤-41.20	PASS
				AV	5460.000	-63.14	5.5	1.62	-59.52	≤-41.20	PASS

				Peak	5350.000	-44.25	5.5	0.00	-42.25	≤-27.00	PASS
				Peak	5354.957	-43.33	5.5	0.00	-41.33	≤-27.00	PASS
				Peak	5460.000	-51.2	5.5	0.00	-49.2	≤-27.00	PASS
		Low	5500	AV	5350.000	-61.72	5.5	1.59	-58.13	≤-41.20	PASS
				AV	5458.870	-56.17	5.5	1.59	-52.58	≤-41.20	PASS
				AV	5460.000	-56.78	5.5	1.59	-53.19	≤-41.20	PASS
				Peak	5350.000	-50.27	5.5	0.00	-48.27	≤-27.00	PASS
				Peak	5459.174	-43.79	5.5	0.00	-41.79	≤-27.00	PASS
				Peak	5460.000	-44.69	5.5	0.00	-42.69	≤-27.00	PASS
			5745	Peak	5650.000	-50.57	5.5	0.00	-48.57	≤-27.00	PASS
				Peak	5700.000	-47.13	5.5	0.00	-45.13	≤10.00	PASS
				Peak	5720.000	-39.7	5.5	0.00	-37.7	≤15.60	PASS
				Peak	5725.000	-37.17	5.5	0.00	-35.17	≤27.00	PASS
		High	5825	Peak	5850.000	-38.77	5.5	0.00	-36.77	≤27.00	PASS
				Peak	5855.000	-40.46	5.5	0.00	-38.46	≤15.60	PASS
				Peak	5875.000	-46.52	5.5	0.00	-44.52	≤10.00	PASS
				Peak	5925.000	-49.18	5.5	0.00	-47.18	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-66.86	5.5	2.74	-62.12	≤-41.20	PASS
				AV	5149.275	-54.33	5.5	2.74	-49.59	≤-41.20	PASS
				AV	5150.000	-54.74	5.5	2.74	-50	≤-41.20	PASS
				Peak	4500.000	-56.4	5.5	0.00	-54.4	≤-27.00	PASS
				Peak	5147.246	-40.18	5.5	0.00	-38.18	≤-27.00	PASS
				Peak	5150.000	-40.96	5.5	0.00	-38.96	≤-27.00	PASS
		High	5310	AV	5350.000	-53.47	5.5	2.78	-48.69	≤-41.20	PASS
				AV	5350.783	-53.45	5.5	2.78	-48.67	≤-41.20	PASS
				AV	5460.000	-63.39	5.5	2.78	-58.61	≤-41.20	PASS
				Peak	5350.000	-37.05	5.5	0.00	-35.05	≤-27.00	PASS
				Peak	5350.087	-37.13	5.5	0.00	-35.13	≤-27.00	PASS
				Peak	5460.000	-51.58	5.5	0.00	-49.58	≤-27.00	PASS
		Low	5510	AV	5350.000	-62.63	5.5	2.82	-57.81	≤-41.20	PASS
				AV	5459.739	-56.22	5.5	2.82	-51.4	≤-41.20	PASS
				AV	5460.000	-56.02	5.5	2.82	-51.2	≤-41.20	PASS
				Peak	5350.000	-50.09	5.5	0.00	-48.09	≤-27.00	PASS
				Peak	5456.232	-41.02	5.5	0.00	-39.02	≤-27.00	PASS
				Peak	5460.000	-42.83	5.5	0.00	-40.83	≤-27.00	PASS
			5755	Peak	5650.000	-49.79	5.5	0.00	-47.79	≤-27.00	PASS
				Peak	5700.000	-37.19	5.5	0.00	-35.19	≤10.00	PASS
				Peak	5720.000	-34.76	5.5	0.00	-32.76	≤15.60	PASS
				Peak	5725.000	-33.32	5.5	0.00	-31.32	≤27.00	PASS
		High	5795	Peak	5850.000	-42.83	5.5	0.00	-40.83	≤27.00	PASS
				Peak	5855.000	-43.66	5.5	0.00	-41.66	≤15.60	PASS
				Peak	5875.000	-46.1	5.5	0.00	-44.1	≤10.00	PASS
				Peak	5925.000	-48.51	5.5	0.00	-46.51	≤-27.00	PASS

11AC20S ISO	Ant1	Low	5180	AV	4500.000	-66.81	5.5	1.59	-63.22	≤-41.20	PASS
				AV	5148.261	-56.96	5.5	1.59	-53.37	≤-41.20	PASS
				AV	5150.000	-57.48	5.5	1.59	-53.89	≤-41.20	PASS
				Peak	4500.000	-56.77	5.5	0.00	-54.77	≤-27.00	PASS
				Peak	5148.261	-44.72	5.5	0.00	-42.72	≤-27.00	PASS
				Peak	5150.000	-44.41	5.5	0.00	-42.41	≤-27.00	PASS
		High	5320	AV	5350.000	-56.64	5.5	1.62	-53.02	≤-41.20	PASS
				AV	5356.580	-56.2	5.5	1.62	-52.58	≤-41.20	PASS
				AV	5460.000	-63.13	5.5	1.62	-59.51	≤-41.20	PASS
				Peak	5350.000	-42.64	5.5	0.00	-40.64	≤-27.00	PASS
				Peak	5350.087	-42.68	5.5	0.00	-40.68	≤-27.00	PASS
				Peak	5460.000	-50.54	5.5	0.00	-48.54	≤-27.00	PASS
		Low	5500	AV	5350.000	-61.9	5.5	1.58	-58.32	≤-41.20	PASS
				AV	5458.870	-56	5.5	1.58	-52.42	≤-41.20	PASS
				AV	5460.000	-56.64	5.5	1.58	-53.06	≤-41.20	PASS
				Peak	5350.000	-49.65	5.5	0.00	-47.65	≤-27.00	PASS
				Peak	5458.565	-42.62	5.5	0.00	-40.62	≤-27.00	PASS
				Peak	5460.000	-44.39	5.5	0.00	-42.39	≤-27.00	PASS
			5745	Peak	5650.000	-50.96	5.5	0.00	-48.96	≤-27.00	PASS
				Peak	5700.000	-44.61	5.5	0.00	-42.61	≤10.00	PASS
				Peak	5720.000	-31.84	5.5	0.00	-29.84	≤15.60	PASS
				Peak	5725.000	-27.64	5.5	0.00	-25.64	≤27.00	PASS
		High	5825	Peak	5850.000	-37.1	5.5	0.00	-35.1	≤27.00	PASS
				Peak	5855.000	-42.14	5.5	0.00	-40.14	≤15.60	PASS
				Peak	5875.000	-46.87	5.5	0.00	-44.87	≤10.00	PASS
				Peak	5925.000	-48.41	5.5	0.00	-46.41	≤-27.00	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-66.9	5.5	0.35	-57.65	≤-41.20	PASS
				AV	5148.261	-53.65	5.5	0.35	-44.4	≤-41.20	PASS
				AV	5150.000	-54.14	5.5	0.35	-44.89	≤-41.20	PASS
				Peak	4500.000	-57.46	5.5	0.00	-55.46	≤-27.00	PASS
				Peak	5146.232	-35.32	5.5	0.00	-33.32	≤-27.00	PASS
				Peak	5150.000	-35.75	5.5	0.00	-33.75	≤-27.00	PASS
		High	5310	AV	5350.000	-58.29	5.5	0.35	-48.96	≤-41.20	PASS
				AV	5350.087	-58.36	5.5	0.35	-49.03	≤-41.20	PASS
				AV	5460.000	-64.53	5.5	0.35	-55.2	≤-41.20	PASS
				Peak	5350.000	-38.96	5.5	0.00	-36.96	≤-27.00	PASS
				Peak	5350.087	-39.13	5.5	0.00	-37.13	≤-27.00	PASS
				Peak	5460.000	-51.26	5.5	0.00	-49.26	≤-27.00	PASS
		Low	5510	AV	5350.000	-63.89	5.5	0.35	-54.64	≤-41.20	PASS
				AV	5459.420	-51.71	5.5	0.35	-42.46	≤-41.20	PASS
				AV	5460.000	-52.43	5.5	0.35	-43.18	≤-41.20	PASS
				Peak	5350.000	-45.2	5.5	0.00	-43.2	≤-27.00	PASS
				Peak	5459.739	-33.55	5.5	0.00	-31.55	≤-27.00	PASS

			5755	Peak	5460.000	-34.21	5.5	0.00	-32.21	≤-27.00	PASS
				Peak	5650.000	-44.37	5.5	0.00	-42.37	≤-27.00	PASS
				Peak	5700.000	-34.2	5.5	0.00	-32.2	≤10.00	PASS
				Peak	5720.000	-30.07	5.5	0.00	-28.07	≤15.60	PASS
				Peak	5725.000	-28.49	5.5	0.00	-26.49	≤27.00	PASS
		High	5795	Peak	5850.000	-38.58	5.5	0.00	-36.58	≤27.00	PASS
				Peak	5855.000	-39.03	5.5	0.00	-37.03	≤15.60	PASS
				Peak	5875.000	-44.1	5.5	0.00	-42.1	≤10.00	PASS
				Peak	5925.000	-47.82	5.5	0.00	-45.82	≤-27.00	PASS
11AC80S ISO	Ant1	Low	5210	AV	4500.000	-67.27	2.00	0.67	-64.6	≤-41.20	PASS
				AV	5148.913	-55.05	2.00	0.67	-52.38	≤-41.20	PASS
				AV	5150.000	-55.15	2.00	0.67	-52.48	≤-41.20	PASS
				Peak	4500.000	-57.4	2.00	0.00	-55.4	≤-27.00	PASS
				Peak	5148.913	-41.24	2.00	0.00	-39.24	≤-27.00	PASS
				Peak	5150.000	-42.45	2.00	0.00	-40.45	≤-27.00	PASS
		High	5290	AV	5350.000	-61.59	5.5	0.82	-49.9	≤-41.20	PASS
				AV	5355.652	-61.31	5.5	0.82	-49.62	≤-41.20	PASS
				AV	5460.000	-64.87	5.5	0.82	-53.18	≤-41.20	PASS
				Peak	5350.000	-42.34	5.5	0.00	-40.34	≤-27.00	PASS
				Peak	5363.478	-39.06	5.5	0.00	-37.06	≤-27.00	PASS
				Peak	5460.000	-51.42	5.5	0.00	-49.42	≤-27.00	PASS
		Low	5530	AV	5350.000	-64.69	5.5	0.82	-52.86	≤-41.20	PASS
				AV	5446.087	-55.88	5.5	0.82	-44.05	≤-41.20	PASS
				AV	5460.000	-57	5.5	0.82	-45.17	≤-41.20	PASS
				Peak	5350.000	-49.69	5.5	0.00	-47.69	≤-27.00	PASS
				Peak	5450.145	-33.71	5.5	0.00	-31.71	≤-27.00	PASS
				Peak	5460.000	-35.91	5.5	0.00	-33.91	≤-27.00	PASS
			5775	Peak	5650.000	-44.69	5.5	0.00	-42.69	≤-27.00	PASS
				Peak	5700.000	-36.5	5.5	0.00	-34.5	≤10.00	PASS
				Peak	5720.000	-37.19	5.5	0.00	-35.19	≤15.60	PASS
				Peak	5725.000	-38.12	5.5	0.00	-36.12	≤27.00	PASS
		High	5775	Peak	5850.000	-34.07	5.5	0.00	-32.07	≤27.00	PASS
				Peak	5855.000	-34.82	5.5	0.00	-32.82	≤15.60	PASS
				Peak	5875.000	-33.71	5.5	0.00	-31.71	≤10.00	PASS
				Peak	5925.000	-48.46	5.5	0.00	-46.46	≤-27.00	PASS
11AX20S ISO	Ant1	Low	5180	AV	4500.000	-67.16	5.5	0.21	-59.73	≤-41.20	PASS
				AV	5148.261	-57.67	5.5	0.21	-50.24	≤-41.20	PASS
				AV	5150.000	-57.89	5.5	0.21	-50.46	≤-41.20	PASS
				Peak	4500.000	-56.38	5.5	0.00	-54.38	≤-27.00	PASS
				Peak	5145.217	-40.22	5.5	0.00	-38.22	≤-27.00	PASS
				Peak	5150.000	-40.4	5.5	0.00	-38.4	≤-27.00	PASS
		High	5320	AV	5350.000	-56.89	5.5	0.21	-49.42	≤-41.20	PASS
				AV	5351.478	-56.65	5.5	0.21	-49.18	≤-41.20	PASS

				AV	5460.000	-64.17	5.5	0.21	-56.7	≤-41.20	PASS
				Peak	5350.000	-37.89	5.5	0.00	-35.89	≤-27.00	PASS
				Peak	5350.087	-38	5.5	0.00	-36	≤-27.00	PASS
				Peak	5460.000	-50.65	5.5	0.00	-48.65	≤-27.00	PASS
		Low	5500	AV	5350.000	-62.96	5.5	0.21	-55.49	≤-41.20	PASS
				AV	5459.174	-58.97	5.5	0.21	-51.5	≤-41.20	PASS
				AV	5460.000	-58.92	5.5	0.21	-51.45	≤-41.20	PASS
				Peak	5350.000	-48.98	5.5	0.00	-46.98	≤-27.00	PASS
				Peak	5459.174	-38.95	5.5	0.00	-36.95	≤-27.00	PASS
				Peak	5460.000	-39.09	5.5	0.00	-37.09	≤-27.00	PASS
			5745	Peak	5650.000	-50.57	5.5	0.00	-48.57	≤-27.00	PASS
				Peak	5700.000	-45.16	5.5	0.00	-43.16	≤10.00	PASS
				Peak	5720.000	-37.43	5.5	0.00	-35.43	≤15.60	PASS
				Peak	5725.000	-35.03	5.5	0.00	-33.03	≤27.00	PASS
		High	5825	Peak	5850.000	-36.24	5.5	0.00	-34.24	≤27.00	PASS
				Peak	5855.000	-38.32	5.5	0.00	-36.32	≤15.60	PASS
				Peak	5875.000	-44.16	5.5	0.00	-42.16	≤10.00	PASS
				Peak	5925.000	-48.65	5.5	0.00	-46.65	≤-27.00	PASS
11AX40S ISO	Ant1	Low	5190	AV	4500.000	-66.67	5.5	0.44	-64.23	≤-41.20	PASS
				AV	5149.275	-51.15	5.5	0.44	-48.71	≤-41.20	PASS
				AV	5150.000	-50.9	5.5	0.44	-48.46	≤-41.20	PASS
				Peak	4500.000	-55.99	5.5	0.00	-53.99	≤-27.00	PASS
				Peak	5145.217	-38.86	5.5	0.00	-36.86	≤-27.00	PASS
				Peak	5150.000	-39.84	5.5	0.00	-37.84	≤-27.00	PASS
		High	5310	AV	5350.000	-49.2	5.5	0.44	-46.76	≤-41.20	PASS
				AV	5350.087	-49.27	5.5	0.44	-46.83	≤-41.20	PASS
				AV	5460.000	-62.56	5.5	0.44	-60.12	≤-41.20	PASS
				Peak	5350.000	-36.4	5.5	0.00	-34.4	≤-27.00	PASS
				Peak	5350.551	-35.07	5.5	0.00	-33.07	≤-27.00	PASS
				Peak	5460.000	-51.44	5.5	0.00	-49.44	≤-27.00	PASS
		Low	5510	AV	5350.000	-60.81	5.5	0.44	-58.37	≤-41.20	PASS
				AV	5459.420	-51.04	5.5	0.44	-48.6	≤-41.20	PASS
				AV	5460.000	-51.1	5.5	0.44	-48.66	≤-41.20	PASS
				Peak	5350.000	-50.11	5.5	0.00	-48.11	≤-27.00	PASS
				Peak	5459.739	-37.33	5.5	0.00	-35.33	≤-27.00	PASS
				Peak	5460.000	-37.3	5.5	0.00	-35.3	≤-27.00	PASS
			5755	Peak	5650.000	-49.63	5.5	0.00	-47.63	≤-27.00	PASS
				Peak	5700.000	-38.87	5.5	0.00	-36.87	≤10.00	PASS
				Peak	5720.000	-36.31	5.5	0.00	-34.31	≤15.60	PASS
				Peak	5725.000	-34.01	5.5	0.00	-32.01	≤27.00	PASS
		High	5795	Peak	5850.000	-42.15	5.5	0.00	-40.15	≤27.00	PASS
				Peak	5855.000	-45.03	5.5	0.00	-43.03	≤15.60	PASS
				Peak	5875.000	-46.45	5.5	0.00	-44.45	≤10.00	PASS


				Peak	5925.000	-48.27	5.5	0.00	-46.27	≤-27.00	PASS
11AX80S ISO	Ant1	Low	5210	AV	4500.000	-67.07	5.5	0.84	-60.51	≤-41.20	PASS
				AV	5127.174	-51.27	5.5	0.84	-44.71	≤-41.20	PASS
				AV	5150.000	-53.62	5.5	0.84	-47.06	≤-41.20	PASS
				Peak	4500.000	-56.38	5.5	0.00	-54.38	≤-27.00	PASS
				Peak	5147.826	-33.51	5.5	0.00	-31.51	≤-27.00	PASS
				Peak	5150.000	-35.33	5.5	0.00	-33.33	≤-27.00	PASS
		High	5290	AV	5350.000	-55.91	5.5	0.69	-49.4	≤-41.20	PASS
				AV	5367.246	-55.12	5.5	0.69	-48.61	≤-41.20	PASS
				AV	5460.000	-63.59	5.5	0.69	-57.08	≤-41.20	PASS
				Peak	5350.000	-40.89	5.5	0.00	-38.89	≤-27.00	PASS
				Peak	5375.942	-35.88	5.5	0.00	-33.88	≤-27.00	PASS
				Peak	5460.000	-51.12	5.5	0.00	-49.12	≤-27.00	PASS
		Low	5530	AV	5350.000	-63	5.5	0.69	-56.49	≤-41.20	PASS
				AV	5457.449	-51.9	5.5	0.69	-45.39	≤-41.20	PASS
				AV	5460.000	-52.95	5.5	0.69	-46.44	≤-41.20	PASS
				Peak	5350.000	-49.91	5.5	0.00	-47.91	≤-27.00	PASS
				Peak	5435.130	-34.33	5.5	0.00	-32.33	≤-27.00	PASS
				Peak	5460.000	-37.78	5.5	0.00	-35.78	≤-27.00	PASS
			5775	Peak	5650.000	-45.75	5.5	0.00	-43.75	≤-27.00	PASS
				Peak	5700.000	-36.92	5.5	0.00	-34.92	≤10.00	PASS
				Peak	5720.000	-36.37	5.5	0.00	-34.37	≤15.60	PASS
				Peak	5725.000	-36.84	5.5	0.00	-34.84	≤27.00	PASS
		High	5775	Peak	5850.000	-32.93	5.5	0.00	-30.93	≤27.00	PASS
				Peak	5855.000	-32.98	5.5	0.00	-30.98	≤15.60	PASS
				Peak	5875.000	-36.24	5.5	0.00	-34.24	≤10.00	PASS
				Peak	5925.000	-48.04	5.5	0.00	-46.04	≤-27.00	PASS

Note:

- For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Test Graphs






Date: 22.JUL.2026 10:43:14

11A_Ant1_High_5320_Peak




Date: 22.JUL.2026 10:42:57

11A_Ant1_Low_5500_AV




Date: 22.JUL.2026 10:51:04


11A_Ant1_Low_5500_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_Low_5745_Peak



11N20SISO_Ant1_High_5825_Peak



11N40SISO_Ant1_Low_5190_AV



11N40SISO_Ant1_Low_5190_Peak