




11AC40SISO_Ant2_5190



11AC40SISO_Ant2_5230




11AC40SISO_Ant2_5270




Date: 18.JUL.2026 21:14:02

11AC40SISO_Ant2_5310




Date: 18.JUL.2026 21:14:28

11AC40SISO_Ant2_5510




Date: 18.JUL.2026 21:15:01


11AC40SISO_Ant2_5550




11AC40SISO_Ant2_5670




11AC40SISO_Ant2_5755




11AC40SISO_Ant2_5795



11AC80SISO_Ant2_5210




11AC80SISO_Ant2_5290




Date: 18.JUL.2026 21:17:53

11AC80SISO_Ant2_5530




Date: 18.JUL.2026 21:18:17

11AC80SISO_Ant2_5610




Date: 18.JUL.2026 21:18:40

11AC80SISO_Ant2_5775




Date: 18.JUL.2026 21:19:03

11AX20SISO_Ant2_5180




Date: 18.JUL.2026 21:19:48

11AX20SISO_Ant2_5200




Date: 18.JUL.2026 21:20:15

11AX20SISO_Ant2_5240




Date: 18.JUL.2026 21:20:38


11AX20SISO_Ant2_5260




11AX20SISO_Ant2_5280



11AX20SISO_Ant2_5320




11AX20SISO_Ant2_5500




Date: 18.JUL.2026 21:22:49

11AX20SISO_Ant2_5600




Date: 18.JUL.2026 21:23:20

11AX20SISO_Ant2_5700




Date: 18.JUL.2026 21:23:43

11AX20SISO_Ant2_5745




Date: 18.JUL.2026 21:24:18

11AX20SISO_Ant2_5785




Date: 18.JUL.2026 21:24:45

11AX20SISO_Ant2_5825




Date: 18.JUL.2026 21:25:09

11AX40SISO_Ant2_5190




Date: 18.JUL.2026 21:26:15


11AX40SISO_Ant2_5230




11AX40SISO_Ant2_5270



11AX40SISO_Ant2_5310




11AX40SISO_Ant2_5510




Date: 18.JUL.2026 21:28:29

11AX40SISO_Ant2_5550




Date: 18.JUL.2026 21:29:15


11AX40SISO_Ant2_5670




11AX40SISO_Ant2_5755



11AX40SISO_Ant2_5795




11AX80SISO_Ant2_5210




Date: 18.JUL.2026 21:31:18

11AX80SISO_Ant2_5290




Date: 18.JUL.2026 21:31:42


11AX80SISO_Ant2_5530



11AX80SISO_Ant2_5610



11AX80SISO_Ant2_5775



Appendix C: Maximum conducted output power

Test Result

Test Mode	Antenna	Freq(MHz)	Channel Power [dBm]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	5180	11.85	0.39	12.24	≤23.98	PASS
		5200	11.81	0.4	12.21	≤23.98	PASS
		5240	12.51	0.4	12.91	≤23.98	PASS
		5260	12.82	0.38	13.2	≤23.98	PASS
		5280	12.86	0.4	13.26	≤23.98	PASS
		5320	12.70	0.39	13.09	≤23.98	PASS
		5500	12.79	0.39	13.18	≤23.98	PASS
		5600	11.98	4.51	16.49	≤23.98	PASS
		5700	12.94	0.39	13.33	≤23.98	PASS
		5745	13.87	0.38	14.25	≤30.00	PASS
		5785	14.52	0.39	14.91	≤30.00	PASS
		5825	14.43	0.4	14.83	≤30.00	PASS
11N20SI SO	Ant2	5180	12.27	0.53	12.8	≤23.98	PASS
		5200	12.40	0.52	12.92	≤23.98	PASS
		5240	12.90	0.52	13.42	≤23.98	PASS
		5260	13.12	0.53	13.65	≤23.98	PASS
		5280	13.24	0.52	13.76	≤23.98	PASS
		5320	13.17	0.52	13.69	≤23.98	PASS
		5500	12.17	0.52	12.69	≤23.98	PASS
		5600	11.62	0.52	12.14	≤23.98	PASS
		5700	12.38	0.52	12.9	≤23.98	PASS
		5745	13.56	0.52	14.08	≤30.00	PASS
		5785	14.25	0.52	14.77	≤30.00	PASS
		5825	14.20	0.52	14.72	≤30.00	PASS
11N40SI SO	Ant2	5190	11.45	0.39	11.84	≤23.98	PASS
		5230	13.07	0.39	13.46	≤23.98	PASS
		5270	13.30	0.39	13.69	≤23.98	PASS
		5310	13.21	0.39	13.6	≤23.98	PASS
		5510	11.37	0.39	11.76	≤23.98	PASS
		5550	11.73	0.39	12.12	≤23.98	PASS
		5670	12.34	0.39	12.73	≤23.98	PASS
		5755	13.47	0.39	13.86	≤30.00	PASS
		5795	13.90	0.38	14.28	≤30.00	PASS
11AC20S ISO	Ant2	5180	11.22	1.62	12.84	≤23.98	PASS
		5200	11.44	1.58	13.02	≤23.98	PASS
		5240	12.06	1.58	13.64	≤23.98	PASS

		5260	12.19	1.59	13.78	≤23.98	PASS
		5280	12.49	1.62	14.11	≤23.98	PASS
		5320	12.30	1.59	13.89	≤23.98	PASS
		5500	11.47	1.62	13.09	≤23.98	PASS
		5600	11.72	1.62	13.34	≤23.98	PASS
		5700	11.79	1.58	13.37	≤23.98	PASS
		5745	13.45	1.58	15.03	≤30.00	PASS
		5785	13.67	1.59	15.26	≤30.00	PASS
		5825	13.61	1.62	15.23	≤30.00	PASS
11AC40S ISO	Ant2	5190	7.62	0.35	7.97	≤23.98	PASS
		5230	7.62	0.35	7.97	≤23.98	PASS
		5270	8.10	0.43	8.53	≤23.98	PASS
		5310	7.90	0.43	8.33	≤23.98	PASS
		5510	7.75	0.35	8.1	≤23.98	PASS
		5550	6.88	0.35	7.23	≤23.98	PASS
		5670	7.12	0.35	7.47	≤23.98	PASS
		5755	7.51	0.35	7.86	≤30.00	PASS
		5795	8.03	0.35	8.38	≤30.00	PASS
11AC80S ISO	Ant2	5210	5.16	0.69	5.85	≤23.98	PASS
		5290	5.44	0.82	6.26	≤23.98	PASS
		5530	3.20	0.67	3.87	≤23.98	PASS
		5610	4.69	0.67	5.36	≤23.98	PASS
		5775	5.41	0.67	6.08	≤30.00	PASS
11AX20S ISO	Ant2	5180	9.06	0.25	9.31	≤23.98	PASS
		5200	9.03	0.21	9.24	≤23.98	PASS
		5240	9.55	0.21	9.76	≤23.98	PASS
		5260	9.81	0.21	10.02	≤23.98	PASS
		5280	9.93	0.21	10.14	≤23.98	PASS
		5320	9.88	0.21	10.09	≤23.98	PASS
		5500	8.46	0.21	8.67	≤23.98	PASS
		5600	7.51	0.21	7.72	≤23.98	PASS
		5700	8.17	0.21	8.38	≤23.98	PASS
		5745	8.56	0.25	8.81	≤30.00	PASS
		5785	9.45	0.25	9.7	≤30.00	PASS
		5825	9.45	0.21	9.66	≤30.00	PASS
11AX40S ISO	Ant2	5190	7.01	0.39	7.4	≤23.98	PASS
		5230	7.34	0.47	7.81	≤23.98	PASS
		5270	7.88	0.39	8.27	≤23.98	PASS
		5310	7.86	0.47	8.33	≤23.98	PASS
		5510	6.88	0.38	7.26	≤23.98	PASS
		5550	6.46	0.47	6.93	≤23.98	PASS
		5670	6.78	0.47	7.25	≤23.98	PASS
		5755	7.04	0.47	7.51	≤30.00	PASS

		5795	7.58	0.38	7.96	≤30.00	PASS
11AX80S ISO	Ant2	5210	4.80	0.71	5.51	≤23.98	PASS
		5290	5.27	0.71	5.98	≤23.98	PASS
		5530	3.17	0.87	4.04	≤23.98	PASS
		5610	4.03	0.71	4.74	≤23.98	PASS
		5775	5.38	0.71	6.09	≤30.00	PASS

Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RawData [dBm/MHz]	DC Factor [dBm]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant2	5180	0.77	0.39	1.16	≤11.00	PASS
		5200	0.5	0.4	0.9	≤11.00	PASS
		5240	1.51	0.4	1.91	≤11.00	PASS
		5260	1.31	0.38	1.69	≤11.00	PASS
		5280	1.85	0.4	2.25	≤11.00	PASS
		5320	1.65	0.39	2.04	≤11.00	PASS
		5500	1.93	0.39	2.32	≤11.00	PASS
		5600	-1.81	4.51	2.7	≤11.00	PASS
		5700	1.38	0.39	1.77	≤11.00	PASS
		5745	0.02	0.38	0.4	≤30.00	PASS
		5785	0.58	0.39	0.97	≤30.00	PASS
		5825	0.56	0.4	0.96	≤30.00	PASS
11N20SISO	Ant2	5180	0.28	0.53	0.81	≤11.00	PASS
		5200	0.92	0.52	1.44	≤11.00	PASS
		5240	1.27	0.52	1.79	≤11.00	PASS
		5260	1.72	0.53	2.25	≤11.00	PASS
		5280	1.84	0.52	2.36	≤11.00	PASS
		5320	1.71	0.52	2.23	≤11.00	PASS
		5500	0.71	0.52	1.23	≤11.00	PASS
		5600	0.58	0.52	1.1	≤11.00	PASS
		5700	0.75	0.52	1.27	≤11.00	PASS
		5745	-0.7	0.52	-0.18	≤30.00	PASS
		5785	0	0.52	0.52	≤30.00	PASS
		5825	-0.01	0.52	0.51	≤30.00	PASS
11N40SISO	Ant2	5190	-2.8	0.39	-2.41	≤11.00	PASS
		5230	-1.56	0.39	-1.17	≤11.00	PASS
		5270	-1.06	0.39	-0.67	≤11.00	PASS
		5310	-1.16	0.39	-0.77	≤11.00	PASS
		5510	-2.57	0.39	-2.18	≤11.00	PASS
		5550	-2.21	0.39	-1.82	≤11.00	PASS
		5670	-1.96	0.39	-1.57	≤11.00	PASS
		5755	-3.66	0.39	-3.27	≤30.00	PASS
		5795	-3.23	0.38	-2.85	≤30.00	PASS
11AC20SISO	Ant2	5180	0.15	1.62	1.77	≤11.00	PASS
		5200	0.04	1.58	1.62	≤11.00	PASS
		5240	0.73	1.58	2.31	≤11.00	PASS

		5260	1.08	1.59	2.67	≤11.00	PASS
		5280	0.82	1.62	2.44	≤11.00	PASS
		5320	0.83	1.59	2.42	≤11.00	PASS
		5500	0.11	1.62	1.73	≤11.00	PASS
		5600	0.42	1.62	2.04	≤11.00	PASS
		5700	-0.01	1.58	1.57	≤11.00	PASS
		5745	-0.52	1.58	1.06	≤30.00	PASS
		5785	-1	1.59	0.59	≤30.00	PASS
		5825	-0.72	1.62	0.9	≤30.00	PASS
11AC40SISO	Ant2	5190	-5.79	0.35	-5.44	≤11.00	PASS
		5230	-5.59	0.35	-5.24	≤11.00	PASS
		5270	-4.69	0.43	-4.26	≤11.00	PASS
		5310	-5.92	0.43	-5.49	≤11.00	PASS
		5510	-5.42	0.35	-5.07	≤11.00	PASS
		5550	-5.38	0.35	-5.03	≤11.00	PASS
		5670	-5.52	0.35	-5.17	≤11.00	PASS
		5755	-8.18	0.35	-7.83	≤30.00	PASS
		5795	-7.34	0.35	-6.99	≤30.00	PASS
11AC80SISO	Ant2	5210	-10.51	0.69	-9.82	≤11.00	PASS
		5290	-8.83	0.82	-8.01	≤11.00	PASS
		5530	-11.27	0.67	-10.6	≤11.00	PASS
		5610	-8.62	0.67	-7.95	≤11.00	PASS
		5775	-11.33	0.67	-10.66	≤30.00	PASS
11AX20SISO	Ant2	5180	-2.77	0.25	-2.52	≤11.00	PASS
		5200	-2.32	0.21	-2.11	≤11.00	PASS
		5240	-1.55	0.21	-1.34	≤11.00	PASS
		5260	-0.16	0.21	0.05	≤11.00	PASS
		5280	-0.68	0.21	-0.47	≤11.00	PASS
		5320	-1.79	0.21	-1.58	≤11.00	PASS
		5500	-2.04	0.21	-1.83	≤11.00	PASS
		5600	-3.46	0.21	-3.25	≤11.00	PASS
		5700	-3.08	0.21	-2.87	≤11.00	PASS
		5745	-5.37	0.25	-5.12	≤30.00	PASS
		5785	-5.03	0.25	-4.78	≤30.00	PASS
		5825	-4.48	0.21	-4.27	≤30.00	PASS
11AX40SISO	Ant2	5190	-6.19	0.39	-5.8	≤11.00	PASS
		5230	-5.4	0.47	-4.93	≤11.00	PASS
		5270	-5.02	0.39	-4.63	≤11.00	PASS
		5310	-5.01	0.47	-4.54	≤11.00	PASS
		5510	-6.31	0.38	-5.93	≤11.00	PASS
		5550	-6.66	0.47	-6.19	≤11.00	PASS
		5670	-7.19	0.47	-6.72	≤11.00	PASS
		5755	-9.52	0.47	-9.05	≤30.00	PASS