




# 11N40SISO\_Ant2\_Low\_5510




# 11N40SISO\_Ant2\_High\_5670




# 11AC20SISO\_Ant2\_Low\_5180




### 11AC20SISO\_Ant2\_High\_5320



### 11AC20SISO\_Ant2\_Low\_5500




# 11AC20SISO\_Ant2\_High\_5700




Date: 17.JUL.2026 13:13:32

# 11AC40SISO\_Ant2\_Low\_5190




Date: 18.JUL.2026 08:56:10


# 11AC40SISO\_Ant2\_High\_5310




### 11AC40ISO\_Ant2\_Low\_5510



### 11AC40ISO\_Ant2\_High\_5670




# 11AC80SISO\_Ant2\_Low\_5210




Date: 18.JUL.2026 09:28:47

# 11AC80SISO\_Ant2\_High\_5290




Date: 19.JUL.2026 00:44:47


# 11AC80SISO\_Ant2\_Low\_5530




### 11AC80ISO\_Ant2\_High\_5610



### 11AX20ISO\_Ant2\_Low\_5180




# 11AX20SISO\_Ant2\_High\_5320




Date: 18.JUL.2026 10:02:45

# 11AX20SISO\_Ant2\_Low\_5500




Date: 18.JUL.2026 10:08:55


# 11AX20SISO\_Ant2\_High\_5700




### 11AX40ISO\_Ant2\_Low\_5190




### 11AX40ISO\_Ant2\_High\_5310




# 11AX40SISO\_Ant2\_Low\_5510




# 11AX40SISO\_Ant2\_High\_5670




# 11AX80SISO\_Ant2\_Low\_5210



### 11AX80ISO\_Ant2\_High\_5290



### 11AX80ISO\_Ant2\_Low\_5530





# 11AX80SISO\_Ant2\_High\_5610



Date: 18.JUL.2026 11:09:01


Test Graphs B4






Date: 17.JUL.2026 12:21:33

### 11N20SISO\_Ant2\_High\_5825




Date: 17.JUL.2026 12:26:17

### 11N40SISO\_Ant2\_Low\_5755




Date: 17.JUL.2026 12:49:37


# 11N40SISO\_Ant2\_High\_5795



# 11AC20SISO\_Ant2\_Low\_5745




# 11AC20SISO\_Ant2\_High\_5825




Date: 17.JUL.2026 13:21:57

### 11AC40SISO\_Ant2\_Low\_5755




Date: 18.JUL.2026 09:22:48

### 11AC40SISO\_Ant2\_High\_5795




Date: 18.JUL.2026 09:25:39


# 11AC80SISO\_Ant2\_Low\_5775




# 11AC80SISO\_Ant2\_High\_5775




# 11AX20SISO\_Ant2\_Low\_5745




### 11AX20ISO\_Ant2\_High\_5825




### 11AX40ISO\_Ant2\_Low\_5755




# 11AX40SISO\_Ant2\_High\_5795



# 11AX80SISO\_Ant2\_Low\_5775



# 11AX80SISO\_Ant2\_High\_5775



Date: 18.JUL.2026 11:12:32

## Appendix F: Conducted Spurious Emission

### Test Result

| TestMode  | Antenna | Freq(MHz) | FreqRange [MHz] | Max. Fre [MHz] | Max. Level [dBm] | Antenna Gain (dBi) | EIRP (dBm) | Limit [dBm] | Verdict |
|-----------|---------|-----------|-----------------|----------------|------------------|--------------------|------------|-------------|---------|
| 11A       | Ant2    | 5180      | 30~5140         | 5110.96        | -47.51           | 5.5                | -42.01     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39767.3        | -41.77           | 5.5                | -36.27     | ≤-27        | PASS    |
|           |         | 5200      | 30~5140         | 4904.01        | -47.93           | 5.5                | -42.43     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39815.8        | -43.27           | 5.5                | -37.77     | ≤-27        | PASS    |
|           |         | 5240      | 30~5140         | 5053.56        | -48.1            | 5.5                | -42.6      | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39709.6        | -42.36           | 5.5                | -36.86     | ≤-27        | PASS    |
|           |         | 5260      | 30~5140         | 5088.65        | -48              | 5.5                | -42.5      | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39926.7        | -43.08           | 5.5                | -37.58     | ≤-27        | PASS    |
|           |         | 5280      | 30~5140         | 4932.97        | -47.94           | 5.5                | -42.44     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39984.4        | -42.48           | 5.5                | -36.98     | ≤-27        | PASS    |
|           |         | 5320      | 30~5140         | 4979.98        | -47.38           | 5.5                | -41.88     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39881.7        | -42.87           | 5.5                | -37.37     | ≤-27        | PASS    |
|           |         | 5500      | 30~5460         | 5458.28        | -45.3            | 5.5                | -39.8      | ≤-27        | PASS    |
|           |         |           | 5735~40000      | 39828.1        | -43.67           | 5.5                | -38.17     | ≤-27        | PASS    |
|           |         | 5600      | 30~5460         | 5377.92        | -46.43           | 5.5                | -40.93     | ≤-27        | PASS    |
|           |         |           | 5735~40000      | 39692.2        | -43.28           | 5.5                | -37.78     | ≤-27        | PASS    |
|           |         | 5700      | 30~5460         | 5339.55        | -48.44           | 5.5                | -42.94     | ≤-27        | PASS    |
|           |         |           | 5735~40000      | 39991.4        | -42.84           | 5.5                | -37.34     | ≤-27        | PASS    |
|           |         | 5745      | 30~5650         | 5627.43        | -51.92           | 5.5                | -46.42     | ≤-27        | PASS    |
|           |         |           | 5925~40000      | 39808.6        | -43.6            | 5.5                | -38.1      | ≤-27        | PASS    |
|           |         | 5785      | 30~5650         | 5602.51        | -51.78           | 5.5                | -46.28     | ≤-27        | PASS    |
|           |         |           | 5925~40000      | 39720          | -45.19           | 5.5                | -39.69     | ≤-27        | PASS    |
|           |         | 5825      | 30~5650         | 1622.56        | -51.08           | 5.5                | -45.58     | ≤-27        | PASS    |
|           |         |           | 5925~40000      | 39889.3        | -45.15           | 5.5                | -39.65     | ≤-27        | PASS    |
| 11N20SISO | Ant2    | 5180      | 30~5140         | 5137.36        | -47.14           | 5.5                | -41.64     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39776.6        | -42.99           | 5.5                | -37.49     | ≤-27        | PASS    |
|           |         | 5200      | 30~5140         | 1752.1         | -45.08           | 5.5                | -39.58     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39748.9        | -42.8            | 5.5                | -37.3      | ≤-27        | PASS    |
|           |         | 5240      | 30~5140         | 5011.32        | -47.91           | 5.5                | -42.41     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39848.2        | -43.49           | 5.5                | -37.99     | ≤-27        | PASS    |
|           |         | 5260      | 30~5140         | 4954.43        | -47.78           | 5.5                | -42.28     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39952.1        | -42.87           | 5.5                | -37.37     | ≤-27        | PASS    |
|           |         | 5280      | 30~5140         | 5085.24        | -48.17           | 5.5                | -42.67     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39787          | -42.46           | 5.5                | -36.96     | ≤-27        | PASS    |
|           |         | 5320      | 30~5140         | 5058.84        | -48.47           | 5.5                | -42.97     | ≤-27        | PASS    |
|           |         |           | 5360~40000      | 39872.4        | -43.04           | 5.5                | -37.54     | ≤-27        | PASS    |

|            |      |      |            |         |        |     |        |      |      |
|------------|------|------|------------|---------|--------|-----|--------|------|------|
|            |      | 5500 | 30~5460    | 5459    | -45.89 | 5.5 | -40.39 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39938.9 | -43.3  | 5.5 | -37.8  | ≤-27 | PASS |
|            |      | 5600 | 30~5460    | 5348.42 | -47.61 | 5.5 | -42.11 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39745.9 | -43.63 | 5.5 | -38.13 | ≤-27 | PASS |
|            |      | 5700 | 30~5460    | 5336.29 | -48.28 | 5.5 | -42.78 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39821.3 | -43.1  | 5.5 | -37.6  | ≤-27 | PASS |
|            |      | 5745 | 30~5650    | 5649.53 | -51.66 | 5.5 | -46.16 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39956.3 | -44.79 | 5.5 | -39.29 | ≤-27 | PASS |
|            |      | 5785 | 30~5650    | 5604.2  | -52.26 | 5.5 | -46.76 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39999.4 | -43.99 | 5.5 | -38.49 | ≤-27 | PASS |
|            |      | 5825 | 30~5650    | 1620.5  | -51.18 | 5.5 | -45.68 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39788.2 | -44.21 | 5.5 | -38.71 | ≤-27 | PASS |
| 11N40SISO  | Ant2 | 5190 | 30~5140    | 5135.66 | -43.36 | 5.5 | -37.86 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39823.9 | -43.22 | 5.5 | -37.72 | ≤-27 | PASS |
|            |      | 5230 | 30~5140    | 5021.37 | -47.14 | 5.5 | -41.64 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39866.6 | -43    | 5.5 | -37.5  | ≤-27 | PASS |
|            |      | 5270 | 30~5140    | 5111.13 | -47.26 | 5.5 | -41.76 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39959   | -42.88 | 5.5 | -37.38 | ≤-27 | PASS |
|            |      | 5310 | 30~5140    | 5089.5  | -48.43 | 5.5 | -42.93 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39837.8 | -43.31 | 5.5 | -37.81 | ≤-27 | PASS |
|            |      | 5510 | 30~5460    | 5457.38 | -42.31 | 5.5 | -36.81 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39791.6 | -42.73 | 5.5 | -37.23 | ≤-27 | PASS |
|            |      | 5550 | 30~5460    | 5453.76 | -46.53 | 5.5 | -41.03 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39769.9 | -43.54 | 5.5 | -38.04 | ≤-27 | PASS |
|            |      | 5670 | 30~5460    | 5305.7  | -47.93 | 5.5 | -42.43 | ≤-27 | PASS |
|            |      |      | 5735~40000 | 39792.7 | -43.36 | 5.5 | -37.86 | ≤-27 | PASS |
|            |      | 5755 | 30~5650    | 5635.86 | -51.56 | 5.5 | -46.06 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39724.6 | -44.7  | 5.5 | -39.2  | ≤-27 | PASS |
|            |      | 5795 | 30~5650    | 5626.3  | -52.56 | 5.5 | -47.06 | ≤-27 | PASS |
|            |      |      | 5925~40000 | 39889.3 | -45.09 | 5.5 | -39.59 | ≤-27 | PASS |
| 11AC20SISO | Ant2 | 5180 | 30~5140    | 5119.31 | -46.47 | 5.5 | -40.97 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39834.3 | -43.07 | 5.5 | -37.57 | ≤-27 | PASS |
|            |      | 5200 | 30~5140    | 5112.49 | -47.41 | 5.5 | -41.91 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39819.3 | -42.75 | 5.5 | -37.25 | ≤-27 | PASS |
|            |      | 5240 | 30~5140    | 5112.32 | -48.3  | 5.5 | -42.8  | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39990.2 | -42.88 | 5.5 | -37.38 | ≤-27 | PASS |
|            |      | 5260 | 30~5140    | 5136.34 | -48.25 | 5.5 | -42.75 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39850.5 | -43.2  | 5.5 | -37.7  | ≤-27 | PASS |
|            |      | 5280 | 30~5140    | 5029.54 | -48.67 | 5.5 | -43.17 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39916.3 | -42.25 | 5.5 | -36.75 | ≤-27 | PASS |
|            |      | 5320 | 30~5140    | 4939.78 | -47.94 | 5.5 | -42.44 | ≤-27 | PASS |
|            |      |      | 5360~40000 | 39866.6 | -42.81 | 5.5 | -37.31 | ≤-27 | PASS |
|            |      | 5500 | 30~5460    | 5458.1  | -46.11 | 5.5 | -40.61 | ≤-27 | PASS |