




11AX40SISO_Ant2_5510_30~5460




11AX40SISO_Ant2_5510_5735~40000




11AX40SISO_Ant2_5550_30~5460




11AX40SISO_Ant2_5550_5735~40000



11AX40SISO_Ant2_5670_30~5460




11AX40SISO_Ant2_5670_5735~40000




Date: 18.JUL.2026 10:46:35

11AX40SISO_Ant2_5755_30~5650




Date: 18.JUL.2026 10:51:38


11AX40SISO_Ant2_5755_5925~40000




11AX40SISO_Ant2_5795_30~5650



11AX40SISO_Ant2_5795_5925~40000




11AX80SISO_Ant2_5210_30~5140




Date: 18.JUL.2026 10:58:28

11AX80SISO_Ant2_5210_5360~40000




Date: 18.JUL.2026 10:58:36


11AX80SISO_Ant2_5290_30~5140




11AX80SISO_Ant2_5290_5360~40000



11AX80SISO_Ant2_5530_30~5460




11AX80SISO_Ant2_5530_5735~40000




Date: 18.JUL.2026 11:06:10

11AX80SISO_Ant2_5610_30~5460




Date: 18.JUL.2026 11:09:55


11AX80SISO_Ant2_5610_5735~40000



11AX80SISO_Ant2_5775_30~5650



11AX80SISO_Ant2_5775_5925~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant2	Low	5180	AV	4500.000	-66.61	5.5	0.39	-64.22	≤-41.20	PASS
				AV	5143.188	-56.52	5.5	0.39	-54.13	≤-41.20	PASS
				AV	5150.000	-56.49	5.5	0.39	-54.1	≤-41.20	PASS
				Peak	4500.000	-56.65	5.5	0.00	-54.65	≤-27.00	PASS
				Peak	5144.203	-44.49	5.5	0.00	-42.49	≤-27.00	PASS
				Peak	5150.000	-43.54	5.5	0.00	-41.54	≤-27.00	PASS
		High	5320	AV	5350.000	-55.59	5.5	0.39	-53.2	≤-41.20	PASS
				AV	5350.087	-55.66	5.5	0.39	-53.27	≤-41.20	PASS
				AV	5460.000	-62.5	5.5	0.39	-60.11	≤-41.20	PASS
				Peak	5350.000	-42.29	5.5	0.00	-40.29	≤-27.00	PASS
				Peak	5350.087	-42.25	5.5	0.00	-40.25	≤-27.00	PASS
				Peak	5460.000	-51.25	5.5	0.00	-49.25	≤-27.00	PASS
		Low	5500	AV	5350.000	-60.89	5.5	0.39	-58.5	≤-41.20	PASS
				AV	5458.565	-55.77	5.5	0.39	-53.38	≤-41.20	PASS
				AV	5460.000	-56.14	5.5	0.39	-53.75	≤-41.20	PASS
				Peak	5350.000	-49.01	5.5	0.00	-47.01	≤-27.00	PASS
				Peak	5458.565	-43.53	5.5	0.00	-41.53	≤-27.00	PASS
				Peak	5460.000	-44.41	5.5	0.00	-42.41	≤-27.00	PASS
			5745	Peak	5650.000	-50.63	5.5	0.00	-48.63	≤-27.00	PASS
				Peak	5700.000	-47.18	5.5	0.00	-45.18	≤10.00	PASS
				Peak	5720.000	-31.95	5.5	0.00	-29.95	≤15.60	PASS
				Peak	5725.000	-34.71	5.5	0.00	-32.71	≤27.00	PASS
		High	5825	Peak	5850.000	-35.56	5.5	0.00	-33.56	≤27.00	PASS
				Peak	5855.000	-36.83	5.5	0.00	-34.83	≤15.60	PASS
				Peak	5875.000	-46.53	5.5	0.00	-44.53	≤10.00	PASS
				Peak	5925.000	-48.16	5.5	0.00	-46.16	≤-27.00	PASS
11N20SI SO	Ant2	Low	5180	AV	4500.000	-66.73	5.5	0.53	-64.2	≤-41.20	PASS
				AV	5149.275	-55.67	5.5	0.53	-53.14	≤-41.20	PASS
				AV	5150.000	-55.63	5.5	0.53	-53.1	≤-41.20	PASS
				Peak	4500.000	-57.28	5.5	0.00	-55.28	≤-27.00	PASS
				Peak	5146.232	-41.63	5.5	0.00	-39.63	≤-27.00	PASS
				Peak	5150.000	-42.78	5.5	0.00	-40.78	≤-27.00	PASS
		High	5320	AV	5350.000	-53.88	5.5	0.52	-51.36	≤-41.20	PASS
				AV	5351.478	-53.92	5.5	0.52	-51.4	≤-41.20	PASS
				AV	5460.000	-62.54	5.5	0.52	-60.02	≤-41.20	PASS

				Peak	5350.000	-38.85	5.5	0.00	-36.85	≤-27.00	PASS
				Peak	5350.087	-39.07	5.5	0.00	-37.07	≤-27.00	PASS
				Peak	5460.000	-51.3	5.5	0.00	-49.3	≤-27.00	PASS
		Low	5500	AV	5350.000	-61.26	5.5	0.52	-58.74	≤-41.20	PASS
				AV	5457.957	-56.43	5.5	0.52	-53.91	≤-41.20	PASS
				AV	5460.000	-56.93	5.5	0.52	-54.41	≤-41.20	PASS
				Peak	5350.000	-50.64	5.5	0.00	-48.64	≤-27.00	PASS
				Peak	5459.174	-42.5	5.5	0.00	-40.5	≤-27.00	PASS
				Peak	5460.000	-45.97	5.5	0.00	-43.97	≤-27.00	PASS
			5745	Peak	5650.000	-50.83	5.5	0.00	-48.83	≤-27.00	PASS
				Peak	5700.000	-46.9	5.5	0.00	-44.9	≤10.00	PASS
				Peak	5720.000	-36.51	5.5	0.00	-34.51	≤15.60	PASS
				Peak	5725.000	-32.58	5.5	0.00	-30.58	≤27.00	PASS
		High	5825	Peak	5850.000	-35.12	5.5	0.00	-33.12	≤27.00	PASS
				Peak	5855.000	-38.56	5.5	0.00	-36.56	≤15.60	PASS
				Peak	5875.000	-46.57	5.5	0.00	-44.57	≤10.00	PASS
				Peak	5925.000	-49.12	5.5	0.00	-47.12	≤-27.00	PASS
11N40SI SO	Ant2	Low	5190	AV	4500.000	-66.92	5.5	0.39	-64.53	≤-41.20	PASS
				AV	5149.275	-51.91	5.5	0.39	-49.52	≤-41.20	PASS
				AV	5150.000	-51.48	5.5	0.39	-49.09	≤-41.20	PASS
				Peak	4500.000	-56.7	5.5	0.00	-54.7	≤-27.00	PASS
				Peak	5142.174	-37.72	5.5	0.00	-35.72	≤-27.00	PASS
				Peak	5150.000	-39.6	5.5	0.00	-37.6	≤-27.00	PASS
		High	5310	AV	5350.000	-47.98	5.5	0.39	-45.59	≤-41.20	PASS
				AV	5350.087	-48.07	5.5	0.39	-45.68	≤-41.20	PASS
				AV	5460.000	-62.29	5.5	0.39	-59.9	≤-41.20	PASS
				Peak	5350.000	-34.55	5.5	0.00	-32.55	≤-27.00	PASS
				Peak	5354.493	-34.2	5.5	0.00	-32.2	≤-27.00	PASS
				Peak	5460.000	-51.32	5.5	0.00	-49.32	≤-27.00	PASS
		Low	5510	AV	5350.000	-60.9	5.5	0.39	-58.51	≤-41.20	PASS
				AV	5459.420	-52.57	5.5	0.39	-50.18	≤-41.20	PASS
				AV	5460.000	-52.25	5.5	0.39	-49.86	≤-41.20	PASS
				Peak	5350.000	-50.29	5.5	0.00	-48.29	≤-27.00	PASS
				Peak	5457.826	-38.05	5.5	0.00	-36.05	≤-27.00	PASS
				Peak	5460.000	-40.68	5.5	0.00	-38.68	≤-27.00	PASS
			5755	Peak	5650.000	-49.32	5.5	0.00	-47.32	≤-27.00	PASS
				Peak	5700.000	-41.48	5.5	0.00	-39.48	≤10.00	PASS
				Peak	5720.000	-35.52	5.5	0.00	-33.52	≤15.60	PASS
				Peak	5725.000	-35.23	5.5	0.00	-33.23	≤27.00	PASS
		High	5795	Peak	5850.000	-43.77	5.5	0.00	-41.77	≤27.00	PASS
				Peak	5855.000	-44.18	5.5	0.00	-42.18	≤15.60	PASS
				Peak	5875.000	-46.88	5.5	0.00	-44.88	≤10.00	PASS
				Peak	5925.000	-49.21	5.5	0.00	-47.21	≤-27.00	PASS

11AC20S ISO	Ant2	Low	5180	AV	4500.000	-66.72	5.5	1.62	-63.1	≤-41.20	PASS
				AV	5149.275	-56.55	5.5	1.62	-52.93	≤-41.20	PASS
				AV	5150.000	-56.08	5.5	1.62	-52.46	≤-41.20	PASS
				Peak	4500.000	-56.84	5.5	0.00	-54.84	≤-27.00	PASS
				Peak	5149.275	-42.91	5.5	0.00	-40.91	≤-27.00	PASS
				Peak	5150.000	-42.83	5.5	0.00	-40.83	≤-27.00	PASS
		High	5320	AV	5350.000	-55.73	5.5	1.59	-52.14	≤-41.20	PASS
				AV	5351.478	-55.48	5.5	1.59	-51.89	≤-41.20	PASS
				AV	5460.000	-62.76	5.5	1.59	-59.17	≤-41.20	PASS
				Peak	5350.000	-42.62	5.5	0.00	-40.62	≤-27.00	PASS
				Peak	5351.246	-40.96	5.5	0.00	-38.96	≤-27.00	PASS
				Peak	5460.000	-50.89	5.5	0.00	-48.89	≤-27.00	PASS
		Low	5500	AV	5350.000	-61.59	5.5	1.62	-57.97	≤-41.20	PASS
				AV	5459.174	-57.27	5.5	1.62	-53.65	≤-41.20	PASS
				AV	5460.000	-57.27	5.5	1.62	-53.65	≤-41.20	PASS
				Peak	5350.000	-50.08	5.5	0.00	-48.08	≤-27.00	PASS
				Peak	5458.565	-43.81	5.5	0.00	-41.81	≤-27.00	PASS
				Peak	5460.000	-45.77	5.5	0.00	-43.77	≤-27.00	PASS
			5745	Peak	5650.000	-50.56	5.5	0.00	-48.56	≤-27.00	PASS
				Peak	5700.000	-45.22	5.5	0.00	-43.22	≤10.00	PASS
				Peak	5720.000	-33.62	5.5	0.00	-31.62	≤15.60	PASS
				Peak	5725.000	-30.18	5.5	0.00	-28.18	≤27.00	PASS
		High	5825	Peak	5850.000	-34.33	5.5	0.00	-32.33	≤27.00	PASS
				Peak	5855.000	-39.09	5.5	0.00	-37.09	≤15.60	PASS
				Peak	5875.000	-45.48	5.5	0.00	-43.48	≤10.00	PASS
				Peak	5925.000	-48.2	5.5	0.00	-46.2	≤-27.00	PASS
11AC40S ISO	Ant2	Low	5190	AV	4500.000	-67.09	5.5	0.35	-57.78	≤-41.20	PASS
				AV	5147.246	-53.17	5.5	0.35	-43.86	≤-41.20	PASS
				AV	5150.000	-53.42	5.5	0.35	-44.11	≤-41.20	PASS
				Peak	4500.000	-56.77	5.5	0.00	-54.77	≤-27.00	PASS
				Peak	5149.275	-33.92	5.5	0.00	-31.92	≤-27.00	PASS
				Peak	5150.000	-36.98	5.5	0.00	-34.98	≤-27.00	PASS
		High	5310	AV	5350.000	-57.26	5.5	0.43	-47.93	≤-41.20	PASS
				AV	5350.087	-57.31	5.5	0.43	-47.98	≤-41.20	PASS
				AV	5460.000	-64.52	5.5	0.43	-55.19	≤-41.20	PASS
				Peak	5350.000	-38.05	5.5	0.00	-36.05	≤-27.00	PASS
				Peak	5352.638	-37.68	5.5	0.00	-35.68	≤-27.00	PASS
				Peak	5460.000	-51	5.5	0.00	-49	≤-27.00	PASS
		Low	5510	AV	5350.000	-64.1	5.5	0.35	-54.77	≤-41.20	PASS
				AV	5457.507	-53.96	5.5	0.35	-44.63	≤-41.20	PASS
				AV	5460.000	-53.98	5.5	0.35	-44.65	≤-41.20	PASS
				Peak	5350.000	-46.85	5.5	0.00	-44.85	≤-27.00	PASS
				Peak	5459.420	-34.31	5.5	0.00	-32.31	≤-27.00	PASS

			5755	Peak	5460.000	-35.53	5.5	0.00	-33.53	≤-27.00	PASS
				Peak	5650.000	-44.86	5.5	0.00	-42.86	≤-27.00	PASS
				Peak	5700.000	-38.27	5.5	0.00	-36.27	≤10.00	PASS
				Peak	5720.000	-33.64	5.5	0.00	-31.64	≤15.60	PASS
				Peak	5725.000	-30.29	5.5	0.00	-28.29	≤27.00	PASS
		High	5795	Peak	5850.000	-41.43	5.5	0.00	-39.43	≤27.00	PASS
				Peak	5855.000	-41.06	5.5	0.00	-39.06	≤15.60	PASS
				Peak	5875.000	-44.98	5.5	0.00	-42.98	≤10.00	PASS
				Peak	5925.000	-47.23	5.5	0.00	-45.23	≤-27.00	PASS
11AC80S ISO	Ant2	Low	5210	AV	4500.000	-67.19	5.5	0.69	-55.36	≤-41.20	PASS
				AV	5143.478	-53.89	5.5	0.69	-42.06	≤-41.20	PASS
				AV	5150.000	-55.9	5.5	0.69	-44.07	≤-41.20	PASS
				Peak	4500.000	-57.39	5.5	0.00	-55.39	≤-27.00	PASS
				Peak	5135.870	-33.71	5.5	0.00	-31.71	≤-27.00	PASS
				Peak	5150.000	-37.3	5.5	0.00	-35.3	≤-27.00	PASS
		High	5290	AV	5350.000	-56.97	5.5	0.82	-45.28	≤-41.20	PASS
				AV	5362.319	-55.7	5.5	0.82	-44.01	≤-41.20	PASS
				AV	5460.000	-65.05	5.5	0.82	-53.36	≤-41.20	PASS
				Peak	5350.000	-38.32	5.5	0.00	-36.32	≤-27.00	PASS
				Peak	5383.478	-33.17	5.5	0.00	-31.17	≤-27.00	PASS
				Peak	5460.000	-51.66	5.5	0.00	-49.66	≤-27.00	PASS
		Low	5530	AV	5350.000	-64.98	5.5	0.67	-53.16	≤-41.20	PASS
				AV	5452.580	-54.04	5.5	0.67	-42.22	≤-41.20	PASS
				AV	5460.000	-55.38	5.5	0.67	-43.56	≤-41.20	PASS
				Peak	5350.000	-49.06	5.5	0.00	-47.06	≤-27.00	PASS
				Peak	5450.145	-33.34	5.5	0.00	-31.34	≤-27.00	PASS
				Peak	5460.000	-35.72	5.5	0.00	-33.72	≤-27.00	PASS
			5775	Peak	5650.000	-43.3	5.5	0.00	-41.3	≤-27.00	PASS
				Peak	5700.000	-34.37	5.5	0.00	-32.37	≤10.00	PASS
				Peak	5720.000	-33.03	5.5	0.00	-31.03	≤15.60	PASS
				Peak	5725.000	-35.29	5.5	0.00	-33.29	≤27.00	PASS
		High	5775	Peak	5850.000	-30.41	5.5	0.00	-28.41	≤27.00	PASS
				Peak	5855.000	-30.91	5.5	0.00	-28.91	≤15.60	PASS
				Peak	5875.000	-28.63	5.5	0.00	-26.63	≤10.00	PASS
				Peak	5925.000	-46.34	5.5	0.00	-44.34	≤-27.00	PASS
11AX20S ISO	Ant2	Low	5180	AV	4500.000	-66.93	5.5	0.25	-59.5	≤-41.20	PASS
				AV	5149.275	-56.45	5.5	0.25	-49.02	≤-41.20	PASS
				AV	5150.000	-57.52	5.5	0.25	-50.09	≤-41.20	PASS
				Peak	4500.000	-56.08	5.5	0.00	-54.08	≤-27.00	PASS
				Peak	5148.261	-38.95	5.5	0.00	-36.95	≤-27.00	PASS
				Peak	5150.000	-39.61	5.5	0.00	-37.61	≤-27.00	PASS
		High	5320	AV	5350.000	-57.4	5.5	0.21	-49.93	≤-41.20	PASS
				AV	5350.087	-57.47	5.5	0.21	-50	≤-41.20	PASS


				AV	5460.000	-64.05	5.5	0.21	-56.58	≤-41.20	PASS
				Peak	5350.000	-36.49	5.5	0.00	-34.49	≤-27.00	PASS
				Peak	5350.087	-36.33	5.5	0.00	-34.33	≤-27.00	PASS
				Peak	5460.000	-49.66	5.5	0.00	-47.66	≤-27.00	PASS
		Low	5500	AV	5350.000	-63.47	5.5	0.21	-56	≤-41.20	PASS
				AV	5459.783	-58.8	5.5	0.21	-51.33	≤-41.20	PASS
				AV	5460.000	-59.07	5.5	0.21	-51.6	≤-41.20	PASS
				Peak	5350.000	-50.05	5.5	0.00	-48.05	≤-27.00	PASS
				Peak	5457.043	-38.75	5.5	0.00	-36.75	≤-27.00	PASS
				Peak	5460.000	-40.73	5.5	0.00	-38.73	≤-27.00	PASS
			5745	Peak	5650.000	-49.37	5.5	0.00	-47.37	≤-27.00	PASS
				Peak	5700.000	-44.44	5.5	0.00	-42.44	≤10.00	PASS
				Peak	5720.000	-35.7	5.5	0.00	-33.7	≤15.60	PASS
				Peak	5725.000	-35.65	5.5	0.00	-33.65	≤27.00	PASS
		High	5825	Peak	5850.000	-36.76	5.5	0.00	-34.76	≤27.00	PASS
				Peak	5855.000	-36.56	5.5	0.00	-34.56	≤15.60	PASS
				Peak	5875.000	-43.85	5.5	0.00	-41.85	≤10.00	PASS
				Peak	5925.000	-47.68	5.5	0.00	-45.68	≤-27.00	PASS
11AX40S ISO	Ant2	Low	5190	AV	4500.000	-67.01	5.5	0.39	-57.37	≤-41.20	PASS
				AV	5147.246	-52.83	5.5	0.39	-43.19	≤-41.20	PASS
				AV	5150.000	-53.17	5.5	0.39	-43.53	≤-41.20	PASS
				Peak	4500.000	-56.84	5.5	0.00	-54.84	≤-27.00	PASS
				Peak	5147.246	-34.61	5.5	0.00	-32.61	≤-27.00	PASS
				Peak	5150.000	-36.4	5.5	0.00	-34.4	≤-27.00	PASS
		High	5310	AV	5350.000	-60.35	5.5	0.47	-50.78	≤-41.20	PASS
				AV	5350.087	-60.43	5.5	0.47	-50.86	≤-41.20	PASS
				AV	5460.000	-64.82	5.5	0.47	-55.25	≤-41.20	PASS
				Peak	5350.000	-42.38	5.5	0.00	-40.38	≤-27.00	PASS
				Peak	5351.246	-42.06	5.5	0.00	-40.06	≤-27.00	PASS
				Peak	5460.000	-51.29	5.5	0.00	-49.29	≤-27.00	PASS
		Low	5510	AV	5350.000	-64.27	5.5	0.38	-54.7	≤-41.20	PASS
				AV	5458.464	-52.89	5.5	0.38	-43.32	≤-41.20	PASS
				AV	5460.000	-52.35	5.5	0.38	-42.78	≤-41.20	PASS
				Peak	5350.000	-49.7	5.5	0.00	-47.7	≤-27.00	PASS
				Peak	5456.551	-34.82	5.5	0.00	-32.82	≤-27.00	PASS
				Peak	5460.000	-36.17	5.5	0.00	-34.17	≤-27.00	PASS
			5755	Peak	5650.000	-49.42	5.5	0.00	-47.42	≤-27.00	PASS
				Peak	5700.000	-38.67	5.5	0.00	-36.67	≤10.00	PASS
				Peak	5720.000	-36.19	5.5	0.00	-34.19	≤15.60	PASS
				Peak	5725.000	-34.75	5.5	0.00	-32.75	≤27.00	PASS
		High	5795	Peak	5850.000	-40.22	5.5	0.00	-38.22	≤27.00	PASS
				Peak	5855.000	-43.15	5.5	0.00	-41.15	≤15.60	PASS
				Peak	5875.000	-45.34	5.5	0.00	-43.34	≤10.00	PASS


				Peak	5925.000	-47.72	5.5	0.00	-45.72	≤-27.00	PASS
11AX80S ISO	Ant2	Low	5210	AV	4500.000	-67.43	5.5	0.71	-55.48	≤-41.20	PASS
				AV	5133.696	-54	5.5	0.71	-42.05	≤-41.20	PASS
				AV	5150.000	-56.95	5.5	0.71	-45	≤-41.20	PASS
				Peak	4500.000	-57.36	5.5	0.00	-55.36	≤-27.00	PASS
				Peak	5147.826	-32.37	5.5	0.00	-30.37	≤-27.00	PASS
				Peak	5150.000	-34.39	5.5	0.00	-32.39	≤-27.00	PASS
		High	5290	AV	5350.000	-56.6	5.5	0.71	-44.63	≤-41.20	PASS
				AV	5367.246	-55.05	5.5	0.71	-43.08	≤-41.20	PASS
				AV	5460.000	-64.77	5.5	0.71	-52.8	≤-41.20	PASS
				Peak	5350.000	-37.29	5.5	0.00	-35.29	≤-27.00	PASS
				Peak	5375.942	-31.27	5.5	0.00	-29.27	≤-27.00	PASS
				Peak	5460.000	-51.43	5.5	0.00	-49.43	≤-27.00	PASS
		Low	5530	AV	5350.000	-65.39	5.5	0.87	-53.42	≤-41.20	PASS
				AV	5449.739	-54.98	5.5	0.87	-43.01	≤-41.20	PASS
				AV	5460.000	-56.3	5.5	0.87	-44.33	≤-41.20	PASS
				Peak	5350.000	-49.74	5.5	0.00	-47.74	≤-27.00	PASS
				Peak	5435.536	-33.06	5.5	0.00	-31.06	≤-27.00	PASS
				Peak	5460.000	-36.77	5.5	0.00	-34.77	≤-27.00	PASS
			5775	Peak	5650.000	-43.97	5.5	0.00	-41.97	≤-27.00	PASS
				Peak	5700.000	-34.66	5.5	0.00	-32.66	≤10.00	PASS
				Peak	5720.000	-34.27	5.5	0.00	-32.27	≤15.60	PASS
				Peak	5725.000	-34.69	5.5	0.00	-32.69	≤27.00	PASS
		High	5775	Peak	5850.000	-28.81	5.5	0.00	-26.81	≤27.00	PASS
				Peak	5855.000	-29.21	5.5	0.00	-27.21	≤15.60	PASS
				Peak	5875.000	-32.26	5.5	0.00	-30.26	≤10.00	PASS
				Peak	5925.000	-46.31	5.5	0.00	-44.31	≤-27.00	PASS

Note:

- For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.


Test Graphs






Date: 17.JUL.2026 11:35:19

11A_Ant2_High_5320_Peak




Date: 17.JUL.2026 11:35:04

11A_Ant2_Low_5500_AV




Date: 17.JUL.2026 11:40:30


11A_Ant2_Low_5500_Peak



11A_Ant2_Low_5745_Peak




11A_Ant2_High_5825_Peak




Date: 17.JUL.2026 11:57:10

11N20SISO_Ant2_Low_5180_AV




Date: 17.JUL.2026 12:03:30

11N20SISO_Ant2_Low_5180_Peak




Date: 17.JUL.2026 12:03:15


11N20SISO_Ant2_High_5320_AV




11N20SISO_Ant2_High_5320_Peak




11N20SISO_Ant2_Low_5500_AV




11N20SISO_Ant2_Low_5500_Peak




11N20SISO_Ant2_Low_5745_Peak



11N20SISO_Ant2_High_5825_Peak



11N40SISO_Ant2_Low_5190_AV



11N40SISO_Ant2_Low_5190_Peak