







Band2-9538-3-0.009~0.15MHz-PASS




Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS




Band2-9538-4-0.009~0.15MHz-PASS




Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS



Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS

## AppendixF: Frequency Stability

### Test Result

| Voltage |         |               |                  |                |                 |             |         |
|---------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2   | 9262    | VN            | NT               | 0.27           | 0.000146        | ±2.5        | PASS    |
| Band2   | 9262    | VL            | NT               | 1.32           | 0.000713        | ±2.5        | PASS    |
| Band2   | 9262    | VH            | NT               | 0.51           | 0.000275        | ±2.5        | PASS    |
| Band2   | 9400    | VN            | NT               | -2.85          | -0.001516       | ±2.5        | PASS    |
| Band2   | 9400    | VL            | NT               | -2.59          | -0.001378       | ±2.5        | PASS    |
| Band2   | 9400    | VH            | NT               | -2.23          | -0.001186       | ±2.5        | PASS    |
| Band2   | 9538    | VN            | NT               | -6.72          | -0.003523       | ±2.5        | PASS    |
| Band2   | 9538    | VL            | NT               | -5.76          | -0.003020       | ±2.5        | PASS    |
| Band2   | 9538    | VH            | NT               | -5.52          | -0.002894       | ±2.5        | PASS    |

| Temperature |         |               |                  |                |                 |             |         |
|-------------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2       | 9262    | NV            | -30              | 1.16           | 0.000626        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | -20              | 1.12           | 0.000605        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | -10              | 1.22           | 0.000659        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | 0                | 1.23           | 0.000664        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | 10               | 1.57           | 0.000848        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | 20               | 1.42           | 0.000767        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | 30               | 0.74           | 0.000399        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | 40               | 1.62           | 0.000875        | ±2.5        | PASS    |
| Band2       | 9262    | NV            | 50               | 1.51           | 0.000815        | ±2.5        | PASS    |
| Band2       | 9400    | NV            | -30              | -1.80          | -0.000957       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | -20              | -1.85          | -0.000984       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | -10              | -3.09          | -0.001644       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | 0                | -3.63          | -0.001931       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | 10               | -2.85          | -0.001516       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | 20               | -2.95          | -0.001569       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | 30               | -1.95          | -0.001037       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | 40               | -3.05          | -0.001622       | ±2.5        | PASS    |
| Band2       | 9400    | NV            | 50               | -2.13          | -0.001133       | ±2.5        | PASS    |
| Band2       | 9538    | NV            | -30              | -6.19          | -0.003245       | ±2.5        | PASS    |
| Band2       | 9538    | NV            | -20              | -6.37          | -0.003339       | ±2.5        | PASS    |
| Band2       | 9538    | NV            | -10              | -5.87          | -0.003077       | ±2.5        | PASS    |
| Band2       | 9538    | NV            | 0                | -5.86          | -0.003072       | ±2.5        | PASS    |

|       |      |    |    |       |           |      |      |
|-------|------|----|----|-------|-----------|------|------|
| Band2 | 9538 | NV | 10 | -5.60 | -0.002936 | ±2.5 | PASS |
| Band2 | 9538 | NV | 20 | -5.16 | -0.002705 | ±2.5 | PASS |
| Band2 | 9538 | NV | 30 | -5.92 | -0.003103 | ±2.5 | PASS |
| Band2 | 9538 | NV | 40 | -7.34 | -0.003848 | ±2.5 | PASS |
| Band2 | 9538 | NV | 50 | -5.65 | -0.002962 | ±2.5 | PASS |

| Voltage |         |          |               |                  |                |                 |             |         |
|---------|---------|----------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | Sub Test | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2   | 9262    | 1        | VN            | NT               | -5.67          | -0.003061       | ±2.5        | PASS    |
| Band2   | 9262    | 1        | VL            | NT               | -6.00          | -0.003239       | ±2.5        | PASS    |
| Band2   | 9262    | 1        | VH            | NT               | -6.49          | -0.003504       | ±2.5        | PASS    |
| Band2   | 9262    | 2        | VN            | NT               | -5.66          | -0.003055       | ±2.5        | PASS    |
| Band2   | 9262    | 2        | VL            | NT               | -5.76          | -0.003109       | ±2.5        | PASS    |
| Band2   | 9262    | 2        | VH            | NT               | -6.99          | -0.003773       | ±2.5        | PASS    |
| Band2   | 9262    | 3        | VN            | NT               | -5.74          | -0.003099       | ±2.5        | PASS    |
| Band2   | 9262    | 3        | VL            | NT               | -6.62          | -0.003574       | ±2.5        | PASS    |
| Band2   | 9262    | 3        | VH            | NT               | -6.90          | -0.003725       | ±2.5        | PASS    |
| Band2   | 9262    | 4        | VN            | NT               | -6.46          | -0.003487       | ±2.5        | PASS    |
| Band2   | 9262    | 4        | VL            | NT               | -6.22          | -0.003358       | ±2.5        | PASS    |
| Band2   | 9262    | 4        | VH            | NT               | -6.92          | -0.003736       | ±2.5        | PASS    |
| Band2   | 9400    | 1        | VN            | NT               | -5.95          | -0.003165       | ±2.5        | PASS    |
| Band2   | 9400    | 1        | VL            | NT               | -5.58          | -0.002968       | ±2.5        | PASS    |
| Band2   | 9400    | 1        | VH            | NT               | -5.92          | -0.003149       | ±2.5        | PASS    |
| Band2   | 9400    | 2        | VN            | NT               | -5.15          | -0.002739       | ±2.5        | PASS    |
| Band2   | 9400    | 2        | VL            | NT               | -5.56          | -0.002957       | ±2.5        | PASS    |
| Band2   | 9400    | 2        | VH            | NT               | -7.27          | -0.003867       | ±2.5        | PASS    |
| Band2   | 9400    | 3        | VN            | NT               | -6.72          | -0.003574       | ±2.5        | PASS    |
| Band2   | 9400    | 3        | VL            | NT               | -6.48          | -0.003447       | ±2.5        | PASS    |
| Band2   | 9400    | 3        | VH            | NT               | -7.30          | -0.003883       | ±2.5        | PASS    |
| Band2   | 9400    | 4        | VN            | NT               | -5.90          | -0.003138       | ±2.5        | PASS    |
| Band2   | 9400    | 4        | VL            | NT               | -6.81          | -0.003622       | ±2.5        | PASS    |
| Band2   | 9400    | 4        | VH            | NT               | -6.64          | -0.003532       | ±2.5        | PASS    |
| Band2   | 9538    | 1        | VN            | NT               | -6.39          | -0.003350       | ±2.5        | PASS    |
| Band2   | 9538    | 1        | VL            | NT               | -4.96          | -0.002600       | ±2.5        | PASS    |
| Band2   | 9538    | 1        | VH            | NT               | -5.02          | -0.002632       | ±2.5        | PASS    |
| Band2   | 9538    | 2        | VN            | NT               | -7.09          | -0.003717       | ±2.5        | PASS    |
| Band2   | 9538    | 2        | VL            | NT               | -5.65          | -0.002962       | ±2.5        | PASS    |
| Band2   | 9538    | 2        | VH            | NT               | -6.10          | -0.003198       | ±2.5        | PASS    |
| Band2   | 9538    | 3        | VN            | NT               | -5.32          | -0.002789       | ±2.5        | PASS    |
| Band2   | 9538    | 3        | VL            | NT               | -6.31          | -0.003308       | ±2.5        | PASS    |

|       |      |   |    |    |       |           |      |      |
|-------|------|---|----|----|-------|-----------|------|------|
| Band2 | 9538 | 3 | VH | NT | -7.32 | -0.003837 | ±2.5 | PASS |
| Band2 | 9538 | 4 | VN | NT | -6.29 | -0.003297 | ±2.5 | PASS |
| Band2 | 9538 | 4 | VL | NT | -6.87 | -0.003601 | ±2.5 | PASS |
| Band2 | 9538 | 4 | VH | NT | -6.66 | -0.003491 | ±2.5 | PASS |

| Temperature |         |          |               |                  |                |                 |             |         |
|-------------|---------|----------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Sub Test | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2       | 9262    | 1        | NV            | -30              | -6.04          | -0.003261       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | -20              | -6.33          | -0.003417       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | -10              | -6.39          | -0.003450       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 0                | -5.19          | -0.002802       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 10               | -5.95          | -0.003212       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 20               | -6.32          | -0.003412       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 30               | -6.64          | -0.003585       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 40               | -6.20          | -0.003347       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 50               | -6.69          | -0.003612       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | -30              | -6.76          | -0.003649       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | -20              | -5.77          | -0.003115       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | -10              | -6.14          | -0.003315       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 0                | -5.76          | -0.003109       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 10               | -6.58          | -0.003552       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 20               | -6.11          | -0.003298       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 30               | -5.94          | -0.003207       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 40               | -6.49          | -0.003504       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 50               | -5.49          | -0.002964       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | -30              | -7.07          | -0.003817       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | -20              | -7.10          | -0.003833       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | -10              | -6.09          | -0.003288       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 0                | -7.09          | -0.003827       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 10               | -6.52          | -0.003520       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 20               | -6.59          | -0.003558       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 30               | -6.02          | -0.003250       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 40               | -6.34          | -0.003423       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 50               | -7.06          | -0.003811       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | -30              | -6.62          | -0.003574       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | -20              | -6.95          | -0.003752       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | -10              | -6.04          | -0.003261       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | 0                | -5.60          | -0.003023       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | 10               | -5.44          | -0.002937       | ±2.5        | PASS    |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band2 | 9262 | 4 | NV | 20  | -5.99 | -0.003234 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 30  | -6.64 | -0.003585 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 40  | -6.62 | -0.003574 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 50  | -7.29 | -0.003935 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | -30 | -6.64 | -0.003532 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | -20 | -7.09 | -0.003771 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | -10 | -5.26 | -0.002798 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 0   | -5.75 | -0.003059 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 10  | -7.16 | -0.003809 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 20  | -6.18 | -0.003287 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 30  | -7.15 | -0.003803 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 40  | -5.69 | -0.003027 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 50  | -6.67 | -0.003548 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | -30 | -5.51 | -0.002931 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | -20 | -6.26 | -0.003330 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | -10 | -6.24 | -0.003319 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 0   | -5.49 | -0.002920 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 10  | -6.23 | -0.003314 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 20  | -6.62 | -0.003521 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 30  | -6.27 | -0.003335 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 40  | -6.62 | -0.003521 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 50  | -7.61 | -0.004048 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | -30 | -6.54 | -0.003479 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | -20 | -7.02 | -0.003734 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | -10 | -6.38 | -0.003394 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 0   | -6.64 | -0.003532 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 10  | -6.87 | -0.003654 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 20  | -6.32 | -0.003362 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 30  | -6.69 | -0.003559 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 40  | -6.44 | -0.003426 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 50  | -6.57 | -0.003495 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | -30 | -6.26 | -0.003330 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | -20 | -6.52 | -0.003468 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | -10 | -6.03 | -0.003207 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 0   | -6.32 | -0.003362 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 10  | -6.82 | -0.003628 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 20  | -7.95 | -0.004229 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 30  | -6.19 | -0.003293 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 40  | -6.57 | -0.003495 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 50  | -5.82 | -0.003096 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | -30 | -5.69 | -0.002983 | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band2 | 9538 | 1 | NV | -20 | -6.55 | -0.003434 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | -10 | -5.98 | -0.003135 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 0   | -7.61 | -0.003989 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 10  | -6.89 | -0.003612 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 20  | -5.14 | -0.002694 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 30  | -6.72 | -0.003523 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 40  | -7.68 | -0.004026 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 50  | -7.62 | -0.003995 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | -30 | -7.15 | -0.003748 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | -20 | -6.95 | -0.003643 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | -10 | -6.04 | -0.003166 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 0   | -6.08 | -0.003187 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 10  | -7.24 | -0.003795 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 20  | -7.02 | -0.003680 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 30  | -5.61 | -0.002941 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 40  | -5.93 | -0.003109 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 50  | -7.11 | -0.003727 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | -30 | -7.14 | -0.003743 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | -20 | -6.23 | -0.003266 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | -10 | -6.47 | -0.003392 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 0   | -6.87 | -0.003601 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 10  | -6.14 | -0.003219 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 20  | -6.37 | -0.003339 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 30  | -6.23 | -0.003266 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 40  | -7.29 | -0.003822 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 50  | -6.62 | -0.003470 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | -30 | -7.23 | -0.003790 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | -20 | -6.94 | -0.003638 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | -10 | -6.98 | -0.003659 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 0   | -5.70 | -0.002988 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 10  | -6.15 | -0.003224 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 20  | -7.36 | -0.003858 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 30  | -7.10 | -0.003722 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 40  | -6.92 | -0.003628 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 50  | -6.36 | -0.003334 | ±2.5 | PASS |

| Voltage |         |          |               |                  |                |                 |             |         |
|---------|---------|----------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band    | Channel | Sub Test | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2   | 9262    | 1        | VN            | NT               | -5.72          | -0.003088       | ±2.5        | PASS    |
| Band2   | 9262    | 1        | VL            | NT               | -6.69          | -0.003612       | ±2.5        | PASS    |
| Band2   | 9262    | 1        | VH            | NT               | -6.04          | -0.003261       | ±2.5        | PASS    |
| Band2   | 9262    | 2        | VN            | NT               | -7.38          | -0.003984       | ±2.5        | PASS    |
| Band2   | 9262    | 2        | VL            | NT               | -5.74          | -0.003099       | ±2.5        | PASS    |
| Band2   | 9262    | 2        | VH            | NT               | -6.74          | -0.003639       | ±2.5        | PASS    |
| Band2   | 9262    | 3        | VN            | NT               | -5.57          | -0.003007       | ±2.5        | PASS    |
| Band2   | 9262    | 3        | VL            | NT               | -6.71          | -0.003622       | ±2.5        | PASS    |
| Band2   | 9262    | 3        | VH            | NT               | -7.70          | -0.004157       | ±2.5        | PASS    |
| Band2   | 9262    | 4        | VN            | NT               | -6.38          | -0.003444       | ±2.5        | PASS    |
| Band2   | 9262    | 4        | VL            | NT               | -7.50          | -0.004049       | ±2.5        | PASS    |
| Band2   | 9262    | 4        | VH            | NT               | -6.53          | -0.003525       | ±2.5        | PASS    |
| Band2   | 9262    | 5        | VN            | NT               | -6.99          | -0.003773       | ±2.5        | PASS    |
| Band2   | 9262    | 5        | VL            | NT               | -6.17          | -0.003331       | ±2.5        | PASS    |
| Band2   | 9262    | 5        | VH            | NT               | -6.81          | -0.003676       | ±2.5        | PASS    |
| Band2   | 9400    | 1        | VN            | NT               | -5.86          | -0.003117       | ±2.5        | PASS    |
| Band2   | 9400    | 1        | VL            | NT               | -6.17          | -0.003282       | ±2.5        | PASS    |
| Band2   | 9400    | 1        | VH            | NT               | -7.08          | -0.003766       | ±2.5        | PASS    |
| Band2   | 9400    | 2        | VN            | NT               | -5.99          | -0.003186       | ±2.5        | PASS    |
| Band2   | 9400    | 2        | VL            | NT               | -6.74          | -0.003585       | ±2.5        | PASS    |
| Band2   | 9400    | 2        | VH            | NT               | -6.55          | -0.003484       | ±2.5        | PASS    |
| Band2   | 9400    | 3        | VN            | NT               | -5.33          | -0.002835       | ±2.5        | PASS    |
| Band2   | 9400    | 3        | VL            | NT               | -6.77          | -0.003601       | ±2.5        | PASS    |
| Band2   | 9400    | 3        | VH            | NT               | -7.40          | -0.003936       | ±2.5        | PASS    |
| Band2   | 9400    | 4        | VN            | NT               | -6.63          | -0.003527       | ±2.5        | PASS    |
| Band2   | 9400    | 4        | VL            | NT               | -6.82          | -0.003628       | ±2.5        | PASS    |
| Band2   | 9400    | 4        | VH            | NT               | -6.77          | -0.003601       | ±2.5        | PASS    |
| Band2   | 9400    | 5        | VN            | NT               | -6.82          | -0.003628       | ±2.5        | PASS    |
| Band2   | 9400    | 5        | VL            | NT               | -7.78          | -0.004138       | ±2.5        | PASS    |
| Band2   | 9400    | 5        | VH            | NT               | -6.79          | -0.003612       | ±2.5        | PASS    |
| Band2   | 9538    | 1        | VN            | NT               | -6.92          | -0.003628       | ±2.5        | PASS    |
| Band2   | 9538    | 1        | VL            | NT               | -6.50          | -0.003407       | ±2.5        | PASS    |
| Band2   | 9538    | 1        | VH            | NT               | -6.42          | -0.003365       | ±2.5        | PASS    |
| Band2   | 9538    | 2        | VN            | NT               | -6.42          | -0.003365       | ±2.5        | PASS    |
| Band2   | 9538    | 2        | VL            | NT               | -8.00          | -0.004194       | ±2.5        | PASS    |
| Band2   | 9538    | 2        | VH            | NT               | -6.25          | -0.003276       | ±2.5        | PASS    |
| Band2   | 9538    | 3        | VN            | NT               | -7.17          | -0.003759       | ±2.5        | PASS    |

|       |      |   |    |    |       |           |      |      |
|-------|------|---|----|----|-------|-----------|------|------|
| Band2 | 9538 | 3 | VL | NT | -6.77 | -0.003549 | ±2.5 | PASS |
| Band2 | 9538 | 3 | VH | NT | -7.34 | -0.003848 | ±2.5 | PASS |
| Band2 | 9538 | 4 | VN | NT | -6.62 | -0.003470 | ±2.5 | PASS |
| Band2 | 9538 | 4 | VL | NT | -6.81 | -0.003570 | ±2.5 | PASS |
| Band2 | 9538 | 4 | VH | NT | -6.12 | -0.003208 | ±2.5 | PASS |
| Band2 | 9538 | 5 | VN | NT | -6.85 | -0.003591 | ±2.5 | PASS |
| Band2 | 9538 | 5 | VL | NT | -5.60 | -0.002936 | ±2.5 | PASS |
| Band2 | 9538 | 5 | VH | NT | -7.21 | -0.003780 | ±2.5 | PASS |

| Temperature |         |          |               |                  |                |                 |             |         |
|-------------|---------|----------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Sub Test | Voltage (Vdc) | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| Band2       | 9262    | 1        | NV            | -30              | -7.69          | -0.004151       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | -20              | -6.97          | -0.003763       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | -10              | -8.23          | -0.004443       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 0                | -6.70          | -0.003617       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 10               | -6.80          | -0.003671       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 20               | -6.36          | -0.003433       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 30               | -6.43          | -0.003471       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 40               | -6.55          | -0.003536       | ±2.5        | PASS    |
| Band2       | 9262    | 1        | NV            | 50               | -7.22          | -0.003898       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | -30              | -7.47          | -0.004033       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | -20              | -8.31          | -0.004486       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | -10              | -7.02          | -0.003790       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 0                | -6.97          | -0.003763       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 10               | -7.56          | -0.004081       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 20               | -6.53          | -0.003525       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 30               | -6.86          | -0.003703       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 40               | -7.52          | -0.004060       | ±2.5        | PASS    |
| Band2       | 9262    | 2        | NV            | 50               | -7.43          | -0.004011       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | -30              | -6.57          | -0.003547       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | -20              | -5.64          | -0.003045       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | -10              | -6.65          | -0.003590       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 0                | -7.03          | -0.003795       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 10               | -6.70          | -0.003617       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 20               | -6.57          | -0.003547       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 30               | -7.04          | -0.003800       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 40               | -6.16          | -0.003325       | ±2.5        | PASS    |
| Band2       | 9262    | 3        | NV            | 50               | -6.17          | -0.003331       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | -30              | -4.90          | -0.002645       | ±2.5        | PASS    |
| Band2       | 9262    | 4        | NV            | -20              | -6.72          | -0.003628       | ±2.5        | PASS    |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band2 | 9262 | 4 | NV | -10 | -6.87 | -0.003709 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 0   | -7.23 | -0.003903 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 10  | -6.92 | -0.003736 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 20  | -7.35 | -0.003968 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 30  | -7.40 | -0.003995 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 40  | -7.50 | -0.004049 | ±2.5 | PASS |
| Band2 | 9262 | 4 | NV | 50  | -6.49 | -0.003504 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | -30 | -6.83 | -0.003687 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | -20 | -6.87 | -0.003709 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | -10 | -7.60 | -0.004103 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | 0   | -6.85 | -0.003698 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | 10  | -7.50 | -0.004049 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | 20  | -6.96 | -0.003757 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | 30  | -6.85 | -0.003698 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | 40  | -6.82 | -0.003682 | ±2.5 | PASS |
| Band2 | 9262 | 5 | NV | 50  | -6.79 | -0.003666 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | -30 | -7.32 | -0.003894 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | -20 | -7.18 | -0.003819 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | -10 | -6.42 | -0.003415 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 0   | -7.13 | -0.003793 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 10  | -6.79 | -0.003612 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 20  | -7.90 | -0.004202 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 30  | -5.97 | -0.003176 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 40  | -7.82 | -0.004160 | ±2.5 | PASS |
| Band2 | 9400 | 1 | NV | 50  | -7.35 | -0.003910 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | -30 | -6.61 | -0.003516 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | -20 | -7.34 | -0.003904 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | -10 | -7.02 | -0.003734 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 0   | -6.46 | -0.003436 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 10  | -6.57 | -0.003495 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 20  | -5.87 | -0.003122 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 30  | -7.51 | -0.003995 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 40  | -5.31 | -0.002824 | ±2.5 | PASS |
| Band2 | 9400 | 2 | NV | 50  | -6.19 | -0.003293 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | -30 | -6.28 | -0.003340 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | -20 | -6.27 | -0.003335 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | -10 | -7.43 | -0.003952 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 0   | -5.92 | -0.003149 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 10  | -6.57 | -0.003495 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 20  | -6.82 | -0.003628 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 30  | -6.67 | -0.003548 | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band2 | 9400 | 3 | NV | 40  | -8.38 | -0.004457 | ±2.5 | PASS |
| Band2 | 9400 | 3 | NV | 50  | -6.26 | -0.003330 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | -30 | -7.71 | -0.004101 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | -20 | -6.69 | -0.003559 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | -10 | -7.72 | -0.004106 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 0   | -6.60 | -0.003511 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 10  | -7.20 | -0.003830 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 20  | -7.54 | -0.004011 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 30  | -6.43 | -0.003420 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 40  | -7.58 | -0.004032 | ±2.5 | PASS |
| Band2 | 9400 | 4 | NV | 50  | -7.94 | -0.004223 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | -30 | -7.03 | -0.003739 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | -20 | -6.55 | -0.003484 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | -10 | -6.71 | -0.003569 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | 0   | -7.16 | -0.003809 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | 10  | -7.53 | -0.004005 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | 20  | -6.66 | -0.003543 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | 30  | -7.50 | -0.003989 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | 40  | -7.14 | -0.003798 | ±2.5 | PASS |
| Band2 | 9400 | 5 | NV | 50  | -6.54 | -0.003479 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | -30 | -6.88 | -0.003607 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | -20 | -7.43 | -0.003895 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | -10 | -7.40 | -0.003879 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 0   | -6.52 | -0.003418 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 10  | -7.57 | -0.003968 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 20  | -7.05 | -0.003696 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 30  | -7.47 | -0.003916 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 40  | -7.13 | -0.003738 | ±2.5 | PASS |
| Band2 | 9538 | 1 | NV | 50  | -6.74 | -0.003533 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | -30 | -6.72 | -0.003523 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | -20 | -7.62 | -0.003995 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | -10 | -5.88 | -0.003082 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 0   | -6.27 | -0.003287 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 10  | -7.27 | -0.003811 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 20  | -6.07 | -0.003182 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 30  | -6.28 | -0.003292 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 40  | -5.82 | -0.003051 | ±2.5 | PASS |
| Band2 | 9538 | 2 | NV | 50  | -6.17 | -0.003234 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | -30 | -6.68 | -0.003502 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | -20 | -6.96 | -0.003649 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | -10 | -7.87 | -0.004126 | ±2.5 | PASS |

|       |      |   |    |     |       |           |      |      |
|-------|------|---|----|-----|-------|-----------|------|------|
| Band2 | 9538 | 3 | NV | 0   | -6.66 | -0.003491 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 10  | -6.29 | -0.003297 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 20  | -7.24 | -0.003795 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 30  | -6.44 | -0.003376 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 40  | -5.64 | -0.002957 | ±2.5 | PASS |
| Band2 | 9538 | 3 | NV | 50  | -6.67 | -0.003497 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | -30 | -6.95 | -0.003643 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | -20 | -7.48 | -0.003921 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | -10 | -7.76 | -0.004068 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 0   | -6.28 | -0.003292 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 10  | -7.04 | -0.003691 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 20  | -6.33 | -0.003318 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 30  | -7.27 | -0.003811 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 40  | -7.39 | -0.003874 | ±2.5 | PASS |
| Band2 | 9538 | 4 | NV | 50  | -6.87 | -0.003601 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | -30 | -6.59 | -0.003455 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | -20 | -8.00 | -0.004194 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | -10 | -8.05 | -0.004220 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | 0   | -7.40 | -0.003879 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | 10  | -6.80 | -0.003565 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | 20  | -6.61 | -0.003465 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | 30  | -7.06 | -0.003701 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | 40  | -7.45 | -0.003905 | ±2.5 | PASS |
| Band2 | 9538 | 5 | NV | 50  | -6.72 | -0.003523 | ±2.5 | PASS |