

Band66-20MHz-16QAM-132072-100RB#0



Band66-20MHz-16QAM-132322-100RB#0



Band66-20MHz-16QAM-132572-100RB#0



Band71-5MHz-QPSK-133147-25RB#0



Band71-5MHz-QPSK-133297-25RB#0



Band71-5MHz-QPSK-133447-25RB#0



Band71-5MHz-16QAM-133147-25RB#0



Band71-5MHz-16QAM-133297-25RB#0



Band71-5MHz-16QAM-133447-25RB#0



Band71-10MHz-QPSK-133172-50RB#0



Band71-10MHz-QPSK-133297-50RB#0



Band71-10MHz-QPSK-133422-50RB#0



Band71-10MHz-16QAM-133172-50RB#0



Band71-10MHz-16QAM-133297-50RB#0



Band71-10MHz-16QAM-133422-50RB#0



Band71-15MHz-QPSK-133197-75RB#0



Band71-15MHz-QPSK-133297-75RB#0



Band71-15MHz-QPSK-133397-75RB#0



Band71-15MHz-16QAM-133197-75RB#0



Band71-15MHz-16QAM-133297-75RB#0



Band71-15MHz-16QAM-133397-75RB#0



Band71-20MHz-QPSK-133222-100RB#0



Band71-20MHz-QPSK-133322-100RB#0



Band71-20MHz-QPSK-133372-100RB#0



Band71-20MHz-16QAM-133222-100RB#0



Band71-20MHz-16QAM-133322-100RB#0



Band71-20MHz-16QAM-133372-100RB#0


CMW 500 V 3.8.11 - LTE Measurement - V3.8.10 - TX Measurement
Multi Evaluation
PRACH
SRS
FDD Freq.: 688.0 MHz Ref. Level: 41.00 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 2 / All
IQ Constellation
Statistic Count
10 / 10
Out of Tolerance
0.00 %
Detected Modulation
16-QAM
Detected Channel Type
PUSCH
View Filter Throughput
100.0 %
PS:
Connection Established
RRC State: Connected
LTE
Multi Evaluation
RDY
RF Settings
Trigger
Display
Signaling Parameter
LTE Signaling
ON
Go To Local
Show Remote Screen