


Test Report




Customer Name		项目名称	戒指
Debugging frequency band	2.4-2.5G	Structural approach	Built-in
Radio frequency engineer	Mr. Wu	Structural Engineer	
Antenna type	PIFA	Date	2026-01-30

Shenzhen Anfute Electronics Co., Ltd.
Shenzhen Infinite Intelligent Network Technology Co., Ltd.



The original imported French SATIMO Company's StarLab 3D laboratory can accurately and quickly test the parameters such as TRP, TIS, efficiency, gain, Apple graph, and direction graph of communication terminal products like mobile phones,



Shenzhen Infinite Intelligent Network Technology Co., Ltd.


[illegible]

Shenzhen Anfute Electronics Co., Ltd.


Shenzhen Infinite Intelligent Network Technology Co., Ltd.

Main antenna matching circuit - unchanged

Element	E1	E2	E3	E4
Value				



Antenna structure
diagram



Passive standing wave diagram

Shenzhen Anfute Electronics Co., Ltd.

Shenzhen Infinite Intelligent Network Technology Co., Ltd.





Shenzhen Anfute Electronics Co., Ltd.

Shenzhen Infinite Intelligent Network Technology Co., Ltd.


Antenna efficiency

Passive Test For 2.4G		
Freq (MHz)	Effi (%)	Gain (dBi)
2400	2.85	-11.46
2410	2.78	-11.64
2420	2.91	-11.5
2430	2.83	-11.65
2440	3.08	-11.4
2450	3.15	-11.37
2460	3.22	-11.44
2470	3.11	-11.7
2480	3.26	-11.59
2490	2.93	-12.12
2500	2.89	-12.1




Shenzhen Anfute Electronics Co., Ltd.
Shenzhen Infinite Intelligent Network Technology Co., Ltd.


2400.000MHz




2400.000MHz H



2400.000MHz E1




2400.000MHz E2




Shenzhen Anfute Electronics Co., Ltd.
 Shenzhen Infinite Intelligent Network Technology Co., Ltd.


2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2



2500.000MHz




2450.000MHz E2




Shenzhen Anfute Electronics Co., Ltd.

Shenzhen Infinite Intelligent Network Technology Co., Ltd.


2500.000MHz E1



2500.000MHz E2



Antenna diagram



Notes:

1. This antenna is only applicable for the prototype debugging. Any changes to the mainboard PCB or RF circuit components, as well as alterations to accessories (such as camera, screen, speaker, motor, battery, casing processing), must be tested and verified by our company on the entire machine before they can be used.
2. If this project requires third-party verification, please provide the prototype to our company at least one working day in advance for re-testing to ensure it is OK before sending for testing. Avoiding multiple or repeated tests that may delay the project schedule!