


Dhýala



USER MANUAL

AIR PURIFIER

Thank you for purchasing our product. In order to bring you the best experience, please read the instruction manual carefully before using and keep it for future reference.

Notices & Warnings

READ AND SAVE THESE INSTRUCTIONS

Usage Restrictions

To prevent electric shock or fire, do NOT use this device in the following conditions:

- Keep the main unit, especially its air intake vents, away from open flames (e.g., candles, incense burners, stoves, fireplaces, cigarettes, firecrackers, lighters, electronic ignition torches, fire pits).
- Keep the unit away from high-heat appliances (e.g., electric heaters, radiators, foot warmers, electric stoves, irons) and prevent flammable materials from entering the unit.
- Avoid unstable surfaces prone to tipping.
- Do not use in high-temperature, humid, or water-exposed areas (e.g., bathrooms).
- Not intended for users with limited physical, sensory, mental capabilities, or experience/knowledge (including children) unless supervised by a responsible adult.
- Store out of children's reach to prevent tampering.
- WARNING: To Reduce The Risk Of Fire Or Electric Shock, Do Not Use This Fan With Any Solid-State Speed Control Device.

Transportation Notice

- When moving the unit, ensure it is powered off and unplug the power cord from the outlet.

Installation Notice

- The unit will not start if the filter cover or lower intake grille is improperly installed.
- Maintain at least 10 cm (4 inches) of clearance between the air intake vents and walls/obstacles.

Cleaning Notice

- Regularly clean the filter to remove dust, hair, and debris to minimize bacterial growth.
- When unused for extended periods, cover the top outlet to prevent dust accumulation on the grille.

Power Notice

- Use only compatible power cords and outlets to prevent fire, electric shock, or damage.
- Do not excessively bend, twist, or pull the power cord (risk of wire exposure or breakage).
- Use only the original power adapter; third-party adapters are prohibited.
- Always unplug before maintenance or relocation.
- Replace damaged cords immediately with manufacturer-approved replacements.
- WARNING: following or the equivalent: To Reduce The Risk Of Fire, Electric Shock Or Injury To Persons, Do Not Use Replacement Parts That Have Not Been Recommended By The Manufacturer (e.g. Parts Made At Home Using A 3D Printer)

Notice During Operation

- Immediately stop use if abnormal conditions occur (e.g., unusual noises, odors, overheating, irregular fan rotation).
- Do not insert fingers or objects into vents, movable parts, or protective components.
- Never sit, lean, or tilt the unit.
- Ensure proper ventilation when operating near gas appliances (e.g., stoves, water heaters) to prevent carbon monoxide exposure.
- Avoid pouring liquids, powders, or small particles into the outlet or vents.

Machine Spare Parts & Components of Product


1. Product Components



Air Purifier Device



Filters
(inside the product)




User Manual

2. Product Structure Introduction



Display &
Control Panel


Dust Sensor



Air Outlet


Power Connector

Air Intake Grille




Guide for Installation

Open the box, take out the power cord adapter and remove the plastic bag on the filter, then assemble the product.




Disassemble

1. Rotate the top cover to the  position
2. Lift the top cover up and remove it



Assemble


1. Align the top cover adapter socket to the  position and lower it.
2. Rotate the top cover to the  position



Guide for Usage

1. Power Connection

- a. Connect the power cord to the power port and turn on the power.
- b. For optimal purification, close doors and windows while using the air purifier.



2. Standby Mode

After powering on, the unit enters a self-check routine. All indicator lights on the control panel will flash twice and then turn off, indicating standby mode.

3. Power On/Off Button

a. Touch this button to turn on the machine, and the machine will enter auto mode. The auto icon  and the power icon  will be highlighted in white, and the other buttons will be dimly lit in white.

At the same time, the air quality indicator light ring and PM2.5 value will be displayed.

b. Touch this button again to turn off the machine.

4. Timer Button

Tap this button to enter timer mode, where you can cycle through 1 to 12-hour intervals or disable the timer. When set to 2 hours, the digital display will show "2H". The timer duration remains visible for 10 seconds before automatically reverting to PM2.5 readings.

If the timer is active:

- A single tap shows remaining time
- Subsequent taps increase duration by 1-hour increments
- The icon  glows white during operation
- When the timing ends, the machine shuts down and enters the standby mode, and the power icon  is slightly bright red.

Note: Timer settings (max 12 hours) can be adjusted through both the APP and control panel.

5. Auto Button

Touch this button to enter auto mode. The auto icon  will be highlighted in white and the machine will automatically adjust the wind speed according to the real-time air quality index.

6. Sleep Button

Touch this button to enter sleep mode. The icon  will be highlighted and all indicators on the panel will turn off after 10 seconds. Touch any button to turn on the screen. Click the wind speed or auto button to operate the function. If no operation is performed, the system will enter sleep mode again.

7. Fan Speed Button

a. Touch this button to enter the speed adjustment mode. You can cycle through low, medium, high and super high speed in sequence. The corresponding speed indicator lights up. Low speed lights up 1 dots, medium speed lights up 2 dots, high speed lights up 3 dots, and super high speed lights up 4 dots.

b. In auto mode or sleep mode, press this button to enter manual mode. At the same time, the wind speed button icon  is highlighted.

8. Filter Button

- a. When the filter usage reaches the set time, the icon  is highlighted in red to remind the user to replace the filter; after replacing the filter, press and hold this button for 3 seconds. After the air quality indicator ring and  flash 3 times, the icon  turns slightly bright white, and the filter life is reset.
- b. Reset mode: Press and hold this button for 3 seconds to enter the setting mode. The icon  is highlighted in red and flashes for 10 seconds. Press and hold this button again for 3 seconds within 10 seconds to reset the filter timer. The light feedback is the same as described in step (a). If this button is not pressed within 10 seconds, the setting mode will be exited.

9. Screen Off Button

Touch this button and all the indicators on the panel will turn off. When any button is touched, the indicator lights on the panel will light up and the machine operation mode will not change.

10. Child Lock Button

- a. Lock: Press and hold this button 3 seconds, the icon  turns bright red, the machine enters the child lock state, all the buttons on the panel are locked, and the machine does not respond when you touch the buttons.
- b. Unlock: Press and hold this button for 3 seconds, the icon  turns slightly bright white, and all the buttons on the panel return to normal; the child lock mode can be released by turning off the power again.

11. Wi-Fi Setup

When the device is powered on, long press the icon  to reset the Wi-Fi. The Wi-Fi icon  starts flashing for 3 minutes, and then wait for network pairing with the mobile phone. The icon for unsuccessful network pairing turns off, and the icon for successful network pairing turns on.

12. Air Quality Indicator

The indicator light is green, indicating good air quality.
The indicator light is yellow, indicating moderate air quality.
The indicator light is red, indicating poor air quality.

13. Power Recovery Function

- a. When the power is turned off and then on again in the on state, the machine starts the self-check procedure, and automatically turns on after the self-check is completed. The unit will resume its previous operating mode, and the timing and child lock are reset.
- b. When the power is turned off in the standby state and then on again, the machine starts the self-check procedure, and is in the standby state after the self-check is completed.
- c. When the power is turned off and then on again in the sleep or auto mode, the machine starts the self-check procedure, and after the self-check is completed, the machine starts in the running state before the power outage, exits the timing, screen off and child lock mode, and the timing, screen off and child lock are reset.


14. Pre-Filter Replacement

To maintain optimal filtration performance, replace the pre-filter regularly. It is recommended to replace the pre-filter every month. You may adjust the replacement frequency based on the level of contamination or debris accumulation observed on the filter surface.

a. Remove the Air Inlet Grille:


Follow the unlocking direction indicated on the side of the unit. Rotate and detach the air inlet grille.

b. Replace the Pre-Filter:



15. Filter Replacement

When the air purifier detects that the filter life has expired, the icon  is highlighted in red to remind the user to replace the filter. Refer to the figure below, disconnect the power supply and turn the purifier upside down on the table. According to the positioning mark, rotate the air inlet grille counterclockwise and remove the air inlet grille, remove the old filter and replace it with a new filter. According to the positioning mark, turn the air inlet grille clockwise and lock it.



16. Filter Life Reset

After replacing the filter, press and hold the  for 3 seconds while the unit is powered on. The air quality indicator ring and the  will flash three times, after which the  icon will dim to a soft white color, indicating that the filter lifespan counter has been reset and restarted.

17. Buzzer

The buzzer emits a confirmation beep when the button is pressed.

Troubleshooting

Phenomenon	Solution
The machine won't start.	Please make sure the device is powered off first, then check whether it has been installed correctly according to the installation steps, and then reconnect the power adapter. When the red power icon appears on the screen, the device can be turned on. If the problem still cannot be solved, please contact customer service.
The purifier is noisy	Please check whether the filter packaging is removed and whether there is any foreign matter entering.
The purifier has a strong odor	The filtered pollutants, water vapor, etc. accumulate on the filter, which may produce odor. Please check the filter status and replace the filter in time.
The equipment is operating normally, but the air volume is significantly reduced	Please check whether there are any foreign objects blocking the air outlet and air inlet, and check whether the filter has been replaced as prompted.
The device did not remind me to replace the filter, and how can I replace it with a new one by myself?	After replacing a new filter, turn on the machine, press and hold  for 3 seconds to enter the reset mode,  lights up in red and flashes for 10 seconds, press and hold the button again for 3 seconds within 10 seconds, the icon flashes 3 times, and the filter life is reset successfully.

Technical Parameters

Product Name	Air Purifier	Model	KJ400F
Rated Voltage	100-240V	Rated frequency	50/60Hz
Noise (sleep mode)	22dB	Input power	38W
Product Size		Diameter: 9.84 in × Height: 20.15 in	
Net Weight/Gross Weight		9lb	
Power Cord Length		72inch	

Warranty

1. The 2 Year Warranty

Our Dhyala machine has a 2 year warranty against original defects in material and workmanship, when used for private household purposes in accordance with the Dhyala Instruction Manual.

This warranty provides, at no extra cost to you, all labor and parts necessary to ensure your machine is in proper operating condition during the warranty period.

2. What is covered?

Only applies to purchases made from authorized retailers of Dhyala.

This warranty will only be valid if the machine is used in the country in which it was sold.

3. How to claim?

Please keep your proof of purchase. To make a claim under our warranty, you need to provide your original purchase receipt with the purchase date and order number on it. If your machine is not functioning properly, or you still have any questions after reading this manual carefully, please feel free to contact us, we will reply to you in 24 hours and try our best to provide you with a satisfactory solution.

FCC STATEMENT:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

 **support@dhyala.com**

Email Our Customer Service

Dhyāla