






11N20SISO_Ant1_5280_5360~40000




11N20SISO_Ant1_5320_30~5140



11N20SISO_Ant1_5320_5360~40000




11N20SISO_Ant1_5500_30~5460




11N20SISO_Ant1_5500_5735~40000




11N20SISO_Ant1_5580_30~5460



11N20SISO_Ant1_5580_5735~40000




11N20SISO_Ant1_5700_30~5460




11N20SISO_Ant1_5700_5735~40000




11N20SISO_Ant1_5745_30~5650




11N20SISO_Ant1_5745_5925~40000




11N20SISO_Ant1_5785_30~5650



11N20SISO_Ant1_5785_5925~40000




11N20SISO_Ant1_5825_30~5650




11N20SISO_Ant1_5825_5925~40000




11N40SISO_Ant1_5190_30~5140




11N40SISO_Ant1_5190_5360~40000




11N40SISO_Ant1_5230_30~5140




11N40SISO_Ant1_5230_5360~40000




11N40SISO_Ant1_5270_30~5140



11N40SISO_Ant1_5270_5360~40000




11N40SISO_Ant1_5310_30~5140



11N40SISO_Ant1_5310_5360~40000




11N40SISO_Ant1_5510_30~5460




11N40SISO_Ant1_5510_5735~40000




11N40SISO_Ant1_5550_30~5460




11N40SISO_Ant1_5550_5735~40000




11N40SISO_Ant1_5670_30~5460




11N40SISO_Ant1_5670_5735~40000




11N40SISO_Ant1_5755_30~5650




11N40SISO_Ant1_5755_5925~40000



11N40SISO_Ant1_5795_30~5650



11N40SISO_Ant1_5795_5925~40000



Appendix G: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-66.34	3.42	1.25	-61.67	≤-41.20	PASS
				AV	5149.600	-59.64	3.42	1.25	-54.97	≤-41.20	PASS
				AV	5150.000	-59.57	3.42	1.25	-54.90	≤-41.20	PASS
				Peak	4500.000	-56.78	3.42	0.00	-53.36	≤-27.00	PASS
				Peak	5146.100	-48.13	3.42	0.00	-44.71	≤-27.00	PASS
				Peak	5150.000	-50.9	3.42	0.00	-47.48	≤-27.00	PASS
		High	5320	AV	5350.000	-61.19	3.42	1.03	-56.74	≤-41.20	PASS
				AV	5350.720	-60.16	3.42	1.03	-55.71	≤-41.20	PASS
				AV	5460.000	-62.92	3.42	1.03	-58.47	≤-41.20	PASS
				Peak	5350.000	-51.55	3.42	0.00	-48.13	≤-27.00	PASS
				Peak	5363.360	-49.4	3.42	0.00	-45.98	≤-27.00	PASS
				Peak	5460.000	-54.61	3.42	0.00	-51.19	≤-27.00	PASS
		Low	5500	AV	5350.000	-64.28	3.42	1.03	-60.86	≤-41.20	PASS
				AV	5459.810	-61.94	3.42	1.03	-58.52	≤-41.20	PASS
				AV	5460.000	-62.7	3.42	1.03	-59.28	≤-41.20	PASS
				Peak	5350.000	-56.34	3.42	0.00	-52.92	≤-27.00	PASS
				Peak	5449.730	-50.96	3.42	0.00	-47.54	≤-27.00	PASS
				Peak	5460.000	-53.23	3.42	0.00	-49.81	≤-27.00	PASS
			5745	Peak	5650.000	-51.737	3.42	0.00	-48.32	≤-27.00	PASS
				Peak	5700.000	-51.67	3.42	0.00	-48.25	≤10.00	PASS
				Peak	5720.000	-51.19	3.42	0.00	-47.77	≤15.60	PASS
				Peak	5725.000	-42.87	3.42	0.00	-39.45	≤27.00	PASS
		High	5825	Peak	5850.000	-49.133	3.42	0.00	-45.71	≤27.00	PASS
				Peak	5855.000	-51.28	3.42	0.00	-47.86	≤15.60	PASS
				Peak	5875.000	-53.06	3.42	0.00	-49.64	≤10.00	PASS
				Peak	5925.000	-54.18	3.42	0.00	-50.76	≤-27.00	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-65.38	3.42	1.12	-60.84	≤-41.20	PASS
				AV	5149.600	-58.3	3.42	1.12	-53.76	≤-41.20	PASS
				AV	5150.000	-58.72	3.42	1.12	-54.18	≤-41.20	PASS
				Peak	4500.000	-56.38	3.42	0.00	-52.96	≤-27.00	PASS
				Peak	5149.600	-48.35	3.42	0.00	-44.93	≤-27.00	PASS
				Peak	5150.000	-49.75	3.42	0.00	-46.33	≤-27.00	PASS
		High	5320	AV	5350.000	-60.34	3.42	1.06	-56.92	≤-41.20	PASS
				AV	5352.000	-59.91	3.42	1.06	-56.49	≤-41.20	PASS
				AV	5460.000	-62.33	3.42	1.06	-58.91	≤-41.20	PASS
				Peak	5350.000	-50.94	3.42	0.00	-47.52	≤-27.00	PASS


				Peak	5368.320	-48.99	3.42	0.00	-45.57	≤-27.00	PASS
				Peak	5460.000	-54.34	3.42	0.00	-50.92	≤-27.00	PASS
		Low	5500	AV	5350.000	-64.14	3.42	1.06	-60.72	≤-41.20	PASS
				AV	5458.760	-61.75	3.42	1.06	-58.33	≤-41.20	PASS
				AV	5460.000	-62.15	3.42	1.06	-57.67	≤-41.20	PASS
				Peak	5350.000	-53.67	3.42	0.00	-50.25	≤-27.00	PASS
				Peak	5453.300	-50.18	3.42	0.00	-46.76	≤-27.00	PASS
				Peak	5460.000	-52.69	3.42	0.00	-49.27	≤-27.00	PASS
			5745	Peak	5650.000	-52.767	3.42	0.00	-49.35	≤-27.00	PASS
				Peak	5700.000	-52.29	3.42	0.00	-48.87	≤10.00	PASS
				Peak	5720.000	-47.87	3.42	0.00	-44.45	≤15.60	PASS
				Peak	5725.000	-43.64	3.42	0.00	-40.22	≤27.00	PASS
		High	5825	Peak	5850.000	-44.967	3.42	0.00	-41.55	≤27.00	PASS
				Peak	5855.000	-52.21	3.42	0.00	-48.79	≤15.60	PASS
				Peak	5875.000	-54.31	3.42	0.00	-50.89	≤10.00	PASS
				Peak	5925.000	-55.46	3.42	0.00	-52.04	≤-27.00	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-66.4	3.42	0.87	-62.98	≤-41.20	PASS
				AV	5149.600	-54.09	3.42	0.87	-50.67	≤-41.20	PASS
				AV	5150.000	-54.36	3.42	0.87	-50.94	≤-41.20	PASS
				Peak	4500.000	-57.03	3.42	0.00	-53.61	≤-27.00	PASS
				Peak	5149.600	-43.2	3.42	0.00	-39.78	≤-27.00	PASS
				Peak	5150.000	-43.77	3.42	0.00	-40.35	≤-27.00	PASS
		High	5310	AV	5350.000	-57.85	3.42	0.87	-54.43	≤-41.20	PASS
				AV	5350.080	-57.84	3.42	0.87	-54.42	≤-41.20	PASS
				AV	5460.000	-62.62	3.42	0.87	-58.33	≤-41.20	PASS
				Peak	5350.000	-46.3	3.42	0.00	-42.88	≤-27.00	PASS
				Peak	5350.080	-46.3	3.42	0.00	-42.88	≤-27.00	PASS
				Peak	5460.000	-52.46	3.42	0.00	-49.04	≤-27.00	PASS
		Low	5510	AV	5350.000	-64.37	3.42	1.06	-59.89	≤-41.20	PASS
				AV	5459.060	-59.84	3.42	1.06	-55.36	≤-41.20	PASS
				AV	5460.000	-60.04	3.42	1.06	-55.56	≤-41.20	PASS
				Peak	5350.000	-55.99	3.42	0.00	-52.57	≤-27.00	PASS
				Peak	5459.500	-48.39	3.42	0.00	-44.97	≤-27.00	PASS
				Peak	5460.000	-52.22	3.42	0.00	-48.80	≤-27.00	PASS
			5755	Peak	5650.000	-52.881	3.42	0.00	-49.46	≤-27.00	PASS
				Peak	5700.000	-49.56	3.42	0.00	-46.14	≤10.00	PASS
				Peak	5720.000	-40.37	3.42	0.00	-36.95	≤15.60	PASS
				Peak	5725.000	-42.1	3.42	0.00	-38.68	≤27.00	PASS
		High	5795	Peak	5850.000	-51.551	3.42	0.00	-48.13	≤27.00	PASS
				Peak	5855.000	-51.53	3.42	0.00	-48.11	≤15.60	PASS
				Peak	5875.000	-53.9	3.42	0.00	-50.48	≤10.00	PASS
				Peak	5925.000	-54.2	3.42	0.00	-50.78	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5320_AV




11A_Ant1_High_5320_Peak



11A_Ant1_Low_5500_AV




11A_Ant1_Low_5500_Peak




11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV




11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




11N20SISO_Ant1_Low_5500_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak



11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5310_AV



11N40SISO_Ant1_High_5310_Peak



11N40SISO_Ant1_Low_5510_AV



11N40SISO_Ant1_Low_5510_Peak



11N40SISO_Ant1_Low_5755_Peak



11N40SISO_Ant1_High_5795_Peak

