




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5180
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#62 Date: 2025/08/22 Time: 19:36:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10359.992	24.43	13.75	38.18	54.00	-15.82	AVG	150	360	P	
2	10360.121	39.81	13.75	53.56	74.00	-20.44	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#62

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5200
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#63 Date: 2025/08/22 Time: 19:37:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10400.200	26.70	13.79	40.49	54.00	-13.51	AVG	150	0	P	
2	10400.214	40.59	13.79	54.38	74.00	-19.62	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#63

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5200
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#64 Date: 2025/08/22 Time: 19:38:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10400.108	40.26	13.79	54.05	74.00	-19.95	peak	150	0	P	
2 *	10400.173	24.63	13.79	38.42	54.00	-15.58	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#64

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5240
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#65 Date: 2025/08/22 Time: 19:39:13



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10479.925	26.15	13.87	40.02	54.00	-13.98	AVG	150	0	P	
2	10479.984	41.01	13.87	54.88	74.00	-19.12	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#65

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5240
Note:

Radiated Emission Measurement

File :20250822 Data :#66 Date: 2025/08/22 Time: 19:40:19



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10479.831	23.92	13.87	37.79	54.00	-16.21	AVG	150	360	P	
2	10480.242	39.23	13.87	53.10	74.00	-20.90	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#66

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC40 5190
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#67 Date: 2025/08/22 Time: 19:41:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10380.205	40.64	13.77	54.41	74.00	-19.59	peak	150	360	P	
2 *	10380.321	26.68	13.77	40.45	54.00	-13.55	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#67


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC40 5190		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10379.775	24.79	13.77	38.56	54.00	-15.44	AVG	150	360	P	
2	10380.231	39.82	13.77	53.59	74.00	-20.41	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5230
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#69 Date: 2025/08/22 Time: 19:43:35



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10459.852	39.89	13.85	53.74	74.00	-20.26	peak	150	360	P	
2 *	10459.861	26.00	13.85	39.85	54.00	-14.15	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822Data :#69

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5230
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#70 Date: 2025/08/22 Time: 19:44:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10459.760	39.28	13.85	53.13	74.00	-20.87	peak	150	0	P	
2 *	10460.160	24.33	13.85	38.18	54.00	-15.82	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#70


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC80 5210		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10419.740	40.00	13.80	53.80	74.00	-20.20	peak	150	360	P	
2 *	10420.311	24.41	13.80	38.21	54.00	-15.79	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5180
Note:

Radiated Emission Measurement

File :20250823 Data :#1 Date: 2025/08/23 Time: 18:30:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10359.674	40.47	13.75	54.22	74.00	-19.78	peak	150	360	P	
2 *	10360.212	26.21	13.75	39.96	54.00	-14.04	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#1

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5180
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#2 Date: 2025/08/23 Time: 18:31:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10359.750	24.37	13.75	38.12	54.00	-15.88	AVG	150	360	P	
2	10359.860	39.51	13.75	53.26	74.00	-20.74	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#2


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AX20 5200		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10399.861	26.46	13.79	40.25	54.00	-13.75	AVG	150	0	P	
2	10400.242	40.45	13.79	54.24	74.00	-19.76	peak	150	360	P	

*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5200
Note:

Radiated Emission Measurement

File :20250823 Data :#4 Date: 2025/08/23 Time: 18:32:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10400.127	24.75	13.79	38.54	54.00	-15.46	AVG	150	360	P	
2	10400.321	40.31	13.79	54.10	74.00	-19.90	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#4

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5240
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#5 Date: 2025/08/23 Time: 18:33:32



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10479.898	40.72	13.87	54.59	74.00	-19.41	peak	150	360	P	
2 *	10480.150	26.33	13.87	40.20	54.00	-13.80	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#5

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5240
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#6 Date: 2025/08/23 Time: 18:34:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10479.698	23.81	13.87	37.68	54.00	-16.32	AVG	150	360	P	
2	10480.122	39.54	13.87	53.41	74.00	-20.59	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#6

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5190
Note:

Radiated Emission Measurement

File :20250823 Data :#7 Date: 2025/08/23 Time: 18:35:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10379.941	40.37	13.77	54.14	74.00	-19.86	peak	150	360	P	
2 *	10380.053	26.78	13.77	40.55	54.00	-13.45	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#7

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5190
Note:

Radiated Emission Measurement

File :20250823 Data :#8 Date: 2025/08/23 Time: 18:36:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10380.020	24.39	13.77	38.16	54.00	-15.84	AVG	150	360	P	
2	10380.123	39.69	13.77	53.46	74.00	-20.54	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#8

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5230
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#9 Date: 2025/08/23 Time: 18:37:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10459.801	25.63	13.85	39.48	54.00	-14.52	AVG	150	0	P	
2	10460.161	39.32	13.85	53.17	74.00	-20.83	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#9


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AX40 5230		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10459.796	39.66	13.85	53.51	74.00	-20.49	peak	150	0	P	
2 *	10460.216	24.25	13.85	38.10	54.00	-15.90	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5210
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#11 Date: 2025/08/23 Time: 18:39:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10419.784	39.48	13.80	53.28	74.00	-20.72	peak	150	360	P	
2 *	10420.053	24.72	13.80	38.52	54.00	-15.48	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#11

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5210
Note:

Radiated Emission Measurement

File :20250823 Data :#12 Date: 2025/08/23 Time: 18:40:19



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10419.697	23.68	13.80	37.48	54.00	-16.52	AVG	150	360	P	
2	10420.124	39.44	13.80	53.24	74.00	-20.76	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#12

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5210
Note:

Radiated Emission Measurement

File :20250822 Data :#72 Date: 2025/08/22 Time: 19:46:35



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10420.217	23.99	13.80	37.79	54.00	-16.21	AVG	150	360	P	
2	10420.236	39.65	13.80	53.45	74.00	-20.55	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#72

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5260
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#73 Date: 2025/08/22 Time: 19:47:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.891	26.73	13.92	40.65	54.00	-13.35	AVG	150	0	P	
2	10520.128	40.08	13.92	54.00	74.00	-20.00	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#73

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5260
Note:

Radiated Emission Measurement

File :20250822 Data :#74 Date: 2025/08/22 Time: 19:48:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.826	24.20	13.92	38.12	54.00	-15.88	AVG	150	360	P	
2	10520.211	39.07	13.92	52.99	74.00	-21.01	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#74

Page: 1


Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
 Limit: FCC Part15 C - Above 1G PK
 EUT: SWAN Beauty Mirror
 M/N: SM02O-BK
 Mode: A 5280
 Note:

Polarization: **Horizontal**
 Power: AC120V/60Hz
 Temperature: 26(C)
 Humidity: 54 %




*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: A 5280		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10559.742	39.28	13.98	53.26	74.00	-20.74	peak	150	0	P	
2 *	10559.870	24.29	13.98	38.27	54.00	-15.73	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5320
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#77 Date: 2025/08/22 Time: 19:51:42



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10639.813	40.13	14.11	54.24	74.00	-19.76	peak	150	360	P	
2 *	10640.211	23.60	14.11	37.71	54.00	-16.29	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#77


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: A 5320		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10639.781	24.04	14.11	38.15	54.00	-15.85	AVG	150	360	P	
2	10640.205	39.06	14.11	53.17	74.00	-20.83	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5260
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#57 Date: 2025/08/24 Time: 9:41:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.891	30.73	13.92	44.65	54.00	-9.35	AVG	150	0	P	
2	10520.284	43.08	13.92	57.00	74.00	-17.00	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#57

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5260
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#58 Date: 2025/08/24 Time: 9:42:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10520.181	39.72	13.92	53.64	74.00	-20.36	peak	150	0	P	
2 *	10520.183	24.60	13.92	38.52	54.00	-15.48	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#58


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: N20 5280		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10559.911	30.39	13.98	44.37	54.00	-9.63	AVG	150	0	P	
2	10560.318	42.82	13.98	56.80	74.00	-17.20	peak	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5280
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#60 Date: 2025/08/24 Time: 9:44:35



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10559.780	24.99	13.98	38.97	54.00	-15.03	AVG	150	360	P	
2	10560.174	39.28	13.98	53.26	74.00	-20.74	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#60

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5320
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#61 Date: 2025/08/24 Time: 9:45:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10639.718	43.00	14.11	57.11	74.00	-16.89	peak	150	360	P	
2 *	10640.329	30.16	14.11	44.27	54.00	-9.73	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#61

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5320
Note:

Radiated Emission Measurement

File :20250824 Data :#62 Date: 2025/08/24 Time: 9:46:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10640.291	39.26	14.11	53.37	74.00	-20.63	peak	150	0	P	
2 *	10640.381	25.10	14.11	39.21	54.00	-14.79	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#62

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5270
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#63 Date: 2025/08/24 Time: 9:47:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10540.133	29.18	13.95	43.13	54.00	-10.87	AVG	150	0	P	
2	10540.272	41.40	13.95	55.35	74.00	-18.65	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#63

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5270
Note:
Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#64 Date: 2025/08/24 Time: 9:48:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10539.838	24.07	13.95	38.02	54.00	-15.98	AVG	150	360	P	
2	10540.153	39.26	13.95	53.21	74.00	-20.79	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#64

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5310
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#65 Date: 2025/08/24 Time: 9:49:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10619.727	42.06	14.07	56.13	74.00	-17.87	peak	150	360	P	
2 *	10620.123	29.13	14.07	43.20	54.00	-10.80	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#65


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: N40 5310		
Note:		




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10620.284	25.33	14.07	39.40	54.00	-14.60	AVG	150	360	P	
2	10620.315	39.55	14.07	53.62	74.00	-20.38	peak	150	0	P	

*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC20 5260		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.689	26.73	13.92	40.65	54.00	-13.35	AVG	150	0	P	
2	10520.128	40.64	13.92	54.56	74.00	-19.44	peak	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5260
Note:

Radiated Emission Measurement

File :20250822 Data :#80 Date: 2025/08/22 Time: 19:54:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.818	23.60	13.92	37.52	54.00	-16.48	AVG	150	360	P	
2	10520.181	39.64	13.92	53.56	74.00	-20.44	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#80

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5280
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#81 Date: 2025/08/22 Time: 19:55:16



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10559.791	26.39	13.98	40.37	54.00	-13.63	AVG	150	0	P	
2	10560.232	40.82	13.98	54.80	74.00	-19.20	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#81

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5280
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#82 Date: 2025/08/22 Time: 19:56:43



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10559.780	23.99	13.98	37.97	54.00	-16.03	AVG	150	360	P	
2	10559.910	39.28	13.98	53.26	74.00	-20.74	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#82

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
 Limit: FCC Part15 C - Above 1G PK
 EUT: SWAN Beauty Mirror
 M/N: SM02O-BK
 Mode: AC20 5320
 Note:

Polarization: **Horizontal**
 Power: AC120V/60Hz
 Temperature: 26(C)
 Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#83 Date: 2025/08/22 Time: 19:57:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10639.718	41.00	14.11	55.11	74.00	-18.89	peak	150	360	P	
2 *	10640.313	26.16	14.11	40.27	54.00	-13.73	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5320
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#84 Date: 2025/08/22 Time: 19:58:19



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10639.829	39.43	14.11	53.54	74.00	-20.46	peak	150	0	P	
2 *	10640.138	24.10	14.11	38.21	54.00	-15.79	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#84

Page: 1


Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
 Limit: FCC Part15 C - Above 1G PK
 EUT: SWAN Beauty Mirror
 M/N: SM02O-BK
 Mode: AC40 5270
 Note:

Polarization: **Horizontal**
 Power: AC120V/60Hz
 Temperature: 26(C)
 Humidity: 54 %




*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC40 5270		
Note:		




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10539.838	24.07	13.95	38.02	54.00	-15.98	AVG	150	360	P	
2	10540.153	39.26	13.95	53.21	74.00	-20.79	peak	150	0	P	

*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC40 5310		
Note:		




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10619.727	41.06	14.07	55.13	74.00	-18.87	peak	150	360	P	
2 *	10620.123	27.13	14.07	41.20	54.00	-12.80	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC40 5310		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10620.231	39.55	14.07	53.62	74.00	-20.38	peak	150	0	P	
2 *	10620.284	25.33	14.07	39.40	54.00	-14.60	AVG	150	360	P	


*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
 Limit: FCC Part15 C - Above 1G PK
 EUT: SWAN Beauty Mirror
 M/N: SM02O-BK
 Mode: AC80 5290
 Note:

Polarization: **Horizontal**
 Power: AC120V/60Hz
 Temperature: 26(C)
 Humidity: 54 %



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10580.007	41.24	14.02	55.26	74.00	-18.74	peak	150	360	P	
2 *	10580.351	27.13	14.02	41.15	54.00	-12.85	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC80 5290
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#90 Date: 2025/08/22 Time: 20:04:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10579.928	24.38	14.02	38.40	54.00	-15.60	AVG	150	360	P	
2	10580.313	39.60	14.02	53.62	74.00	-20.38	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#90

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5260
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#13 Date: 2025/08/23 Time: 18:41:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.969	26.14	13.92	40.06	54.00	-13.94	AVG	150	0	P	
2	10520.313	40.44	13.92	54.36	74.00	-19.64	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#13

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5260
Note:

Radiated Emission Measurement

File :20250823 Data :#14 Date: 2025/08/23 Time: 18:42:35



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10519.682	23.93	13.92	37.85	54.00	-16.15	AVG	150	360	P	
2	10520.218	39.44	13.92	53.36	74.00	-20.64	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#14


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AX20 5280		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10559.846	40.60	13.98	54.58	74.00	-19.42	peak	150	360	P	
2 *	10559.879	26.86	13.98	40.84	54.00	-13.16	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5280
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#16 Date: 2025/08/23 Time: 18:44:27



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10559.788	23.72	13.98	37.70	54.00	-16.30	AVG	150	360	P	
2	10559.921	39.22	13.98	53.20	74.00	-20.80	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#16

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5320
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#17 Date: 2025/08/23 Time: 18:45:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10639.872	40.64	14.11	54.75	74.00	-19.25	peak	150	360	P	
2 *	10640.131	26.42	14.11	40.53	54.00	-13.47	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#17

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5320
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#18 Date: 2025/08/23 Time: 18:46:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10639.694	23.91	14.11	38.02	54.00	-15.98	AVG	150	360	P	
2	10639.783	39.74	14.11	53.85	74.00	-20.15	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#18

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5270
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#19 Date: 2025/08/23 Time: 18:47:26



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10540.122	41.25	13.95	55.20	74.00	-18.80	peak	150	360	P	
2 *	10540.314	26.38	13.95	40.33	54.00	-13.67	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#19


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AX40 5270		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10539.784	23.92	13.95	37.87	54.00	-16.13	AVG	150	360	P	
2	10539.876	39.57	13.95	53.52	74.00	-20.48	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
 Limit: FCC Part15 C - Above 1G PK
 EUT: SWAN Beauty Mirror
 M/N: SM02O-BK
 Mode: AX40 5310
 Note:

Polarization: **Horizontal**
 Power: AC120V/60Hz
 Temperature: 26(C)
 Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#21 Date: 2025/08/23 Time: 18:49:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10619.753	40.62	14.07	54.69	74.00	-19.31	peak	150	360	P	
2 *	10620.312	27.45	14.07	41.52	54.00	-12.48	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5310
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#22 Date: 2025/08/23 Time: 18:50:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10619.964	24.97	14.07	39.04	54.00	-14.96	AVG	150	360	P	
2	10620.203	39.58	14.07	53.65	74.00	-20.35	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#22

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5290
Note:

Radiated Emission Measurement

File :20250823 Data :#23 Date: 2025/08/23 Time: 18:51:39



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10579.862	40.97	14.02	54.99	74.00	-19.01	peak	150	360	P	
2 *	10580.235	27.00	14.02	41.02	54.00	-12.98	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#23

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5290
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#24 Date: 2025/08/23 Time: 18:52:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	10579.650	39.84	14.02	53.86	74.00	-20.14	peak	150	0	P	
2 *	10579.793	24.22	14.02	38.24	54.00	-15.76	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#24

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5500
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#91 Date: 2025/08/22 Time: 20:05:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11000.206	26.45	14.57	41.02	54.00	-12.98	AVG	150	0	P	
2	11000.341	39.59	14.57	54.16	74.00	-19.84	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#91

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5500
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#92 Date: 2025/08/22 Time: 20:06:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11000.129	24.24	14.57	38.81	54.00	-15.19	AVG	150	360	P	
2	11000.260	39.05	14.57	53.62	74.00	-20.38	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#92


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: A 5580		
Note:		




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11159.916	26.42	14.66	41.08	54.00	-12.92	AVG	150	0	P	
2	11160.134	41.28	14.66	55.94	74.00	-18.06	peak	150	360	P	

*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: A 5580		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11159.913	23.59	14.66	38.25	54.00	-15.75	AVG	150	360	P	
2	11160.021	39.30	14.66	53.96	74.00	-20.04	peak	150	0	P	

*:Maximum data x:Over limit !:over margin