




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5700
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#95 Date: 2025/08/22 Time: 20:09:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11399.851	40.51	14.85	55.36	74.00	-18.64	peak	150	360	P	
2 *	11400.212	25.82	14.85	40.67	54.00	-13.33	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#95

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5700
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#96 Date: 2025/08/22 Time: 20:10:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11400.091	23.80	14.85	38.65	54.00	-15.35	AVG	150	360	P	
2	11400.330	39.23	14.85	54.08	74.00	-19.92	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#96

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5500
Note:

Radiated Emission Measurement

File :20250824 Data :#75 Date: 2025/08/24 Time: 9:51:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10999.791	27.32	14.57	41.89	54.00	-12.11	AVG	150	0	P	
2	11000.113	40.95	14.57	55.52	74.00	-18.48	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#75

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5500
Note:

Radiated Emission Measurement

File :20250824 Data :#76 Date: 2025/08/24 Time: 9:52:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11000.241	23.96	14.57	38.53	54.00	-15.47	AVG	150	360	P	
2	11000.246	39.29	14.57	53.86	74.00	-20.14	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#76

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5580
Note:

Radiated Emission Measurement

File :20250824 Data :#77 Date: 2025/08/24 Time: 9:53:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11159.713	40.19	14.66	54.85	74.00	-19.15	peak	150	360	P	
2 *	11160.021	26.51	14.66	41.17	54.00	-12.83	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#77

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5580
Note:

Radiated Emission Measurement

File :20250824 Data :#78 Date: 2025/08/24 Time: 9:54:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11160.291	23.67	14.66	38.33	54.00	-15.67	AVG	150	360	P	
2	11160.310	39.75	14.66	54.41	74.00	-19.59	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#78

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5700
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#79 Date: 2025/08/24 Time: 9:55:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11400.152	26.12	14.85	40.97	54.00	-13.03	AVG	150	0	P	
2	11400.185	39.84	14.85	54.69	74.00	-19.31	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#79

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5700
Note:

Radiated Emission Measurement

File :20250824 Data :#80 Date: 2025/08/24 Time: 9:56:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11399.732	39.04	14.85	53.89	74.00	-20.11	peak	150	0	P	
2 *	11400.221	23.70	14.85	38.55	54.00	-15.45	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#80

Page: 1


Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
 Limit: FCC Part15 C - Above 1G PK
 EUT: SWAN Beauty Mirror
 M/N: SM02O-BK
 Mode: N40 5510
 Note:

Polarization: **Horizontal**
 Power: AC120V/60Hz
 Temperature: 26(C)
 Humidity: 54 %



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11019.858	26.01	14.59	40.60	54.00	-13.40	AVG	150	0	P	
2	11020.317	40.66	14.59	55.25	74.00	-18.75	peak	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5510
Note:

Radiated Emission Measurement

File :20250824 Data :#82 Date: 2025/08/24 Time: 9:58:45



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11020.189	24.38	14.59	38.97	54.00	-15.03	AVG	150	360	P	
2	11020.202	40.43	14.59	55.02	74.00	-18.98	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#82

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N40 5550
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#83 Date: 2025/08/24 Time: 9:59:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11099.754	41.27	14.67	55.94	74.00	-18.06	peak	150	360	P	
2 *	11100.058	26.19	14.67	40.86	54.00	-13.14	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#83

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5550
Note:

Radiated Emission Measurement

File :20250824 Data :#84 Date: 2025/08/24 Time: 10:00:39



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11099.987	24.94	14.67	39.61	54.00	-14.39	AVG	150	360	P	
2	11100.215	40.53	14.67	55.20	74.00	-18.80	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#84

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5670
Note:

Radiated Emission Measurement

File :20250824 Data :#85 Date: 2025/08/24 Time: 10:01:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11339.951	41.20	14.80	56.00	74.00	-18.00	peak	150	360	P	
2 *	11340.190	26.22	14.80	41.02	54.00	-12.98	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#85

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5670
Note:

Radiated Emission Measurement

File :20250824 Data :#86 Date: 2025/08/24 Time: 10:02:42



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11340.048	24.46	14.80	39.26	54.00	-14.74	AVG	150	360	P	
2	11340.214	41.02	14.80	55.82	74.00	-18.18	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#86

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5500
Note:

Radiated Emission Measurement

File :20250822 Data :#97 Date: 2025/08/22 Time: 20:12:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10999.791	26.52	14.57	41.09	54.00	-12.91	AVG	150	0	P	
2	11000.113	39.95	14.57	54.52	74.00	-19.48	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#97

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5500
Note:

Radiated Emission Measurement

File :20250822 Data :#98 Date: 2025/08/22 Time: 20:13:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11000.046	39.29	14.57	53.86	74.00	-20.14	peak	150	0	P	
2 *	11000.241	23.96	14.57	38.53	54.00	-15.47	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#98

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5580
Note:

Radiated Emission Measurement

File :20250822 Data :#99 Date: 2025/08/22 Time: 20:14:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11159.713	39.93	14.66	54.59	74.00	-19.41	peak	150	360	P	
2 *	11160.021	26.36	14.66	41.02	54.00	-12.98	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#99

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5580
Note:

Radiated Emission Measurement

File :20250822 Data :#100 Date: 2025/08/22 Time: 20:15:45



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11160.231	39.75	14.66	54.41	74.00	-19.59	peak	150	0	P	
2 *	11160.291	23.67	14.66	38.33	54.00	-15.67	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#100

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5700
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#101 Date: 2025/08/22 Time: 20:16:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11399.764	39.32	14.85	54.17	74.00	-19.83	peak	150	360	P	
2 *	11400.152	26.12	14.85	40.97	54.00	-13.03	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#101

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5700
Note:

Radiated Emission Measurement

File :20250822 Data :#102 Date: 2025/08/22 Time: 20:17:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11399.732	39.04	14.85	53.89	74.00	-20.11	peak	150	0	P	
2 *	11400.212	23.70	14.85	38.55	54.00	-15.45	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#102

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5510
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#103 Date: 2025/08/22 Time: 20:18:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11019.858	25.67	14.59	40.26	54.00	-13.74	AVG	150	0	P	
2	11020.317	40.43	14.59	55.02	74.00	-18.98	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#103

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5510
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#104 Date: 2025/08/22 Time: 20:19:48



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11019.714	40.43	14.59	55.02	74.00	-18.98	peak	150	0	P	
2 *	11020.189	24.38	14.59	38.97	54.00	-15.03	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#104

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC40 5550
Note:

Radiated Emission Measurement

File :20250822 Data :#105 Date: 2025/08/22 Time: 20:20:20



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11099.754	40.42	14.67	55.09	74.00	-18.91	peak	150	360	P	
2 *	11100.058	26.19	14.67	40.86	54.00	-13.14	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#105

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5550
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#106 Date: 2025/08/22 Time: 20:21:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11099.987	24.69	14.67	39.36	54.00	-14.64	AVG	150	360	P	
2	11100.215	39.53	14.67	54.20	74.00	-19.80	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#106

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC40 5670
Note:

Radiated Emission Measurement

File :20250822 Data :#107 Date: 2025/08/22 Time: 20:22:14



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11339.951	39.30	14.80	54.10	74.00	-19.90	peak	150	360	P	
2 *	11340.219	26.60	14.80	41.40	54.00	-12.60	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#107

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5670
Note:

Radiated Emission Measurement

File :20250822 Data :#108 Date: 2025/08/22 Time: 20:23:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11340.205	24.46	14.80	39.26	54.00	-14.74	AVG	150	360	P	
2	11340.214	40.48	14.80	55.28	74.00	-18.72	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#108

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC80 5530
Note:

Radiated Emission Measurement

File :20250822 Data :#109 Date: 2025/08/22 Time: 20:24:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11060.214	26.49	14.63	41.12	54.00	-12.88	AVG	150	0	P	
2	11060.222	40.67	14.63	55.30	74.00	-18.70	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#109

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC80 5530
Note:

Radiated Emission Measurement

File :20250822 Data :#110 Date: 2025/08/22 Time: 20:25:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11059.758	40.95	14.63	55.58	74.00	-18.42	peak	150	0	P	
2 *	11060.128	25.20	14.63	39.83	54.00	-14.17	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#110

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5610
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#111 Date: 2025/08/22 Time: 20:26:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11219.813	40.70	14.68	55.38	74.00	-18.62	peak	150	360	P	
2 *	11220.119	26.61	14.68	41.29	54.00	-12.71	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822Data :#111

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC80 5610
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#112 Date: 2025/08/22 Time: 20:27:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11219.830	40.48	14.68	55.16	74.00	-18.84	peak	150	0	P	
2 *	11219.845	25.01	14.68	39.69	54.00	-14.31	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#112

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC80 5690
Note:

Radiated Emission Measurement

File :20250822 Data :#113 Date: 2025/08/22 Time: 20:28:38



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11379.855	40.66	14.83	55.49	74.00	-18.51	peak	150	360	P	
2 *	11380.212	25.81	14.83	40.64	54.00	-13.36	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#113


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC80 5690		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11379.724	40.32	14.83	55.15	74.00	-18.85	peak	150	0	P	
2 *	11380.125	24.66	14.83	39.49	54.00	-14.51	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5500
Note:

Radiated Emission Measurement

File :20250823 Data :#25 Date: 2025/08/23 Time: 18:53:35



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	10999.979	26.64	14.57	41.21	54.00	-12.79	AVG	150	0	P	
2	11000.251	39.68	14.57	54.25	74.00	-19.75	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#25

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5500
Note:

Radiated Emission Measurement

File :20250823 Data :#26 Date: 2025/08/23 Time: 18:54:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11000.192	24.08	14.57	38.65	54.00	-15.35	AVG	150	360	P	
2	11000.205	39.02	14.57	53.59	74.00	-20.41	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#26

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5580
Note:

Radiated Emission Measurement

File :20250823 Data :#27 Date: 2025/08/23 Time: 18:55:56



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11159.781	40.20	14.66	54.86	74.00	-19.14	peak	150	360	P	
2 *	11160.150	26.54	14.66	41.20	54.00	-12.80	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#27

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5580
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#28 Date: 2025/08/23 Time: 18:56:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11159.914	39.98	14.66	54.64	74.00	-19.36	peak	150	0	P	
2 *	11160.143	23.85	14.66	38.51	54.00	-15.49	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5700
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#29 Date: 2025/08/23 Time: 18:57:53



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11399.764	26.05	14.85	40.90	54.00	-13.10	AVG	150	0	P	
2	11399.876	39.47	14.85	54.32	74.00	-19.68	peak	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5700
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#30 Date: 2025/08/23 Time: 18:58:24



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11399.857	38.44	14.85	53.29	74.00	-20.71	peak	150	0	P	
2 *	11400.121	23.41	14.85	38.26	54.00	-15.74	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#30

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5510
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#31 Date: 2025/08/23 Time: 18:59:33



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11019.686	25.44	14.59	40.03	54.00	-13.97	AVG	150	0	P	
2	11020.213	40.27	14.59	54.86	74.00	-19.14	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#31

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5510
Note:

Radiated Emission Measurement

File :20250823 Data :#32 Date: 2025/08/23 Time: 19:00:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11020.199	24.21	14.59	38.80	54.00	-15.20	AVG	150	360	P	
2	11020.200	39.61	14.59	54.20	74.00	-19.80	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#32

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5550
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#33 Date: 2025/08/23 Time: 19:02:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11099.785	40.64	14.67	55.31	74.00	-18.69	peak	150	360	P	
2 *	11100.206	25.62	14.67	40.29	54.00	-13.71	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#33

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5550
Note:

Radiated Emission Measurement

File :20250823 Data :#34 Date: 2025/08/23 Time: 19:03:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11100.100	24.97	14.67	39.64	54.00	-14.36	AVG	150	360	P	
2	11100.221	39.85	14.67	54.52	74.00	-19.48	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#34

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5670
Note:

Radiated Emission Measurement

File :20250823 Data :#35 Date: 2025/08/23 Time: 19:05:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11339.780	26.09	14.80	40.89	54.00	-13.11	AVG	150	0	P	
2	11339.795	39.71	14.80	54.51	74.00	-19.49	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#35


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AX40 5670		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11339.641	24.73	14.80	39.53	54.00	-14.47	AVG	150	360	P	
2	11340.121	39.29	14.80	54.09	74.00	-19.91	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5530
Note:

Radiated Emission Measurement

File :20250823 Data :#37 Date: 2025/08/23 Time: 19:07:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11059.680	26.38	14.63	41.01	54.00	-12.99	AVG	150	0	P	
2	11059.960	41.00	14.63	55.63	74.00	-18.37	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#37

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5530
Note:

Radiated Emission Measurement

File :20250823 Data :#38 Date: 2025/08/23 Time: 19:08:12



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11059.976	40.43	14.63	55.06	74.00	-18.94	peak	150	0	P	
2 *	11060.413	25.15	14.63	39.78	54.00	-14.22	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#38

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5610
Note:

Radiated Emission Measurement

File :20250823 Data :#39 Date: 2025/08/23 Time: 19:09:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11219.699	25.95	14.68	40.63	54.00	-13.37	AVG	150	0	P	
2	11219.781	40.66	14.68	55.34	74.00	-18.66	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#39

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5610
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#40 Date: 2025/08/23 Time: 19:10:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11219.784	24.59	14.68	39.27	54.00	-14.73	AVG	150	360	P	
2	11219.983	40.34	14.68	55.02	74.00	-18.98	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#40

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5690
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#41 Date: 2025/08/23 Time: 19:11:26



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11379.896	40.32	14.83	55.15	74.00	-18.85	peak	150	360	P	
2 *	11380.122	26.03	14.83	40.86	54.00	-13.14	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#41


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AX80 5690		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11379.752	39.79	14.83	54.62	74.00	-19.38	peak	150	0	P	
2 *	11379.936	24.82	14.83	39.65	54.00	-14.35	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5745
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#115 Date: 2025/08/22 Time: 20:30:59



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11489.193	27.35	14.94	42.29	54.00	-11.71	AVG	150	360	P	
2	11490.324	41.08	14.95	56.03	74.00	-17.97	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822Data :#115

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5745
Note:

Radiated Emission Measurement

File :20250822 Data :#116 Date: 2025/08/22 Time: 20:31:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11489.693	40.16	14.94	55.10	74.00	-18.90	peak	150	360	P	
2 *	11489.873	25.68	14.94	40.62	54.00	-13.38	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#116

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5785
Note:

Radiated Emission Measurement

File :20250822 Data :#117 Date: 2025/08/22 Time: 20:32:44



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11569.724	41.07	15.00	56.07	74.00	-17.93	peak	150	0	P	
2 *	11570.122	27.28	15.01	42.29	54.00	-11.71	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#117

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5785
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#118 Date: 2025/08/22 Time: 20:33:33



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11569.841	25.46	15.00	40.46	54.00	-13.54	AVG	150	0	P	
2	11570.132	40.02	15.01	55.03	74.00	-18.97	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#118

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5825
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#119 Date: 2025/08/22 Time: 20:34:49



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11649.941	27.02	15.01	42.03	54.00	-11.97	AVG	150	360	P	
2	11650.012	41.29	15.02	56.31	74.00	-17.69	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#119

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5825
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#120 Date: 2025/08/22 Time: 20:35:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11649.715	25.58	15.01	40.59	54.00	-13.41	AVG	150	0	P	
2	11650.020	40.34	15.02	55.36	74.00	-18.64	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#120


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: N20 5745		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11489.752	28.19	14.94	43.13	54.00	-10.87	AVG	150	360	P	
2	11490.324	41.25	14.95	56.20	74.00	-17.80	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5745
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#100 Date: 2025/08/24 Time: 10:04:39



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11489.790	25.22	14.94	40.16	54.00	-13.84	AVG	150	0	P	
2	11490.117	40.96	14.95	55.91	74.00	-18.09	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#100

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5785
Note:

Radiated Emission Measurement

File :20250824 Data :#101 Date: 2025/08/24 Time: 10:05:36



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11570.097	41.10	15.01	56.11	74.00	-17.89	peak	150	0	P	
2 *	11570.102	27.97	15.01	42.98	54.00	-11.02	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#101

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5785
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#102 Date: 2025/08/24 Time: 10:06:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11570.232	40.99	15.01	56.00	74.00	-18.00	peak	150	360	P	
2 *	11570.255	25.59	15.01	40.60	54.00	-13.40	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#102

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N20 5825
Note:

Radiated Emission Measurement

File :20250824 Data :#103 Date: 2025/08/24 Time: 10:07:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11649.726	27.86	15.01	42.87	54.00	-11.13	AVG	150	360	P	
2	11650.312	41.68	15.03	56.71	74.00	-17.29	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#103

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5825
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#104 Date: 2025/08/24 Time: 10:08:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11649.781	25.73	15.01	40.74	54.00	-13.26	AVG	150	0	P	
2	11649.820	40.15	15.01	55.16	74.00	-18.84	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#104

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5755
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#105 Date: 2025/08/24 Time: 10:09:32



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11510.139	26.31	14.96	41.27	54.00	-12.73	AVG	150	360	P	
2	11510.287	41.31	14.96	56.27	74.00	-17.73	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824Data :#105

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N40 5755
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#106 Date: 2025/08/24 Time: 10:10:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11509.912	41.07	14.95	56.02	74.00	-17.98	peak	150	360	P	
2 *	11510.341	25.61	14.96	40.57	54.00	-13.43	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#106

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N40 5795
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#107 Date: 2025/08/24 Time: 10:11:33



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11590.129	41.30	15.03	56.33	74.00	-17.67	peak	150	0	P	
2 *	11590.314	26.11	15.03	41.14	54.00	-12.86	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824Data :#107

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5795
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250824 Data :#108 Date: 2025/08/24 Time: 10:12:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11589.711	25.84	15.02	40.86	54.00	-13.14	AVG	150	0	P	
2	11590.316	41.57	15.03	56.60	74.00	-17.40	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250824\Data :#108

Page: 1

Engineer Signature: Jim