




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5745
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#121 Date: 2025/08/22 Time: 20:36:32



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11489.752	27.19	14.94	42.13	54.00	-11.87	AVG	150	360	P	
2	11490.132	41.07	14.95	56.02	74.00	-17.98	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#121

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5745
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#122 Date: 2025/08/22 Time: 20:37:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11489.790	25.22	14.94	40.16	54.00	-13.84	AVG	150	0	P	
2	11490.117	39.96	14.95	54.91	74.00	-19.09	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#122


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC20 5785		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11570.102	27.09	15.01	42.10	54.00	-11.90	AVG	150	360	P	
2	11570.110	41.10	15.01	56.11	74.00	-17.89	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5785
Note:

Radiated Emission Measurement

File :20250822 Data :#124 Date: 2025/08/22 Time: 20:39:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11570.232	41.09	15.01	56.10	74.00	-17.90	peak	150	360	P	
2 *	11570.255	25.15	15.01	40.16	54.00	-13.84	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#124

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5825
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#125 Date: 2025/08/22 Time: 20:40:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11649.726	26.86	15.01	41.87	54.00	-12.13	AVG	150	360	P	
2	11659.674	41.69	15.02	56.71	74.00	-17.29	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#125

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5825
Note:

Radiated Emission Measurement

File :20250822 Data :#126 Date: 2025/08/22 Time: 20:41:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11649.781	25.73	15.01	40.74	54.00	-13.26	AVG	150	0	P	
2	11649.812	40.15	15.01	55.16	74.00	-18.84	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#126


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Horizontal	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: AC40 5755		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11510.139	26.31	14.96	41.27	54.00	-12.73	AVG	150	360	P	
2	11510.287	41.17	14.96	56.13	74.00	-17.87	peak	150	0	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC40 5755
Note:

Radiated Emission Measurement

File :20250822 Data :#128 Date: 2025/08/22 Time: 20:43:18



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11509.912	41.07	14.95	56.02	74.00	-17.98	peak	150	360	P	
2 *	11510.234	25.90	14.96	40.86	54.00	-13.14	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#128

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC40 5795
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#129 Date: 2025/08/22 Time: 20:44:26



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11590.129	41.30	15.03	56.33	74.00	-17.67	peak	150	0	P	
2 *	11590.131	26.38	15.03	41.41	54.00	-12.59	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#129

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC40 5795
Note:

Radiated Emission Measurement

File :20250822 Data :#130 Date: 2025/08/22 Time: 20:45:17



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11589.711	25.84	15.02	40.86	54.00	-13.14	AVG	150	0	P	
2	11590.032	41.23	15.03	56.26	74.00	-17.74	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#130

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5775
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250822 Data :#131 Date: 2025/08/22 Time: 20:46:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11549.731	26.12	14.98	41.10	54.00	-12.90	AVG	150	360	P	
2	11550.321	41.26	15.00	56.26	74.00	-17.74	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#131

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC80 5775
Note:

Radiated Emission Measurement

File :20250822 Data :#132 Date: 2025/08/22 Time: 20:47:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11549.699	25.82	14.98	40.80	54.00	-13.20	AVG	150	0	P	
2	11550.136	39.96	15.00	54.96	74.00	-19.04	peak	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250822\Data :#132

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5745
Note:

Radiated Emission Measurement

File :20250823 Data :#43 Date: 2025/08/23 Time: 19:13:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11489.675	27.27	14.94	42.21	54.00	-11.79	AVG	150	360	P	
2	11489.702	40.75	14.94	55.69	74.00	-18.31	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#43

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5745
Note:

Radiated Emission Measurement

File :20250823 Data :#44 Date: 2025/08/23 Time: 19:14:41



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11490.112	39.74	14.95	54.69	74.00	-19.31	peak	150	360	P	
2 *	11490.191	25.51	14.95	40.46	54.00	-13.54	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#44

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5785
Note:

Radiated Emission Measurement

File :20250823 Data :#45 Date: 2025/08/23 Time: 19:15:33



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11569.910	27.41	15.00	42.41	54.00	-11.59	AVG	150	360	P	
2	11570.191	41.40	15.01	56.41	74.00	-17.59	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#45

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5785
Note:

Radiated Emission Measurement

File :20250823 Data :#46 Date: 2025/08/23 Time: 19:16:45



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11569.689	40.68	15.00	55.68	74.00	-18.32	peak	150	360	P	
2 *	11570.226	25.21	15.01	40.22	54.00	-13.78	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#46

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5825
Note:

Radiated Emission Measurement

File :20250823 Data :#47 Date: 2025/08/23 Time: 19:17:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11650.256	26.16	15.03	41.19	54.00	-12.81	AVG	150	360	P	
2	11659.767	41.05	15.02	56.07	74.00	-17.93	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#47

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5825
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#48 Date: 2025/08/23 Time: 19:18:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11649.881	40.01	15.01	55.02	74.00	-18.98	peak	150	360	P	
2 *	11650.165	25.34	15.03	40.37	54.00	-13.63	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#48

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5755
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#49 Date: 2025/08/23 Time: 19:19:42



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11509.910	26.08	14.95	41.03	54.00	-12.97	AVG	150	360	P	
2	11510.219	40.95	14.96	55.91	74.00	-18.09	peak	150	0	P	

!:Maximum data x:Over limit !:over margin

File :20250823\Data :#49

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5755
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#50 Date: 2025/08/23 Time: 19:20:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11510.101	41.34	14.96	56.30	74.00	-17.70	peak	150	360	P	
2 *	11510.112	26.03	14.96	40.99	54.00	-13.01	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#50

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5795
Note:

Radiated Emission Measurement

File :20250823 Data :#51 Date: 2025/08/23 Time: 19:21:25



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11589.749	41.01	15.02	56.03	74.00	-17.97	peak	150	0	P	
2 *	11590.153	26.11	15.03	41.14	54.00	-12.86	AVG	150	360	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#51

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5795
Note:

Radiated Emission Measurement

File :20250823 Data :#52 Date: 2025/08/23 Time: 19:22:14



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11589.914	40.63	15.02	55.65	74.00	-18.35	peak	150	360	P	
2 *	11589.971	25.87	15.02	40.89	54.00	-13.11	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#52

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5775
Note:


Radiated Emission Measurement

File :20250823

Data :#53

Date: 2025/08/23

Time: 19:23:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	11549.793	26.43	14.98	41.41	54.00	-12.59	AVG	150	360	P	
2	11550.302	41.53	15.00	56.53	74.00	-17.47	peak	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#53

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5775
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250823 Data :#54 Date: 2025/08/23 Time: 19:24:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	11549.790	39.82	14.98	54.80	74.00	-19.20	peak	150	360	P	
2 *	11549.970	25.50	14.98	40.48	54.00	-13.52	AVG	150	0	P	

*:Maximum data x:Over limit !:over margin

File :20250823\Data :#54

Page: 1

Engineer Signature: Jim

Appendix A.7: Test Results of Radiated Emissions in Restricted Bands



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Horizontal**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: A 5180

Note:


Radiated Emission Measurement

File :20250803

Data :#25

Date: 2025/08/03

Time: 12:04:57



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5150.000	29.07	37.23	66.30	74.00	-7.70	peak	159	190	P	
2	5150.000	7.95	37.23	45.18	54.00	-8.82	AVG	159	190	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#25

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Horizontal** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: A 5320
Note:

Radiated Emission Measurement

File :20250803 Data :#26 Date: 2025/08/03 Time: 12:41:28



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	19.28	37.43	56.71	74.00	-17.29	peak	159	195	P	
2 *	5350.000	6.80	37.43	44.23	54.00	-9.77	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#26

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5320
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#27 Date: 2025/08/03 Time: 12:42:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	19.61	37.43	57.04	74.00	-16.96	peak	159	195	P	
2 *	5350.000	6.97	37.43	44.40	54.00	-9.60	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#27

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Limit: FCC Part15 C - Above 1G PK

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: N20 5180

Note:

Polarization: **Horizontal**

Temperature: 26(C)

Power: AC120V/60Hz

Humidity: 54 %


Radiated Emission Measurement

File :20250803

Data :#28

Date: 2025/08/03

Time: 12:43:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	26.44	37.23	63.67	74.00	-10.33	peak	159	195	P	
2 *	5150.000	7.37	37.23	44.60	54.00	-9.40	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#28

Page: 1

Engineer Signature:

Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N40 5190
Note:
Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#29 Date: 2025/08/03 Time: 12:44:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	27.84	37.23	65.07	74.00	-8.93	peak	159	195	P	
2 *	5150.000	9.42	37.23	46.65	54.00	-7.35	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#29

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Limit: FCC Part15 C - Above 1G PK

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: N40 5310

Note:

Polarization: **Horizontal**

Temperature: 26(C)

Power: AC120V/60Hz

Humidity: 54 %


Radiated Emission Measurement

File :20250803

Data :#30

Date: 2025/08/03

Time: 12:44:59



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	21.77	37.43	59.20	74.00	-14.80	peak	159	195	P	
2 *	5350.000	8.90	37.43	46.33	54.00	-7.67	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#30

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5180
Note:
Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#31 Date: 2025/08/03 Time: 12:46:11



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	21.51	37.23	58.74	74.00	-15.26	peak	159	195	P	
2 *	5150.000	7.96	37.23	45.19	54.00	-8.81	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#31

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5320
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#32 Date: 2025/08/03 Time: 12:47:06



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	19.78	37.43	57.21	74.00	-16.79	peak	159	195	P	
2 *	5350.000	6.48	37.43	43.91	54.00	-10.09	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#32

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5310
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#33 Date: 2025/08/03 Time: 12:47:54



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	22.10	37.43	59.53	74.00	-14.47	peak	159	195	P	
2 *	5350.000	9.16	37.43	46.59	54.00	-7.41	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#33

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC40 5190
Note:
Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#34 Date: 2025/08/03 Time: 12:49:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	27.26	37.23	64.49	74.00	-9.51	peak	159	195	P	
2 *	5150.000	10.66	37.23	47.89	54.00	-6.11	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#34

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5210
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#35 Date: 2025/08/03 Time: 12:50:49



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	26.63	37.23	63.86	74.00	-10.14	peak	159	195	P	
2 *	5150.000	7.55	37.23	44.78	54.00	-9.22	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#35

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5290
Note:
Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#36 Date: 2025/08/03 Time: 12:52:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	18.55	37.43	55.98	74.00	-18.02	peak	159	195	P	
2 *	5350.000	8.25	37.43	45.68	54.00	-8.32	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX20 5180
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#37 Date: 2025/08/03 Time: 12:53:16



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	23.91	37.23	61.14	74.00	-12.86	peak	159	195	P	
2 *	5150.000	8.21	37.23	45.44	54.00	-8.56	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#37

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Horizontal**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: AX20 5320

Note:


Radiated Emission Measurement

File :20250803

Data :#38

Date: 2025/08/03

Time: 12:54:04



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	21.55	37.43	58.98	74.00	-15.02	peak	159	195	P	
2 *	5350.000	6.42	37.43	43.85	54.00	-10.15	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#38

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5190
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#39 Date: 2025/08/03 Time: 12:55:02



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	27.11	37.23	64.34	74.00	-9.66	peak	159	195	P	
2 *	5150.000	9.70	37.23	46.93	54.00	-7.07	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#39

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX40 5310
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#40 Date: 2025/08/03 Time: 12:55:53



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	23.73	37.43	61.16	74.00	-12.84	peak	159	195	P	
2 *	5350.000	8.85	37.43	46.28	54.00	-7.72	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#40

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5210
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#41 Date: 2025/08/03 Time: 12:56:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	24.74	37.23	61.97	74.00	-12.03	peak	159	195	P	
2 *	5150.000	6.89	37.23	44.12	54.00	-9.88	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5290
Note:

Polarization: **Horizontal**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#42 Date: 2025/08/03 Time: 12:58:04



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	20.21	37.43	57.64	74.00	-16.36	peak	159	195	P	
2 *	5350.000	7.54	37.43	44.97	54.00	-9.03	AVG	159	195	P	

*:Maximum data x:Over limit !:over margin



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: A 5180

Note:


Radiated Emission Measurement

File :20250803

Data :#43

Date: 2025/08/03

Time: 13:02:46



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	25.38	37.23	62.61	74.00	-11.39	peak	160	143	P	
2 *	5150.000	9.29	37.23	46.52	54.00	-7.48	AVG	160	143	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#43

Page: 1

Engineer Signature:

Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: A 5180

Note:


Radiated Emission Measurement

File :20250803

Data :#44

Date: 2025/08/03

Time: 13:06:23



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	18.72	37.43	56.15	74.00	-17.85	peak	160	150	P	
2 *	5350.000	7.33	37.43	44.76	54.00	-9.24	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#44

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM02O-BK

Mode: N20 5180

Note:


Radiated Emission Measurement

File :20250803

Data :#45

Date: 2025/08/03

Time: 13:08:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	26.78	37.23	64.01	74.00	-9.99	peak	160	150	P	
2 *	5150.000	9.08	37.23	46.31	54.00	-7.69	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#45

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Langqing 1st Road, Luhu Community, Guanhu Subdistrict
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM02O-BK

Mode: N20 5320

Note:


Radiated Emission Measurement

File :20250803

Data :#46

Date: 2025/08/03

Time: 13:09:33



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	20.08	37.43	57.51	74.00	-16.49	peak	160	150	P	
2 *	5350.000	7.33	37.43	44.76	54.00	-9.24	AVG			P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#46

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N40 5310
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#47 Date: 2025/08/03 Time: 13:10:33



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	20.22	37.43	57.65	74.00	-16.35	peak	160	150	P	
2 *	5350.000	7.00	37.43	44.43	54.00	-9.57	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#47

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM02O-BK

Mode: N40 5190

Note:


Radiated Emission Measurement

File :20250803

Data :#48

Date: 2025/08/03

Time: 13:11:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	29.51	37.23	66.74	74.00	-7.26	peak	160	150	P	
2 *	5150.000	9.60	37.23	46.83	54.00	-7.17	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#48

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AC20 5180
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#49 Date: 2025/08/03 Time: 13:12:27



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	23.69	37.23	60.92	74.00	-13.08	peak	160	150	P	
2 *	5150.000	7.64	37.23	44.87	54.00	-9.13	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#49

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC20 5320
Note:

Radiated Emission Measurement

File :20250803 Data :#50 Date: 2025/08/03 Time: 13:13:13



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	17.74	37.43	55.17	74.00	-18.83	peak	160	150	P	
2 *	5350.000	5.83	37.43	43.26	54.00	-10.74	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#50

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM02O-BK

Mode: AC40 5310

Note:


Radiated Emission Measurement

File :20250803

Data :#51

Date: 2025/08/03

Time: 13:14:07



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	23.36	37.43	60.79	74.00	-13.21	peak	160	150	P	
2 *	5350.000	7.38	37.43	44.81	54.00	-9.19	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#51

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: AC40 5190

Note:


Radiated Emission Measurement

File :20250803

Data :#52

Date: 2025/08/03

Time: 13:15:15



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5150.000	29.64	37.23	66.87	74.00	-7.13	peak	160	150	P	
2	5150.000	9.15	37.23	46.38	54.00	-7.62	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#52

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5210
Note:

Radiated Emission Measurement

File :20250803 Data :#53 Date: 2025/08/03 Time: 13:16:40



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	24.00	37.23	61.23	74.00	-12.77	peak	160	150	P	
2 *	5150.000	6.52	37.23	43.75	54.00	-10.25	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#53

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AC80 5290
Note:
Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#54 Date: 2025/08/03 Time: 13:18:09



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	18.04	37.43	55.47	74.00	-18.53	peak	160	150	P	
2 *	5350.000	6.53	37.43	43.96	54.00	-10.04	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5180
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#55 Date: 2025/08/03 Time: 13:19:37



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	23.55	37.23	60.78	74.00	-13.22	peak	160	150	P	
2 *	5150.000	7.88	37.23	45.11	54.00	-8.89	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#55

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX20 5320
Note:

Radiated Emission Measurement

File :20250803 Data :#56 Date: 2025/08/03 Time: 13:20:22



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	22.87	37.43	60.30	74.00	-13.70	peak	160	150	P	
2 *	5350.000	7.27	37.43	44.70	54.00	-9.30	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#56

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5310
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#57 Date: 2025/08/03 Time: 13:21:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	21.36	37.43	58.79	74.00	-15.21	peak	160	150	P	
2 *	5350.000	8.78	37.43	46.21	54.00	-7.79	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX40 5190
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#58 Date: 2025/08/03 Time: 13:22:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	26.68	37.23	63.91	74.00	-10.09	peak	160	150	P	
2 *	5150.000	10.29	37.23	47.52	54.00	-6.48	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#58

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: AX80 5210
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#59 Date: 2025/08/03 Time: 13:23:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5150.000	21.51	37.23	58.74	74.00	-15.26	peak	160	150	P	
2 *	5150.000	6.34	37.23	43.57	54.00	-10.43	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#59

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: AX80 5290
Note:

Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#60 Date: 2025/08/03 Time: 13:25:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5350.000	21.59	37.43	59.02	74.00	-14.98	peak	160	150	P	
2 *	5350.000	8.20	37.43	45.63	54.00	-8.37	AVG	160	150	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#60

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM02O-BK

Mode: A 5500

Note:


Radiated Emission Measurement

File :20250803

Data :#61

Date: 2025/08/03

Time: 13:32:30



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5470.000	26.10	37.63	63.73	74.00	-10.27	peak	203	155	P	
2 *	5470.000	7.47	37.63	45.10	54.00	-8.90	AVG	203	155	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#61

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: A 5700
Note:
Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#62 Date: 2025/08/03 Time: 13:38:55



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5725.000	17.39	38.16	55.55	74.00	-18.45	peak	215	130	P	
2 *	5725.000	4.95	38.16	43.11	54.00	-10.89	AVG	215	130	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#62


Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
 Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
 t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3#	Polarization: Vertical	Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK	Power: AC120V/60Hz	Humidity: 54 %
EUT: SWAN Beauty Mirror		
M/N: SM02O-BK		
Mode: N20 5700		
Note:		



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5725.000	21.37	38.16	59.53	74.00	-14.47	peak	215	130	P	
2 *	5725.000	4.68	38.16	42.84	54.00	-11.16	AVG			P	

*:Maximum data x:Over limit !:over margin




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#
Limit: FCC Part15 C - Above 1G PK
EUT: SWAN Beauty Mirror
M/N: SM020-BK
Mode: N20 5500
Note:
Polarization: **Vertical**
Power: AC120V/60Hz
Temperature: 26(C)
Humidity: 54 %

Radiated Emission Measurement

File :20250803 Data :#64 Date: 2025/08/03 Time: 13:43:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5470.000	26.53	37.63	64.16	74.00	-9.84	peak	215	155	P	
2 *	5470.000	7.56	37.63	45.19	54.00	-8.81	AVG	215	155	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#64

Page: 1

Engineer Signature: Jim



CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luhua Community, Guanhu Subdistrict,
Longhua District, Shenzhen, Guangdong, China

Site: Radiation 3#

Polarization: **Vertical**

Temperature: 26(C)

Limit: FCC Part15 C - Above 1G PK

Power: AC120V/60Hz

Humidity: 54 %

EUT: SWAN Beauty Mirror

M/N: SM020-BK

Mode: N40 5510

Note:


Radiated Emission Measurement

File :20250803

Data :#65

Date: 2025/08/03

Time: 13:44:01



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5470.000	30.19	37.63	67.82	74.00	-6.18	peak	215	155	P	
2 *	5470.000	11.25	37.63	48.88	54.00	-5.12	AVG	215	155	P	

*:Maximum data x:Over limit !:over margin

File :20250803\Data :#65

Page: 1

Engineer Signature: Jim




CTC Laboratories Inc.
Room 101 Building B, No. 7, Lanqing 1st Road, Luh Community, Guanhu Subdistric
t, Longhua District, Shenzhen, Guangdong, China

Site Radiation 3# Polarization: **Vertical** Temperature: 26(C)
Limit: FCC Part15 C - Above 1G PK Power: AC120V/60Hz Humidity: 54 %
EUT: SWAN Beauty Mirror
M/N: SM02O-BK
Mode: N40 5670
Note:

Radiated Emission Measurement

File :20250803 Data :#66 Date: 2025/08/03 Time: 13:45:53



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5725.000	17.40	38.16	55.56	74.00	-18.44	peak	215	130	P	
2 *	5725.000	4.44	38.16	42.60	54.00	-11.40	AVG			P	

*:Maximum data x:Over limit !:over margin